

of top *before*
top above Ground ft. in.
Sea Level ft.
Name
Distance Direction

✓ R
PINNER
MIDD X
1911 - 1913
Kept at *Pinner*
in the County of *Midd*
by *W. M. C.*

IMPORTANT NOTE: Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04			.50	.01		.01	.03					1
2	.06			.39	.22						.28	.18	2
3	.06	.02		.01	.25			.02		.03	.11	.07	3
4	.07	.05	.09	.09						.04	.12	.30	4
5	.04	.02		.05				.03		.11	.01	.13	5
6	.37		.15							.01		.33	6
7	.05			.01						.11	.28	.40	7
8	.17		.20								.13	.16	8
9	.09		.05	.01							.02	.03	9
10	.03	.06	.16	.02							.01	.48	10
11	.32		.02		.27						.63	.02	11
12	.09		.48		.05	.03					.28	.01	12
13			.08		.22				.50	.11	.09	.33	13
14		.07			.13					.01	.01	.39	14
15		.06	.11							.01	.05	.04	15
16		.01				.32					.39	.08	16
17			.04			.22					.28	.21	17
18		.30	.04			.25					.42	.25	18
19						.31			.25	.04	.21	.21	19
20		.02						.37	.20			.69	20
21	.02	.09				.01		.44		.57		.09	21
22	.08		.02			.03		.01		.15		.50	22
23	.01	.15	.16			.63			.20	.01	.02	.17	23
24	.01	.15				.08		.04		1.04		.19	24
25		.08	.08	.07		.24	.25			.11		.02	25
26		.01	.03	.19		.05	.25	.02		.16		.33	26
27		.47	.11	.04	.01		.05		.11		.01	.16	27
28		.39		.25	.09			.09			.05	.01	28
29				.02		.20	.13			.32			29
30			.01		.06	.03			.22	.16		.02	30
31					1.90								31
Total	1.51	1.95	1.83	1.65	3.21	2.40	.51	1.05	1.48	2.99	3.40	5.80	27.78
No. of Rain Days.	16	16	17	13	11	13	5	9	6	17	20	28	176

R

1911

FORM A2.
BRITISH RAINFALL.

29 JAN 1912

Kept at Pymoor
Wanho - Hatch Endin the County of Middlesexby W. M. Cann.

RAIN GAUGE { Pattern
Diameter of top _____
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04			.50	.01		.01	.03					1
2	.06			.39	.22						.28	.18	2
3	.06	.02		.01	.25			.02		.03	.11	.07	3
4	.07	.05	.09	.09						.04	.12	.30	4
5	.04	.02		.05				.03		.11	.01	.13	5
6	.37		.15							.01		.33	6
7	.05			.01						.11	.28	.40	7
8	.17		.20								.13	.16	8
9	.09		.05	.01							.02	.03	9
10	.03	.06	.16	.02							.01	.48	10
11	.32		.02		.27						.63	.02	11
12	.09		.48		.05	.03					.28	.01	12
13			.08		.22				.50	.11	.09	.33	13
14		.07			.13					.01	.07	.39	14
15		.06	.11							.01	.05	.04	15
16		.01				.32					.39	.08	16
17			.04			.22					.28	.21	17
18		.30	.04			.25					.42	.25	18
19						.31			.25	.04	.21	.21	19
20		.02						.37	.20			.69	20
21	.02	.09				.01		.44		.57		.09	21
22	.08		.02			.03		.01		.15		.50	22
23	.01	.15	.16			.63			.20	.01	.02	.17	23
24	.01	.15				.08		.04		.104		.19	24
25		.08	.08	.07		.24	.25			.11		.02	25
26		.01	.03	.19		.05	.2507	.02		.16		.33	26
27		.47	.11	.04	.01		.05		.11		.01	.16	27
28		.39		.25	.09			.09			.05	.01	28
29				.02		.20	.13			.32			29
30			.01		.06	.03			.22	.16		.02	30
31					1.90								31
Total	1.51	1.95	1.83	1.65	3.21	2.40	.51	1.05	1.48	2.99	3.40	6.80	27.78
No. of Rain Days.	16	16	17	13	11	13	5	9	6	17	20	28	171

PINNER REGISTER OF RAINFALL IN 1912

Kept at *Franklin - Roydon Park, Hatch End*

in the County of *Middlesex*

by *Wm. Cann*

Lat. _____ Long. _____
 Time of Observation *8 am*
 Nearest Railway Station *Hatch End. L.N.W.*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *as before* in.
 " " " " Sea Level ft.

BRITISH RAINFALL FORM A.
 13 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07			.14	.08		.06	.31		.16	1
2		.02	.09	.02		.05	.30		~~04~~				2
3	.07	.01	.14		.02	.22	.03	.25	.01			.08	3
4	.33	.01	.65		.13	.39		.03			.22		4
5	.18	.07	.10			.01		.37			.05	.02	5
6	.60	.04	~~04~~			.04		.67	.02			.08	6
7			.01		.03	.40	.03	.31				.05	7
8	.46	.34	.21			.01	.02	.08			.02	.03	8
9	.02	.18	.02			.04	.03	.02				.23	9
10	.01	.04				.08		.29	.17		.08	.17	10
11	.08	.25				.03			.03		.01	.14	11
12	.04	.09	.12		.17	.07					.06	.01	12
13	.03	.01	.03			.01					.08	.04	13
14			.04		.03			.08		.06		.03	14
15	.02	.04	.15		.23	.45		.04				.38	15
16	.33		.06		.01	.03		.21		.09	.07		16
17	.43		.30			~~10~~		.10				.01	17
18	.07		.16			.01		.08			.02	.15	18
19	.13	.06	.20	.02			.37	.33				.01	19
20	.04		.12			.02	.04	.06		.39			20
21	.02	.08	.55		.11			.10		.07	.05		21
22	.34	.25	.11		.09		.10	.14		.06	.01	.04	22
23	.45	.35	.35				.18	.50		.03	.16	.19	23
24	.39	.02	.01					.19				.19	24
25		.02				.14		.52			.27	.49	25
26			.02				.06	.40		.45	.45	.40	26
27		.01				.03				.15		.21	27
28		.04				.04		.06	.06	.35	.39	.25	28
29		.04				.31	.26	.28	1.24	.27	.03		29
30					.38	.02	.01	.01	.90	.21			30
31			.30		.07		.19	.20		.02		.05	31
Total	4.04	1.97	3.81	.04	1.27	2.64	1.70	4.82	2.49	2.46	1.97	3.41	30.62
Rain Days.	20	21	23	2	11	23	14	25	8	13	16	24	200

YEAR'S TOTAL

Our above records are correct, if the totals are not any more wrong than it is owing to faulty arithmetic. Wm. C.

REG[✓]ISTER OF RAINFALL IN 1913

Kept at 9 PINNER
Tranholme Hatch End AL
in the County of Middlesex
by W. M. Cann

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station As before
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
31 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.16	.09	.24					.17		.09	.16	1
2	.03	.15	.02	.02			.10		.02		.05	.01	2
3	.02		.05	.24	.50					.02		.04	3
4	.21	.01	.01	.03	.14		.10			.27	.05	.07	4
5	.09				.01		.14		.21	.01	.02	.07	5
6	.01	.07	.07	.02	.07	.20	.55		.04	.14	.05	.12	6
7		.14			.04	.02	.03	.04		.54	.08	.03	7
8		.03	.02	.01	.07	.10				.06	.04	.01	8
9		.20	.01		.03	.01			.04		.03	.05	9
10			.08	.12	.01		.24	.09			.38	.01	10
11	.57			.39	.04			.06		.47	.40		11
12		.02			.03					.01	.35		12
13	.05							.02	.04		.24		13
14	.07	.02	.10	.04			.40	.08		.10	.15		14
15	.15	.06	.22	.30			.24		.15		.01	.01	15
16	.11		.30	.17					.08			.01	16
17	.02	.03	.07	.03			.16				.05	.06	17
18	.02		.16	.10							.03	.02	18
19	.33		.06	.03	.02		.11		.43			.04	19
20	.11		.04	.04	.01					.48	.01	.01	20
21	.01		.15	.04			.02			.18	.75		21
22	.46		.17	.02					.18				22
23								.21	.03		.02	.20	23
24	.02		.02	.06				.06			.03		24
25		.02	.01	.12							.01	.02	25
26		.03	.18	.12				.07		.69		.21	26
27		.01	.01	.08	.01			.06		.06	.01		27
28	.35		.23	.12						.07			28
29	.05		.08	.58	.45					.03		.02	29
30	.25			.05				.05		.15	.01		30
31			.03					.25		.05			31
Total	2.97	.95	2.18	2.97	1.43	.33	2.09	.99	1.39	3.33	2.86	1.17	22.66
Rain Days.	21	14	24	24	14	4	11	11	11	17	23	20	194

PLUMSTEAD

Kept at Plums

in the County of K

by R. J. Alli

1911 - 1919

FORM A2.
BRITISH RAINFALL
Meteorological Office
p. 8 in.
above Ground 1 ft. 0
Sea Level 31 ft.

Name Plumstead
Distance 1m Direction

IMPORTANT NOTE.—Rain should be measured the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	—	.01	.78	—	—	—	.04	—	—	—	—	1
2	.02	.01	—	.14	.10	—	—	—	—	—	.16	.06	2
3	.01	.01	—	—	.16	—	—	—	—	—	.06	.10	3
4	.01	.01	.08	.04	—	—	—	—	—	.04	.10	.15	4
5	.01	—	—	.02	—	—	—	—	—	.16	—	.15	5
6	.26	—	.20	.01	—	—	—	—	—	—	—	.19	6
7	.03	—	—	.01	—	—	—	—	—	.16	.26	.13	7
8	.23	—	.11	—	—	—	—	—	—	—	.30	.24	8
9	—	—	.03	.03	—	—	—	—	—	—	—	.01	9
10	.05	.10	.03	—	—	—	—	—	—	—	.03	.41	10
11	.20	—	—	—	—	—	—	—	—	—	.62	.07	11
12	—	—	.36	—	.39	.02	—	—	.01	—	.11	.11	12
13	—	—	.08	—	.17	—	—	—	.27	.16	.05	.05	13
14	—	.06	—	—	.16	—	—	—	—	—	—	.41	14
15	—	.03	.20	—	—	—	—	—	—	.02	.02	.02	15
16	—	—	—	—	—	.39	—	—	—	—	.46	.01	16
17	—	—	.06	—	—	.39	—	—	—	—	.27	.07	17
18	—	.17	.04	.01	—	—	—	—	—	—	.55	.11	18
19	—	—	—	—	—	.13	—	.46	.18	.10	.11	.05	19
20	.01	.02	.03	—	—	—	—	.20	—	.10	—	.46	20
21	—	.12	.10	—	—	—	—	.52	.16	.48	—	.04	21
22	.03	—	.07	—	—	.02	—	—	—	.01	—	.34	22
23	—	.14	—	—	—	.78	—	—	.21	—	.01	.15	23
24	—	.12	—	—	—	.02	.04	—	—	1.35	—	.36	24
25	—	.05	.01	.05	—	.16	.21	.02	—	.01	—	—	25
26	—	.03	.11	.17	—	.17	—	—	—	.07	.02	.15	26
27	—	.35	.06	.03	.01	—	—	.06	.15	.01	.03	.05	27
28	.01	.05	—	.16	—	—	—	—	—	—	.02	—	28
29	—	—	—	.09	—	.20	.21	—	.10	.18	.01	—	29
30	—	—	—	.06	—	.01	—	.28	—	.16	—	—	30
31	—	—	.01	—	.22	—	—	—	—	—	—	.01*	31
Total	.92	1.27	1.59	1.60	1.21	1.92	.46	1.58	1.08	3.01	3.19	3.67	TOTAL FOR YEAR 1911-1919
No. of Rain Days.	13	15	18	14	7	11	3	7	7	15	19	23	151

Kept at Plumstead

in the County of Kent

by R. J. Allison

RAIN GAUGE

Diameter of top 8 in.
Height of top above Ground 1 ft. 0
" " " Sea Level 31 ft.

Time of Observation

Nearest Railway Station

Name Plumstead
Distance 1 m. Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	—	.01	.78	—	—	—	.04	—	—	—	—	1
2	.02	.01	—	.14	.10	—	—	—	—	—	.16	.06	2
3	.01	.01	—	—	.16	—	—	—	—	—	.06	.10	3
4	.01	.01	.08	.04	—	—	—	—	—	.04	.10	.15	4
5	.01	—	—	.02	—	—	—	—	—	.16	—	.15	5
6	.26	—	.20	.01	—	—	—	—	—	—	—	.19	6
7	.03	—	—	.01	—	—	—	—	—	.16	.26	.13	7
8	.23	—	.11	—	—	—	—	—	—	—	.30	.24	8
9	—	—	.03	.03	—	—	—	—	—	—	—	.01	9
10	.05	.10	.03	—	—	—	—	—	—	—	.03	.41	10
11	.20	—	—	—	—	—	—	—	—	—	.62	.07	11
12	—	—	.36	—	.39	.02	—	—	.01	—	.11	.11	12
13	—	—	.08	—	.17	—	—	—	.27	.16	.05	.05	13
14	—	.06	—	—	.16	—	—	—	—	—	—	.41	14
15	—	.03	.20	—	—	—	—	—	—	.02	.02	.02	15
16	—	—	—	—	—	.39	—	—	—	—	.46	.01	16
17	—	—	.06	—	—	.39	—	—	—	—	.27	.07	17
18	—	.17	.04	.01	—	—	—	—	—	—	.55	.11	18
19	—	—	—	—	—	.13	—	.46	.18	.10	.11	.05	19
20	.01	.02	.03	—	—	—	—	.20	—	.10	—	.46	20
21	—	.12	.10	—	—	—	—	.52	.16	.48	—	.04	21
22	.03	—	.07	—	—	.02	—	—	—	.01	—	.34	22
23	—	.14	—	—	—	.78	—	—	.21	—	.01	.15	23
24	—	.12	—	—	—	.02	.04	—	—	1.35	—	.36	24
25	—	.05	.07	.05	—	.16	.21	.02	—	.01	—	—	25
26	—	.03	.11	.17	—	.17	—	—	—	.07	.02	.15	26
27	—	.35	.06	.03	.01	—	—	.06	.15	.01	.03	.05	27
28	.01	.05	—	.16	—	—	—	—	—	—	.02	—	28
29	—	—	—	.09	—	.20	.21	—	.10	.18	.01	—	29
30	—	—	—	.06	—	.01	—	.28	—	.16	—	—	30
31	—	—	.01	—	.22	—	—	—	—	—	—	.01*	31
Total	.92	1.27	1.59	1.60	1.21	1.92	.46	1.58	1.08	3.01	3.19	3.67	TOTAL FOR YEAR
No. of Rain Days.	13	15	18	14	7	11	3	7	7	15	19	23	157

REGISTER OF RAINFALL IN 1912 N

Kept at Plumstead

in the County of Kent

by R J Allison

Pattern Meteorological
RAIN Diameter of top 8 in.
GAUGE Height of top above Ground 1 ft. 0 in.
Sea Level 310 ft.
Time of Observation 9 am
Nearest Railway Station Name Plumstead
Distance 1 m Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.06	—	—	.08	.15	—	.06	.34	—	.16	1
2	—	—	.22	—	—	.01	.28	.01	.01	.02	—	—	2
3	.02	.05	.05	—	.02	.07	.02	.31	.06	—	—	.07	3
4	.25	—	.58	—	.19	.14	—	.01	—	.01	.05	—	4
5	.10	.02	.04	—	—	—	—	.15	—	—	.12	—	5
6	.35	.02	—	—	.01	—	—	.10	—	—	.01	.16	6
7	—	—	.04	—	.06	.67	.07	.13	—	—	—	.01	7
8	.023	.17	.13	—	—	.06	.04	.22	—	.02	.01	.01	8
9	—	.16	—	.03	—	.16	.02	.01	—	.01	—	.13	9
10	—	.03	—	—	—	.01	—	.32	.03	.01	.06	.26	10
11	—	.21	—	—	—	.07	—	.01	.02	.01	—	.15	11
12	.02	.05	.03	—	.14	.14	—	—	—	—	.01	.01	12
13	—	.01	.01	—	—	—	.07	.01	—	—	.05	—	13
14	—	—	—	—	.03	—	—	.17	—	.05	.01	.03	14
15	—	.01	.10	—	.40	.54	—	—	—	—	.03	.46	15
16	.20	—	.01	—	.03	.04	—	.07	—	.06	.06	—	16
17	.48	—	.16	—	—	.04	—	.03	—	—	.01	.04	17
18	.01	—	.10	—	—	—	—	.15	—	.03	.02	.05	18
19	.10	.04	.14	.01	—	—	.05	.13	—	—	—	.01	19
20	—	.01	.36	—	—	—	—	.05	—	.39	—	—	20
21	—	—	.15	—	.01	—	—	.17	—	.07	.05	—	21
22	.06	.14	.01	—	.01	—	.14	.12	—	.01	.01	.03	22
23	.45	.36	.32	—	—	—	.03	.34	—	.03	.20	.11	23
24	.20	—	.01	—	—	.21	—	.20	—	—	—	.12	24
25	.11	.01	—	—	—	.15	—	.94	—	—	.25	.54	25
26	—	.01	—	—	—	—	—	.28	—	.29	.28	.28	26
27	—	—	—	—	—	.01	.07	—	—	.09	—	.12	27
28	—	.10	—	—	—	—	.08	.02	.08	.21	.41	.09	28
29	—	.01	.01	—	—	.02	.29	.12	.76	.09	—	—	29
30	—	—	—	—	.11	.02	—	.03	1.33	.18	—	—	30
31	.01	—	.04	—	.01	—	.06	.16	—	—	—	—	31
Total	2.59	1.41	2.53	.04	.02	2.54	1.37	4.26	2.35	1.92	1.64	2.84	TOTAL for year
No. of Rain Days.	15	18	20	2	12	18	14	27	8	14	18	21	2445

REGISTER OF RAINFALL IN 1913

Kept at Plumstead
in the County of Kent LONDON
by R. J. Allison

Lat. 51° 29' 2" Long. 6' East
Time of Observation 9 a.m.
Nearest Railway Station Plumstead
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 277 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.22	.01	.21	—	.08	—	—	.09	.01	.01	.10	1
2	.03	.15	—	—	.01	—	.10	—	.01	.01	.19	.01	2
3	—	—	.03	.13	.32	—	—	—	—	.01	—	.07	3
4	.10	—	—	.01	.20	—	.09	—	—	.08	.01	.01	4
5	.37	—	—	—	—	.09	.22	—	.32	.04	.01	.02	5
6	.01	.04	.12	—	.01	.05	.30	—	—	.36	.13	.04	6
7	—	.02	—	.01	—	—	.23	.10	—	.26	.06	—	7
8	—	.01	.01	—	.06	.13	—	—	—	.09	.01	—	8
9	—	.11	—	.01	.05	—	—	—	.05	—	.01	.02	9
10	.01	—	.14	.04	—	—	.24	.10	—	—	.53	—	10
11	.20	—	—	.38	.08	—	.01	—	—	.67	.18	—	11
12	—	—	—	—	.02	—	—	—	.01	.01	.33	—	12
13	.10	—	.04	—	—	—	—	.05	.03	.01	.32	—	13
14	.03	—	.08	.06	—	—	.50	.05	.02	.11	.07	—	14
15	.55	.04	.24	.13	—	—	.24	—	.19	—	—	—	15
16	.13	—	.28	.08	—	—	—	—	.38	—	—	—	16
17	.02	.02	.05	.05	—	—	.13	.01	—	—	.01	—	17
18	.01	—	.09	.15	—	—	—	—	—	—	.01	—	18
19	.18	—	.10	—	—	.17	.21	—	.10	—	—	—	19
20	.10	—	.38	.01	—	—	—	—	—	.54	.01	—	20
21	.03	.02	.14	.04	—	—	.07	—	—	.25	.61	—	21
22	.36	—	.23	—	—	—	.01	.05	.15	—	.01	—	22
23	.01	—	.12	—	—	.02	.01	.25	.01	—	—	.31	23
24	.01	—	.01	.01	—	.03	—	.02	—	.01	.02	—	24
25	—	.01	—	.20	—	—	—	—	—	—	—	—	25
26	—	.03	.18	.01	—	—	—	.27	—	.83	—	.19	26
27	.01	—	.01	.02	.03	—	—	—	—	.07	—	—	27
28	.18	—	.14	.04	—	—	—	—	.01	.16	—	.01	28
29	.07	—	.02	.34	.29	—	—	.30	—	.02	—	—	29
30	.29	—	—	.20	—	—	—	.26	—	.05	—	—	30
31	—	—	.02	—	—	—	—	.83	—	.06	—	—	31
Total	2.75	.68	2.44	2.13	1.07	.57	2.36	2.29	1.37	3.65	2.53	.78	22.62
Rain Days.	23	11	22	21	10	7	14	12	13	21	18	10	189

REGISTER OF RAINFALL IN 1914

28 JAN 1915
BRITISH RAINFALL
FORM A.

Kept at London, Plumstead
in the County of London
by per D.W. Horner

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.03	.16	.01		.02	.02	1
2				.01			.09	.04	.02		.04	.30	2
3			.17	.09	.09		.02				.02		3
4			.01	.13				.01			.29	.22	4
5	.04		.04	.18	.17	.04	.31	.34			.01	.01	5
6		.07	.01	.09		.20	.02	.02	.01		.11	.08	6
7		.18	.22	.19	.42	.17	.11		.01		.01	.06	7
8	.08	.23	.63	.08	.09	.28	.15	.06				.01	8
9	.18	.01	.71	.05		.03			.03			.83	9
10	.04	.01	.01	.02	.04				.04		.01	.02	10
11		.45	.27			.08			.22		.31	.39	11
12	.01	.02	.80				.02		.13		.01	.39	12
13	.01	.17	.07						.12	.12	.09	.38	13
14		.03	.19			.02	.49		.01	.16	.04	.46	14
15	.01	.01	.16				.04	.04		.01	.56	.06	15
16			.01				.03		.01				16
17		.23	.07						.02			.06	17
18		.08	.10									.23	18
19	.01	.01	.25			.09	.09		.04		.19	.26	19
20		.07	.25			.11			.08	.01		.02	20
21		.65	.07									.03	21
22		.01	.01	.01	.39	.15	.15	.02		.08			22
23			.07		.08	.06	.06	.01	.01	.06		.03	23
24	.01		.05	.01	.01		.01	.01	.01	.04	.11		24
25	.03		.23				.01	.09	.01	.26	.01	.04	25
26	.01		.03				.06	.05		.06	.11	.40	26
27	.01		.01					.01			.04	.08	27
28	.01	.02								.03	.32	.78	28
29	.01		.01							.29	.07	.01	29
30			.02							.04	.34	.05	30
31					.29		.03						31
Total	.46	2.25	3.74	.86	1.58	1.23	1.73	.86	.78	1.16	2.71	5.22	22.60
Rain Days.	14	17	27	11	9	11	18	13	17	12	21	26	196

REGISTER OF RAINFALL IN 1915

Kept at Plumstead
in the County of London
by J. G. Waller

Lat. 51. 29 1/2 N Long. 6 Min E.
Time of Observation 9.0 am
Nearest Railway Station Plumstead
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
Sea Level 310 ft.

BRITISH RAINFALL
FORM A.
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.40	0.28	0.05	-	0.03	-	-	-	0.08	0.01	0.25	0.30	1
2	0.07	0.22	0.17	0.13	-	0.01	-	0.48	0.02	0.03	-	0.03	2
3	0.34	0.01	0.04	0.23	0.02	-	-	0.70	0.02	-	-	0.58	3
4	0.02	-	-	-	-	-	-	0.33	-	-	-	0.23	4
5	0.05	0.26	-	-	0.14	-	-	0.01	-	0.03	-	0.24	5
6	0.34	0.18	0.01	0.24	0.01	-	0.90	0.02	-	-	0.01	0.12	6
7	0.16	0.21	0.01	-	-	-	0.06	0.02	-	-	0.01	0.16	7
8	0.16	0.31	0.01	0.02	-	-	0.08	0.10	-	-	-	-	8
9	-	0.16	-	0.04	-	0.05	-	0.22	0.01	0.09	0.31	0.62	9
10	0.22	-	0.01	-	-	-	-	0.65	0.01	0.01	-	0.24	10
11	0.01	-	0.03	-	0.01	-	-	0.01	0.01	0.01	0.70	0.02	11
12	0.05	0.03	-	0.27	0.44	-	-	0.25	-	0.02	0.39	0.02	12
13	0.01	0.38	-	-	1.48	-	-	0.03	0.01	-	-	-	13
14	-	0.63	-	-	0.01	-	0.23	0.05	0.03	-	-	0.28	14
15	0.09	-	-	-	0.05	-	-	0.31	-	-	0.27	0.05	15
16	0.01	0.15	-	0.02	0.01	0.01	0.47	0.01	-	-	-	0.31	16
17	-	0.21	-	-	1.11	-	0.03	-	-	-	-	0.01	17
18	0.02	0.04	0.05	-	0.27	-	0.01	-	-	-	0.07	-	18
19	-	0.20	-	-	-	-	0.05	-	-	0.03	-	-	19
20	0.25	-	0.01	0.04	-	-	-	-	-	0.02	-	0.28	20
21	0.20	-	-	-	-	-	0.01	-	-	0.02	-	0.07	21
22	0.60	0.10	0.12	0.01	-	-	0.57	-	-	0.01	-	0.13	22
23	-	0.34	0.02	0.01	-	0.02	0.25	-	0.01	0.34	0.01	0.25	23
24	-	0.01	0.02	0.01	-	0.02	0.13	-	0.20	0.14	-	0.48	24
25	-	-	0.10	0.18	-	-	0.14	-	0.01	0.01	-	0.19	25
26	0.01	0.05	-	-	-	0.13	0.02	-	-	-	-	0.39	26
27	-	0.01	0.01	-	-	0.13	0.20	-	-	0.30	0.01	0.04	27
28	-	0.03	0.01	-	-	0.02	-	0.01	1.41	0.19	-	0.02	28
29	-	-	0.02	0.01	-	0.04	0.07	0.13	-	0.01	0.12	0.04	29
30	0.01	-	0.01	-	-	0.39	-	0.01	0.01	0.01	0.30	0.02	30
31	0.02	-	-	-	-	-	-	0.01	-	0.68	-	0.20	31
Total	3.04	3.21	0.72	1.21	3.58	0.84	3.23	3.35	1.83	1.98	2.45	5.36	30.30
Rain Days.	21	21	18	13	12	10	16	19	13	19	12	24	201

REGISTER OF RAINFALL IN 1916

Kept at Plumstead
in the County of Kent London
by J. G. Waller

Lat. 51° 29' Long. 6 Min E
Time of Observation 9 a.m.
Nearest Railway Station Plumstead
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 310 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.06	0.01	0.02	-	0.14	0.01	* Dew	-	* Dew	0.20	0.05	0.25	1
2	0.35	0.04	0.04	-	0.16	-	0.03	-	0.06	0.30	0.05	-	2
3	-	0.44	0.13	-	0.01	-	0.05	-	0.22	0.22	0.60	-	3
4	0.19	0.12	-	-	0.01	0.17	-	-	0.04	0.01	0.65	-	4
5	0.02	0.01	-	-	0.08	0.03	0.08	-	-	0.05	0.60	0.01	5
6	0.01	0.04	0.33	0.40	0.02	0.10	0.26	-	-	0.01	0.22	-	6
7	0.08	-	0.10	-	0.12	0.23	0.19	-	-	0.01	0.63	0.05	7
8	-	-	0.05	-	0.19	0.01	-	-	-	-	0.01	0.21	8
9	0.01	-	0.01	-	0.16	0.01	0.02	-	-	0.04	-	0.12	9
10	-	0.14	0.11	0.08	-	0.44	0.06	-	0.02	0.01	0.01	0.11	10
11	0.03	0.16	0.06	0.15	-	0.15	-	-	0.02	-	-	-	11
12	0.03	0.03	0.01	0.05	0.29	0.11	0.02	0.04	0.01	0.06	0.21	-	12
13	-	0.22	0.26	0.08	0.12	0.04	0.22	0.06	0.08	0.01	0.01	-	13
14	-	0.24	0.01	0.02	0.08	-	-	0.54	-	0.01	0.21	0.09	14
15	-	0.29	0.21	0.01	-	-	0.03	0.13	-	0.02	-	0.04	15
16	0.02	0.01	0.14	0.16	0.01	-	0.19	0.04	-	0.01	-	-	16
17	0.05	0.01	0.01	0.03	-	-	0.03	0.41	0.24	0.25	-	0.01	17
18	0.01	0.09	0.03	0.14	-	-	-	0.13	0.05	0.60	0.01	0.01	18
19	0.13	0.06	0.09	0.13	-	-	-	-	0.09	0.27	0.86	0.02	19
20	0.13	-	0.34	0.01	-	-	-	-	-	0.27	0.59	0.45	20
21	0.03	-	0.56	-	-	-	0.26	-	-	0.55	0.02	0.08	21
22	0.01	0.01	0.06	-	-	0.01	-	-	-	0.05	0.01	0.41	22
23	0.01	0.42	0.01	-	-	0.05	-	0.02	-	0.10	-	0.06	23
24	-	0.10	0.01	-	0.09	0.02	-	0.04	-	0.12	0.03	0.30	24
25	-	0.50	0.12	-	0.01	-	-	0.10	* 0.01	0.09	0.03	-	25
26	-	0.31	0.05	-	-	0.04	-	0.43	* 0.01	0.08	0.04	-	26
27	0.06	0.02	0.65	-	-	0.22	0.01	0.69	* 0.01	0.42	-	0.02	27
28	0.01	0.39	0.10	-	-	0.03	-	0.04	0.06	0.05	-	0.44	28
29	0.01	0.06	0.01	-	-	0.21	0.01	1.26	0.08	0.22	-	0.28	29
30	-	X	-	-	0.51	0.01	-	0.10	-	0.23	-	-	30
31	-	X	-	X	-	X	-	0.06	X	0.14	X	0.21	31
Total	1.25	4.08	3.55	1.26	2.03	1.95	1.46	4.15	1.23	5.42	4.67	2.95	YEAR'S TOTAL 24.05
Rain Days.	20	24	24	12	16	19	13	16	16	24	20	18	229

REGISTER OF RAINFALL IN 1914

Kept at Plumstead
in the County of Kent
by John George Kaller

Lat. 51° 29' Long. 6 min E
Time of Observation 9 a.m.
Nearest Railway Station Plumstead
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
Sea Level 24 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.02	-	0.10	-	-	-	1.24	0.03	*New 0.07	*New 0.02	-	1
2	0.18	0.01	-	0.24	-	0.02	-	0.07	-	-	0.02	-	2
3	0.13	-	-	0.06	-	-	-	0.42	-	0.19	0.30	-	3
4	-	0.14	0.06	-	-	-	0.09	0.20	*0.01	0.42	*0.01	-	4
5	0.20	0.01	0.02	0.53	-	-	-	0.14	0.64	0.15	0.05	-	5
6	-	-	0.03	-	-	0.03	-	*0.01	0.05	0.01	0.10	-	6
7	0.13	-	-	-	-	-	0.20	-	-	0.26	0.01	0.01	7
8	0.25	-	0.06	0.05	-	-	0.70	0.43	0.03	0.26	0.15	0.12	8
9	0.23	-	0.03	0.05	-	-	0.02	0.04	0.02	0.02	0.02	0.32	9
10	0.18	-	0.09	0.11	-	-	-	0.04	-	-	-	0.05	10
11	0.33	0.02	0.44	0.10	-	-	-	-	0.16	0.24	-	-	11
12	0.06	0.01	0.01	0.01	0.01	-	-	0.11	-	0.42	0.01	-	12
13	0.03	-	0.19	0.07	-	-	-	0.03	0.02	0.10	-	0.01	13
14	0.01	-	0.01	0.14	-	-	-	-	-	*0.01	*0.01	-	14
15	0.05	-	-	-	-	-	0.35	0.20	-	0.02	-	0.01	15
16	0.04	0.19	-	0.06	0.03	0.16	0.31	-	-	0.20	*0.01	0.03	16
17	-	-	-	0.13	0.61	-	0.34	0.14	0.35	0.07	-	-	17
18	0.04	0.04	-	0.10	0.03	0.01	0.21	0.12	0.20	0.01	-	-	18
19	-	0.20	0.04	-	0.54	0.09	-	-	0.16	-	-	-	19
20	0.04	0.24	0.03	-	1.18	-	0.01	0.02	0.01	-	0.04	-	20
21	0.02	0.02	0.03	-	0.03	-	-	-	*0.01	-	0.02	-	21
22	-	-	0.04	-	-	-	-	0.12	-	0.08	-	-	22
23	-	0.10	0.12	-	-	-	-	0.04	-	-	-	0.02	23
24	0.01	0.01	-	-	-	0.11	0.02	0.01	-	0.10	0.03	0.16	24
25	-	-	0.05	-	-	-	-	-	-	-	0.04	-	25
26	-	-	0.08	-	-	-	-	0.33	0.03	-	0.58	0.01	26
27	-	-	0.01	-	-	-	-	0.90	-	-	-	0.01	27
28	-	0.01	0.02	-	-	1.60	-	0.02	-	-	-	0.03	28
29	-	-	0.02	-	0.34	0.02	0.40	0.01	-	0.21	-	0.03	29
30	0.01	X	0.23	-	-	-	1.65	0.05	*0.01	0.02	-	0.16	30
31	0.09	X	0.07	X	-	X	0.58	-	X	-	X	0.01	31
Total	2.04	1.05	1.68	1.75	2.44	2.04	4.88	4.69	1.73	2.81	1.42	0.92	YEARS TOTAL 24.78
Rain Days.	20	14	22	14	8	8	13	23	15	20	14	15	184

REGISTER OF RAINFALL IN 1918

Kept at Plumstead
in the County of Kent London
by John George Waller

Lat. 51° 29' Long. 6° E.
Time of Observation 9.00 am
Nearest Railway Station Plumstead
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 274 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan. *New	Feb. *New	March.	April. *New	May. *New	June.	July. *New	Aug.	Sept.	Oct. *New	Nov. *New	Dec.	Date.
1	0.01	0.01	-	0.03	0.00	-	-	0.01	0.01	-	0.10	0.02	1
2	-	0.15	-	0.04	0.04	-	-	0.04	-	0.01	0.10	0.22	2
3	-	0.01	0.03	0.01	0.56	-	-	0.02	0.01	0.01	0.48	0.03	3
4	-	0.02	0.09	0.04	-	-	-	0.04	0.28	-	0.42	0.02	4
5	-	0.03	0.01	-	0.24	-	-	0.06	0.29	0.04	0.01	0.01	5
6	0.22	0.16	-	0.24	0.23	-	-	-	0.03	0.02	-	0.04	6
7	0.03	0.08	-	0.04	0.13	-	-	0.01	0.10	0.10	0.05	0.01	7
8	-	0.04	-	0.01	-	0.01	-	-	0.06	0.02	0.06	0.01	8
9	0.02	0.01	0.01	0.01	-	0.01	0.40	-	0.24	0.09	0.01	0.14	9
10	0.03	-	-	0.04	0.01	-	0.43	-	0.01	0.03	0.03	0.20	10
11	-	-	-	0.02	0.04	-	1.50	-	0.03	0.24	0.10	0.11	11
12	-	0.03	-	0.01	0.20	-	0.10	-	0.03	0.01	-	0.01	12
13	0.03	0.01	-	0.01	0.08	-	0.28	-	0.13	-	-	-	13
14	0.12	-	0.01	0.04	-	0.22	0.02	-	0.20	0.15	-	0.05	14
15	1.24	-	-	0.45	-	-	0.54	-	0.01	0.01	-	0.21	15
16	0.22	-	-	0.21	-	0.03	0.01	-	0.10	-	-	0.01	16
17	0.23	-	-	0.16	0.60	0.11	1.35	0.02	-	0.01	-	0.15	17
18	0.54	-	-	-	-	0.14	0.06	-	0.58	0.25	-	0.03	18
19	0.03	-	0.05	0.10	-	0.01	0.14	-	0.03	0.04	-	0.15	19
20	0.01	0.11	0.01	0.52	0.01	0.01	0.32	-	0.23	0.06	-	0.01	20
21	0.05	0.01	-	0.23	-	-	0.02	-	0.51	0.15	-	-	21
22	0.02	-	-	0.10	0.35	-	0.32	-	0.14	0.01	-	0.21	22
23	0.01	-	-	0.01	0.21	-	0.64	0.10	0.04	-	-	0.04	23
24	-	0.22	-	-	-	0.05	0.46	-	0.13	0.01	0.05	-	24
25	-	-	-	0.22	-	0.01	0.22	0.08	-	0.01	0.06	-	25
26	-	-	-	-	0.01	-	0.53	0.25	-	0.03	0.10	0.05	26
27	-	0.03	-	0.06	-	-	0.01	0.15	0.15	0.01	0.08	0.06	27
28	-	0.01	0.35	0.02	-	-	-	0.04	-	-	0.29	0.14	28
29	-	~~X~~	-	-	-	-	-	-	1.12	0.01	0.01	0.01	29
30	-	~~X~~	0.49	-	-	~~X~~	0.01	-	0.03	0.03	0.01	0.04	30
31	0.01	~~X~~	0.05	~~X~~	~~X~~	~~X~~	0.04	0.35	~~X~~	0.03	~~X~~	0.01	31
Total	2.82	0.96	1.10	2.68	2.68	0.60	7.73	1.30	4.52	1.44	1.96	2.05	29.84
Rain Days.	14	16	10	24	18	10	21	43	25	25	14	24	219

REGISTER OF RAINFALL IN 1919

Kept at *Plumstead*

in the County of *Kent*

by *John George Waller*

Lat. *51° 29'* Long. *6° E.*

Time of Observation *9.00 am*

Nearest Railway Station *Plumstead*

Diameter of Funnel of Rain Gauge *8* in.

Height of top of Gauge above Ground *2* ft. *6* in.

" " " " Sea Level *240* ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.23	0.05	-	-	0.01	-	0.22	-	0.01	0.11			1
2	0.23	-	0.01	-	0.04	-	0.40	0.01	0.01	0.08			2
3	0.20	-	0.46	-	0.01	-	0.23	-	0.04	-			3
4	0.13	0.03	0.54	-	-	0.06	0.09	0.08	-	-			4
5	0.09	0.16	0.55	-	-	-	-	-	0.01	-			5
6	0.01	-	0.04	-	-	-	-	-	-	-			6
7	0.02	-	0.24	-	-	-	-	-	-	-			7
8	0.09	-	0.03	0.01	-	-	-	-	-	-			8
9	0.21	-	0.01	0.13	0.15	-	-	-	-	-			9
10	0.11	-	0.02	0.01	-	-	-	-	-	-			10
11	0.15	-	0.12	0.28	-	-	0.25	-	-	-			11
12	0.01	-	0.01	0.01	-	0.02	0.13	-	-	0.04			12
13	0.01	-	-	0.34	-	-	-	-	0.01	0.02			13
14	0.24	-	-	0.19	-	-	0.16	-	0.35	-			14
15	0.16	0.01	0.05	0.20	-	-	-	-	-	0.05			15
16	0.04	0.49	-	0.01	-	-	-	-	-	-			16
17	-	0.29	0.01	0.02	-	-	-	-	-	-			17
18	-	0.28	0.08	-	-	-	-	0.01	0.03	-			18
19	0.04	0.05	(0.23)	0.01	-	0.26	0.21	0.29	0.02	-			19
20	0.10	0.03	0.03	-	-	0.89	0.34	0.12	0.01	-			20
21	0.14	0.18	0.01	-	-	0.02	0.11	-	-	-			21
22	-	0.12	-	-	-	-	0.11	-	0.23	-			22
23	-	0.01	-	-	-	0.04	0.03	0.04	0.03	0.00			23
24	-	-	-	0.19	-	0.01	0.01	-	-	0.11			24
25	0.01	-	-	0.04	0.04	-	-	0.13	-	-			25
26	0.05	0.24	0.10	0.04	-	-	0.09	0.14	0.11	-			26
27	0.29	0.05	0.03	0.02	-	-	-	0.38	-	-			27
28	0.01	0.01	0.12	0.03	-	-	0.02	0.64	-	-			28
29	0.03	-	-	0.01	-	-	-	0.38	-	0.28			29
30	-	X	0.01	0.24	-	0.15	-	0.21	-	0.02			30
31	0.02	X	0.01	X	-	X	0.01	-	X	X			31
Total	2.64	2.00	2.44	2.64	0.31	1.45	2.41	2.46	0.86	0.71			YEARS TOTAL
Rain Days.	25	15	22	18	5	8	16	12	12	0.09			

REGISTER OF RAINFALL IN 1919

Kept at Plumstead

in the County of Kent

by John George Waller

Lat. 51° 29' Long. 6° E

Time of Observation 9.0 am

Nearest Railway Station Plumstead

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 240 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.23	0.05	-	-	0.01	-	0.22	-	0.01	0.11			1
2	0.23	-	0.01	-	0.01	-	0.40	0.01	0.01	0.08			2
3	0.20	-	0.46	-	0.01	-	0.23	-	0.04	-			3
4	0.13	0.03	0.54	-	-	0.06	0.09	0.08	-	-			4
5	0.09	0.16	0.55	-	-	-	-	-	0.01	-			5
6	0.01	-	0.04	-	-	-	-	-	-	-			6
7	0.02	-	0.21	-	-	-	-	-	-	-			7
8	0.09	-	0.03	0.01	-	-	-	-	-	-			8
9	0.21	-	0.01	0.13	0.15	-	-	-	-	-			9
10	0.11	-	0.02	0.01	-	-	-	-	-	-			10
11	0.15	-	0.12	0.28	-	-	0.25	-	-	-			11
12	0.01	-	0.01	0.01	-	0.02	0.13	-	-	0.04			12
13	0.01	-	-	0.31	-	-	-	-	0.01	0.02			13
14	0.24	-	-	0.19	-	-	0.16	-	0.35	-			14
15	0.16	0.01	0.05	0.20	-	-	-	-	-	0.05			15
16	0.04	0.49	-	0.01	-	-	-	-	-	-			16
17	-	0.29	0.01	0.02	-	-	-	-	-	-			17
18	-	0.28	0.08	-	-	-	-	0.01	0.03	-			18
19	0.04	0.05	(0.23)	0.01	-	0.26	0.21	0.29	0.02	-			19
20	0.10	0.03	0.03	-	-	0.89	0.34	0.12	0.01	-			20
21	0.14	0.18	0.01	-	-	0.02	0.11	-	-	-			21
22	-	0.12	-	-	-	-	0.11	-	0.23	-			22
23	-	0.01	-	-	-	0.04	0.03	0.04	0.03	0.00			23
24	-	-	-	0.19	-	0.01	0.01	-	-	0.11			24
25	0.01	-	-	0.04	0.04	-	-	0.13	-	-			25
26	0.05	0.24	0.10	0.04	-	-	0.09	0.14	0.11	-			26
27	0.29	0.05	0.03	0.02	-	-	-	0.38	-	-			27
28	0.01	0.01	0.12	0.03	-	-	0.02	0.64	-	-			28
29	0.02	-	-	0.01	-	-	-	0.38	-	0.28			29
30	-	X	0.01	0.24	-	0.15	-	0.21	-	0.02			30
31	0.02	X	0.01	X	-	X	0.01	-	X	X			31
Total	2.64	2.00	2.44	2.04	0.31	1.45	2.41	2.46	0.86	0.71			YEARS TOTAL
Rain Days.	25	15	22	18	5	8	16	12	12	0.09			

Sh

R

PONDERS END
LONDON / MIDDX
1911-20

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Ponders
in the County of Mia
by Met. Water

in.
Ground _____ ft. in.
Sea Level _____ ft.
Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02			48			02						1
2	27	02		29	16						18	15	2
3		01			15			01			07	11	3
4	03	01	07	10						04	09	19	4
5	02			03						10		08	5
6	37		14	02						01		29	6
7	02			01						15	30	31	7
8	09		11								25	21	8
9	08		04	02							01		9
10	03	13	09								03	45	10
11	31				24						60	02	11
12	11		48		10	12			05		34	02	12
13			19		09				46	17	03	16	13
14		03			33							42	14
15		04	25							01	03	02	15
16						71					35	04	16
17			08							01	30	13	17
18		16	02			09					39	21	18
19		02				15		03	15	18	26	09	19
20		02	02					25	08	14		47	20
21		04	02					38		58		07	21
22	08		02			02		02		08		40	22
23		12	23			1.20			26		03	14	23
24		12	02				07	02		1.05		24	24
25		04	03	03		24	20		01	10			25
26			03	12		06				16	04	17	26
27		44	08	03					15		07	08	27
28		22		31			2.75	04			02		28
29				05	02	21	17		23	22	01		29
30				03						17		01	30
31					57								31
Total	1.43	1.42	1.92	1.52	1.66	2.80	3.21	75	1.39	3.17	3.40	4.48	TOTAL for year 27.15
No. of Rain Days	12	15	18	13	8	9	5	7	8	16	20	25	156

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
23 JAN 1912

Kept at Ponders End
in the County of Middlesex 2
by Met. Water Board

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 02	in.	in.	in. 48	in.	in.	in. 02	in.	in.	in.	in.	in.	1
2	27	02		29	16						18	15	2
3		01			15			01			07	11	3
4	03	01	07	10						04	09	19	4
5	02			03						10		08	5
6	37		14	02						01		29	6
7	02			01						15	30	31	7
8	09		11								25	21	8
9	08		04	02							01		9
10	03	13	09								03	45	10
11	31				24						60	02	11
12	11		48		10	12			05		34	02	12
13			19		09				46	17	03	16	13
14		03			33							42	14
15		04	25							01	03	02	15
16						71					35	04	16
17			08							01	30	13	17
18		16	02			09					39	21	18
19		02				15		03	15	18	26	09	19
20		02	02					25	08	14		47	20
21		04	02					38		58		07	21
22	08		02			02		02		08		40	22
23		12	23			1.20			26		03	14	23
24		12	02				07	02		1.05		24	24
25		04	03	03		24	20		01	10			25
26			03	12		06				16	04	17	26
27		44	08	03					15		07	08	27
28		22		31			2.75	04			02		28
29				05	02	21	17		23	22	01		29
30				03						17		01	30
31					57								31
Total	1.43	1.42	1.92	1.52	1.66	2.80	3.21	75	1.39	3.17	3.40	4.48	TOTAL for year 27.15
No. of Rain Days	12	15	18	13	8	9	5	7	8	16	20	25	156

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

Kept at *Ponders End Well*

in the County of *Middlesex 2*

by _____

Pattern _____
RAIN Gauge Diameter of top _____ in.
Height of top above Ground _____ ft. in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			07			24	08		04	29		19	1
2		02	23			11	28	04	01				2
3	04		15			18		40				06	3
4	21		61		24	08		04			19		4
5	17	07	07					05			04	01	5
6	48	03				14		16				02	6
7	02	01	07		03	47		13				03	7
8	46	34	14					06		02		01	8
9	03	07		06		36	04	05		01		09	9
10	01	04	03			02		33	03	01	09	20	10
11	02	34				05			02	02		11	11
12	09	08	06		19	11				02	03		12
13		04								01	08	04	13
14			01					07		03	02		14
15		02	11		22	33		02		01	02	35	15
16	19		03		07	05		08		04	05		16
17	54		38			08		04				01	17
18	06		12				02	03			03	12	18
19	15	07	14				06	40					19
20	02		12			04		31		32			20
21		04	28		11			06		04	05		21
22	23	16	08				17	16		06		04	22
23	36	34	30				10	40		02	15	17	23
24	45	02				04		09				14	24
25		02				24		90		01	25	46	25
26		02					04	25		31	35	31	26
27						07				18		22	27
28		06				03	13	03	09	30	37	09	28
29		03	02			25	25	25	1.18	14	02		29
30					09			11	93	11			30
31			27		21		15	15		02			31
Total	3.53	1.82	3.29	06	96	2.89	1.32	4.61	2.30	1.97	1.74	2.67	TOTAL 27.16
No. of Rain Days.	18	20	21	1	8	19	11	26	7	21	15	20	18

REGISTER OF RAINFALL IN 1913

139
FORM A.
BRITISH RAINFALL
27 JAN 1914

Kept at *Ponders End Imp*
in the County of *Middlesex*
by *[Signature]*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.16	.07	.26							.09	.04	1
2	.05	.13			.01		.08				.03		2
3			.04	.25	.45							.04	3
4	.24		.02	.02	.32		.10			.22	.04	.02	4
5	.13					.03	.09					.04	5
6	.01	.03	.06		.09	.25	.02			.22	.03		6
7		.11			.01	.02	.06			.43	.12		7
8		.02			.16	.21				.26	.04		8
9		.18		.02	.05						.06	.09	9
10	.02		.02	.09			.49				.32		10
11	.82			.43	.02					.47	.19		11
12					.02						.59		12
13	.12		.02								.35		13
14	.04		.07	.04			.35			.17	.10		14
15	.29	.06	.21	.23			.18	.08	.38				15
16	.12		.41	.14				.21	.21				16
17	.01	.02	.03	.11		.08	.15	.02	.02		.02		17
18	.02		.05	.09			.02				.03		18
19	.16		.06		.02		.13	.23	.23			.02	19
20	.07		.06	.03		.02				.38	.02		20
21			.18	.14			.04			.25	.66		21
22	.37		.14	.05				.16					22
23			.03			.02		.03				.18	23
24				.03									24
25		.02		.17									25
26		.04	.21	.04						.75		.25	26
27		.01	.03	.08	.02					.05			27
28	.22		.17	.06						.18			28
29	.09		.04	.34	.34								29
30	.26			.11						.14	.05		30
31										.07			31
Total	3.07	.78	1.92	2.73	1.51	.63	1.71	imp	3.59	2.74	.68		YEAR'S TOTAL
Rain Days.	19	11	20	21	12	7	12	...	...	13	17	8	

REGISTER OF RAINFALL IN 1914

Kept at Ponders End Well
 in the County of Middlesex
 by _____

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

28 JAN 1915
 FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06					.32			.04	.03	1
2	.02						.09	.08			.24	.09	2
3			.12		.16		.10				.06		3
4	.11			.18				.04			.28	.17	4
5	.04		.07	.17	.08	.06	.46	.55			.02		5
6		.09			.04	.17	.05	.02			.36	.14	6
7		.17	.25	.10	.44	.18	.06				.02	.09	7
8	.05	.25	.54	.14	.04	.09	.08	.09				.06	8
9	.16		.62	.15		.21				.04		<u>1.40</u>	9
10	.05	.18	.02	.06	.06					.06		.02	10
11		.25	.40			.33				.12	.14	.25	11
12	.02	.04	.10							.26		.35	12
13		.29	.14						.17	.06	.05	.40	13
14		.05	.36				.08			.10	.14	.39	14
15	.05		.17							.04	.10	.06	15
16			.04				.03		.03				16
17		.31	.04						.12			.20	17
18		.03	.13				.02					.22	18
19		.03	.16			.14	.04		.03		.19	.18	19
20		.16	.24			.08	.02		.14			.07	20
21		.57	.12			.03				.03		.09	21
22			.04	.03	.31	.03	.07	.02		.12			22
23			.16		.21	.12	.15			.09		.02	23
24			.02	.03			.06				.11		24
25	.04		.20				.02	.08		.35		.16	25
26	.02		.02				.02	.09		.04	.16	.54	26
27	.03		.05					.02			.02	.20	27
28		.03								.07	.43	.99	28
29	.05		.09							.25	.11		29
30			.04							.02	.66	.12	30
31					.16		.03					.04	31
Total	.64	2.45	4.20	.86	1.50	1.44	1.38	1.31	.97	1.17	3.13	6.28	25.33
Rain Days.	12	14	26	8	9	11	17	10	9	11	18	25	170

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Ponders End
in the County of Middlesex
by A. G. Minly

Lat. 51° 38' 31" N Long. 0° 1' 38" W
Time of Observation 9 a.m.
Nearest Railway Station Ponders End
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 4.6-31 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.11	.10		.03				.11		.26	.34	1
2	.16	.23	.20	.12	.02			.52	.02	.05		.18	2
3	.36		.03	.20			.04	.52				.34	3
4	.04							.15				.25	4
5	.04	.20			.10					.02	.01	.24	5
6	.21	.04		.14	.20		.62					.39	6
7	.24	.24					.32					.18	7
8	.04	.43		.02			.04	.03					8
9		.03		.03		.05		.08			.36	.53	9
10	.26		.06			.02		.22				.10	10
11	.02		.02								.53		11
12	.04			.26	.43			.36			.44		12
13	.03	.25			1.40								13
14		.02					1.18	.16	.02			.48	14
15	.18				.05		.04	.08			.30	.09	15
16	.03	.40					.45	.31				.14	16
17		.31			.56		.11						17
18		.24	.05		.14						.06		18
19		.05	.02				.12						19
20	.24											.28	20
21	.06											.04	21
22	.83	.15	.26				.65		.06			.13	22
23		.06	.06			.10	.26		.06			.26	23
24		.08	.11			.04	.24		.14	.24		.24	24
25			.04	.09		.01	.19			.04		.03	25
26						.10	.09			.03		.40	26
27		.11				.38	.50			.36		.04	27
28		.03				.02			1.34	.13			28
29			.03				.13	.12	.02		.09	.03	29
30	.09	X				.42				.04	.14		30
31	.05	X		X		X		.05	X	.20	X	.14	31
Total	3.32	3.11	.98	.89	2.93	1.14	5.28	2.60	1.44	1.14	2.19	4.91	30.26
Rain Days.	19	18	12	4	9	9	16	12	8	9	9	22	150

MB

REGISTER OF RAINFALL IN 1916

FORM A
BRITISH RAINFALL
23 JAN 1917

Kept at Ponders End.

in the County of Middlesex.

by

Lat 51°-38'-31"N Long. 0°-3'-W

Time of Observation 9.0 a.m.

Nearest Railway Station Ponders End.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft.

Sea Level 46.31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18				.10				.14	.01	.28		1
2	.44	.03	.13		.25				.17	.34			2
3		.30	.22				.10		.56	.21	.61		3
4	.20	.12			.02	.31			.01	.12	.32		4
5	.02				.03	.15				.11	.42		5
6		.03	.23	.30	.02	.10	.40			.02	.46		6
7	.07		.23		.15	.25	.10				.65	.03	7
8			.05		.40	.01					.01	.36	8
9					.26	.03				.06		.11	9
10		.11	.07	.06		.48	.03					.11	10
11	.06	.11	.03	.12		.08							11
12	.03	.02	.	.15	.31	.12				.03			12
13		.48	.22	.05	.05	.08	.12	.45		.03			13
14		.33			.06			.09		.02		.21	14
15		.32	.33				.05	.16		.01			15
16			.10	.13	.04		.10	.11					16
17	.08	.08		.05			.05	.30	.31	.55			17
18		.03	.02	.05				2.09	.08	.03	.60		18
19	.12	.02	.12	.18				.18	.18		.76	.02	19
20	.17		.26	.05							.05	.41	20
21			.81	.02			.25	.06				.36	21
22			.06		.02					.02		.45	22
23		.26	.			.05		.03			.05	.08	23
24		.06				.15		.03		.06	.03	.33	24
25		.33	.11		.07			.38		.09	.09		25
26		.20						.04		.02			26
27	.09		.90					.20		.57			27
28		.39	.31			.06		.02	.06			.23	28
29		.09				.25		1.58	.04	.29		.11	29
30					.01	.01		.07		.75			30
31								.04		.11		.02	31
Total	1.46	3.31	4.20	1.16	1.79	2.13	1.20	5.83	1.55	3.45	4.33	2.83	33.24
Rain Days.	11	19	18	11	15	15	9	17	9	21	13	14	172

REGISTER OF RAINFALL IN 1917

Kept at Ponders End
 in the County of Middlesex
 by M. W. B.

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

905
 111
 26 JAN 1917
 FORM A.
 BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				24				82	03		14		1
2				89		04		06			01		2
3	05			05				41		22	25		3
4		12	14					09		34			4
5	21		03	35				02	49	08	10		5
6			03	10		03			04	02	11		6
7	22						14			27	02	01	7
8	10			09			73	15		21	12	23	8
9	02		02	09	01		04	06	01		05	16	9
10	24		10	14							01	03	10
11	13		43	17				02		34			11
12	07		06	01				03		48			12
13			05					02	01	03			13
14			03	22				02				01	14
15	05			02			58			03		03	15
16	09	13		14	20	29	17			46		25	16
17		03		06	56		26	01	40	28			17
18	02			12	12	23	09	08	18				18
19	03		07		26	03		01	22				19
20	03	15	04		80		02				11		20
21	02	01	01		04	01					03		21
22			04			09		08		07			22
23		08			16	02		13					23
24		04				04		03		21	03	02	24
25		01	06								02		25
26			09					35	02		52		26
27								95					27
28		24				76		25				07	28
29					06		57	08		18		13	29
30	02	X	30	X		X	1.34	04		03	X	03	30
31	03	X	10	X		X	40	02	X		X		31
Total	1.33	.81	1.60	2.69	2.21	1.54	4.34	3.73	1.40	3.25	1.52	.97	25.39
Rain Days.	16	9	17	15	9	10	11	23	9	16	14	11	160

YEAR'S TOTAL.

REGISTER OF RAINFALL IN 1918

Kept at Ponders End
in the County of Middlesex
by M. W. P.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				18							17	09	1
2	02	08		02				50			03	18	2
3			06	01	68			23	05		50	01	3
4		09	16	04				05	50	03	50	02	4
5		02	02		15			12	04	04			5
6	11	17		29	13							06	6
7	03	08		09	10				09	04			7
8		05							07	06	18	03	8
9	03	10		03		10	36		43	10			9
10	01			04			49		03	02		15	10
11	01			02	08		41		07	16		35	11
12		06			14		09		05			12	12
13	01	03			05		13		18			01	13
14	16					30	07		29	23			14
15	1.24			98			12					12	15
16	32			31		02			19				16
17	27			26	08	01	1.35	02				12	17
18	55					22	03		1.06	10		09	18
19	06		06	11		16	33		01	06		12	19
20	02	12		54		02	13		05	20		05	20
21	08	01		29					10	03		02	21
22	06			07	33		17		36			18	22
23					31	01	37	07	04			03	23
24		17			03	01	07		05				24
25				04	01	02	21	25					25
26							20	14		03	20	10	26
27		03		10			03	25	03		10	02	27
28			17	08		02					28	08	28
29									1.36		04		29
30	02	X	39						02	01	03	10	30
31		X	07	X		X		04	X	01	X	02	31
Total	3.00	1.01	93	3.50	2.09	89	4.56	1.67	5.07	1.12	2.03	2.07	27.94
Rain Days.	17	13	7	19	12	11	17	10	22	15	10	23	176

REGISTER OF RAINFALL IN 1919

Kept at Ponders End
in the County of Middlesex
by M. W. B.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

451
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	42				06		20		09	04		76	1
2	30	02	01		16		22			09	13	17	2
3	24		25		01		11		17		06	35	3
4	14	04	31			08	32	05			02	20	4
5	01	18	46						05			26	5
6	01	05	07				20					12	6
7	01		39								10		7
8	08		02								05		8
9	14		07		09						24		9
10	28		07	04							02	03	10
11	03		12	33			34						11
12			12	02		02				02			12
13	02			30						04			13
14	30			25			04		50				14
15	16	04	04	12								18	15
16	05	69		02							10	03	16
17		43	05	01							22		17
18		40	06						06		05	07	18
19		18	94			27	13	25	04		08		19
20	50	05	05			78	12	17	02				20
21	17	34	02				14				01	14	21
22		14					08		16		04	28	22
23						04	02	06	07		01		23
24				16		02	03	02		10	03		24
25	02			03	07			20				06	25
26	07	15	10	07				20	11			30	26
27	61	04		123				45				04	27
28			06	15				58			14	28	28
29	04			02				31		19	13	05	29
30		X	07	23		17		10		02	22	24	30
31		X		X		X			X		X	01	31
Total	3.60	2.75	3.28	2.98	39	1.38	1.95	2.39	1.27	50	1.65	3.57	25.71
Rain Days.	21	14	20	15	5	7	13	11	10	7	18	19	160

REGISTER OF RAINFALL IN 1920.

Kept at Ponders End.
 in the County of Middlesex
 by Metro. Water Board.

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.52	.07		.28	.01		.35		.24	1
2			.01	-				.65	.07	.06		.09	2
3		.04		-					.05	.05		.02	3
4			.01	.07			.05	.07		.10		.06	4
5		.02	.07	-	.03		.58		.07			.03	5
6			.17	-	.13		.38					.02	6
7	.01		.15	.15			.14					.02	7
8	.08	.02		.17	.03		.12	.01					8
9	.34	.02		.03			.16	.01					9
10	.60	.04	.07	.10		.06	.04						10
11	.20		.04	.38		.07	.10						11
12	.09			.07		.32							12
13	.11		.18	.12		.06				.01	.08		13
14			.22	.28					.18	.06	.15	.30	14
15		.04	.10	.30					.52	.20	.05		15
16			.01	.13		.08			.20	.12			16
17				-	.14	.15			.32			.07	17
18	.05	.02		.01				.69	.15			.02	18
19	.11			.22		.20							19
20	.05	.21		.20		.42			.21				20
21				-			1.00		.41			.07	21
22	.02			.30					.21			.27	22
23				-			.95					.35	23
24			.05	-								.01	24
25	.02	.02	.02	.01			.18		.01		.02		25
26	.02		.06	-	.35	.05						.02	26
27	.21			.33		.04					.43	.12	27
28	.42		.26	.03	.05	.01	.03					.01	28
29	.24		.03	-	.13		.04				.03	.36	29
30	.02	~~XX~~		-	.08		.45		.36		.15	.24	30
31		~~XX~~	.02	~~XX~~		~~XX~~	.01		~~XX~~	.20	~~XX~~	.12	31
TOTAL	2.59	.45	1.47	3.42	1.01	1.46	4.51	1.44	2.76	1.15	.91	2.44	YEAR'S TOTAL 23.61
Days with .01 in. or more	14	10	17	19	9	11	16	6	13	9	7	20	154

REG.

PONDERS END

Kept at Bylock H
 in the County of Mid.
 by Harold

BYLOCK HALL

1911 - 1920

 FORM A2.
 BRITISH RAINFALL
 3 - JAN 1912

 in.
 und 1 ft. - in.
 a Level 50 ft.

 me Ponders End

 stance Harold Direction ENE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	—	07	55	—	—	—	03	—	—	—	—	1
2	23	—	—	20	15	—	03	—	—	—	18	14	2
3	—	03	—	07	16	—	—	—	—	—	07	02	3
4	03	02	07	12	—	—	—	—	—	03	09	30	4
5	02	07	—	02	—	—	—	—	—	09	—	21	5
6	38	—	13	—	—	—	—	—	—	—	—	28	6
7	03	—	—	03	—	—	—	—	—	13	31	26	7
8	13	—	12	—	—	—	—	—	—	—	26	18	8
9	07	—	02	02	—	—	—	—	—	—	07	—	9
10	—	13	08	—	—	—	—	—	—	—	02	40	10
11	33	—	—	—	32	—	—	—	—	—	60	—	11
12	07	—	45	—	08	14	—	—	06	—	34	—	12
13	—	—	18	—	08	—	—	—	45	16	02	15	13
14	—	03	07	—	31	07	—	—	—	—	—	39	14
15	07	04	21	—	—	—	—	—	—	07	02	02	15
16	—	—	07	—	—	62	—	—	—	—	36	03	16
17	—	—	08	—	—	02	—	—	—	—	31	13	17
18	—	18	07	—	—	11	—	—	—	—	40	19	18
19	—	07	—	—	07	16	—	03	14	20	24	06	19
20	—	02	07	—	—	—	—	17	08	10	—	49	20
21	07	04	04	—	—	—	—	44	—	56	—	07	21
22	07	—	02	—	—	03	—	07	—	05	—	41	22
23	07	13	21	—	—	14	—	—	24	—	03	44	23
24	—	11	02	—	—	—	07	02	—	18	—	21	24
25	—	04	02	03	—	27	25	07	07	04	—	—	25
26	—	—	03	13	—	06	03	—	—	16	04	23	26
27	—	43	06	03	—	—	—	—	14	—	08	06	27
28	07	23	—	29	—	—	275	04	—	—	07	—	28
29	—	—	—	05	—	19	27	—	22	22	07	—	29
30	—	—	—	02	02	—	—	—	07	17	—	07	30
31	—	—	—	—	53	—	—	—	—	—	—	—	31
Total	1.43	1.45	1.79	1.50	1.66	2.75	3.40	.75	1.35	3.10	3.40	4.38	TOTAL for year
No. of Rain Days.	15	15	21	13	9	11	6	8	9	14	20	23	26.96
													164

REGISTER

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Bylock Hall, Ponders End
in the County of Middlesex
by Harold Freir

PATTERN
RAIN GAUGE { Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 50 ft.
Time of Observation 8 am
Nearest Railway Station { Name Ponders End
Distance 4 1/2 Direction EVE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	—	07	55	—	—	—	03	—	—	—	—	1
2	23	—	—	20	15	—	03	—	—	—	18	14	2
3	—	03	—	07	16	—	—	—	—	—	07	02	3
4	03	02	07	12	—	—	—	—	—	03	09	30	4
5	02	07	—	02	—	—	—	—	—	09	—	21	5
6	38	—	13	—	—	—	—	—	—	—	—	28	6
7	03	—	—	03	—	—	—	—	—	13	31	26	7
8	13	—	12	—	—	—	—	—	—	—	26	18	8
9	07	—	02	02	—	—	—	—	—	—	07	—	9
10	—	13	08	—	—	—	—	—	—	—	02	40	10
11	33	—	—	—	32	—	—	—	—	—	60	—	11
12	07	—	45	—	08	14	—	—	06	—	34	—	12
13	—	—	18	—	08	—	—	—	45	16	02	15	13
14	—	03	07	—	31	07	—	—	—	—	—	39	14
15	07	04	21	—	—	—	—	—	—	07	02	02	15
16	—	—	07	—	—	62	—	—	—	—	36	03	16
17	—	—	08	—	—	02	—	—	—	—	31	13	17
18	—	18	07	—	—	11	—	—	—	—	40	19	18
19	—	07	—	—	07	16	—	03	14	20	24	06	19
20	—	02	07	—	—	—	—	17	08	10	—	49	20
21	07	04	04	—	—	—	—	44	—	56	—	07	21
22	07	—	02	—	—	03	—	07	—	05	—	41	22
23	07	13	21	—	—	14	—	—	24	—	03	14	23
24	—	11	02	—	—	—	07	02	—	18	—	21	24
25	—	04	02	03	—	27	25	07	07	04	—	—	25
26	—	—	03	13	—	06	03	—	—	16	04	23	26
27	—	43	06	03	—	—	—	—	14	—	08	06	27
28	07	23	—	29	—	—	275	04	—	—	07	—	28
29	—	—	—	05	—	19	27	—	22	22	07	—	29
30	—	—	—	02	02	—	—	—	07	17	—	07	30
31	—	—	—	—	53	—	—	—	—	—	—	—	31
Total	1.43	1.45	1.79	1.50	1.66	2.75	3.40	.75	1.35	3.10	3.40	4.38	TOTAL for year
No. of Rain Days.	15	15	21	13	9	11	6	8	9	14	20	23	26.96
													164

REGISTER OF RAINFALL IN 1912

Kept at Bylock Hall, Ponders End
in the County of Middlesex
by Harold E. Treier

RAIN GAUGE Pattern ordinary (copper)
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 50 ft.
Time of Observation 9 am
Name Ponders End
Nearest Railway Station 400 Distance ENE Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	07	07	—	28	09	—	03	29	—	17	1
2	—	04	23	—	07	10	28	05	—	—	—	—	2
3	03	—	14	—	—	14	07	41	—	—	—	05	3
4	22	—	67	—	24	08	—	02	—	—	19	—	4
5	17	09	08	—	—	—	—	08	—	—	03	07	5
6	46	02	—	—	—	13	7	19	—	—	—	03	6
7	02	—	03	—	02	53	—	14	—	—	—	03	7
8	40	32	12	—	—	—	—	08	07	—	—	—	8
9	02	05	—	06	—	30	04	04	—	—	—	09	9
10	—	02	03	—	—	02	—	36	02	—	09	19	10
11	03	32	—	—	—	10	—	—	02	—	—	11	11
12	08	06	06	—	22	11	—	—	—	—	04	—	12
13	07	03	—	—	—	—	07	—	07	06	08	03	13
14	—	—	07	—	03	—	—	07	—	03	—	02	14
15	—	07	10	—	22	32	—	07	—	—	07	35	15
16	21	—	02	—	06	07	—	08	—	04	05	—	16
17	50	—	22	—	—	07	—	04	—	—	—	07	17
18	05	—	12	—	—	—	—	03	—	07	03	11	18
19	13	06	11	—	—	—	06	35	—	07	—	—	19
20	07	—	11	—	07	03	—	29	—	34	—	—	20
21	—	04	27	—	13	—	—	06	—	05	05	—	21
22	25	15	08	—	07	—	18	17	—	06	—	03	22
23	35	36	28	—	—	—	14	40	—	02	15	16	23
24	42	02	—	—	—	05	—	08	—	—	—	15	24
25	—	—	—	—	—	27	—	90	—	—	25	53	25
26	—	07	—	—	—	—	04	21	—	34	39	30	26
27	—	—	07	—	—	07	—	—	—	20	—	22	27
28	—	05	—	—	—	02	13	04	10	28	35	09	28
29	—	02	02	—	—	21	27	22	1.15	15	02	—	29
30	—	—	—	—	09	07	—	10	90	13	—	—	30
31	—	—	26	—	07	—	14	15	—	—	—	07	31
Total	336	1.67	3.04	07	1.05	2.91	1.39	4.57	2.24	2.07	1.73	2.69	TOTAL for year 1888
No. of Rain Days.	18	18	22	2	12	20	12	26	8	15	14	21	

REGISTER OF RAINFALL IN 1913

Kept at Bylock Hall, Ponders End
in the County of Middlesex
by Harold E. Treier

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Ponders End, G.S.R.
Diameter of Rain Gauge 2 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level change ft.

BRITISH RAINFALL FORM A.
12 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	07	15	07	25	—	—	—	—	30	02	08	08	1
2	04	15	—	—	03	—	10	—	14	—	02	—	2
3	—	—	04	23	46	—	—	—	—	—	—	03	3
4	22	—	07	—	31	—	10	—	—	20	03	02	4
5	16	—	—	—	—	03	08	—	17	07	07	03	5
6	—	02	05	—	10	26	02	02	02	27	03	07	6
7	—	12	—	02	—	03	06	—	—	35	13	—	7
8	—	03	07	—	17	21	—	—	—	27	02	—	8
9	—	17	—	07	05	—	—	—	04	—	05	07	9
10	02	—	02	08	—	—	42	02	—	—	30	—	10
11	84	—	—	42	02	—	—	02	—	44	14	—	11
12	—	07	—	—	07	—	—	—	—	—	59	—	12
13	10	07	07	—	—	—	—	04	—	—	34	—	13
14	05	07	07	04	—	—	49	06	—	17	08	—	14
15	30	06	22	27	—	—	16	—	38	—	—	—	15
16	16	—	43	13	—	—	—	—	19	—	07	—	16
17	02	07	02	10	—	04	16	—	03	—	07	—	17
18	—	—	09	07	—	—	—	—	—	—	03	—	18
19	14	—	06	07	03	07	11	—	25	—	—	07	19
20	06	—	06	04	—	07	—	—	—	38	02	—	20
21	—	—	19	17	—	—	04	—	—	20	66	—	21
22	33	—	06	07	—	—	—	06	16	—	—	—	22
23	—	—	07	—	—	02	—	19	02	—	—	19	23
24	—	—	—	03	—	07	—	10	—	07	07	—	24
25	—	02	—	18	—	—	—	—	—	—	—	07	25
26	—	04	21	04	—	—	—	18	—	65	—	28	26
27	—	07	02	07	07	—	—	—	—	04	07	—	27
28	20	—	16	07	—	—	—	—	—	16	—	—	28
29	08	—	04	37	37	—	—	14	—	07	—	07	29
30	26	—	—	10	—	—	—	18	—	10	—	—	30
31	—	—	02	—	—	—	—	46	—	05	—	—	31
Total	2.99	.81	1.87	2.71	1.56	.62	1.74	1.47	1.70	3.33	2.57	.74	YEAR'S TOTAL 22.11
Rain Days.	17	14	22	22	11	9	11	12	11	17	20	11	177

REGISTER OF RAINFALL IN 1914

Kept at Bylock Hall, Ponders End
in the County of Middlesex
by Harold E. Freir

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Ponders End
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 50 ft.

BRITISH FORM A.
RAINFALL
-1 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·05	—	—	—	—	·27	—	—	·03	·02	1
2	·07	—	—	—	—	—	·09	·10	—	—	·26	·10	2
3	—	—	·11	·07	·15	—	·10	—	—	—	·07	—	3
4	·12	—	·07	·15	·07	—	—	·06	—	—	·26	·12	4
5	·03	—	·07	·17	·08	·06	·47	·54	—	—	·07	—	5
6	—	·08	—	—	·03	·15	·06	·07	—	—	·40	·15	6
7	—	·18	·25	·08	·47	·19	·04	—	—	—	—	·08	7
8	·04	·28	·56	·15	·04	·11	·08	·08	—	—	—	·06	8
9	·14	—	·57	·15	—	·20	—	—	·05	—	—	1·34	9
10	·04	·20	—	·05	·04	—	—	—	·13	—	—	·07	10
11	—	·23	·41	—	—	·33	—	—	·05	—	·18	·25	11
12	·07	·04	·10	—	—	—	·04	—	·26	·07	—	·32	12
13	—	·30	·14	—	—	—	—	—	·15	·07	·05	·38	13
14	—	·05	·43	—	—	—	·05	—	—	·15	·12	·44	14
15	·04	—	·18	—	—	—	—	·07	—	·02	·11	·05	15
16	—	—	·04	—	—	—	·04	—	·06	—	—	—	16
17	—	·32	·03	—	—	—	—	—	·07	—	—	·20	17
18	—	·02	·13	—	—	—	—	—	—	—	—	·22	18
19	—	·07	·18	—	—	·04	·04	—	·03	—	·17	·20	19
20	—	·12	·20	—	—	·04	·03	—	·14	—	—	·06	20
21	—	·55	·08	—	—	·05	—	—	—	·02	—	·08	21
22	—	—	·03	·02	·28	·03	·07	·02	—	·12	—	—	22
23	—	—	·14	—	·22	·12	·14	—	—	·08	—	·07	23
24	—	—	·07	·02	—	—	·07	—	—	—	·11	·07	24
25	·03	—	·19	—	—	—	·07	·08	—	·32	—	·09	25
26	—	—	·02	—	—	—	·07	·06	—	·03	·15	·55	26
27	—	—	·05	—	—	—	—	·07	—	—	·07	·18	27
28	—	·03	—	—	—	—	—	—	—	·08	·42	1·08	28
29	·04		·09	—	—	—	—	—	—	·25	·11	—	29
30	—	X	·03	—	—	—	—	—	—	·07	·70	·18	30
31	—	X	—	X	·17	X	·03	—	X	—	X	·02	31
Total	·50	2·41	4·10	·80	1·49	1·32	1·37	1·24	·94	1·16	3·16	6·20	24·69
Rain Days.	10	14	26	9	10	11	17	11	9	12	17	26	172
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1915

Kept at Bylock Hall, Ponders End
in the County of Middlesex
by Harold Edwin Treir (Artist & Rifle O.T.C.)

Lat. — Long. —
Time of Observation 9 am.
Nearest Railway Station Ponders End, 998 ft.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 50 ft.

965
15 FEB 1916
BRITISH RAINFALL FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25	10	08	—	02	—	—	—	10	02	24	39	1
2	15	12	22	11	—	—	—	51	—	03	01	12	2
3	37	—	03	20	01	—	04	52	01	—	—	41	3
4	04	—	—	—	—	—	—	18	—	—	—	27	4
5	03	20	—	—	—	—	—	—	—	03	02	23	5
6	21	03	01	22	20	—	63	01	—	—	—	45	6
7	21	30	03	—	—	—	31	01	—	—	01	17	7
8	04	43	01	01	—	—	04	03	—	—	—	01	8
9	—	03	—	03	—	07	—	06	—	01	35	63	9
10	26	—	03	—	—	02	—	21	—	—	—	11	10
11	01	—	01	—	01	—	—	—	—	—	81	01	11
12	07	04	—	26	31	—	—	38	—	02	44	—	12
13	02	33	—	—	1.50	—	—	—	—	—	—	01	13
14	—	01	—	—	—	—	1.25	17	03	—	—	52	14
15	20	—	—	—	05	—	02	14	—	—	28	09	15
16	03	37	—	02	—	—	68	26	—	—	—	15	16
17	—	34	—	—	53	—	13	—	—	—	—	01	17
18	—	24	08	—	17	—	—	—	—	—	06	01	18
19	—	06	—	—	—	—	10	—	—	01	—	—	19
20	26	—	01	01	—	—	—	—	—	—	—	28	20
21	15	—	—	—	—	—	—	—	—	01	—	03	21
22	77	19	27	01	—	—	65	—	09	—	—	14	22
23	—	08	05	—	—	06	30	—	04	24	—	25	23
24	—	—	05	—	—	03	30	—	13	05	—	18	24
25	—	—	07	07	—	01	18	—	—	02	—	08	25
26	—	10	—	—	—	08	05	—	—	—	—	44	26
27	—	—	—	—	—	34	68	—	—	37	—	01	27
28	—	07	—	—	—	02	—	—	1.30	11	—	—	28
29	—	—	03	—	—	—	14	13	—	01	07	03	29
30	06	X	—	—	—	38	—	—	—	01	13	—	30
31	07	X	—	X	—	X	—	04	X	82	X	18	31
Total	3.20	3.04	.98	.94	2.80	1.01	5.50	2.65	1.70	1.76	2.42	5.18	31.18
Rain Days.	19	18	15	10	9	9	16	14	7	15	11	27	170

REGISTER OF RAINFALL IN 1916

Kept at Bylock Hall, Ponders End
in the County of Middlesex.
by Harold Edwin Freir

Lat. Long.
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Ponders End
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

938
BRITISH RAINFALL
FORM A.
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	-	.01	-	.20	.02	-	-	.16	.02	.30	-	1
2	.47	.03	.12	-	.25	-	.02	-	.17	.34	.01	-	2
3	-	.25	.20	-	-	-	.05	-	.55	.20	.61	-	3
4	.22	.14	.01	-	.01	.30	-	-	.02	.12	.33	-	4
5	.02	-	.01	.01	.04	.17	-	-	-	.10	.39	.01	5
6	-	.03	.26	.29	.01	.02	.37	-	-	.02	.45	-	6
7	.08	-	.23	-	.14	.29	.07	-	-	-	.64	.03	7
8	-	.01	.02	-	.43	.01	-	-	-	-	.02	.33	8
9	.01	-	-	-	.25	.03	-	-	-	.06	-	.10	9
10	-	.10	.08	.15	-	.55	.03	-	-	-	-	.11	10
11	.07	.12	.01	.14	-	.09	-	-	-	-	-	-	11
12	.03	.02	-	.13	.32	.11	.02	.08	.01	.05	.01	-	12
13	.01	.46	.22	.06	.05	.08	.12	.08	-	.01	-	-	13
14	-	.35	.01	.02	.06	-	-	.43	-	.02	-	.21	14
15	-	.35	.33	-	-	-	.04	.22	-	-	-	.01	15
16	-	.01	.10	.12	.04	-	.10	.39	-	.03	-	-	16
17	.07	.07	-	-	-	-	.05	2.62	.29	.52	-	-	17
18	.01	.07	.04	.08	-	-	-	.10	.09	.02	.60	-	18
19	.12	.02	.11	.19	-	-	-	.01	.19	-	.68	-	19
20	.19	-	.17	.05	-	-	-	.08	-	-	.04	.39	20
21	.01	-	.81	.02	-	-	.20	-	-	-	.01	.35	21
22	-	.02	.04	-	.01	-	-	-	-	.01	.01	.47	22
23	.03	.26	.01	-	.01	.05	-	.03	-	-	.05	.09	23
24	-	.03	.01	-	.01	.15	-	.02	-	.05	.03	.37	24
25	-	.36	.10	-	.07	-	-	.32	-	.08	.10	-	25
26	-	.15	.02	-	-	-	-	.04	-	.02	-	-	26
27	.07	.01	.95	-	-	-	-	.21	-	.56	-	-	27
28	-	.30	.37	-	-	.07	-	.01	.07	.01	.01	.20	28
29	-	.09	.01	-	-	.23	-	1.58	.04	.33	-	.12	29
30	-	X	-	-	.02	.01	-	.07	-	.80	X	-	30
31	-	X	-	X	-	X	-	.03	X	.11	X	.01	31
Total	1.64	3.25 3.25	4.25	1.26	1.92	2.18	1.07	6.32	1.59	3.48	4.29	2.80 2.80	YEAR'S TOTAL 34.05 204
Rain Days.	16	23	26	12	17	16	11	18	10	22	18	15	

REGISTER OF RAINFALL IN 1917

Kept at Baylock Hall, Ponders End
in the County of Middlesex
by Harold E. Freer

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Jan. 1, following

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	29	—	—	—	88	83	—	13	—	1
2	—	—	—	70	—	04	—	08	—	02	04	—	2
3	04	—	—	05	—	—	—	47	—	25	20	—	3
4	—	11	22	—	—	—	02	09	—	32	—	—	4
5	22	07	04	43	—	—	—	03	55	09	10	—	5
6	07	—	03	02	—	05	—	—	05	03	13	—	6
7	18	—	07	—	—	—	13	—	—	27	02	02	7
8	09	—	—	09	—	—	75	02	—	21	12	22	8
9	03	07	03	—	07	—	06	07	02	07	05	18	9
10	30	—	10	27	—	—	—	06	—	—	07	03	10
11	08	—	43	14	—	—	—	02	—	33	—	—	11
12	—	—	05	—	—	—	—	03	—	57	07	07	12
13	02	—	—	05	—	—	—	02	02	03	—	—	13
14	—	—	07	22	—	—	—	07	—	—	—	02	14
15	—	—	—	—	—	—	58	07	—	04	—	02	15
16	09	11	—	18	02	05	23	—	—	43	—	19	16
17	—	02	—	10	57	—	26	04	14	32	07	—	17
18	02	—	—	08	12	23	08	04	19	07	—	—	18
19	—	—	05	—	24	05	—	02	21	—	—	—	19
20	—	15	07	—	80	—	—	—	07	—	10	—	20
21	04	—	03	07	03	02	—	—	—	07	04	—	21
22	02	—	04	—	—	13	—	08	—	17	07	—	22
23	—	08	07	—	15	02	—	14	—	07	—	—	23
24	07	04	—	—	—	04	—	08	—	23	04	03	24
25	—	—	05	—	—	—	07	—	—	07	04	—	25
26	—	—	07	—	—	—	—	30	02	—	54	07	26
27	—	—	07	—	—	—	—	94	—	—	07	02	27
28	—	—	02	—	—	83	—	12	—	—	—	05	28
29	—	—	07	—	42	03	72	23	—	18	—	04	29
30	07	X	30	—	—	—	137	05	—	07	—	10	30
31	04	X	08	X	—	X	37	03	X	—	X	—	31
Total	120	53	166	263	236	149	458	386	151	349	160	94	2585
Rain Days.	16	8	21	15	9	11	12	25	10	22	18	14	181

REGISTER OF RAINFALL IN 1918

Kept at Bylock Hall, Ponders End
in the County of Middlesex
by Harold E. Freer

Lat. _____ Long. _____
Time of Observation 9 am (G.M.T.)
Nearest Railway Station Ponders End, G.S.R.
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground Two changes in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	—	.24	—	—	—	—	—	—	—	.01	1
2	.01	.03	—	.02	—	—	—	.43	—	—	—	.18	2
3	—	.04	.04	.02	.62	—	—	.22	.03	.01	.45	.02	3
4	.01	.07	.16	.04	—	—	—	.07	.53	.01	.57	.02	4
5	—	.01	.02	—	.14	—	—	.06	.02	.05	—	—	5
6	.11	.20	—	.30	.14	—	—	.05	—	—	.01	.16	6
7	.05	.07	—	.09	.10	—	—	.02	.11	.02	.12	.01	7
8	—	.05	—	.01	—	—	.01	.01	.02	.10	.03	.03	8
9	.03	.09	—	.01	—	.09	.36	—	.42	.10	—	.18	9
10	.03	—	—	.05	—	—	.47	—	.02	.02	.01	.30	10
11	.02	—	—	.02	.24	—	.49	—	.12	.06	.01	—	11
12	.01	.06	—	—	.11	—	.10	—	—	.01	.01	.01	12
13	.02	.03	—	—	—	—	.18	—	.20	—	—	.02	13
14	.18	—	.01	—	—	.32	—	—	.25	.24	—	.15	14
15	1.47	—	—	1.50	—	—	.12	—	.01	—	—	.05	15
16	.18	—	—	.01	—	.02	.01	—	.18	—	—	.01	16
17	.18	—	.01	.25	.11	.01	1.37	.09	—	.01	—	.13	17
18	.59	—	—	.02	—	.20	.04	—	1.01	.09	—	.09	18
19	.06	—	.04	.09	—	.16	.32	—	.03	.10	—	.18	19
20	.02	.12	—	.85	—	.03	—	—	.07	.08	.01	.01	20
21	.07	.01	—	—	—	—	.14	—	.35	.03	—	.15	21
22	.05	—	—	.08	.26	—	.10	—	.10	.01	—	.03	22
23	.01	—	—	.02	.37	—	.44	.07	.05	—	.02	.03	23
24	—	.19	—	—	.01	.02	.07	—	.06	—	.03	—	24
25	—	.01	—	.02	—	.04	.17	.15	—	.01	.01	—	25
26	.01	—	—	—	—	—	—	.15	—	.02	.15	.12	26
27	—	.03	—	—	—	—	.34	.23	.03	—	.12	.01	27
28	.01	.01	.17	.17	—	.02	—	.02	—	—	.25	.08	28
29	.01	—	—	—	—	—	—	—	1.39	—	.01	.02	29
30	—	X	—	—	—	—	—	—	.02	—	.10	.10	30
31	—	X	.01	X	—	X	—	.06	X	.05	X	.01	31
Total	3.13	1.04	.46	3.81	2.10	.91	4.73	1.63	5.02	1.02	1.91	2.17	24.93
Rain Days.	22	17	8	21	10	10	17	14	22	19	17	27	204

REGISTER OF RAINFALL IN 1919.

Kept at Bylock Hall, Ponders End
in the County of Middlesex
by Harold Edwin Trever

Lat. — Long. —
Time of Observation 9 am (G.M.T.)
Nearest Railway Station Ponders End, G.E.R.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	44	03	04	—	11	—	18	—	—	02	07	83	1
2	29	—	07	—	10	—	14	—	10	12	12	08	2
3	25	—	26	—	08	—	14	—	12	—	05	37	3
4	12	03	30	—	—	08	31	05	—	—	07	22	4
5	07	26	41	—	—	—	32	—	06	—	02	26	5
6	07	02	—	—	—	—	—	—	—	—	07	12	6
7	02	—	31	—	—	—	—	—	—	—	14	—	7
8	06	—	08	02	—	—	—	—	—	—	14	—	8
9	17	—	—	07	07	—	—	—	—	—	09	—	9
10	26	—	06	03	—	—	—	—	—	07	—	02	10
11	02	—	13	32	—	—	33	—	—	—	—	07	11
12	—	—	13	15	—	03	04	—	—	02	02	—	12
13	—	02	—	28	—	—	—	—	—	04	—	07	13
14	31	—	—	25	—	—	04	—	53	—	—	02	14
15	17	14	04	14	—	—	—	—	—	07	07	15	15
16	07	60	—	05	—	—	—	—	—	—	09	03	16
17	—	10	06	02	—	—	—	—	—	—	22	—	17
18	—	11	05	—	—	—	02	—	06	—	07	13	18
19	02	16	92	—	—	27	34	22	03	07	07	—	19
20	44	06	05	—	—	79	11	15	02	—	—	05	20
21	16	33	—	—	—	17	12	—	—	—	02	13	21
22	—	13	02	—	—	—	08	—	15	—	03	28	22
23	01	—	—	—	—	03	02	02	08	—	07	—	23
24	—	—	—	15	—	07	02	05	—	09	03	04	24
25	75	—	—	04	06	—	—	21	—	—	—	—	25
26	02	13	12	10	—	—	04	27	11	—	—	31	26
27	65	04	07	120	—	—	—	50	—	—	—	—	27
28	07	—	11	04	—	—	—	65	—	—	22	26	28
29	03	X	—	02	—	—	—	29	—	20	—	05	29
30	—	X	02	23	—	16	—	09	—	02	20	23	30
31	—	X	—	X	—	X	—	—	X	07	X	07	31
TOTAL	429	216	313	305	42	137	225	250	126	55	158	361	YEAR'S TOTAL
Days with "1 in. or more	23	15	20	17	5	7	16	11	10	11	21	22	178

REGISTER OF RAINFALL IN 1920..

Kept at Bylock Hall, Ponders End
in the County of Middlesex
by Harold E. Treier

Lat. — Long —
Time of Observation 9 am (10. S.T.)
Nearest Railway Station Ponders End
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.48	.06	—	.28	—	—	.32	—	.24	1
2	—	—	.01	—	.01	—	—	.61	.07	.05	—	.13	2
3	—	.05	—	—	—	—	—	—	.05	.06	—	.02	3
4	—	.02	.01	.10	—	—	.15	.07	—	.08	—	.08	4
5	—	—	.07	—	.03	—	.52	.01	.08	—	—	.01	5
6	—	—	.21	—	.12	—	.32	—	—	—	—	.02	6
7	.01	—	.10	.15	—	—	.15	—	—	—	.01	.02	7
8	.08	.01	—	.17	.11	—	.10	.01	—	—	—	—	8
9	.36	.02	—	.03	—	—	—	.02	—	—	—	—	9
10	.67	.06	.07	.05	—	.10	—	—	—	—	—	.02	10
11	.16	—	.05	.40	.01	.04	.24	—	—	—	—	.16	11
12	.09	—	—	.07	—	.33	—	—	—	.01	.02	—	12
13	.12	.01	.10	.13	—	—	—	—	.01	—	.06	—	13
14	—	—	.27	.28	—	.07	.01	—	.18	.06	.19	.02	14
15	—	—	.03	.17	—	—	—	—	.56	.19	.02	.02	15
16	—	—	.07	.13	—	.08	—	—	.13	.20	—	—	16
17	.04	—	—	—	.14	.14	—	—	.38	—	—	.05	17
18	.03	—	—	.01	.01	—	—	.75	.10	—	—	.03	18
19	.10	—	—	.21	—	.03	—	—	—	—	—	.01	19
20	.05	.21	—	.20	—	.65	—	—	.18	—	—	—	20
21	—	—	—	—	—	—	1.02	.02	.42	—	—	.07	21
22	.02	—	—	.30	—	—	—	—	.17	.01	—	.25	22
23	—	—	—	—	—	—	.86	—	—	—	—	.39	23
24	.02	.02	.05	—	—	—	—	—	—	—	—	—	24
25	—	—	.02	.02	—	—	.18	—	.02	—	—	—	25
26	.02	—	.05	.01	.38	—	—	—	—	—	—	.04	26
27	.19	.06	.01	.32	—	.09	.01	—	—	—	.41	.10	27
28	.41	—	.25	.04	.03	.04	.04	—	—	—	—	.01	28
29	.25	—	.05	—	.20	—	.04	—	—	—	.04	.35	29
30	.03	XX	—	—	.10	—	.38	—	.37	.04	.16	.28	30
31	.02	XX	—	XX	.01	XX	—	—	XX	.18	XX	.08	31
TOTAL	2.67	.46	1.36	3.27	1.21	1.57	4.30	1.49	2.72	1.20	.91	2.40	YEAR'S TOTAL 23.56
Days with .01 in. or more	19	9	17	20	13	10	15	7	14	11	8	23	166
Days with .04 in. or more	12	4	11	16	7	9	13	3	12	9	5	13	114

Kept at Island
in the County of R
by J. Weston

POPLAR
ISLAND GARDEN'S
LONDON

1911 - 1920

FORM A2.
BRITISH RAINFALL
23 JAN 1912

4 ft. 6 in.

rel. ft.

Direction

result entered to the

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 02	in.	in. 12	in.	in.	in.	in.	in.	in.	in. 12	in.	in.	1
2	02			84	12			06					2
3	20			10	12						14	08	3
4			08	3(10)							04	08	4
5	02									04	14	16	5
6			24							08		12	6
7	14											18	7
8	02		10							08	24	08	8
9	10		02								24	20	9
10	12		04										10
11	02										07	36	11
12	26		42		24	04			02 29		60		12
13	02		10		22				44		18		13
14		08			14					42	04	10	14
15		08	20									40	15
16						72							16
17											38		17
18		16			02						22	06	18
19						10					44	12	19
20		02						32	26	18	20	06	20
21		10						10		12		44	21
22								12	10	44		06	22
23	02	08	24			84				10		32	23
24		12				06	06		26			08	24
25		02				20	04			1.36		24	25
26			12	20	04	18							26
27		30	08	04						10	04	24	27
28		12		18					18		04		28
29				10		14	12	06					29
30										17			30
31					96			24		08			31
Total	94	1.08	1.76	(1.56)	1.86	2.28	22	90	1.26	3.17	3.01	3.38	TOTAL for year 21.42
No. of Rain Days	12	10	12	8	8	8	3	6	16	12	15	19	119

SL
20

R

FORM A2
BRITISH RAINFALL
23 JAN 1912

Kept at Island Gardens
in the County of R. of Thames 2
by J. Weston

RAIN GAUGE

Diameter of top 5 in.
Height of top above Ground 4 ft. 6 in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>02</u>		<u>12</u>										1
2	<u>02</u>			<u>84</u>	<u>12</u>			<u>06</u>					2
3	<u>20</u>			<u>10</u>	<u>12</u>						<u>14</u>	<u>08</u>	3
4			<u>08</u>	<u>3(10)</u>							<u>04</u>	<u>08</u>	4
5	<u>02</u>									<u>04</u>	<u>14</u>	<u>16</u>	5
6			<u>24</u>							<u>08</u>		<u>12</u>	6
7	<u>14</u>											<u>18</u>	7
8	<u>02</u>		<u>10</u>							<u>08</u>	<u>24</u>	<u>08</u>	8
9	<u>10</u>		<u>02</u>								<u>24</u>	<u>20</u>	9
10	<u>12</u>		<u>04</u>										10
11	<u>02</u>										<u>07</u>	<u>36</u>	11
12	<u>26</u>		<u>42</u>		<u>24</u>	<u>04</u>			<u>04</u>		<u>60</u>		12
13	<u>02</u>		<u>10</u>		<u>22</u>				<u>44</u>		<u>18</u>		13
14		<u>08</u>			<u>14</u>					<u>42</u>	<u>04</u>	<u>10</u>	14
15		<u>08</u>	<u>20</u>									<u>40</u>	15
16						<u>72</u>							16
17											<u>38</u>		17
18		<u>16</u>			<u>02</u>						<u>22</u>	<u>06</u>	18
19						<u>10</u>					<u>44</u>	<u>12</u>	19
20		<u>02</u>						<u>32</u>	<u>26</u>	<u>18</u>	<u>20</u>	<u>06</u>	20
21		<u>10</u>						<u>10</u>		<u>12</u>		<u>44</u>	21
22								<u>12</u>	<u>10</u>	<u>44</u>		<u>06</u>	22
23	<u>02</u>	<u>08</u>	<u>24</u>			<u>84</u>				<u>10</u>		<u>32</u>	23
24		<u>12</u>				<u>06</u>	<u>06</u>		<u>26</u>			<u>08</u>	24
25		<u>02</u>				<u>20</u>	<u>04</u>			<u>1.36</u>		<u>24</u>	25
26			<u>12</u>	<u>20</u>	<u>04</u>	<u>18</u>							26
27		<u>30</u>	<u>08</u>	<u>04</u>						<u>10</u>	<u>04</u>	<u>24</u>	27
28		<u>12</u>		<u>18</u>					<u>18</u>		<u>04</u>		28
29				<u>10</u>		<u>14</u>	<u>12</u>	<u>06</u>					29
30										<u>17</u>			30
31					<u>96</u>			<u>24</u>		<u>08</u>			31
Total	<u>94</u>	<u>1.08</u>	<u>1.76</u>	<u>(1.56)</u>	<u>1.86</u>	<u>2.28</u>	<u>22</u>	<u>90</u>	<u>1.26</u>	<u>3.17</u>	<u>3.01</u>	<u>3.38</u>	TOTAL for year
No. of Rain Days	<u>12</u>	<u>10</u>	<u>12</u>	<u>8</u>	<u>8</u>	<u>8</u>	<u>3</u>	<u>6</u>	<u>16</u>	<u>12</u>	<u>15</u>	<u>19</u>	<u>119</u>

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Kept at Island Gardens

in the County of Thames, Left Bank

by A. Blain

RAIN GAUGE
Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				12				06	14	1.20			1
2			10			13	06		08	28		16	2
3			24				27	14		04			3
4	03		04			07		38					4
5	24		44		16	12					10		5
6	14		02					23			04		6
7	38	04				02		06				06	7
8			04		02	50	23	20					8
9	26	20	10			07	02	16					9
10		04		03		26		04				09	10
11		02						20				25	11
12		30				04						11	12
13	03	03	06		08	20							13
14											06		14
15								06		07		02	15
16			08		32	56					02	38	16
17	22		02			10		06			04		17
18	40		20			02		04				02	18
19	02		09					04				07	19
20	12	10	10				04	40					20
21			16					05		42			21
22			06		16			10		06			22
23	14	02	02				16	10				04	23
24	44	12	26					34		04	14	14	24
25	20	34				20		12				08	25
26	16					10		86			22	46	26
27		02						32		30	20	22	27
28						02				10		12	28
29		06		02			14	02		16	30	12	29
30						08	20	12	78	14			30
31	-	-	12		17		06	04	120	10			31
Total	2.78	1.29	2.03	17	91	249	1.12	3.18	1.00	2.91	1.12	2.34	TOTAL for year
No. of Rain Days.	2.78	1.29	2.15	05	91	249	1.18	4.22	2.06	1.71	1.12	2.34	22.30
	14	12	17	3	6	16	8	24	3	12	9	16	140
			18	2			7			13			

25

BRITISH RAINFALL

FORM A.

47 7.8 and 11.14 3 5.11.14

REGISTER OF RAINFALL IN 1913

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

Kept at Island Gardens

in the County of London

by A. Blain

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					14				72		12		1
2		26	04	18					22		04	08	2
3	06	14			02		07		04		10		3
4			05	11	44							02	4
5	15			02	26		11			30		04	5
6	27					05	16		30		02	10	6
7			11		04	07	45			18	15	06	7
8		05			06		18	10		50	05		8
9		02	04		10	09				06	02		9
10		14			06		02		06		04	02	10
11			12	12			68	06			62		11
12	26			45	02					72	16		12
13					02						28		13
14	06		02					05			32		14
15	03		06	07			10	05	02	14	08		15
16	30	07	24	15			16		20				16
17	10		30	15			04		60				17
18		02		06			09						18
19			12	12							02		19
20	12		10		02	36	20		12				20
21	16		40	03		14				50			21
22		03	12	06			06			22	66		22
23	42		20					06	16				23
24						05		26	02			36	24
25			02	02		02					02		25
26		02		25		02							26
27		04	20	02				25		88		20	27
28			04	08	04					06			28
29	20		18	06						15			29
30	02		03	32	50			22		05			30
31	20							23		14			31
Total	2.35	79	2.39	2.27	1.72	80	2.32	1.28	2.46	3.90	2.70	88	23.86
Rain Days.	14	10	19	2.41	1.58	8	13	2.00	1.74	4.02	2.58	8	15.2

82

WD

W 718

and in with 5.10.15 & for W.D. 26.11.15

REGISTER OF RAINFALL IN 1914

23
FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at Island Gardens
in the County of London S. Bank
by J. Harris

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.27		.02				.36	1
2								.28					2
3					.11		.10	.24			.10	.20	3
4			.14				.02	.03					4
5	.05		.02	.22							.30	.22	5
6	.04		.06	.16	.20	.02	.60	.32					6
7		.08		.10		.19	.02	.02			.04	.08	7
8		.18	.28	.46	.64	.38	.05						8
9	.10	.30	.62	.06	.06	.08	.06	.03					9
10	.18		.78	.06		.04			.12			.94	10
11		.42	.02	.08	.04				.06			.04	11
12			.36			.12			.22		.34	.40	12
13		.04	.12				.03		.09		.02	.50	13
14		.16	.10						.12	.04	.02	.41	14
15			.25			.33	.20			.12	.04	.16	15
16			.15				.10				.50	.08	16
17													17
18		.30	.10						.04			.10	18
19		.08	.12									.28	19
20			.28				.04		.02		.20	.32	20
21		.12	.40			.10			.04			.02	21
22		.72	.08									.04	22
23		.02	.06		.34	.12	.14			.04			23
24			.04		.10	.10	.04			.06		.02	24
25			.02	.02	.02					.01	.12		25
26	.02		.08					.10		.30		.03	26
27			.02					.10		.04	.14	.38	27
28	.02						.02				.06	.10	28
29											.38	1.08	29
30	.02									.36	.10		30
31										.04		.08	31
Total	.43	2.42	4.10	1.16	1.56	1.75	1.32	1.14	.71	1.00	2.36	5.84	23.75
Rain Days.	7	11	22	8	9	10	14	8	8	9	15	22	143
	.43	2.42	4.10	1.16	1.78	1.48	1.34	1.12	.71	1.01	2.72	5.52	23.79

REGISTER OF RAINFALL IN 1915

Kept at Island Gardens

in the County of London, Thames L. Bank

by J. Harris

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

26

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04				.02	.10					.78	.14	1
2	.42								.14		.24	.34	2
3	.18							.64				.12	3
4	.38							.52				.42	4
5	.04				.02			.43		.02		.24	5
6	.06											.32	6
7	.36						.46	.04				.16	7
8	.26					.08	.13					.14	8
9	.14						.08	.26					9
10	.02					.06		.14		.06	.33	.72	10
11	.24							1.00				.17	11
12					.58						.73		12
13	.06							.06					13
14					1.60			.08				.28	14
15					.06		.28		.02				15
16	.10							.12					16
17							.78	.07			.29		17
18					1.28								18
19			.02		.28						.04		19
20							.08						20
21												.26	21
22	.04									.42		.05	22
23	.82						.74					.04	23
24			.02			.12	.44		.10			.38	24
25			.02	.06					.26			1.30	25
26				.16			.18					.14	26
27						.17						.26	27
28						.10	.45			.38			28
29						.17			1.66	.12			29
30		X					.22	.17			.06		30
31	(.04)	X	.06	X		X			X		X	.26	31
Total	3.16		.12		3.82	.80	3.84	3.53	2.18	1.78	1.83	5.60	YEAR'S TOTAL
Rain Days.	15				7	6	12	12	5	5	7	18	

W 8h
REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

Kept at Island Gardens
in the County of London L. Bank
by J. Harries

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	26								08		15		1
2			04		28				28	08	26		2
3	36	38	12		24				04	40	04		3
4		04					05		12	23	60		4
5	14					26			04		34		5
6					10	05	10			03	38		6
7			42	34		09	32				30		7
8					18	25	62				68	04	8
9					22	08						22	9
10		16			33	04				04		11	10
11			04	08		48	07					04	11
12		06		15		17							12
13			34		40	08	02	03	06	06			13
14		13	04	06	10	14	26	16					14
15		37	24	02	10			38				12	15
16		22					20	11					16
17			18	12				08		06			17
18		10						48	37	60			18
19		04						73		08	86		19
20			10	30							76		20
21			24								06	34	21
22			64										22
23			04			05						50	23
24												10	24
25					04					12	02	41	25
26			17		10	04		34		07			26
27		90						100		50			27
28	04		112			20		25					28
29		40	13			09		04	04			08	29
30		X			28	27		140	06	23		11	30
31		X	06	X		X		08	X	30	X		31
Total	90	280	392	107	237	229	164	508	109	295	430	207	3019
Rain Days.	54	280	392	107	12	15	8	13	9	14	12	11	132

REGISTER OF RAINFALL IN 1917

Kept at Island Gardens
in the County of London L. B. Thames
by T. Harris

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								60					1
2				20				75					2
3				28							20		3
4				06				35		22	12		4
5			02				16	07		38			5
6	22		08	20				10	60	16	06		6
7				02		08			10		06		7
8	13						14			24			8
9	06			04			88	20	04	27	08	38	9
10				06				03				18	10
11	24			13				02					11
12			40	14					44	28			12
13	06							09		48			13
14			20	04						11			14
15				08				11					15
16							33	09					16
17	04	06			50		48			20		21	17
18				18	30		44	06	57	12			18
19				10	04	13	20	04	12	04			19
20		16			36	16							20
21		07	10		70						02		21
22													22
23								12		08			23
24					20			07					24
25						10				10	04		25
26											02		26
27								30			43		27
28								82					28
29						150		02					29
30		X			100		14			20		10	30
31		X	38	X		X	50	08	X		X		31
Total	75	29	118	153	310	197	329	394	187	288	103	87	2266
Rain Days.	6	3	6	13	7	5	9	19	6	14	9	4	101

REGISTER OF RAINFALL IN 1918

Kept at Island Gardens
in the County of _____
by J. Harris

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04	(.10)							.11	.07	1
2											.16	.12	2
3								.40			.24		3
4			.04		.53				.58		.38		4
5								.06	.13	.04			5
6					.20			.02	.07	.02		.08	6
7					.22				.10		.09		7
8					.18				.04	.15	.04		8
9									.28	.07		.20	9
10						.05	.46					.15	10
11							.71			.10		.11	11
12					.05		1.52		.02				12
13					.18		.12		.15				13
14					.09		.27		.26	.17		.16	14
15						.25	.05					.05	15
16							.20		.09				16
17						.06						.14	17
18			.02		.12	.38	1.46		.64	.20		.06	18
19						.20	.12			.06		.09	19
20						.07	.22		.20	.10			20
21							.22		.60	.08			21
22									.18			.15	22
23					.51		.32						23
24					.28		.49		.12				24
25							.84					.06	25
26						.06	.44	.24			.28		26
27							.42	.16	.14	.02	.15		27
28								.12			.17	.15	28
29			.32						1.08				29
30		X								.04		.07	30
31		X	.48	X		X			X		X		31
Total	2.26	N.O.	.90	3.08	2.36	1.07	7.86	1.00	4.68	1.05	1.62	(-)	YEAR'S TOTAL
Rain Days.	2.26	(1.00)	X.06	2.98	2.36	1.07	7.86	1.00	4.68	1.16	1.58	1.59	28.50

REGISTER OF RAINFALL IN 1919

Kept at Island Gardens
in the County of London L Bank
by T. Harris H. G. Rish

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	22				26					11	06	16	1
2	34				06				02	04	05	80	2
3	15				06	08					02	10	3
4	10	14						04			02	34	4
5		28							04			09	5
6												22	6
7											07	04	7
8	16												8
9	08			08	15						02		9
10	22												10
11				33									11
12						02				06			12
13				24						02			13
14	20			35					56				14
15	20			21						06			15
16	07	55									10	12	16
17		44		02							12	03	17
18		18									08		18
19	04	08				26		18	06		03		19
20	08	04				10		08				01	20
21	26	21				08							21
22		12							33		04	01	22
23									12			20	23
24				26		04		02		12	05		24
25				02				22				01	25
26		23			16			16	10				26
27	33	08		127				49				21	27
28				04				50			17	03	28
29	02							26		42	04	30	29
30		X						18			16	08	30
31		X		X		X			X		X	26	31
Total	247	235	314	282	69	158	277	213	123	83	103	301	2405
Rain Days.	15	11	15	10	5	6	14	10	7	7	15	18	...

REGISTER OF RAINFALL IN 1920

Kept at *Isle of Dogs, Island Gardens*
in the County of *London L.B. Thames*
by *L.E.C. H.C. Parish*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
10

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.03				.44	.15	.17	1
2			~~(.05)~~	.29			.24			.47		.15	2
3			(.05)					.48	.04	.02		.03	3
4									.08				4
5				.05			.17	.02		.06		.02	5
6			.15				.45	.18	.05				6
7			.27				.27					.02	7
8				.08			.14					.03	8
9				.23			.12						9
10	.30												10
11	.52		.04	.03		.08	.08						11
12	.12		.04	.28		.02	.42					.25	12
13	.10			.08		.64				.02			13
14	.12		.04	.12								.16	14
15			.18	.13		.15			.17		.12	.02	15
16			.03	.06					.79	.06	.03		16
17				.09		.12			.12	.26			17
18					.10	.10			.36				18
19								.78	.20			.02	19
20				.15		.05						.03	20
21				.02		.42			.12				21
22							.55	.03	.77				22
23				.23					.09			.33	23
24							.21					.36	24
25			.04										25
26				.04			.10						26
27			.20				.04						27
28				.15		.15					.30	.08	28
29			.18	.10	.03		.06				.02	.03	29
30		X	.02								.03	.07	30
31		X		X		X	.29		X		X	.14	31
Total	<i>Gauge kept</i>	<i>NO.</i>	(1.24)	2.13	<i>inf</i>	1.73	3.14	1.49	3.23	1.04	.67	.10	YEAR'S TOTAL
Rain Days			17	10	14	5	12	7	6	17			

RE

POTTERS BAR

MOUNT GRACE

Kept at Mount Grace

in the County of Middlesex

by J. Forbes Esq. / Esq.

LOND / MIDOX

1912-20

FORM A.
BRITISH RAINFALL
2 - JAN 1913

A.M.

Gottus Bar

5 in.

above Ground 1 ft. in.

Sea Level 380 ft.

and the result entered to the universal rule, he is earnestly

IMPORTANT NOTE
previous day. If an

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			08	03		29	02		06	37		19	1
2		02	09	01		11	36	01					2
3	06		14		06	13		35	01			09	3
4	24		60		24	11		05			27		4
5	14	10	11					12			05		5
6	32	02						29				03	6
7			02		02	44		12				03	7
8	36	41	17			01		11	02			03	8
9	14	09		07	02	12	03	03		01		18	9
10		05						46	05		23	15	10
11	06	41						05	05			11	11
12	06	08	08		13	09				01	10		12
13											12	03	13
14			02		03			12		03	01	02	14
15		01	10		16	35		04				21	15
16	35		04		11	05		12		05	06		16
17	60		29			09		04					17
18	05		13					10		01	03	12	18
19	20	06	09				14	56			01		19
20	02		13		02		01	16		47			20
21		04	46		02			08		07	06		21
22	31	14	02		12		20	16		01		03	22
23	38	30	30				39	43	01	02	25	09	23
24	42	03						06				15	24
25		01				15	09	60			26	47	25
26		02						31		50	45	35	26
27										18		19	27
28		04				07	01	09	09	38	36	27	28
29		02	03			19	27	16	120	58	07		29
30		-			16		13		96	18			30
31		-	26		10	-	14	13	-	01		09	31
Total	3.71	1.85	3.16	11	1.19	2.20	1.79	4.75	2.54	2.88	2.33	2.82	29.33
Rain Days.	16	18	20	3	13	14	12	26	9	16	15	20	182

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL
2 - JAN 1913

Kept at Mount Grace, Gotten Bar
in the County of Middlesex
by J. Forbes Esq (Gardener Halsey)

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Gotten Bar
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 38.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			08	03		29	02		06	37		19	1
2		02	09	01		11	36	01					2
3	06		14		06	13		35	01			09	3
4	24		60		24	11		05			27		4
5	14	10	11					12			05		5
6	32	02						29				03	6
7			02		02	44		12				03	7
8	36	41	17			01		11	02			03	8
9	14	09		07	02	12	03	03		01		18	9
10		05						46	05		23	15	10
11	06	41						05	05			11	11
12	06	08	08		13	09				01	10		12
13											12	03	13
14			02		03			12		03	01	02	14
15		01	10		16	35		04				21	15
16	35		04		11	05		12		05	06		16
17	60		29			09		04					17
18	05		13					10		01	03	12	18
19	20	06	09				14	56			01		19
20	02		13		02		01	16		47			20
21		04	46		02			08		07	06		21
22	31	14	02		12		20	16		01		03	22
23	38	30	30				39	43	01	02	25	09	23
24	42	03						06				15	24
25		01				15	09	60			26	47	25
26		02						31		50	45	35	26
27										18		19	27
28		04				07	01	09	09	38	36	27	28
29		02	03			19	27	16	1.20	58	07		29
30		-			16		13		96	18			30
31		-	26		10	-	14	13	-	01		09	31
Total	3.71	1.85	3.16	11	1.19	2.20	1.79	4.75	2.54	2.88	2.33	2.82	29.33
Rain Days.	16	18	20	3	13	14	12	26	9	16	15	20	182

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Mount. Grace Potters Bar
in the County of Middlesex
by Ernest. W. Halsey

Lat. 51° 41' N. Long. 0° 10 1/2' West
Time of Observation 9 A.M.
Nearest Railway Station Potters Bar
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 375 ft.

FORM A
BRITISH RAINFALL
22 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.16	.12	.10	—	—	—	—	.20	—	.08	.05	1
2	.06	.14	—	—	—	—	.04	—	.05	.05	.09	—	2
3	.01	—	.02	.22	.52	—	—	—	—	—	—	.05	3
4	.23	—	.01	.01	.12	—	.14	—	—	.19	.06	.02	4
5	.05	—	—	—	—	.01	.53	—	.08	.07	.01	.03	5
6	.01	.03	.08	—	.10	.22	.13	—	.02	.26	—	.03	6
7	—	.14	—	—	.05	.01	.14	.01	—	.40	.09	—	7
8	—	—	.02	.01	.17	.16	—	—	—	.06	.04	—	8
9	—	.15	—	.02	.03	—	—	—	.06	—	.03	.08	9
10	.02	—	.08	.13	—	—	.63	.02	—	—	.28	—	10
11	.65	—	—	.46	.02	—	—	—	—	.38	.23	—	11
12	—	.01	—	—	.01	—	—	—	—	.01	.51	—	12
13	.07	—	.01	—	—	—	—	.04	.05	—	.36	—	13
14	.07	.01	.09	.06	—	—	.38	.06	—	.17	.07	—	14
15	.12	.05	.33	.32	—	—	.25	—	.02	—	—	—	15
16	.09	—	.35	.16	—	—	—	—	.08	—	—	—	16
17	.02	.02	.04	.02	—	—	.16	.04	.01	—	.01	.03	17
18	.01	—	.22	.08	—	—	—	—	—	—	.03	.01	18
19	.26	—	.01	.01	—	—	.15	—	.35	—	—	.01	19
20	.10	—	.05	.04	—	—	—	—	—	.46	.03	—	20
21	.03	—	.19	.23	.01	.16	.04	—	—	.19	.56	—	21
22	.40	—	.11	.02	—	—	—	—	.16	—	—	—	22
23	—	—	.01	—	—	.02	—	.14	.02	—	—	.14	23
24	.01	—	.01	.02	—	—	—	—	—	—	.01	—	24
25	—	.02	—	.15	—	—	.01	—	—	—	—	—	25
26	—	.03	.25	.08	—	—	—	.12	—	.66	—	.26	26
27	—	.01	.01	.10	—	—	—	—	—	.01	—	—	27
28	.23	—	.32	.09	—	—	—	—	—	.12	—	—	28
29	.06	—	.10	.44	.49	—	—	.06	—	.02	—	.01	29
30	.27	—	—	.08	—	—	—	.09	—	.08	.06	—	30
31	—	—	.02	—	—	—	—	.23	—	—	—	—	31
Total	2.78	.77	2.40	2.85	1.52	.58	2.60	.78	1.10	3.13	2.55	.72	21.78
Rain Days.	22	12	23	23	10	6	12	10	12	16	18	12	176

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Mount Grace Pottery Bar

in the County of Middx

by E. W. Halsey

Lat. 51° 41' N. Long. 0° 10' W.

Time of Observation 9 A.M.

Nearest Railway Station Pottery Bar

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

Sea Level 375 ft.

FORM A.
BRITISH RAINFALL
11 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.03	—	—	—	—	.23	—	—	.05	.04	1
2	.02	—	—	.01	—	—	.10	.12	—	—	.08	.23	2
3	—	—	.05	—	.20	—	.48	—	—	—	.01	.01	3
4	.09	—	.01	.23	.07	—	—	.09	—	—	.32	.30	4
5	.01	—	.05	.16	.08	.06	.55	.28	—	—	.02	—	5
6	—	.11	—	—	.04	.16	.01	.02	—	—	.27	.22	6
7	—	.21	.23	.12	.53	.05	.08	—	—	—	—	.16	7
8	.05	.23	.67	.10	.07	.16	.25	.12	—	—	—	.01	8
9	.20	—	.68	.10	—	.35	—	—	.10	—	—	1.42	9
10	.04	.18	.02	.12	.04	—	—	—	.16	—	—	.01	10
11	—	.25	.41	—	—	.60	—	—	.05	—	.15	.30	11
12	.02	.05	.10	—	—	—	.04	—	.32	—	—	.43	12
13	—	.37	.15	—	—	—	—	—	.25	.07	.04	.54	13
14	—	.08	.57	—	—	—	.03	—	—	.29	.13	.37	14
15	.05	.02	.20	—	—	—	.01	.04	.01	.11	.03	.06	15
16	—	—	.04	—	—	—	.10	—	—	—	.01	.01	16
17	—	.37	.11	—	—	—	—	—	.24	—	—	.26	17
18	—	.02	.14	—	—	—	—	—	—	—	—	.29	18
19	—	.02	.22	—	—	—	.02	—	.03	—	.17	.12	19
20	—	.23	.18	—	—	.03	.12	—	.18	—	—	.12	20
21	—	.47	.07	—	—	.01	—	—	—	.01	—	.10	21
22	—	.01	.06	—	.40	.03	.16	.04	—	.31	—	—	22
23	—	.04	.08	—	.24	—	.08	—	—	.11	—	.02	23
24	.01	—	.02	.02	—	—	.07	—	—	.02	.12	—	24
25	.03	—	.17	—	—	—	—	.12	—	.32	—	.09	25
26	—	—	.09	—	—	—	.03	.05	—	.04	.18	.58	26
27	.05	—	.01	—	—	—	—	—	—	—	—	.26	27
28	.01	.01	—	—	.01	—	—	—	—	.02	.37	1.27	28
29	.05	—	.10	—	—	—	—	—	—	.28	.17	—	29
30	—	X	.05	—	—	—	—	—	—	.03	.56	.26	30
31	—	X	—	X	.24	X	.02	—	X	—	X	.02	31
Total	.63	2.67	4.51	.86	1.92	1.45	2.15	1.11	1.34	1.61	2.68	7.50	28.43
Rain Days.	13	17	27	8	11	9	17	10	9	12	17	27	177

REGISTER OF RAINFALL IN 1915

Kept at Mount Grace Pottery Bar
in the County of Middx.
by E. W. Halsey

Lat. 51° 41' N. Long. 0° 10' 1/2' W.

Time of Observation 9 A.M.

Nearest Railway Station Pottery Bar

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 375 ft.

949
FORM A.
BRITISH RAINFALL
6. JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.11	.03	—	.03	—	—	—	.13	.04	.11	.43	1
2	.34	.20	.20	.10	—	.01	—	.78	.01	.03	—	.16	2
3	.49	—	.03	.21	—	—	.02	.61	.01	—	—	.31	3
4	.06	—	—	—	—	—	—	.43	—	—	—	.36	4
5	.04	.38	—	—	—	—	—	.01	—	.05	.02	.30	5
6	.21	.02	.01	.26	—	—	.94	.05	—	—	—	.26	6
7	.14	.33	.07	—	—	—	.37	.02	—	—	—	.17	7
8	.07	.52	.04	.03	—	—	.03	.05	—	—	—	—	8
9	—	.07	—	.05	—	.04	—	.09	—	—	.29	.58	9
10	.24	—	.03	—	—	—	—	.36	—	—	—	.13	10
11	.03	—	.02	—	—	—	—	—	—	—	.84	.01	11
12	.09	.02	—	.26	.39	—	—	.13	—	.01	.40	.02	12
13	.03	.42	—	—	1.40	—	—	—	—	—	—	—	13
14	—	.05	—	—	—	—	1.12	.09	.04	—	—	.52	14
15	.21	—	—	—	.06	—	—	.04	—	—	.28	.13	15
16	.01	.40	—	—	—	—	.66	.23	—	—	—	.02	16
17	—	.39	—	—	.58	—	.17	—	—	—	—	—	17
18	—	.16	.13	—	.12	—	—	—	—	—	.04	—	18
19	—	.06	.02	—	.01	—	.12	—	—	—	—	—	19
20	.37	—	—	.05	—	—	—	—	—	—	—	.31	20
21	.16	—	—	—	—	—	—	—	—	—	—	.05	21
22	.92	.15	.35	.02	—	—	.55	—	—	—	—	.17	22
23	.01	.25	.21	—	—	—	.19	—	.23	.33	—	.28	23
24	—	.01	.07	—	—	—	.28	—	.43	.09	—	.22	24
25	—	—	.03	.08	—	.01	.17	—	—	.05	—	.23	25
26	—	.11	—	—	—	—	.12	—	.01	—	—	.32	26
27	—	.01	—	—	—	.53	.38	—	—	.41	—	.07	27
28	—	.05	—	—	—	.04	.01	—	1.34	.13	—	—	28
29	—	—	—	—	—	.12	.10	.13	—	—	.12	.02	29
30	.03	X	—	—	—	.36	—	—	—	—	.11	.01	30
31	.04	X	—	X	—	X	—	.05	X	.93	X	.18	31
Total	3.92	3.71	1.24	1.06	2.59	1.11	5.26	3.07	2.20	2.07	2.24	5.26	YEAR'S TOTAL 33.73
Rain Days.	20	20	14	9	7	7	16	15	8	10	9	25	160

REGISTER OF RAINFALL IN 1916

Kept at Mount Grace, Pottery Bar
in the County of Middlesex
by E. W. Halsey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

922
112
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	19				05	02			10	01	24		1
2	41		16		24	02			15	42	01		2
3		39	17				05		25	30	48		3
4	29	07				65			02	06	46		4
5	02			02	03	08				11	61	01	5
6		08	37	27		10	38			05	48		6
7	10		28		10	09	21			01	53	07	7
8		01	03		45						06	36	8
9	01				21	02				12		07	9
10		14	10	06		50	18	03		01		07	10
11	05	13	03	16		21						05	11
12	06	02	02	18	37	14	04	19	01	06			12
13		44	13	06	08	15	33	32		02			13
14		37		01	09			48		04		15	14
15		17	45				03	08		01			15
16		03	16	12	07		17	01		02			16
17	10	07		13			07	24	30	49			17
18	01	06	05	07				23	09	04	61		18
19	11	02	13	18				01	13		65	12	19
20	20		26	07				05			03	42	20
21	03		73				15					51	21
22		03	05		03					04		57	22
23	02	29				13					06	13	23
24		05	01			44		01		01	03	41	24
25		45	11		07			22		10	11		25
26		15				03		05		02			26
27	13	04	121			07		17	09	51			27
28		41	34			05			20	01		23	28
29		10				20		1.61		44	01	12	29
30		X			19	X		10		46		01	30
31		X		X		X		04	X	10	X	01	31
Total	1.73	3.52	4.79	1.33	1.98	2.90	1.61	3.84	1.34	3.46	4.37	3.31	YEAR'S TOTAL 34.18 23.98
Rain Days.	15	22	20	12	13	17	10	17	10	25	15	17	193

88716
FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at *Mount Grace, Potters Bar*

in the County of *Middlesex*

by *E. N. Halvey*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03		12				95	07		13		1
2				53		04		10					2
3	03			04				41		13	23		3
4		15	28				04	24		52			4
5	20		05	22				02	156	09	17		5
6	01		03	01		01			02	01	05		6
7	25					09	06			30	02		7
8	17			14			82	03		24	17	23	8
9	05		03	09			01	43	02		06	14	9
10	22		16	26				11		01	02		10
11	09	01	53	30						40			11
12	10		02	01				16		60		02	12
13	05		10				01	15	01	05			13
14	01			18				12		01		03	14
15	02			03				01		01			15
16	08	12		20	23	06	09			70		28	16
17		01		11	73		22	05	41	40			17
18	06	01		12	08	11	19	02	21	01			18
19	01	12	14		13				44				19
20	09	18	10		67		11	07			12		20
21			04	01		01				02	05		21
22			03			01		10		10			22
23		06	01		15			16		02		03	23
24		07						05		20			24
25		02	04							01	04		25
26			07					21	03		42	02	26
27			04			07		82				02	27
28			01			131		14				01	28
29			01		05	05	152	33		20		12	29
30	01	X	26				164	09		03	03		30
31	04	X	13	X		X	56	02	X		X	02	31
Total	149	78	208	237	204	176	527	479	277	406	151	92	2984
Rain Days.	18	11	20	16	7	10	12	24	9	22	13	11	173

52

REGISTER OF RAINFALL IN 1918

Kept at Mount Grace, Potters Bar

in the County of Middlesex

by E. W. Halsey

Lat. Long. Time of Observation Nearest Railway Station Diameter of Funnel of Rain Gauge in. Height of top of Gauge above Ground ft. in. Sea Level ft.

34 104 FORM A. BRITISH RAINFALL 27-1-18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	02		08							16	04	1
2		06		03				12		01	02	28	2
3		08	04		50			24	07		72	01	3
4	01	03	10					02	39	02	55	02	4
5			01		13			14	08	10			5
6	10	23		36	14			04				09	6
7	03	11		10	11	03		03	10	01	10		7
8		04		05			01		02	12	12	01	8
9	04	04		03		05	38		53	15		35	9
10	06			07			39		13		02	26	10
11				02	09		21		07	28	05	06	11
12		19			21		24		01				12
13	01	02		02	11		07		08			02	13
14	23		01			29	12		34	20		26	14
15	1.23			1.26			19		01			12	15
16	28			46		10			19	02			16
17	21		01	37	06	04	56		01			21	17
18	57					24	06		67	07		15	18
19	04		04	09		05	17		04	06		26	19
20	01	13		78		05	08		18	36		01	20
21	10			40			08		42	06		01	21
22	07			02	23		06		16			20	22
23	01				53		57	04	02			03	23
24		21			02	02			06		06		24
25						06	16	10			03		25
26					25		20	18			18	19	26
27		02		10			02	30	05	01	13	03	27
28		02	17			04		01			29	12	28
29									1.44		03		29
30		X	45					01	01		05	08	30
31		X	03	X		X		03	X	11	X	02	31
Total	3.03	1.20	86	4.24	238	97	3.57	1.26	5.08	1.58	2.51	2.83	29.71
Rain Days.	17	14	9	17	12	11	18	13	24	15	15	24	189

W 81 end to meter

REGISTER OF RAINFALL IN 1919

gh
Kept at Mount Grace, Potters Bar
in the County of Middlesex
by E W Halsey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

828
102
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	43	02			13		29			03	02	1.12	1
2	28		02		09		22		36	18	18	20	2
3	35		28				20				07	31	3
4	17	04	26			07	23	04			01	18	4
5	02	28	54				05		22		02	27	5
6	01		09	02							03	08	6
7	04		43								06		7
8	10		07	06							05		8
9	02		05	01	15						47		9
10	25		07	03							03	04	10
11	05		05	28			25						11
12	01		19	03		05	10			06	03		12
13	02	02		23								01	13
14	32			53			05		35	01			14
15	22		15	19						02	05	33	15
16	13	78		02							11	04	16
17		68	03										17
18		17	06		01			04	06		05	11	18
19		18	76			22	10	19	07		13		19
20	38	11	10			88	07	28	11				20
21	26	40	04				18					12	21
22		19				02	12		45		04	35	22
23								04	16				23
24				12		02	01	08		14	09		24
25	02			06	09			47				04	25
26	12	29	15	07				05	10			40	26
27	87	05	01	1.57				41			04	03	27
28			11	02				77		01	23	27	28
29	04			06				25		20	28	04	29
30		X	02	27		16		07		03	26	34	30
31	02	X		X		X	02		X		X	03	31
Total	4.13	3.21	3.48	3.57	47	1.42	1.89	2.69	1.88	6.8	2.25	4.31	2998
Rain Days.	23	13	21	17	5	7	14	12	9	9	21	20	171

REGISTER OF RAINFALL IN 1920.

Kept at Potters Bar, Mount Grace
in the County of Middlesex
by J. Forbes E. M. Halsey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1.02	.14		.37			.49	.01	.30	1
2			.01				.08	.60	.06	.09		.13	2
3		.07		.12			.03		.07	.07			3
4		.03		.10			.02	.10		.15		.22	4
5			.05		.03		.70	.02	.08			.04	5
6			.12		.12		.31					.03	6
7			.10	.14			.20					.06	7
8	.12	.02		.19			.03	.04					8
9	.38	.01		.02				.05					9
10	.39	.04	.08			.02	.10						10
11	.25		.05	.67	.04	.10	.16			.01		.06	11
12	.06			.13		.55							12
13	.10		.09	.17							.04		13
14	.01		.30	.25		.09	.03		.14	.65	.22		14
15			.10	.29					.53	.05	.06	.02	15
16				.40		.15			.15	.11		.06	16
17				.02	.14	.08			.43			.05	17
18	.03							.56	.08				18
19	.15			.23				.03				.05	19
20	.05	.12		.40		.56			.03				20
21							.56	.03	.57			.10	21
22	.01			.29					.08			.25	22
23							.76					.37	23
24			.08									.03	24
25		.04	.06	.05			.15						25
26	.07				.10	.01	.01					.02	26
27	.25	.07		.27		.08					.62	.15	27
28	.48		.13		.07	.01	.05						28
29	.22		.10	.01			.02				.10	.35	29
30	.02						.46		.45		.21	.23	30
31	.01				.03					.23		.09	31
TOTAL	2.60	.40	1.27	4.77	.67	1.65	4.04	1.43	2.66	1.85	1.26	2.61	YEAR'S TOTAL 25.21
Days with "1 in. or more	17	8	13	19	8	10	18	8	12	9	7	20	149

82 ✓

REC

POTTERS BAR

INGLEFIELD

1911-13, 15-20

Kept at Inglefield
in the County of Mid
by H. Ellis

135-
FORM A2.
BRITISH RAINFALL.
23 JAN 1912

in.
Ground ft.
Sea Level ft.
ame
istance Direction

IMPORTANT NOTE. ~~Rain~~ should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				39			03	03					1
2	11			30	22		07				20	13	2
3	03	02		02	19					08	09		3
4	06	02	11	18						04	10	28	4
5	02	01		07						05		23	5
6	38		07									26	6
7	02									10	24	40	7
8	12		15								13	17	8
9	11		05	03								01	9
10		09	09	03							09	39	10
11	25				27						62		11
12	05		49		02	18			05		20		12
13			05		10				55	46	08	25	13
14		03			42							51	14
15		04	25							05	02	03	15
16						33				01	35	07	16
17			11			13					26	15	17
18		13	01			23					47	15	18
19					01	19			25	06	23	11	19
20	01	01	01			01		33	29	09		69	20
21	01	10				01		16		45	01	11	21
22	10		04			04				27		45	22
23		08	29			85			31		02	14	23
24	01	08	02			02	01	01		1.02		19	24
25		05	03	02		27	57	04	01				25
26			02	12		06	07	01		18	02	22	26
27		45	10	05					17		01	07	27
28		29		23	01		04	06			03		28
29	01			08		13	13		23	21	01		29
30			01	01	04			02		16		02	30
31					1.29								31
Total	1.29	1.40	1.90	1.53	2.57	2.45	92	66	1.86	3.23	3.18	5.03	2602
No. of Rain Days	15	14	18	13	10	13	7	8	8	15	20	23	164

REC

135
FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Inglefield, Potters Bar
in the County of Middlesex
by H. Ellis

LITTLE HEATH
Pattern
RAIN GAUGE
Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				39			03	03					1
2	11			30	22		07				20	13	2
3	03	02		02	19					08	09		3
4	06	02	11	18						04	10	28	4
5	02	01		07						05		23	5
6	38		07									26	6
7	02									10	24	40	7
8	12		15								13	17	8
9	11		05	03								01	9
10		09	09	03							09	39	10
11	25				27						62		11
12	05		49		02	18			05		20		12
13			05		10				55	46	08	25	13
14		03			42							51	14
15		04	25							05	02	03	15
16						33				01	35	07	16
17			11			13					26	15	17
18		13	01			23					47	15	18
19					01	19			25	06	23	11	19
20	01	01	01			01		33	29	09		69	20
21	01	10				01		16		45	01	11	21
22	10		04			04				27		45	22
23		08	29			85			31		02	14	23
24	01	08	02			02	01	01		102		19	24
25		05	03	02		27	57	04	01				25
26			02	12		06	07	01		18	02	22	26
27		45	10	05					17		01	07	27
28		29		23	01		04	06			03		28
29	01			08		13	13		23	21	01		29
30			01	01	04			02		16		02	30
31					129								31
Total	1.29	1.40	1.90	1.53	2.57	2.45	92	66	1.86	3.23	3.18	5.03	2602
No. of Rain Days	15	14	18	13	10	13	7	8	8	15	20	23	164

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

Kept at Inglefield, Potters Bar
in the County of Middlesex
by H. Ellis

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			09	02		02	02		02	36		17	1
2		05	09	01		42	37	01	03			01	2
3	05		14		06	13		36	01			08	3
4	22		60		25	13		04			23	01	4
5	07	10	10					13			08		5
6	42	02						28				03	6
7			03			43		12				03	7
8	39	42	19			02		11	02			03	8
9	13	10	01	06	03	13	04					13	9
10	01	05				01		52	05		20	17	10
11	06	37	01			02		04	04			09	11
12	04	12	06		14	07				03	09		12
13			03								11	01	13
14			02		04			11				02	14
15		02	09		10	34		02		03	02	18	15
16	30		04			05		13		05	04		16
17	66		31			11		05				01	17
18	07		13					05			03	15	18
19	18	05	10				15	55			01		19
20	04	01	11		02		02	16		43			20
21	01	06	45		01			08		17	05		21
22	31	14	02		12		18	07		01		03	22
23	39	30	31				47	51		02	21	08	23
24	41	03					01	08				13	24
25						15		46			22	30	25
26		03					10	44		45	45	49	26
27			01				02			16		16	27
28		04				03	01	05	10	41	36	22	28
29		01	02			23	26	21	121	55	07		29
30					16		14		110	16			30
31			25		11		15	13		01		04	31
Total	376	192	321	09	120	229	194	471	258	254	217	257	TOTAL for year 2928
No. of Rain Days.	18	18	24	3	12	16	14	25	9	14	15	23	194

REGISTER OF RAINFALL IN 1913

Kept at *Potters Bar, Englefield*
in the County of *Middlesex*
by *H. Ellis* *Gauge I* *Old*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
134
27 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	04	12		12					19	01	04	11	1
2	06	13					05		07	06	10		2
3	01		01	22	53					01		06	3
4	23			02	11		14			20	07	03	4
5	05					02	56		09	08	02	04	5
6		02	06		10	20	13		03	18	01	04	6
7		13			05	03	14	01		53	06		7
8			01	02	15	18				08	07		8
9		15	01	02	05	01			07		04	08	9
10	02		02	14			56	02			26		10
11	66			48	04					33	24		11
12		01			03						36		12
13	07							05	07		36		13
14	07	02	08	07			30	08		17	18		14
15	12	06	27	27			29		01				15
16			37	20					09				16
17	09		04	02			15				01	05	17
18			09	07			01		01		04		18
19	30		12	03			14		35			04	19
20	10		05	05		15			01	44	01		20
21	03	01	18	10			04			21	56		21
22	42		10	15					13		01		22
23						04	01	13	05				23
24	01	01	02	01								15	24
25		01		15		03	01			02		01	25
26		03	24	09				13		65		23	26
27			03	09						02			27
28	22		33	09					01	13			28
29	06		09	44	48			06	01	04			29
30	23			08				09		10			30
31								22		03			31
Total	279	70	212	293	154	66	253	79	119	329	244	84	2182
Rain Days.	19	12	19	23	9	8	14	9	15	19	18	11	176

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
13 FEB 1913

Kept at *Potters Bar* *LITTLE HEATH*
SNOWDON
in the County of *Middlesex*
by *H. Ellis* *New Gauge*

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			11	02		02	02		02	36		18	1
2		05	09	01		42	37	01	03			01	2
3	05		14		07	13		37	01			10	3
4	22		65		26	13		05			23	01	4
5	07	11	10					13			08		5
6	43	02						29				02	6
7			03			45		12				05	7
8	40	43	21			02		11	02			03	8
9	13	10	01	06	03	13	04					17	9
10	01	06				01		52	05		20	17	10
11	06	37	01			02		04	05			11	11
12	04	12	06		14	07				03	09		12
13			04		04						11	03	13
14			02		16			11				02	14
15		02	10		10	35		02		03	02	17	15
16	30		05			05		14		05	04		16
17	66		32			01		05				01	17
18	07		14					05			03	16	18
19	18	05	10				15	59			01		19
20	04	01	11		02		02	16		46			20
21	01	06	49		01			08		17	05		21
22	31	16	02		14		18	07		01		03	22
23	39	31	32				47	54		02	21	08	23
24	41	03					01	08				15	24
25						16		46			22	30	25
26		03					11	44		45	49	55	26
27			01				02			16		18	27
28		04				04	01	05	10	45	36	26	28
29		01	02			23	29	21	1.21	57	07		29
30					16		14		1.13	16			30
31			25		11		16	13		01		04	31
Total	3.78	1.98	3.40	09	1.24	2.34	1.99	4.82	2.62	2.93	2.21	2.83	TOTAL for year 30.23
No. of Rain Days.	18	18	24	03	12	16	14	25	9	14	15	23	191

82

✓

cond. 15.25. 11.14

REGISTER OF RAINFALL IN 1913

27 JAN 1914

BRITISH RAINFALL FORM A. 134

Kept at Potters Bar, Inglefield

in the County of Middlesex

by H. Ellis

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

_____ " _____ " _____ " _____ Sea Level _____ ft.

Gauge II New

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.13		.11					.19	.01	.04	.12	1
2	.07	.14					.05		.07	.06	.11		2
3	.02		.01	.23	.53					.01		.06	3
4	.24			.02	.12		.14			.21	.07	.03	4
5	.05					.02	.56		.09	.08	.02	.04	5
6		.02	.07		.10	.20	.13		.03	.18	.01	.04	6
7		.16			.06	.04	.14	.02		.53	.06		7
8			.01	.02	.16	.18				.08	.07		8
9		.15	.01	.02	.05	.01			.07		.04	.08	9
10	.02		.02	.14			.55	.03			.26		10
11	.66			.54	.04					.38	.24		11
12		.01			.03						.36		12
13	.07							.05	.07		.36		13
14	.07	.02	.10	.07			.30	.08		.17	.19		14
15	.13	.06	.29	.29			.30		.01				15
16			.35	.23					.09				16
17	.09		.04	.03			.16				.01	.05	17
18			.09	.07			.01		.01		.04		18
19	.30		.12	.03	.01		.14		.35			.04	19
20	.10		.05	.05		.16			.01	.45	.01		20
21	.03	.01	.20	.10			.04		.12	.21	.56		21
22	.43		.10	.16					.13		.01		22
23						.04	.01	.13	.05				23
24	.01	.01	.02	.01								.15	24
25		.01		.17		.03	.01			.02		.01	25
26		.03	.24	.09				.13		.63		.23	26
27			.03	.10						.02			27
28	.22		.35	.09					.01	.13			28
29	.06		.09	.45	.49			.06	.01	.04			29
30	.31			.08				.09		.10			30
31								.22		.03			31
Total	2.92	.75	2.19	3.07	1.59	.68	2.54	.81	1.19	3.34	2.46	.86	22.39
Rain Days.	19	12	19	23	10	8	14	9	15	19	18	11	177

and for Mr. W.D. 28.11.16 and by Mr. H.S. 28.11.16 J.W. L.V. Jan interpolates from Mt. space

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
JAN 1916

Key: Inglefield, Little Heath Bottom
in the County of Middlesex
by Henry Ellis

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Bottom
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	4.3	6.5	0.6				4.3		0.6	0.2		1.2	1
2	2.4	11	0.3						1.4	0.5	1.8	5.6	2
3	4.9	1.8	1.8	0.2	0.2			7.2	0.1	0.3		0.6	3
4	~~10.5~~		0.5	2.8				6.2				4.0	4
5	0.6						0.2	5.8			0.1	4.2	5
6	0.4	4.0						0.2		0.6	0.2	3.1	6
7	2.1	0.4		2.3			9.5					2.8	7
8	1.4	3.5	1.0				5.0					1.6	8
9	0.7	3.8		0.3			0.4	0.1				7.0	9
10		1.7		0.5				1.1			3.0		10
11	2.4		0.7					3.6		0.1		1.5	11
12	0.3		0.3							0.2	7.5		12
13	0.9			2.5	2.6			1.4			4.0		13
14	0.3	4.4			1.55			0.1					14
15		0.5					1.1	1.1	0.5			6.1	15
16	2.1				0.7			1.4				1.2	16
17	0.1	3.8					6.2	3.4				0.3	17
18		3.4			5.8		2.0						18
19		1.4			1.4								19
20		(-0.6)					1.2						20
21				0.5	0.1							3.1	21
22	6.6									3.3		0.6	22
23	9.2	1.7	4.0	0.2			5.4	1.3		0.9		1.7	23
24	0.1		2.3				2.0		2.1	0.5		2.9	24
25							3.0	0.6	4.1			2.2	25
26			0.9				1.6	1.4	0.2	4.1		2.3	26
27		1.0				0.1	0.2	0.1	0.1	1.3		4.0	27
28		0.1				5.7	5.0					0.3	28
29						0.5	0.1		1.35			0.2	29
30		~~X~~				1.2	1.0			9.3	~~X~~	1.7	30
31	0.3	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	31
Total	40.5	33.7	12.4	9.3	26.3	7.5	58.2	35.0	22.6	2.3	18.3	58.0	34.30
Rain Days.	(3.93)	3.38	1.18			1.18	5.39	3.56	2.22	2.11	1.95	5.68	(34.14)
	19.	17.	10	8	7	4	17	16	9	12	7	23	148
			9			5	16	17		11	8	22	

REGISTER OF RAINFALL IN 1916

Kept at Inglefield Little Heath Cottesdon
in the County of Middlesex
by Henry Ellis

Lat. _____ Long. _____
Time of Observation 9.15
Nearest Railway Station Cottesdon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

923
FORM A.
BRITISH RAINFALL.
13 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	21		02		06	02			05	05	22		1
2	40	02	15		23	03	03		06	30	01		2
3		37	19				14		15	21	43		3
4	27	07	20			62			03	14	40		4
5		01	40		03	07	30			10	51		5
6	01	08	36	37		10	10			05	41		6
7	10	~~02~~	02		08	08				02	50	09	7
8		~~10~~	~~02~~		45						06	36	8
9	01	02	25		24	07				11		06	9
10		20	10	07		41				08			10
11	06	(23)	~~10~~	11		19						15	11
12		02		15	36	14	14	19			03		12
13		38	25	07		13	34	16					13
14	01	39	02		13			59				15	14
15		27	46				~~20~~	09		03			15
16			17	11	08		20			04			16
17	01	03	06	12				21	28	48			17
18	10	12	13	06				22	08	04	54		18
19	01	02	20	17				01			66		19
20	18		68	07			07	05			02	60	20
21	03	08	06				14					37	21
22	01									05	01	60	22
23	01	46						02			07		23
24						51				09	03	45	24
25		70	11		09			17		04	09		25
26						03				03			26
27	13	13	130			08		20	08	55			27
28		54	36			05			20	02		19	28
29		11				20		1.60	02	39		10	29
30		~~X~~			20	10		12		46			30
31		~~X~~		~~X~~		~~X~~		02	~~X~~	09	~~X~~		31
Total	1.55	4.25	5.49	1.30	1.95	2.83	1.46	3.65	-.95	3.37	3.99	3.12	YEAR'S TOTAL 33.91
Rain Days.	16	20	21	10	11	17	9	14	9	22	16	11	176

REGISTER OF RAINFALL IN 1917

Kept at Inglefield 6atten Bm
 in the County of Midl^y
 by Harry Elli

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		07		18				1.02	08		13		1
2				33		02		10	01		07		2
3	02			03			02	30		17	20		3
4	19		36					30		46			4
5			10	21				02	1.56	10	15		5
6			03	02					02		05	02	6
7							13			10			7
8	40			13			75	08		30	17	18	8
9			04	08			10	39		01	04	19	9
10	(30)		16	13			02	21			02		10
11			49	38						40	01		11
12	13	26	01					13		62	01	04	12
13			10					13	05	06	01		13
14			01	15				11		03	02	03	14
15		14						02		62			15
16				19	17		08			42	01	36	16
17				06	73		19		41	02			17
18	10	02		14	07	10	18	05	39				18
19		17	12		12			07	41				19
20		13			54		11	08			12		20
21			02	01	05						03		21
22			03					05		11			22
23		05			10			17		10		04	23
24		04				04		04		11	05		24
25		04	03							01	34		25
26								20	04				26
27						05		80					27
28						1.27		14					28
29			11		04	11	1.40	31		17		17	29
30		X	30				1.75	09			02	03	30
31	10	X	10	X		X	57		X	07	X	14	31
Total	1.24	.92	2.01	2.04	1.82	1.59	5.30	4.81	2.97	3.88	1.45	1.20	29.23
Rain Days.	9	9	16	14	8	6	12	23	9	19	18	10	153

REGISTER OF RAINFALL IN 1918

Kept at Inglefield, Gotten Ose
in the County of Midd^y
by Harry Eli

Lat. Long.
Time of Observation 9
Nearest Railway Station Gotten Ose
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 375 ft.



IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03		08							15	06	1
2		04		03				13			03	21	2
3		01	03	02	51			23	07		67	02	3
4		08	12					02	39		49	-	4
5		02			13			13	25	08		08	5
6	28	18		34	14			04	04	02		10	6
7	08	10		11	13			02	10	12	19	01	7
8		02		01				03	12	03	03	03	8
9				07		07	37		47	14	03	32	9
10	07			09			37		13	01		24	10
11		02		02	09		12		08	27	06	07	11
12		08			12		31		02			05	12
13		01		02	19		03		06			06	13
14	22			1.55		28	16		42	18		24	14
15	1.46			40			18		02			12	15
16	48			34		10			20	03		-	16
17	25					06	55		02			19	17
18	50			01		21	06		67	07		16	18
19	03		08	08		05	15		03	07	02	25	19
20	01	12		65		04	09		17			02	20
21	10			50		01	09		35		02	02	21
22	07				17		05		17		01	20	22
23				02	48		57		08		04	-	23
24		20			03	03			04		04	-	24
25						06	13	14				-	25
26					20		17	16			18	19	26
27		03		07			03	26	05		08	03	27
28	01	02	17			03		01		03	30	12	28
29	01	~~X~~		05					1.42		05	01	29
30		~~X~~	47					02	04		07	09	30
31		~~X~~	02	~~X~~		~~X~~		04	~~X~~	10	~~X~~	02	31
Total	3.57	.96	.89	4.46	2.20	.94	3.43	1.23	5.41	1.15	2.46	2.91	YEAR'S TOTAL 29.61
Rain Days.	14	15	6	20	11	11	17	13	25	13	18	26	189

REGISTER OF RAINFALL IN 1919

Kept at Inglefield Littlefield Cottages
in the County of Middle
by Henry R. L.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 2 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	42	02	-	-	15	-	30	-	-	-	06	1.30	1
2	29		02	-	10	-	20		36	23	15	20	2
3	36		28	-	01	07	20		09		08	40	3
4	17	04	26	-	-		22	05	01		03	18	4
5	02	28	54	02	-		05		20		04	28	5
6	02		09	-	-					01	03	10	6
7	05		43	-	-						08	-	7
8	11		07	04	-						02	-	8
9	02		05	-	14						47	-	9
10	25		07	04	-					01	02	05	10
11	06		05	26	-		29			-	-	02	11
12	02		19	-	-	05	06			07	01	-	12
13	05	02	-	38	-				02	03		01	13
14	28		-	40	-				30	-		-	14
15	23		15	19	-		07	05		02		33	15
16	14	78	-	02	-			14			16	05	16
17	-	68	03	02	-			23			28	03	17
18	-	17	06		-			05	06		12	12	18
19	-	18	76		-	29	09	14	01	02	11	01	19
20	38	11	10		-	82	19	33	08		-	-	20
21	25	40	04		-	-	17	73	-		02	11	21
22	-	19	-		-	-	14	47	46		03	26	22
23	-		-		-	03	-	-	19		02	-	23
24	-		-	12	-		01	13	-	15	09	-	24
25	08		-	07	10		01	475	-			06	25
26	87	29	15	-	-		02	26	12			40	26
27	28	05	01	1.67	-			53	-			-	27
28	-		11	04	-			75	-	01	03	31	28
29	04		-	05	-			26	-	20	50	05	29
30	-	~~X~~			-	15		08	-	04	42	46	30
31	02	~~X~~		~~X~~		~~X~~			~~X~~	02	~~X~~	02	31
TOTAL	4.41	3.21	3.48	3.59	.50	1.41	2.02	2.79	1.90	.81	2.77	4.85	YEAR'S TOTAL
Days with ".01 in. or more	23	13	21	15	5	6	15	10	12	12	22	22	31.74

REGISTER OF RAINFALL IN 1920.

Kept at Inglesfield Gottum
in the County of Middle
by Henry Ellis

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Gottum
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
Sea Level _____ ft.

7 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				1.08			35			52		30	1
2			01				09	60	06	10		13	2
3	02	07		12			03		08	07			3
4		03					02	10		16		22	4
5			05				67	02	08			04	5
6			12	14			31					04	6
7	05		10				20					09	7
8	12	02		18			03	04					8
9	41	01		04				05					9
10	36	04	08			02	10						10
11	34		05	67		10	16					06	11
12	40			10		55				01	03		12
13	07		09	19			03				06		13
14	10		30	25		09			17	48	29		14
15			10	24					48		04	02	15
16				45		15				09		06	16
17				04		08			39	03		05	17
18	10							56	09				18
19	10			24				03				05	19
20	06	12		43		56						10	20
21							59	04	59			25	21
22				29					14			25	22
23	03						73					41	23
24			08									02	24
25		04	06	06			26						25
26	05			01		01	01					04	26
27	43	07		23		09					70	16	27
28	55		13	01		01	07				02	06	28
29	29		10				02				10	35	29
30	02	X							64		21	27	30
31	01	X		X		X			X	25	X	07	31
TOTAL	3.51	.40	1.27	4.77	(.67)	1.66	3.67	1.44	2.52	1.71	1.45	3.06	YEAR'S TOTAL
Days with .01 in. or more	19	8	13	19	(8)	10	17	8	10	9	8	22	(25.88)
Days with .04 in. or more	15	5	12	17	(6)	7	11	6	10	7	6	21	(151)
													(123)

Doubtless

Lyma Rogers

7-1-21

7 JAN 1921

Dear Sh

You will notice that "May" is missing from the Inglefield record - due to illness of the observer. It can be supplied very approximately from the Mount Grace record. the two gauges are about 30 yds apart only with trees between. the slight departure from daily accuracy would not especially affect averages

Yours faithfully
Henry Ellis

dy

R

RAMMEY MARSH

Kept at Ramme

in the County of Mid

by Met. Water

1911-1913

8 in.
ve Ground 1 ft. 6 in.
Sea Level 60.5 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 03	in.	in.	in. 40	in.	in.	in. 09	in. 07	in.	in.	in.	in.	1
2	20			25	16		05				20	15	2
3		03			19						11	13	3
4	04	02	08	11						04	18	18	4
5	02			04						04		20	5
6	36		15									31	6
7	03									11	27	33	7
8	15		13								27	24	8
9	10			03									9
10	03	18	12								04	44	10
11	24				13						64	01	11
12	10		47		11	20			07		28		12
13			19		12				56	22	05	18	13
14		04			62	01						42	14
15		04	31							01	02		15
16						80					35	06	16
17			11			01					32	14	17
18		18				22					46	18	18
19			01		02	16			16	20	32	07	19
20		01	01					33	08	06		67	20
21		08						30		50		10	21
22	08		05			03				12		55	22
23		14	25			1.28			32		03	15	23
24		13	04			08	09	05		1.28		22	24
25		05	03	04		21	17						25
26			04	12		03				18	04	23	26
27		54	09	10					17		08	08	27
28		34		26			1.22	06			02		28
29				02		17	18		31	28			29
30				02	01					21		01	30
31					15								31
Total	1.38	1.78	2.08	1.39	1.51	3.20	1.80	.81	1.67	3.25	3.68	5.05	TOTAL for year 27.60
No. of Rain Days	12	13	16	11	9	12	6	5	7	13	18	23	145

dy

R

1

23 JAN 1912

FORM A2.

BRITISH RAINFALL.

134

Kept at Plumley Marsh
in the County of Middlesex 2
by Met. Water Board

RAIN GAUGE

Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 60.5 ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. <u>.03</u>	in.	in.	in. <u>.40</u>	in.	in.	in. <u>.09</u>	in. <u>.07</u>	in.	in.	in.	in.	1
2	<u>.20</u>			<u>.25</u>	<u>.16</u>		<u>.05</u>				<u>.20</u>	<u>.15</u>	2
3		<u>.03</u>			<u>.19</u>						<u>.11</u>	<u>.13</u>	3
4	<u>.04</u>	<u>.02</u>	<u>.08</u>	<u>.11</u>						<u>.04</u>	<u>.18</u>	<u>.18</u>	4
5	<u>.02</u>			<u>.04</u>						<u>.04</u>		<u>.20</u>	5
6	<u>.36</u>		<u>.15</u>									<u>.31</u>	6
7	<u>.03</u>									<u>.11</u>	<u>.27</u>	<u>.33</u>	7
8	<u>.15</u>		<u>.13</u>								<u>.27</u>	<u>.24</u>	8
9	<u>.10</u>			<u>.03</u>									9
10	<u>.03</u>	<u>.18</u>	<u>.12</u>								<u>.04</u>	<u>.44</u>	10
11	<u>.24</u>				<u>.13</u>						<u>.64</u>	<u>.01</u>	11
12	<u>.10</u>		<u>.47</u>		<u>.11</u>	<u>.20</u>			<u>.07</u>		<u>.28</u>		12
13			<u>.19</u>		<u>.12</u>				<u>.56</u>	<u>.22</u>	<u>.05</u>	<u>.18</u>	13
14		<u>.04</u>			<u>.62</u>	<u>.01</u>						<u>.42</u>	14
15		<u>.04</u>	<u>.31</u>							<u>.01</u>	<u>.02</u>		15
16						<u>.80</u>					<u>.35</u>	<u>.06</u>	16
17			<u>.11</u>			<u>.01</u>					<u>.32</u>	<u>.14</u>	17
18		<u>.18</u>				<u>.22</u>					<u>.46</u>	<u>.18</u>	18
19			<u>.01</u>		<u>.02</u>	<u>.16</u>			<u>.16</u>	<u>.20</u>	<u>.32</u>	<u>.07</u>	19
20		<u>.01</u>	<u>.01</u>					<u>.33</u>	<u>.08</u>	<u>.06</u>		<u>.67</u>	20
21		<u>.08</u>						<u>.30</u>		<u>.50</u>		<u>.10</u>	21
22	<u>.08</u>		<u>.05</u>			<u>.03</u>				<u>.12</u>		<u>.55</u>	22
23		<u>.14</u>	<u>.25</u>			<u>1.28</u>			<u>.32</u>		<u>.03</u>	<u>.15</u>	23
24		<u>.13</u>	<u>.04</u>			<u>.08</u>	<u>.09</u>	<u>.05</u>		<u>1.28</u>		<u>.22</u>	24
25		<u>.05</u>	<u>.03</u>	<u>.04</u>		<u>.21</u>	<u>.17</u>						25
26			<u>.04</u>	<u>.12</u>		<u>.03</u>				<u>.18</u>	<u>.04</u>	<u>.23</u>	26
27		<u>.54</u>	<u>.09</u>	<u>.10</u>					<u>.17</u>		<u>.08</u>	<u>.08</u>	27
28		<u>.34</u>		<u>.26</u>			<u>1.22</u>	<u>.06</u>			<u>.02</u>		28
29				<u>.02</u>		<u>.17</u>	<u>.18</u>		<u>.31</u>	<u>.28</u>			29
30				<u>.02</u>	<u>.01</u>					<u>.21</u>		<u>.01</u>	30
31					<u>.15</u>								31
Total	<u>1.38</u>	<u>1.78</u>	<u>2.08</u>	<u>1.39</u>	<u>1.51</u>	<u>3.20</u>	<u>1.80</u>	<u>.81</u>	<u>1.67</u>	<u>3.25</u>	<u>3.68</u>	<u>5.05</u>	TOTAL for year <u>27.60</u>
No. of Rain Days	<u>12</u>	<u>13</u>	<u>16</u>	<u>11</u>	<u>9</u>	<u>12</u>	<u>6</u>	<u>5</u>	<u>7</u>	<u>13</u>	<u>18</u>	<u>23</u>	<u>145</u>

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
24 JAN 1913

Kept at Ramsey Marsh Well
in the County of Middlesex

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10			19	08		06	36		18	1
2		05	21			30	36	07					2
3	06		11		02	20		44				07	3
4	21		73		20	10		03			33		4
5	13	07	09					04			05		5
6	37	03				01		18				05	6
7	01		06		03	57		27				03	7
8	49	31	15					07					8
9	05	06		08		29	06	06				10	9
10		03	06					31	03		21	18	10
11	05	35				07		04	03			11	11
12	10	07	08		23	11					05		12
13		01				04					11	06	13
14			01		05			26		04		01	14
15		01	10		22	36		03				24	15
16	31		02		12	02		13		06	08		16
17	59		27			13		05					17
18	06		14					03		02	05	15	18
19	18	05	13				11	44					19
20	01		16					28		38			20
21		05	25		08			10		05	05		21
22	21	18	05				13	18		08		03	22
23	40	39	26				07	47		01	14	14	23
24	40					04	03	09				14	24
25						29		100			34	48	25
26		01					08	32		41	45	36	26
27						07				18		18	27
28		06					11	03	08	36	46	11	28
29		01	03			14	34	28	1.45	15	03		29
30					21				1.13	13			30
31			26				19	23					31
Total	3.63	1.74	3.27	08	1.16	2.93	1.56	5.43	2.78	2.23	2.35	2.62	TOTAL 29.18
No. of Rain Days.	17	17	21	1	9	17	11	26	6	13	13	18	169

82

REGISTER OF RAINFALL IN 1913

27 JAN 1914
BRITISH RAINFALL FORM A.
142

Kept at Ramsey Marsh
in the County of Middlesex
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	16	06	21					21	03	07	11	1
2	07	15			03		10		18		02		2
3			01	21	56							02	3
4	21			01	32		13			23	03		4
5	12					02	22		15	04		05	5
6		02	03			26	02		02	18	03		6
7		12			10	03	19			58	15		7
8		01			17	12				07	05		8
9		15		02	05				09		04	09	9
10	02		04	10			34	02			36		10
11	76			48	06			06		52	13		11
12											66		12
13	17	03						06		01	48		13
14	04			08			41	09		22	12		14
15	25	09	19	29			21		19				15
16	12		19	19					15				16
17	02		03	16		04	17						17
18	02		10								08		18
19	13			10			17		24			02	19
20	11		07	03		03				48			20
21			21	17			03			30	75		21
22	46		10	02				03	21				22
23			02					28	02		01	22	23
24				04									24
25		02		19									25
26		05	27	03				27		95		28	26
27			04							06			27
28	19			14						24			28
29	07		20	30	29			25	02	01			29
30	32			09				16		17			30
31			01					45		09			31
Total	3.10	80	1.57	2.86	1.58	.50	1.99	1.67	1.48	4.18	2.98	.79	23.50
Rain Days.	18	10	16	20	8	6	11	10	11	17	15	7	149

H. R. M.

R

REGENTS PARK
BARROW HILL
LONDON
1911 - 1920

Kept at Barrow
in the County of N. H.
by Met. Water

FORM A2.
BRITISH RAINFALL
23 JAN 1912

in. _____
and _____ ft. _____ in. _____
Level _____ ft. _____

Direction _____
result entered to the

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .03	in. .	in. .01	in. .52	in. .	in. .	in. .	in. .03	in. .	in. .	in. .	in. .	1
2	.20			.28	.16						.13	.09	2
3		.03			.13						.09	.07	3
4	.03	.03	.07	.03						.03	.11	.21	4
5	.02			.01						.18	.01	.16	5
6	.30		.15									.20	6
7	.04			.02						.15	.21	.15	7
8	.14		.14								.20	.18	8
9	.08		.03	.02								.02	9
10	.05	.12	.08	.02							.04	.37	10
11	.21				.40						.61		11
12			.38		.03	.02			.04		.33		12
13			.06		.14				.43	.22	.01	.16	13
14		.07			.17							.36	14
15		.06	.15							.01	.05		15
16						.62					.34	.03	16
17			.04			.02					.27	.11	17
18			.02			.21					.46	.13	18
19					.01	.18		.12	.22	.06	.16	.07	19
20		.02	.02					.16	.08	.06		.40	20
21		.09						.07	.09	.41		.08	21
22	.07		.03			.02		.01		.06		.35	22
23		.07	.06			.89			.24	.04		.11	23
24		.14	.01			.04	.03			1.10			24
25		.03		.07		.10	.19	.02		.06			25
26		.02	.02	.20		.12	.03			.11	.04	.45	26
27		.34	.06	.01					.13		.06	.10	27
28		.17		.21	.03		1.01	.05					28
29				.08		.18	.07		.14	.24			29
30				.02	.05			.09		.18			30
31					.64								31
Total	1.17	1.19	1.33	1.49	1.76	2.40	1.33	.55	1.37	2.91	3.12	3.80	TOTAL for year 22.42
No. of Rain Days	11	13	17	13	10	11	5	8	8	15	17	21	149

H. 50

R

FORM A2.
BRITISH RAINFALL
23 JAN 1912

Kept at Barrow Hill
in the County of N. of Thames 2
by Met. Water Board

Pattern
RAIN GAUGE Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03		01	52				03					1
2	20			28	16						13	09	2
3		03			13						09	07	3
4	03	03	07	03						03	11	21	4
5	02			01						18	01	16	5
6	38		15									20	6
7	04			02						15	21	15	7
8	14		14								20	18	8
9	08		03	02								02	9
10	05	12	08	02							04	37	10
11	21				40						61		11
12			38		03	02			04		33		12
13			06		14				43	22	01	16	13
14		07			17							36	14
15		06	15							01	05		15
16						62					34	03	16
17			04			02					27	11	17
18			02			21					46	13	18
19					01	18		12	22	06	16	07	19
20		02	02					16	08	06		40	20
21		09						07	09	41		08	21
22	07		03			02		01		06		35	22
23		07	06			89			24	04		11	23
24		14	01			04	03			1.10			24
25		03		07		10	19	02		06			25
26		02	02	20		12	03			11	04	45	26
27		34	06	01					13		06	10	27
28		17		21	03		1.01	05					28
29				08		18	07		14	24			29
30				02	05			09		18			30
31					64								31
Total	1.17	1.19	1.33	1.49	1.76	2.40	1.33	55	1.37	2.91	3.12	3.80	TOTAL for year
No. of Rain Days	11	13	17	13	10	11	5	8	8	15	17	21	149

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

20 JAN 1913

Kept at Barrow Hill
in the County of Thames, High-Bank
by H. F. Rutter

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			07	02		23	12		07	24		18	1
2			25			03	23	03				01	2
3	06		10		10	21		35				06	3
4	20		47		20	12		04			13		4
5	16	04	03					18			04		5
6	50	01	01			10		11				01	6
7			01		06	47	01	08				01	7
8	31	25	10			11		23					8
9	01	06		02		42	01	07				18	9
10		04				03		58	01		04	23	10
11	03	33				04			01		01	12	11
12	06	05	08		13	14					04		12
13		02									05	02	13
14					03			07		08		03	14
15	01	02	10		22	41					01	27	15
16	30		02		05	08		06		05	09		16
17	49		25			06		05					17
18	05		17					11		02	01	11	18
19	13	05	08				03	49					19
20	01		11					08		35			20
21		03	10		02			13		06			21
22	19	13	06				18	14		02	01	06	22
23	33	30	30				07	44		03	13	14	23
24	43	03				08		14				15	24
25	19					17		71			23	40	25
26		01					07	29		39	24	28	26
27						09				14		23	27
28		04		01		05	19	05	02	28	30	07	28
29		02				16	25	24	86	18	07		29
30					29				84	13			30
31			28				08	20				01	31
Total	3.46	1.43	2.59	05	1.10	3.00	1.24	4.87	1.81	1.97	1.40	2.57	TOTAL for year
No. of Rain Days.	18	17	19	3	9	19	11	24	6	13	15	20	174

Dr. ✓

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 17

Kept at Barrow Hill
in the County of London
by H. F. Rutter M. W. B.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	02	34	04	24					23		07	09	1
2	02	12					07		14		02		2
3			02	09	34							04	3
4	19			01	36		11			16	03	03	4
5	20					06	23		20			07	5
6		02	09		07	10	29			14	02	06	6
7		07		01	03	02	04	10		39	06		7
8		03	03		05	15				03	02		8
9		12		01	04		02		04		04	04	9
10			08	06			03	08			30		10
11	43			42						52	09		11
12					06					01	39		12
13	08		03					02	05		24		13
14	06	02	08	06			58	06	05	14	10		14
15	14	04	19	22			19		04				15
16	10		29	18					42				16
17	02	01	09	07			15				02		17
18	01		05	16	03						03		18
19	12		09		04		13		24				19
20	09		13	04		05				48	04		20
21	01	02	22	14			02			19	64		21
22	33		11						17				22
23			01			03			02		01	27	23
24				03		01		24					24
25		02		11		02		01					25
26			19	04				10		64		13	26
27			01	04						01			27
28	20		20	06						07			28
29	06		05	44	70			05		04			29
30	21			08				15		12			30
31			05					47		04			31
Total	2.29	.81	2.05	2.51	1.72	.44	1.86	1.28	1.60	2.98	2.12	.73	2039
Rain Days.	18	11	21	21	10	8	12	10	11	15	17	8	162

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Barrow Hill
in the County of London S Bank 2
by M. W. B. New Gauge

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								13			02	03	1
2							17	11			24	14	2
3					13		13				08		3
4				20				05			31	19	4
5				18	08	03	35	70					5
6				06		20		03			24	11	6
7				06	86	25	07					07	7
8				09	01	16	05	11	04				8
9				15		27			12			1.54	9
10				04	07				16			01	10
11						13			18		42	36	11
12							15		18		01	38	12
13									12	08	06	39	13
14						02	11			18	07	41	14
15							02			03	30	07	15
16							07		04		01		16
17									03			15	17
18												23	18
19							04		04		18	30	19
20						05			16			11	20
21						03				02		05	21
22				01	24	14	12	03		13			22
23					08	02	03			14		01	23
24				02	01		01			01	15		24
25								14		28		08	25
26							05	08		08	19	56	26
27											03	14	27
28					01					07	45	99	28
29										25	13		29
30										03	62	14	30
31					15		03					03	31
Total				81	1.64	1.30	1.40	1.38	1.07	1.30	3.51	6.49	YEAR'S TOTAL
Rain Days.				9	10	11	15	9	10	12	18	24	

REGISTER OF RAINFALL IN 1914

28 JAN 1915
FORM A.
BRITISH RAINFALL

Kept at Barrow Hill
in the County of London S. Bank
by H. F. Rutter M. H. B.
Old Gauge

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05					11			02	03	1
2							16	10			20	11	2
3			05		12		10				07		3
4	07		02	18				04			28	14	4
5	03		08	14	07	02	31	60					5
6		10	01	05		17		02			21	09	6
7		14	32	05	76	22	06					06	7
8	09	29	62	08	01	15	04	09	04				8
9	14		46	14		27			11			1.38	9
10		09	02	04	04				13			01	10
11		27	32			11			17		35	34	11
12		06	11				14		16		01	36	12
13		17	12						10	07	04	35	13
14		05	35			02	11			16	06	36	14
15	06		13				01			02	27	06	15
16			02				07		03		01		16
17		30	07						03			12	17
18		04	08									18	18
19		02	20				03		04		15	27	19
20		16	26			04			14			10	20
21		46	08			02				02		04	21
22		01	01	01	22	12	11	03		12			22
23		01	15		08	01	03			12		01	23
24			07	01	01		01			01	13		24
25	03		12					12		26		07	25
26			02				04	07		07	15	52	26
27	04										03	12	27
28		04			01					06	38	82	28
29	03		07							22	10		29
30			04							02	55	12	30
31					15		03					02	31
Total	49	2.21	3.85	70	1.47	1.15	1.25	1.18	95	1.15	3.01	5.68	2309
Rain Days.	8	16	27	9	10	11	15	9	10	12	18	24	169

62
15
REGISTER OF RAINFALL IN 1915

Kept at Barrow Hill

in the County of London Thames & Bank

by Met. Water Board H. F. Rutter

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	35	16	01		03				06	04	36	47	1
2	34	15	25	12		01		50		04		12	2
3	38		07	18	01			30				39	3
4	05							21				30	4
5	04	31								03	01	25	5
6	31			22	78		78					47	6
7	57	22	03				23	05				21	7
8	07	44	01	03			02	05					8
9	01	04		11		10		04		01	36	67	9
10	27		01					14				15	10
11	02		02					02			67	01	11
12	09	02		31	49			43			42		12
13		32			127			09					13
14		05					73	01	06			55	14
15	08				06			45			16	09	15
16	01	26					59	01				09	16
17		38			88		05	11					17
18		23	06		13						09		18
19		13			01		07						19
20	36			05								24	20
21	19									01		06	21
22	90	07	20	03			73					08	22
23		07	08			05	16		06	40		27	23
24			02			01	05		26	13		35	24
25			06	09		03	08			01		05	25
26		13				28	12					47	26
27		03				21	18			30		06	27
28		04				01			1.67	09			28
29			01				37	11			10		29
30	03	X				01				01	18		30
31		X		X		X		01	X	1.00	X	19	31
Total	4.07	3.05	83	1.14	3.66	71	4.16	2.53	2.11	2.07	2.35	5.54	32.22
Rain Days.	18	18	8	9	9	9	14	16	5	12	9	22	154

REGISTER OF RAINFALL IN 1916

Kept at Barrow Hill
in the County of London S. Park
by H. F. Rutter Met. Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03		01		37	01			27	03	33		1
2	46	02	11		29		01		28	32	01		2
3		30	17		01	03	03		21	25	63		3
4	20	14				32	02		03	02	34		4
5	01	01	01	01	08	16	02			05	36	01	5
6		05	04	22	04	20	35			07	36		6
7	11		38		17	15	48				76	06	7
8			14		30	02	01					26	8
9					25	05				05		09	9
10	01	16	10	07		35	04				01	12	10
11	05	14	02	19	01	14			01		01	01	11
12	05	03	02	04	28	14	03	04	01	05			12
13		32	43	15	03	07	21	26	02				13
14		33	03	04	08	01	01	50		03		14	14
15		27	38	01			05	25		01		01	15
16	01	01	15	16	01		14	75					16
17	09	09	01	02			01	29	27	64			17
18	01	11	03	11				53	11	08	76		18
19	05	05	17	18				01	17		73	02	19
20	13		21								02	30	20
21			57	03			02					31	21
22		01	07		01					01	01	40	22
23	02	05	01		01	11		01		01	04	09	23
24		12	02		07	02		03		08	03	31	24
25		19	21		02			30		07	12		25
26		47	02			05		21		03		01	26
27	07	02	91			01		87	12	53			27
28		39	33			05		02	03	02	01	23	28
29		05				28		1.35	04	25		15	29
30		X		03		01		08	X	45	X		30
31		X		X		X		04	X	13	X	04	31
Total	1.30	3.33	4.55	1.26	2.03	2.18	1.43	5.54	1.57	3.18	4.53	2.56	33.46
Rain Days.	15	23	26	14	17	20	15	17	13	22	17	18	217

REGISTER OF RAINFALL IN 1917

Kept at Tarrow Hill
in the County of London L. B. Thames
by M. W. B. H. F. Rutter

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

54
77
26 JAN 1917
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				10				1.08	03		08		1
2				42		05		06		01	18		2
3		01		04				43		27	41		3
4		07					11	10		39			4
5	25	08	15	29				09	98	12	11		5
6	01		02	10		04			12	02	10		6
7	18						15			21	01	02	7
8	14			09			72	07	02	23	18	30	8
9	01		03	12			03	10	03	01	04	20	9
10	08	01	09	17				01			02	04	10
11	27		40	27					11	21	01		11
12	13		02	02				03		41			12
13	01		13	03				02	03	02		01	13
14	01		01	23				09					14
15	01			01			19	01		03		01	15
16	08	18		10	16	3.37	31			37		22	16
17		01		10	63		35	07	33	28			17
18	04	04		08	08	52	10	02	08	17			18
19	01	16	02		13	02	01		21				19
20	01	22	09		66		01		01		07		20
21		01	03	02	01	01				02	02		21
22	04		02			01		07		08	01		22
23		13	07		09			09			02	02	23
24		03				09		07		17		02	24
25		01	04					23		01	08		25
26			07			01		88	04		50	01	26
27			02					12			01	01	27
28						1.80		02				17	28
29			01		56	06	20	09		21		02	29
30		X	13				1.87	04		02		01	30
31	01	X	28	X		X	45		X		X	05	31
Total	1.29	96	1.63	2.19	2.32	5.98	4.50	3.79	1.99	3.26	1.85	1.11	30.87
Rain Days.	17	13	19	17	8	11	13	23	12	21	17	15	186

REGISTER OF RAINFALL IN 1918

Kept at *Barrow Hill*

in the County of *London*, *Thames R.D.*

by *M. R. B. H. F. Rutter*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01		14							11	10	1
2	01	06		03				57		01	09	22	2
3		01	04	01	47			19	01	01	62	02	3
4		06	22	01				06	62		45		4
5		03	01		11			08	24	13		01	5
6	18	17		25	16			03	01			07	6
7	01	10		15	14			02	06	03	13	01	7
8		04					01		10	13	02	02	8
9		07		05		03	24		37	11		15	9
10	02			10			62		01	01	03	39	10
11	01			02	06		44		09	16	08	13	11
12		05			21		12		04	01		02	12
13	01	01			14		33		24	01		03	13
14	14		01	01		43	04		36	16		24	14
15	1.13			95			17		02	01		06	15
16	24			32		04			27	17		02	16
17	20			25	01	09	48	02	01			11	17
18	59			01		20	01		1.08	06		03	18
19	03		05	15		18	33		03	13		13	19
20	02	12		59		02	09		14	04		01	20
21	08	02		23			03		49	01			21
22	05			02	47		18		13			14	22
23	02			01	28		39	06	03			04	23
24		23				03	38		08		05		24
25				01		03	41	13		01	04		25
26							67	08	01	02	22	12	26
27		01	01	10			03	15	04	01	11	02	27
28		06	23	01		02		01			22	16	28
29									1.19		02	01	29
30		X	49			X			01		04	05	30
31		X	01	X		X		10	X	02	X	02	31
Total	2.74	1.05	1.07	3.42	2.05	1.07	4.97	1.50	5.68	1.25	2.23	2.33	29.36
Rain Days.	16	16	9	22	10	10	19	13	26	21	15	27	204

81

REGISTER OF RAINFALL IN 1919

49
FORM A.
BRITISH RAINFALL

Kept at Barrow Hill
in the County of London S. Bank
by M. W. B. H. F. Putter

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	31	03	-	04	08		15			03	04	84	1
2	40	11			16		24	01	24		10	13	2
3	26		29		02		10		02		03	40	3
4	08		37			06	18	05			02	12	4
5		33	59				03		05		01	24	5
6	01		08									02	6
7	02		32								02		7
8	07		05	02									8
9	15		02	13	11						04		9
10	41		06	02						05		01	10
11	03		08	27			32					01	11
12	01		02	02		04	04			08			12
13				31					01	03			13
14	22			27			09		55			02	14
15	21	02	19	33						04	01	28	15
16	04	60		02							14	05	16
17		48	07	01							18	03	17
18		23	06						08		10	04	18
19		18	85			26	24	22	11		09	03	19
20	20	05	06			85	22	11	02				20
21	17	22	02				14				01	06	21
22		12				03	11		15		02	27	22
23						03		01	04		02	02	23
24				18		02	05	02		19	03	01	24
25	01			06		01		16			02	02	25
26	09	16	14	13				15	12			29	26
27	40	02	05	142				48				02	27
28	01		22	06				82		01	18	32	28
29	03		01	05				32		23	07	03	29
30		X	04	24		23		15		02	20	20	30
31	01	X	12	X		X	01		X	01	X	02	31
Total	3.14	2.55	3.71	3.58	37	1.53	1.92	2.50	1.39	69	1.33	3.48	26.19
Rain Days.	22	13	22	18	4	9	14	12	11	10	20	25	180

REGISTER OF RAINFALL IN 1920.

Kept at Barrow Hill Reservoir

in the County of Middlesex

by F. J. Finch

Lat. Long. Time of Observation 9 am Nearest Railway Station Chalk Farm Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground 1 ft Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.22	.04	—	.28	—	—	.29	—	.20	1
2	—	—	.04	—	.01	—	—	.77	.09	.15	—	.08	2
3	—	.05	—	.06	—	—	—	—	.05	.01	—	.03	3
4	—	.03	.01	.08	—	—	.08	.04	—	.16	—	.05	4
5	.02	—	.11	—	.05	—	.42	.01	.03	—	—	.07	5
6	—	—	.17	—	.11	—	.37	—	—	—	—	.04	6
7	.02	—	.01	.24	.05	—	.17	—	—	—	—	.03	7
8	.02	.02	—	.15	.10	—	.06	—	—	—	—	—	8
9	.32	—	—	.04	—	—	—	.02	—	—	—	—	9
10	.57	.05	.09	.01	—	.13	.07	—	—	—	—	.02	10
11	.20	.01	.09	.36	.02	.02	.28	—	—	—	—	.07	11
12	.10	—	—	.10	—	.48	—	—	—	—	—	—	12
13	.14	—	.10	.21	—	—	—	—	—	—	.08	—	13
14	—	.01	.30	.22	—	.12	—	—	.20	.04	.16	.02	14
15	.02	.02	.08	.18	—	—	.02	—	.73	.12	.14	—	15
16	—	—	—	.21	—	.01	—	—	.10	.40	—	.01	16
17	.01	—	—	—	.15	—	—	—	.42	.04	—	.04	17
18	.03	—	—	—	.01	—	—	.81	.10	—	—	.03	18
19	.15	—	—	.23	—	.06	—	—	—	—	—	.05	19
20	.06	.22	—	.19	—	.55	—	—	.17	—	—	—	20
21	—	—	—	—	—	—	.88	.02	.42	—	—	.05	21
22	—	Fog	—	.30	—	—	—	—	.19	—	—	.32	22
23	—	Fog	—	—	—	—	.34	—	—	—	—	.40	23
24	.01	Fog	.06	—	—	—	—	—	—	—	—	.06	24
25	—	.04	.01	.02	—	—	.17	—	.04	—	—	—	25
26	.01	—	.06	.01	.05	—	.10	—	—	—	—	.02	26
27	.14	.08	.01	.33	—	.09	.01	—	—	—	.58	.09	27
28	.36	.01	.12	.09	.03	—	.09	—	—	—	—	.01	28
29	.19	—	.08	—	—	—	.01	—	—	—	.04	.26	29
30	.02	—	—	—	.09	—	.56	—	.54	—	.15	.16	30
31	.02	—	.01	—	.04	—	—	—	—	.16	—	.08	31
TOTAL	2.41	.54	7.35	3.25	.75	1.46	3.91	1.67	3.08	1.37	1.15	2.19	YEAR'S TOTAL 23.13
Days with .01 in. or more	20	11	17	20	13	8	17	6	13	9	6	24	164

RE

REGENTS PK

Kept at *Royal Bot*
in the County of *Lo*
by *the Society*

ROYAL BOTANIC GDNs
LONDON

1910 - 1920

FORM A2.
BRITISH RAINFALL
21 FEB 1912

1 / ft. — in.
level 130 ft.

Direction
result entered to the

IMPORTANT NOTE. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05			0.56				0.02					1
2	0.24			0.26	0.18						0.18	0.12	2
3	~~0.05~~	0.01			0.17			0.01			0.11	0.04	3
4	0.08	0.03	0.09	0.12							0.14	0.22	4
5	0.03			0.03						0.22	0.04	0.14	5
6	0.33		0.20									0.17	6
7	0.08			0.02						0.16	0.24	0.18	7
8	0.23		0.17								0.22	0.18	8
9	0.13		0.02	0.03									9
10	0.06	0.12	0.10	0.01	0.01						0.10	0.44	10
11	0.30				0.16						0.62		11
12	0.01	~~0.10~~	0.45		0.04				0.06		0.38		12
13			0.02		0.15				0.45	0.24		0.21	13
14		0.09	0.01		0.20							0.41	14
15	0.01	0.06	0.17								0.06		15
16						0.67					0.37	0.03	16
17			0.03			0.04					0.27	0.13	17
18		0.16	0.02			0.19					0.45	0.14	18
19						0.28		0.43	0.21	0.11	0.22	0.06	19
20		0.02	0.03					0.23	0.08	0.07		0.47	20
21		0.12	~~0.05~~					0.06	0.05	0.44		0.08	21
22	0.10		0.05							0.08		0.36	22
23		0.08	0.05			0.29			0.30	1.04	0.02	0.23	23
24		0.15	0.03			0.05				0.01		0.18	24
25		0.04		0.09		0.16	0.27		0.01	0.13			25
26			0.05	0.23		0.22	0.03				0.05	0.30	26
27		0.37	0.10						0.15		0.07	0.09	27
28		0.18		0.22	0.05		1.42	0.06					28
29				~~1.10~~		0.18	0.08		0.14	0.23			29
30				0.02				0.05		0.17			30
31					0.52								31
Total	1.65	1.43	1.59	1.69	1.48	~~2.79~~	1.80	0.86	1.43	2.90	3.54	4.18	TOTAL for year
No. of Rain Days.	13	13	17	12	9	~~2.68~~	9	4	7	9	12	17	21

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
21 FEB 1912

Kept at *Royal Botanic Gardens*
Repton Park
in the County of *London*
by *the Society's officials*

RAIN GAUGE { Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 130 ft.
Time of Observation 9-3-9
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05			0.56				0.02					1
2	0.24			0.26	0.18						0.18	0.12	2
3	~~0.01~~	0.01			0.17			0.01			0.11	0.04	3
4	0.08	0.03	0.09	0.12							0.14	0.22	4
5	0.03			0.03						0.22	0.04	0.14	5
6	0.33		0.20									0.17	6
7	0.08			0.02						0.16	0.24	0.18	7
8	0.23		0.17								0.22	0.18	8
9	0.13		0.02	0.03									9
10	0.06	0.12	0.10	0.01	0.01						0.10	0.44	10
11	0.30				0.16						0.62		11
12	0.01	~~0.10~~	0.45		0.04				0.06		0.38		12
13			0.02		0.15				0.45	0.24		0.21	13
14		0.09	0.01		0.20							0.41	14
15	0.01	0.06	0.17								0.06		15
16						0.67					0.37	0.03	16
17			0.03			0.04					0.27	0.13	17
18		0.16	0.02			0.19					0.45	0.14	18
19						0.28		0.43	0.819	0.11	0.22	0.06	19
20		0.02	0.03					0.23	0.08	0.07		0.47	20
21		0.12	~~0.01~~					0.06	0.05	0.44		0.08	21
22	0.10		0.05							0.08		0.36	22
23		0.08	0.05			0.89			0.30	1.04	0.02	0.23	23
24		0.15	0.03			0.05				0.01		0.18	24
25		0.04		0.09		0.16	0.27		0.01	0.13			25
26			0.05	0.23		0.22	0.03				0.05	0.30	26
27		0.37	0.10						0.15		0.07	0.09	27
28		0.18		0.22	0.05		1.42	0.06					28
29			~~0.10~~			0.18	0.08		0.14	0.23			29
30				0.02				0.05		0.17			30
31					0.52								31
Total	1.65	1.43	1.59	1.69	1.48	~~2.79~~	1.80	0.86	1.43	2.90	3.54	4.18	TOTAL for year
No. of Rain Days.	13	13	17	12	9	9	4	7	9	12	17	21	2534

REGISTER OF RAINFALL IN 1912.

Kept at *Royal Marine Society's garden*
 in the County of *London N.W.2*
 by *J. R. North for Society*

Lat. *51°31'34" N* Long. *0°9'15" W*
 Time of Observation *9 am. 3 pm. 9 pm*
 Nearest Railway Station *Marylebone St. C.*
 Diameter of Rain Gauge *8* in.
 Height of top of Gauge above Ground *120 ft.* in.
 " " " " Sea Level *130 ft.* ft.

BRITISH RAINFALL FORM A.
 20 JAN 1913
 Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			'06			'21	'11		'08	'30		'19	1
2			'30			'04	'27	'04		'01			2
3	0.07		'11		'08	'21		'38				'08	3
4	'28		'55		'24	'15		'04			'14		4
5	'18	'07						'19			'06		5
6	'49					'12		'15				'02	6
7					'06	'54	'04	'11				'02	7
8	'36	'34	'09			'25		'17					8
9		'07				'34		'04				'18	9
10		'04				'03		'48			'04	'25	10
11	'03	'38				'04			'02			'16	11
12	'06	'06	'09		'12	'15					'04		12
13		'02	'01								'06	'02	13
14					'02			'07		'09		'03	14
15		'04	'11		'27	'48		'06			'02	'38	15
16	'27				'03	'05		'06		'07	'09		16
17	'60		'19			'07							17
18	'10		'12					'11		'03		'11	18
19	'15	'06	'10					'38					19
20			'12					'10		'43			20
21		'04	'15		'03			'26		'06	'05		21
22	'22	'16	'08		'01		'16	'14		'04		'09	22
23	'36	'31	'35				'09	'53		'04	'16	'14	23
24	'42	'01				'27	'03	'17				'13	24
25	'22					'19		'77			'08	'57	25
26		'02					'09	'34		'42	'31	'29	26
27						'09				'19		'23	27
28		'03				'07	'22		'03	'24	'34	'09	28
29		'01				'10	'17	'25	'10		'06		29
30					'30				'99	'17			30
31			'29				'12	'20					31
Total	3'81	1'66	2'72	—	1'16	3'40	1'30	4'98	2'22	2'09	1'65	2'98	27'92
Rain Days.	15	16	16	—	10	19	10	22	5	13	13	18	157

REGISTER OF RAINFALL IN 1913

Kept at *Royal Botanic Society's Gardens*
Regent's Park N.W.
 in the County of *London*
 by *J. H. North for Secretary R.F.S.*

Lat. *51° 31' 34"* Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL
 4 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0'02	0'27	0'05	0'14					0'32		0'08	0'08	1
2	0'03	0'13					0'09		0'22	0'01	0'05		2
3			0'04	0'14	0'34							0'03	3
4	0'18			0'02	0'38		0'13			0'19	0'04	0'06	4
5	0'25				0'02	0'07	0'16		0'25	0'01	0'01	0'09	5
6		0'03	0'11		0'07	0'09	0'36			0'15	0'01	0'08	6
7		0'10		0'01	0'03	0'03	0'03	0'11		0'40	0'06		7
8		0'04	0'03		0'09	0'13				0'04			8
9		0'14		0'07	0'04				0'05		0'06	0'04	9
10			0'12	0'07			0'03	0'09			0'32		10
11	0'43			0'50	0'04					0'54	0'09		11
12					0'10						0'49		12
13	0'07		0'03					0'02	0'05		0'30		13
14	0'08	0'02	0'10	0'07			0'66	0'08	0'06	0'17	0'11		14
15	0'16	0'04	0'25	0'27			0'23		0'04				15
16	0'12		0'32	0'11					0'43				16
17	0'02		0'09	0'07			0'12				0'02		17
18			0'05	0'18							0'05		18
19	0'15		0'09		0'05		0'13		0'22				19
20	0'08		0'21	0'05		0'04				0'46	0'04		20
21		0'02	0'18	0'16			0'04			0'21	0'74		21
22	0'40		0'10					0'07	0'14				22
23			0'03	~~0'02~~		0'04		0'20	0'02			0'30	23
24				0'03									24
25		0'02		0'12		0'04							25
26			0'22	0'06				0'12		0'74		0'16	26
27			0'02	0'05									27
28	0'25		0'20	0'09						0'11			28
29	0'08		0'07	0'49	0'58			0'07					29
30	0'21			0'10				0'17		0'14			30
31			0'06					0'61		0'04			31
Total	2'53	0'81	2'37	2'74	1'74	0'44	1'98	1'54	1'85	3'21	2'47	0'84	YEAR'S TOTAL 22'52
Rain Days.	16	10	21	21	11	7	11	10	11	14	16	8	156

REGISTER OF RAINFALL IN 1914

Kept at Royal Botanic Society Gardens
Regent Park
in the County of London
by J. R. North, Curator.

Lat. 51°31'34"N Long. 0°9'15"W.
Time of Observation 9am 3p 9pm
Nearest Railway Station Baker St
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 130 ft.

FORM A.
BRITISH RAINFALL
7 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.05	—	—	—	—	0.13	—	—	0.02	0.04	1
2	0.01	—	—	—	—	—	0.05	0.08	—	—	0.43	0.10	2
3	—	—	0.07	—	0.15	—	0.25	0.06	—	—	0.04	—	3
4	0.10	—	—	0.17	—	0.06	—	0.01	—	—	0.32	0.19	4
5	0.01	—	0.04	0.18	0.16	0.04	0.32	0.50	—	—	—	—	5
6	—	0.11	—	0.08	—	0.22	—	0.02	—	—	0.09	0.10	6
7	—	0.18	0.42	0.12	0.71	0.13	0.12	—	—	—	—	0.07	7
8	0.19	0.33	0.74	0.06	0.03	0.16	0.02	0.11	0.04	—	—	—	8
9	0.18	—	0.49	0.12	—	0.17	—	—	0.11	—	—	1.55	9
10	—	0.12	0.01	0.04	0.07	—	—	—	0.15	—	—	—	10
11	—	0.30	0.35	—	—	0.11	—	—	0.20	—	0.32	0.34	11
12	—	0.06	0.11	—	—	—	0.14	—	0.18	—	0.02	0.38	12
13	—	0.19	0.13	—	—	—	—	—	0.11	0.09	0.07	0.44	13
14	—	0.06	0.38	—	—	—	0.15	—	—	0.22	0.06	0.40	14
15	0.06	—	0.17	—	—	—	0.02	0.03	—	0.01	0.34	0.07	15
16	0.01	—	0.02	—	—	—	—	—	0.05	—	0.03	—	16
17	—	0.32	0.07	—	—	—	—	—	—	—	—	0.20	17
18	—	0.03	0.10	—	—	—	—	—	—	—	—	0.25	18
19	—	0.03	0.31	—	—	0.02	0.04	—	0.04	—	0.19	0.31	19
20	—	0.16	0.24	—	—	0.09	—	—	0.18	—	—	0.10	20
21	—	0.53	0.08	—	—	0.04	—	—	—	0.03	—	0.05	21
22	—	—	—	0.01	0.21	0.21	0.10	0.02	—	0.15	—	—	22
23	—	—	0.16	—	0.11	0.03	0.05	—	—	0.12	—	0.02	23
24	—	—	0.09	—	0.01	—	—	—	—	0.01	0.14	—	24
25	—	—	0.15	—	—	—	—	0.13	—	0.27	—	0.07	25
26	—	—	0.03	—	—	—	0.06	0.07	—	0.08	0.18	0.55	26
27	0.08	—	—	—	—	—	—	—	—	—	0.04	0.14	27
28	—	0.05	—	—	—	—	—	—	—	0.06	0.42	—	28
29	—	—	0.11	—	—	—	—	—	—	0.21	0.13	0.95	29
30	—	X	0.03	—	—	—	—	—	—	0.04	0.76	0.15	30
31	—	X	—	X	0.11	X	0.03	£	X	—	X	0.02	31
Total	0.64	2.47	4.35	0.78	1.56	1.28	1.35	1.16	1.06	1.29	3.60	6.49	YEAR'S TOTAL
Rain Days.	8	14	24	8	9	12	13	11	9	12	18	23	26.03

REGISTER OF RAINFALL IN 1915

Kept at *Royal Botanic Society's Gardens*
Regent's Park
 in the County of *London*,
 by *J. R. North on Southgate*

Lat. *51° 31' 34" N* Long. *0° 9' 15" W.*
 Time of Observation *9.39*
 Nearest Railway Station *Baker St. Jubilee Bakerloo*
 Diameter of Funnel of Rain Gauge *8* in.
 Height of top of Gauge above Ground *1 ft.* in.
 " " " " Sea Level *1.25* ft.

FORM A.
 BRITISH RAINFALL
 4. JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.34	0.17	0.02	—	0.03	—	—	—	0.06	0.05	0.21	0.40	1
2	0.36	0.19	0.25	0.13	—	—	—	0.54	—	0.04	—	0.19	2
3	0.43	—	0.07	0.20	—	—	—	0.41	—	—	—	0.36	3
4	0.03	—	—	—	—	—	—	0.14	—	0.02	—	0.28	4
5	0.06	0.33	—	—	0.02	—	—	—	—	0.03	0.02	0.26	5
6	0.34	—	—	0.24	1.04	—	0.81	—	—	—	—	0.55	6
7	0.56	0.23	0.03	—	—	—	0.17	0.05	—	—	—	0.19	7
8	0.07	0.48	—	0.03	—	—	0.02	0.09	—	—	—	—	8
9	—	0.02	—	0.11	—	0.12	—	—	—	0.02	0.34	0.72	9
10	0.26	—	0.03	—	—	—	—	0.20	—	—	—	0.14	10
11	0.02	—	—	—	—	—	—	0.02	—	—	0.84	0.04	11
12	0.08	0.09	—	0.27	0.56	—	—	0.36	—	—	0.27	—	12
13	—	0.33	—	—	1.17	—	—	0.13	—	—	—	—	13
14	—	0.04	—	—	—	—	0.69	0.02	—	—	—	0.55	14
15	0.08	—	—	—	0.06	—	—	0.26	0.05	—	0.21	0.17	15
16	—	0.33	—	—	—	—	0.58	—	—	—	—	0.08	16
17	—	0.37	—	—	0.93	—	0.03	0.12	—	—	—	—	17
18	—	0.33	0.04	—	0.12	—	—	—	—	—	0.07	—	18
19	0.01	0.05	—	—	—	—	—	—	—	—	—	—	19
20	0.35	—	—	0.05	—	—	—	—	—	—	—	0.25	20
21	0.04	0.03	—	—	—	—	—	—	—	0.03	—	0.06	21
22	0.85	0.12	0.19	0.02	—	—	0.74	—	—	—	—	0.09	22
23	0.62	0.37	0.10	—	—	0.07	0.13	—	0.02	0.41	—	0.27	23
24	—	—	0.09	—	—	—	0.08	—	0.27	0.16	—	0.30	24
25	—	—	0.03	0.11	—	0.03	0.06	—	—	0.03	—	0.14	25
26	—	0.07	—	—	—	0.29	0.30	—	—	—	—	0.50	26
27	—	0.03	—	—	—	0.23	—	—	—	0.31	—	0.04	27
28	—	0.03	—	—	—	—	—	—	1.64	0.06	—	—	28
29	—	—	0.02	—	—	—	0.30	0.12	—	—	0.12	0.01	29
30	0.08	X	—	X	—	0.01	—	—	—	—	0.18	0.02	30
31	0.01	X	—	X	—	X	—	0.02	X	1.04	X	0.18	31
Total	3.99	3.61	0.87	1.16	3.98	0.75	3.91	2.03	2.04	2.20	2.26	5.79	33.09
Rain Days.	19	19	11	9	8	6	12	14	5	11	9	24	147

REGISTER OF ^{to 15 Dec. and month + by rain state} RAINFALL IN 1916

Kept at Royal Bot. Garden, Regents Park
in the County of London, Middlesex
by J. H. North for Secretary

Lat. 51° 31' 34" N Long. _____
Time of Observation 9 am 3 pm 9 pm
Nearest Railway Station Baker St
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 120 ft.

FORM A.
BRITISH RAINFALL.
9 JAN 1917
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04	0.02	0.15		0.38		0.01		0.27	0.05	0.34		1
2	0.45	0.02	~~0.15~~ 0.14		0.33		0.03		0.21	0.38	0.02		2
3		0.34	0.14		0.02	0.07	0.02		0.22	0.29	0.66		3
4	0.20	0.14	~~0.03~~			0.29			0.04		0.34		4
5	0.02	0.01	~~0.03~~ 0.32		0.08	0.08	0.07			0.07	0.36		5
6		0.07	~~0.22~~ 0.22	0.24	0.07	0.03	0.37			0.01	0.36	~~0.06~~	6
7	0.07		~~0.09~~ 0.09		0.15	0.18	1.34			0.02	0.63	~~0.06~~ 0.28	7
8			0.09		0.33	0.01						~~0.02~~	8
9					0.24	0.07				0.06		0.02	9
10		0.22	0.10	0.10		0.45	0.09	0.01				0.13	10
11	0.06	0.08	0.02	0.16	0.02	0.14							11
12		0.03		0.03	0.27	0.16	0.04	0.05	0.02	0.08			12
13		0.30	0.43	0.15	0.01	0.06	0.26	0.18					13
14		0.34	0.02	0.02	0.09			0.67		0.03		0.12	14
15	0.05	0.25	0.38	0.07				0.06		0.04			15
16	0.01	0.01	0.16	0.16			0.19	0.20					16
17	0.09	0.12		0.02				0.35	0.30	0.60			17
18	0.07	0.08	0.03	0.13				0.48	0.10	0.08	0.77		18
19	0.05	0.06	0.18	0.12					0.19		0.55		19
20	0.14		0.29									0.51	20
21	0.01		0.58	0.07			0.03					0.12	21
22		0.04	0.04									0.42	22
23	0.03	0.21	0.02			0.12		0.02		0.03	0.04	0.12	23
24		0.18			0.09	0.02		0.04		0.09	0.03	0.32	24
25		0.58	0.27					0.37		0.04	0.13		25
26		0.18	0.02			0.06		0.32		0.04			26
27	0.10	0.06	1.03					1.15	0.11	0.50			27
28		0.40	0.25			0.08		0.03	0.02	0.07		0.24	28
29		0.07				0.29		1.33	0.06	0.23		0.19	29
30		X		0.03				0.08		0.38			30
31		X		X		X		0.05	X	0.20	X	0.04	31
Total	1.33	3.81	4.77	1.24	2.02	1.99	2.45	5.39	1.54	3.23	4.25	2.58	34.60
Rain Days.	15	24	22	13	13	16	11	17	11	21	12	13	188

REGISTER OF RAINFALL IN 1917

Kept at *Royal Botanic Society's Gardens*
Regent's Park
in the County of *London*
by *J. H. North*

Lat. *51° 31' 34" N* Long. *0° 9' 15" W*
Time of Observation *9 a.m. 3 p.m. 9 p.m.*
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *130* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.05		0.12			0.02	1.05	0.03		0.07		1
2				0.44		0.09		0.08		0.06	0.41		2
3				0.05				0.50		0.36	0.12		3
4		0.20	0.14				0.16	0.07		0.30			4
5	0.28		0.05	0.28				0.05	1.09	0.14	0.10		5
6			0.04	0.09		0.05			0.04		0.12		6
7	0.19						0.12			0.22		0.04	7
8	0.13			0.11			0.75	0.09	0.02	0.25	0.21	0.28	8
9			0.04	0.10			0.02	0.10	0.03		0.06	0.24	9
10	0.21		0.10	0.14				0.01				0.02	10
11	0.14		0.40	0.19					~~0.30~~	0.23	0.02		11
12	0.12		0.03	0.02				0.04		0.03			12
13	0.02		0.16	0.04				0.02	0.04	0.04		0.01	13
14				0.23				0.08				0.25	14
15	0.06			0.02			0.18			0.05		0.02	15
16	0.05	0.17		0.12	0.16	2.17	0.12			0.43			16
17		0.01		0.10	0.58		0.36	0.08	0.39	0.23			17
18	0.04	0.06		0.09	0.09	0.58	0.10		0.20	0.15			18
19	0.02	0.23	0.02		0.03				0.21				19
20	0.02	0.15	0.10		0.86		0.01	0.02			0.09		20
21	0.02		0.02		0.02	0.03				0.03			21
22	0.02		0.06					0.10		0.09			22
23		0.13	0.04		0.10	0.01		0.09				0.02	23
24		0.03						0.05		0.19	0.04	0.02	24
25			0.04								0.08		25
26			0.08			0.01		0.26	0.05		0.52		26
27			0.03					0.99				0.02	27
28						1.69		0.11				0.06	28
29			0.05		0.43	0.06	0.23	0.02		0.23		0.19	29
30		X	0.26				1.71	0.09				0.05	30
31	0.05	X	0.18	X		X	0.50	0.04	X		X	(0.01)	31
Total	1.37	1.03	1.84	2.14	2.27	4.69	4.28	3.94	2.14	1.03	1.84	1.23	29.80
Rain Days.	15	9	19	16	8	9	13	22	11	17	12	14	165

REGISTER OF RAINFALL IN 1918

Kept at Royal Botanic Garden, Regents Park
in the County of London
by J. H. North

Lat. 51° 31' 34" N Long. 0° 9' 15" W.
Time of Observation 9 a.m. 3 p.m. 9 p.m.
Nearest Railway Station St. Pancras
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 125 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.25		0.09					0.02		0.11	0.22	1
2		0.06		0.03				0.42		0.02	0.18	0.02	2
3	0.02		0.04	0.02	0.45			0.37			0.48	~~0.27~~	3
4		0.08	0.21					0.12	0.57	0.03	0.46		4
5		0.03		0.02	0.18			0.08	0.33	0.06			5
6	0.18	0.17		0.26	0.17			0.10		0.03		0.09	6
7	0.02	0.13		0.16	0.14	0.07		0.02	0.03	0.20	0.13	~~0.01~~ ~~1.47~~	7
8	0.03	0.03							0.16	0.08	0.02	0.05	8
9	0.03			0.06		0.03			0.37	0.09		0.16	9
10	0.03			0.11			0.50		0.05		0.02	~~0.39~~ ~~0.50~~	10
11				0.02	0.05		0.66		0.08	0.19	0.10	~~0.15~~ ~~0.66~~	11
12		0.05			0.06		0.10		0.06			~~0.23~~ ~~0.10~~	12
13	0.02				0.32		0.25		0.14			~~0.02~~ ~~0.25~~	13
14	0.13		0.03			0.65	0.05		0.54	0.23		~~0.27~~ ~~0.05~~	14
15	0.95			0.91			0.19		0.03			~~0.07~~ ~~0.49~~	15
16	0.26			0.23		0.06	0.01			0.03		~~1.40~~ ~~0.01~~	16
17	0.41			0.28	0.04	0.19	0.66	0.04				~~0.13~~ ~~0.66~~	17
18	0.57					0.21	0.02		1.06	0.25		~~0.05~~ ~~0.02~~	18
19	0.04	0.03	0.04	0.18		0.16	0.31		0.04	0.08		~~0.15~~ ~~0.31~~	19
20	0.02	0.12	0.02	0.52		0.03	0.13		0.17	0.17		~~0.13~~	20
21	0.09	0.04		0.38			0.03		0.53	0.05		~~0.03~~	21
22	0.05			0.02	0.54		0.35		0.15			~~0.05~~ ~~0.15~~	22
23	~~0.03~~				~~0.23~~		~~0.26~~		~~0.03~~			~~0.03~~ ~~0.26~~	23
24		0.23				0.07	1.04	0.06	0.09		0.04	~~1.24~~	24
25				0.02		0.03	0.42	0.19			0.02		25
26		0.05					0.41	0.09		0.04	0.22	0.12	26
27			0.01	0.11			0.02	0.19	0.06		0.14	0.03	27
28		0.15	0.33	0.01		0.02					0.24	0.12	28
29			0.03						<u>1.35</u>				29
30		~~X~~	0.47							0.01	0.05	0.06	30
31		~~X~~	0.01	~~X~~		~~X~~		0.15	~~X~~	0.03	~~X~~		31
Total	2.88	~~1.42~~ 1.42	1.19	3.43	2.18	~~1.52~~ 1.52	5.41	~~1.83~~ 1.83	5.86	1.59	2.21	2.42	YEAR'S TOTAL 31.94
Rain Days.	17	14	10	19	10	11	18	12	21	17	14	21	184

REGISTER OF RAINFALL IN 1914.

Kept at Royal Botanic Soc. Gardens
in the County of London
by J. H. North

Lat. 51° 31' 34" N Long. 0° 9' 15" W.
Time of Observation 9.3.9
Nearest Railway Station Met. St. Luke
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.35	0.04	—	0.04	0.13	—	0.14	—	—	0.04	0.02	0.45	1
2	0.42	—	0.01	—	0.16	—	0.20	0.02	0.25	0.06	0.12	0.07	2
3	0.24	—	0.32	—	0.01	—	0.17	—	0.03	—	0.03	0.38	3
4	0.08	0.10	0.24	—	0.01	0.09	0.08	0.07	—	—	0.03	0.05	4
5	—	0.34	0.80	—	—	—	0.04	—	0.05	—	—	0.45	5
6	0.02	—	0.08	—	—	—	—	—	—	—	—	0.01	6
7	0.03	—	0.34	—	—	—	—	—	—	—	—	—	7
8	0.08	—	0.03	0.02	—	—	—	—	—	—	—	—	8
9	0.07	—	0.02	0.08	0.09	—	—	—	—	—	—	—	9
10	0.39	—	0.04	0.02	—	—	—	—	—	0.02	0.01	—	10
11	0.03	—	0.07	0.30	0.02	—	0.37	—	—	—	—	0.03	11
12	0.01	—	0.02	—	—	0.05	0.01	—	—	0.08	—	—	12
13	0.01	—	—	0.29	—	—	—	—	0.07	0.02	0.01	0.01	13
14	0.24	—	—	0.30	—	—	0.11	—	0.47	—	—	0.02	14
15	0.23	0.01	0.18	0.27	—	—	—	—	—	0.02	0.01	0.23	15
16	0.04	0.61	—	0.03	—	—	—	—	—	—	0.12	0.02	16
17	—	0.50	0.11	0.01	—	—	—	—	—	—	0.19	0.01	17
18	—	0.19	0.10	—	—	—	—	—	0.07	—	0.08	0.01	18
19	0.08	0.20	0.85	0.02	—	0.30	0.26	0.22	0.11	—	0.10	0.04	19
20	0.18	0.04	0.06	—	—	0.84	0.23	0.13	0.01	—	—	—	20
21	0.21	0.28	0.03	—	—	0.06	0.16	—	—	—	0.01	0.02	21
22	—	0.10	—	—	—	—	0.09	—	0.17	—	0.03	0.29	22
23	—	—	—	—	0.01	0.03	—	0.03	0.03	—	0.02	—	23
24	—	—	—	0.16	—	0.02	0.06	0.03	—	0.21	0.05	0.01	24
25	0.03	—	—	0.05	—	—	—	0.13	—	—	—	0.01	25
26	0.08	0.17	0.15	0.02	—	—	—	0.08	0.08	—	—	0.26	26
27	0.21	0.03	0.02	1.41	—	—	—	0.52	—	—	—	—	27
28	—	—	0.25	0.04	—	—	—	0.71	—	—	0.26	0.34	28
29	0.02	X	—	0.05	—	—	—	0.36	—	0.29	—	0.04	29
30	0.02	X	0.05	0.26	—	0.22	—	0.15	—	0.03	0.30	0.28	30
31	0.04	X	0.13	X	—	X	0.02	—	X	—	X	0.02	31
TOTAL	3.11	2.26	3.99	3.37	0.43	1.61	1.92	2.45	1.28	0.81	1.39	3.55	YEAR'S TOTAL 26.52
Days with "01 in. or more	24	13	22	18	7	8	14	12	11	9	17	23	178.5

REGISTER OF RAINFALL IN 1920.

Kept at Royal Botanic Gardens, Regent's Park, N.W.in the County of London

by

Lat. 51° 31' 34" N Long 0° 7' 15" WTime of Observation 9.20 to 3.20 p.m.Nearest Railway Station Baker St.Diameter of Funnel of Rain Gauge 8 in.Height of top of Gauge above Ground 1 ft. — in." " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—			0.25	0.05		0.26			0.21		0.19	1
2			0.04					0.75	0.05	0.08		0.08	2
3		0.08		0.10					0.08	0.03		0.03	3
4		0.02	0.02	0.07	0.02		0.15	0.02		0.10		0.04	4
5			0.14		0.05		0.41	0.02	0.04			0.06	5
6			0.11		0.12		0.45					0.04	6
7			0.01	0.11			0.10					0.01	7
8		0.03		0.17	0.04		0.04	0.04					8
9	0.39			0.03	0.02		0.02	0.04					9
10	0.59	0.05	0.09			0.15	0.06				0.01		10
11	0.14	0.01	0.08	0.24	0.03	0.02	0.32					0.18	11
12	0.12			0.10		0.43				0.04	0.03		12
13	0.17		0.10	0.16							0.03		13
14		0.04	0.26	0.21		0.14			0.24	0.02	0.18	0.03	14
15	0.02		0.06	0.13			0.05		0.74	0.17	0.13		15
16			0.02	0.30		0.02			0.07	0.41	0.02	0.02	16
17	0.02				0.14				0.44			0.04	17
18				0.02	0.01			0.76	0.07			0.08	18
19	0.20			0.25		0.04						0.05	19
20	0.06	0.20		0.20		0.58			0.20				20
21							0.89	0.01	0.39			0.07	21
22				0.29					0.06			0.36	22
23							0.36					0.39	23
24		0.06	0.07									0.03	24
25		0.02		0.03			0.15		0.04	0.02	0.02	0.01	25
26	0.01		0.08	0.02	0.03	0.02	0.11					0.02	26
27	0.14	0.11	0.01	0.32		0.05				0.54	0.54	0.08	27
28	0.37		0.14	0.13			0.10					0.03	28
29	0.21		0.08		0.02						0.05	0.28	29
30	0.04	X			0.09	0.02	0.39		0.56		0.18	0.18	30
31		X	0.02	X	0.04	X			X	0.17	X	0.05	31
TOTAL	2.48	0.62	1.33	3.13	0.66	1.47	3.86	1.64	3.00	1.23	1.19	2.35	YEAR'S TOTAL 6
Days with 0.1 in. or more	14	10	17	20	13	10	16	7	13	9	10	24	163
Days with 0.04 in. or more	11	5	12	16	7	6	15	4	13	7	5	16	119

REGIS

ROEHAMPTON

Kept at "Highwood"

in the County of Sussex

by A. F. Jerns

HIGHWOOD

1914 - 1915

round one ft. in.
Sea Level 400 ft.

IMPORTANT NOTE.

previous day. If an Observer not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

-04,

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			-02,				-01,	-15,			-01,	-01,	1
2	-01,						-10,	-13,			-10,	-15,	2
3			-03,		-14,		-08,				-02,		3
4	-03,		-01,	-13,							-25,	-25,	4
5	-04,		-04,	-14,	-09,	-04,	-27,	1-00,					5
6		-11,		-09,		-15,	-05,	-02,			-05,	-07,	6
7		-23,	-19,	-19,	-45,	-10,	-12,					-04,	7
8	-09,	-32,	-42,	-02,	-08,	-15,	-08,	-09,				-02,	8
9	-16,		-57,	-14,		-05,			-23,			1-50,	9
10		-08,		-03,	-04,				-17,			-03,	10
11		-28,	-39,			-05,			11		-24,	-25,	11
12		-08,	-11,				-13,		-15,		-01,	-44,	12
13		-16,	-12,						-14,	-02,	-05,	-33,	13
14		-06,	-21,			2-99,	-14,			-16,	-04,	-50,	14
15	03		-11,				-13,	-01,			-43,	-02,	15
16			-01,										16
17		-28,	-06,									-09,	17
18		-03,	-13,									-21,	18
19		-03,	-22,			-02,	-07,				-16,	-35,	19
20		-19,	-36,			-02,			-08,			-04,	20
21		-49,	-06,					-03,				-02,	21
22			-01,		-47,	-05,	-15,	-01,		-13,			22
23			-08,		-16,	-11,	-03,			-09,			23
24			-03,		-02,						-10,		24
25	-02,		-28,					-14,		-27,		-07,	25
26			-04,				-09,	-05,		-05,	-14,	-52,	26
27	-03,										-02,	-12,	27
28		-02,								-04,	-49,	-83,	28
29	-04,	X	-09,		-02,					-21,	-11,		29
30		X	-02,							-03,	-44,	-17,	30
31		X		X	-24,	X			X		X	-04,	31
Total	-45,	2-36,	3-91,	-74,	1-71,	3-73,	1-45,	1-63	-91,	1-00,	2-66,	6-07	26-62
Rain Days.	9	14	25	7	10	11	14	10	6	9	17	24	156

YEAR'S TOTAL

REGIS

Kept at "Highwood" Roehampton
in the County of Surrey
by A. F. Jenner

Lat. 0 Long. one
Time of Observation 9 am
Nearest Railway Station Putney 1 1/2 miles
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
-04,

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			-02,				-01,	-15,			-01,	-01,	1
2	-01,						-10,	-13,			-10,	-15,	2
3			-03,		-14,		-08,				-02,		3
4	-03,		-01,	-13,							-25,	-25,	4
5	-04,		-04,	-14,	-09,	-04,	-27,	1-00,					5
6		-11,		-09,		-15,	-05,	-02,			-05,	-07,	6
7		-23,	-19,	-19,	-45,	-10,	-12,					-04,	7
8	-09,	-32,	-42,	-02,	-08,	-15,	-08,	-09,				-02,	8
9	-16,		-57,	-14,		-05,			-23,			1-50,	9
10		-08,		-03,	-04,				-17,			-03,	10
11		-28,	-39,			-05,			11		-24,	-25,	11
12		-08,	-11,				-13,		-15,		-01,	-44,	12
13		-16,	-12,						-14,	-02,	-05,	-33,	13
14		-06,	-21,			2-99	-14,			-16,	-04,	-50,	14
15	03		-11,				-13,	-01,			-43,	-02,	15
16			-01,										16
17		-28,	-06,									-09,	17
18		-03,	-13,									-21,	18
19		-03,	-22,			-02,	-07,				-16,	-35,	19
20		-19,	-36,			-02,			-08,			-04,	20
21		-49,	-06,					-03,				-02,	21
22			-01,		-47,	-05,	-15,	-01,		-13,			22
23			-08,		-16,	-11,	-03,			-09,			23
24			-03,		-02,						-10,		24
25	-02,		-28,					-14,		-27,		-07,	25
26			-04,				-09,	-05,		-05,	-14,	-52,	26
27	-03,										-02,	-12,	27
28		-02,								-04,	-49,	-83,	28
29	-04,	~~X~~	-09,		-02,					-21,	-11,		29
30		~~X~~	-02,							-03,	-44,	-17,	30
31		~~X~~		~~X~~	-24,	~~X~~			~~X~~		~~X~~	-04,	31
Total	-45	2-36	3-91	-74	1-71	3-73	1-45	1-63	-91	1-00	2-66	6-07	26-62
Rain Days.	9	14	25	7	10	11	14	10	6	9	17	24	156

REGISTER OF RAINFALL IN 1915

Kept at "Highwood" Rehampton
in the County of Surrey London
by A. F. Jenner

Lat. 0 deg Long. one deg
Time of Observation 9 am
Nearest Railway Station Putney 1 1/4 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft.
Sea Level 4 00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
-17.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-42	-11	-04	—	—	—	—	—	—	-02	-26	-44	1
2	-44	15	-24	-13	-04	-02	—	-49	—	-03	—	-09	2
3	-30	—	-08	-13	-01	—	—	-24	—	—	—	-50	3
4	-04	—	—	—	—	—	—	—	—	—	—	-22	4
5	-03	-35	—	—	—	—	—	—	—	-02	-01	-25	5
6	-35	-03	—	-25	—	—	-68	—	—	—	—	-20	6
7	-22	-23	-04	—	—	—	-08	-03	—	—	—	-18	7
8	-12	-53	—	-02	—	—	-03	-05	—	—	—	—	8
9	—	-02	—	-08	—	-08	—	-06	—	-02	-33	-65	9
10	-15	-02	-01	—	—	—	—	-42	—	—	—	-19	10
11	-01	—	—	—	—	—	—	-01	—	—	-66	—	11
12	-06	—	—	-29	-43	—	—	-03	—	—	-31	—	12
13	—	-41	—	—	1-18	—	—	-26	—	—	—	—	13
14	—	-03	—	—	—	—	-35	-01	-03	—	—	-39	14
15	-07	—	—	—	-04	—	—	-30	—	—	-11	-11	15
16	—	-35	—	—	—	—	-52	-02	—	—	—	-13	16
17	—	-29	—	—	-99	—	-02	-85	—	—	—	—	17
18	—	-30	-03	—	-16	—	-06	—	—	—	-10	—	18
19	—	-15	—	—	-01	—	—	—	—	—	—	—	19
20	-30	—	—	-04	—	—	—	—	—	—	—	-18	20
21	-05	—	—	—	—	—	—	—	—	—	—	-03	21
22	1-15	-04	-15	-03	—	—	-64	—	—	—	—	-11	22
23	—	-22	-05	—	—	—	-41	—	-12	-63	—	-38	23
24	—	—	-01	—	—	—	-35	—	-25	-29	—	-50	24
25	—	—	-03	-14	—	-02	-30	—	—	—	—	-09	25
26	-01	-04	—	—	—	-12	-29	—	—	—	—	-44	26
27	—	—	—	—	—	-13	-08	—	—	—	—	—	27
28	—	-05	—	—	—	-02	—	—	1-34	-29	—	—	28
29	—	X	—	—	—	—	—	-13	—	—	-11	—	29
30	-02	X	—	—	—	-30	—	—	—	-05	-20	—	30
31	—	X	—	X	—	X	—	—	X	-84	X	-17	31
Total	3-77	3-32	68	1-14	2-79	69	3-84	2-90	1-74	2-19	2-09	5-28	30-44
Rain Days.	17	18	10	9	8	7	13	14	4	9	9	20	138

Small
ST. MARYLEBONE
Kept at 33 Hamilton
in the County of
by

RE

ST. MARYLEBONE
HAMILTON TERRACE

1912-1920

NOTE.—Rain should be measured
of rain and particulars as to the Barometer
to Dr. H. R. MILL, 62, Camden Square

2

FORM A.
BRITISH RAINFALL.
1 JAN 1913

5 in.
Above Ground - ft. 6 in.
Sea Level - ft.
Full instructions for the measurement of rain-gauges, sent post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date	
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1	
2							.59			2.07		.27	2	
3			.43										3	
4	.35					1.12							4	
5	.40										.18		5	
6	.26	.07	.54	.03	.30								6	
7	-												7	
8	.34				.02		.03						8	
9										.03			9	
10		.39					.02					.46	10	
11						1.16		2.21					11	
12				.02		.20					.09		12	
13	.10	.07											13	
14													14	
15								.10		.09			15	
16									.59				16	
17			.55									.33	17	
18						.52							18	
19											.17		19	
20		.21	.49		.40								20	
21	1.24									.53			21	
22													22	
23		.54	.40				.23					.29	23	
24													24	
25	1.27		.02			.32							25	
26	-							2.23			.43	.84	26	
27	-												27	
28	-	.10											28	
29										.97			29	
30										.07			30	
31			.33	Nil							.68	.30	31	
Total	W												TOTAL for year	
No. of Rain Days	396	1.38	2.76	.05		72	3.32	.87	4.54	.59	3.76	155	2.49	25.99

REGISTER OF

Kept at 33 Hamilton Terrace, London N.W.

in the County of Middlesex

by Frank Aaron Allen

2

FORM A.
BRITISH RAINFALL.
-1 JAN 1913

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 6 in.

" " " Sea Level - ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										2.07			1
2							.59					.27	2
3			.43										3
4	.35					1.12							4
5	.40										.18		5
6	.26	.07	.54	.03	.30								6
7	-												7
8	.34				.02		.03						8
9										.03			9
10		.39					.02					.46	10
11						1.16		2.21					11
12				.02		.20					.09		12
13	.10	.07											13
14													14
15								.10		.09			15
16									.59				16
17			.55									.33	17
18						.52							18
19											.17		19
20		.21	.49		.40								20
21	1.24									.53			21
22													22
23		.54	.40				.23					.29	23
24													24
25	1.27		.02			.32							25
26	-							2.23			.43	.84	26
27	-												27
28	-	.10											28
29										.97			29
30										.07			30
31			.33	Nil							.68	.30	31
Total	W	-											TOTAL for year
No. of Rain Days	396	1.38	2.76	.05		72 3.32	.87	4.54	.59	3.76	155	2.49	25.99

REGISTER OF RAINFALL IN 1913

Kept at 33 Hamilton Terrace, London

in the County of London (Am)

by David Henry Allen

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station _____

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 8 ft. 6 in.

Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.16		.55			(.41)			.08	1
2				-					++				2
3				.16	.35								3
4	.24		.07	.02	.38						(.16) (.33)		4
5													5
6												.17	6
7		.47	.12		.09					.75			7
8	.19			.02									8
9				.01			.65		.31				9
10				.08		.38							10
11	.32		.08	.41									11
12								.19			.86		12
13					.15			.02				.04	13
14		.18	.11							.66	.37		14
15	.25												15
16			.53	.41					.51				16
17			.04				.72						17
18	.10			.23							.05		18
19			.18										19
20				.19	.03							.02	20
21			.39							.72			21
22							.29						22
23									.43		.70		23
24		.11		.05		.12							24
25	.52												25
26								.41					26
27				.27									27
28	.18		.55							.81			28
29													29
30													30
31	.25	.02	.09	.66	.55			(.70)	.01	(.17)		.43	31
Total	2.05	.78	2.16	2.67	1.00	1.66		.62	2.37	2.94	2.31	.74	20.35
Rain Days.					1.55	.50		1.32	1.67	3.11	2.14		

REGISTER OF RAINFALL IN 19 14

BRITISH RAINFALL FORM A.
1 - JAN 1915

Kept at 33 Hamilton Terrace NW

in the County of Middlesex (London) 2

by Edward Harrison Allen

Lat. Long. Time of Observation 9 a.m. Nearest Railway Station Diameter of Rain Gauge 5 in. Height of top of Gauge above Ground 6 in. Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	/	/	/	/	/	/	/	/	/	-	/	/	1
2	/	/	.06	/	/	/	/	/	/	-	/	/	2
3	/	/	/	/	/	/	/	/	/	-	.47	.17	3
4	/	/	/	.21	.14	/	/	.30	/	-	.37	.18	4
5	/	/	/	/	.08	/	/	.87	/	-	/	/	5
6	/	.11	/	/	/	/	.61	/	/	-	/	/	6
7	/	/	.48	.30	.78	/	/	/	/	-	/	/	7
8	/	/	/	/	/	/	/	/	.05	-	/	.15	8
9	/	/	1.10	/	/	1.50	/	/	/	-	/	/	9
10	.44	.58	/	/	/	/	/	/	/	-	.21	1.42	10
11	/	/	/	/	/	/	/	/	/	-	.26	/	11
12	/	.35	/	/	.08	/	/	/	/	/	/	.71	12
13	/	/	.93	/	/	/	/	/	/	.11	/	/	13
14	/	/	/	.24	/	/	.43	/	/	.16	/	.76	14
15	.09	/	/	/	/	/	/	/	.66	/	/	/	15
16	/	/	/	/	/	.11	/	/	/	/	/	/	16
17	/	/	/	/	/	/	/	.14	/	/	/	/	17
18	/	/	.29	/	/	/	/	/	/	/	.43	.39	18
19	/	.61	/	/	/	/	/	/	/	/	/	/	19
20	/	/	/	/	/	/	/	/	/	.04	/	/	20
21	/	.66	/	/	/	/	/	/	/	/	/	.46	21
22	/	/	.47	/	/	/	/	/	.21	/	/	/	22
23	/	/	/	/	/	.23	/	/	/	/	/	/	23
24	/	/	.25	/	/	/	/	/	/	/	.30	/	24
25	/	/	/	/	/	/	/	/	/	/	/	/	25
26	/	/	/	/	/	/	/	/	/	/	/	/	26
27	/	/	/	.06	/	/	/	/	/	.61	.21	/	27
28	/	nil	/	/	/	/	.27	/	/	/	/	1.61	28
29	/	/	/	/	/	/	/	/	/	/	/	/	29
30	/	/	/	/	/	/	/	/	/	/	/	/	30
31	.10	.05	.25	nil	/	/	/	.24	.01	/	1.13	.16	31
Total	.63	2.36	3.86	.81	1.08	1.84	1.31	1.55	.93	.92	3.38	6.01	YEAR'S TOTAL 24.68
Rain Days.	3												

REGISTER OF RAINFALL IN 1915

Kept at 33 Hamilton Terrace, N.W.
in the County of London
by Howard Vernon Allen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

59
FORM A.
BRITISH RAINFALL
20 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.04				.08			.45	1
2		.29									.14		2
3			.32					1.43					3
4	1.-												4
5										.11			5
6					1.21		.83						6
7		.51	.06				.25					1.69	7
8	.89	.45				.02							8
9						.09					.36		9
10								.43					10
11													11
12										.02			12
13		.37		.98	1.44		.02						13
14	.39						.71					1.14	14
15		.05	.05		.06				.07				15
16											1.11		16
17								1.04					17
18					.96								18
19										.01			19
20	.46				.02		.68						20
21			.06				.02					.43	21
22		1.05		.11									22
23						.08					.04		23
24		.33	.26					.01					24
25				.11									25
26										.44			26
27							1.44						27
28									2.13				28
29		.14				.41							29
30	1.03					.03					.28	1.96	30
31	.02		.06					.14		1.28			31
Total	3.79	3.19	.81	1.20	3.73	.63	3.95	3.05	2.29	1.86	1.93	5.67	YEAR'S TOTAL 32.10
Rain Days.													

REGISTER OF RAINFALL IN 19

Kept at 33 Hamilton Terrace

in the County of London

by Edward Allen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

FORM A.
BRITISH RAINFALL
5 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02											1
2					.71								2
3		.43							.68	.65			3
4	.48						.11					.01	4
5							.03						5
6						.52							6
7			.90			.22					2.19		7
8		.14											8
9					.77								9
10										.20			10
11				.48			.93						11
12							.04						12
13				.19		.85							13
14			.59								.03		14
15		1.10						.97	.07				15
16													16
17					.35					.64			17
18	.25			.37			.48						18
19									.51				19
20						.01					1.33		20
21			1.33										21
22		.26						1.08					22
23													23
24	.19				.02					.19			24
25				.21						.09			25
26									.02				26
27						.18			.14		.21		27
28			1.43			.05						1.98	28
29		1.16						2.17					29
30		X		.06	.11	.30		.08	.10		.01		30
31	.09	X	.02	X		X	.05	.06	X	1.38	X	.21	31
Total	1.01	3.11	4.27	1.31	1.96	2.13	1.64	4.36	1.52	3.15	3.74	2.20	YEAR'S TOTAL 30.43
Rain Days.	4	6	5	5	5	7	7	5	6	6	5	3	7

REGISTER OF RAINFALL IN 1917

Kept at 33 Hamilton Terrace

in the County of London

by Edward Henry Allen

Lat. Long. = 2
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	/	/	/	/	/	/	.01	1.13	/	/	/	/	1
2	/	/	/	/	/	/	/	/	/	/	/	/	2
3	/	/	/	.53	/	/	/	/	/	.30	/	.02	3
4	/	/	/	/	/	.04	.18	/	.03	/	/	/	4
5	/	/	/	/	/	/	/	/	.89	/	/	/	5
6	/	.13	.17	/	/	/	/	/	/	/	.62	/	6
7	/	/	/	/	/	/	/	.71	/	/	/	/	7
8	/	/	/	/	/	/	/	/	/	/	/	/	8
9	.58	/	/	/	/	/	/	/	/	.97	/	/	9
10	/	/	/	.84	/	/	.91	/	/	/	/	/	10
11	/	/	/	/	/	/	/	/	.35	/	/	.61	11
12	/	/	/	/	/	.05	/	/	/	.55	/	/	12
13	/	.01	.64	/	/	/	/	/	/	/	.28	/	13
14	/	/	/	/	/	/	/	.42	/	/	/	/	14
15	/	/	/	/	.00	/	/	/	/	/	/	/	15
16	.59	/	/	/	.16	/	/	/	/	.47	/	/	16
17	/	/	/	.86	/	/	.89	/	/	/	/	/	17
18	/	/	/	/	/	/	.11	/	.63	/	/	.25	18
19	/	/	/	/	/	2.11	/	/	.24	/	.09	/	19
20	/	/	.16	/	/	/	/	/	/	/	/	/	20
21	/	.49	/	/	/	/	/	.12	/	/	/	/	21
22	/	/	/	/	1.12	/	/	/	/	.49	/	/	22
23	/	/	/	/	/	/	/	/	/	.19	/	/	23
24	.09	/	/	.10	/	/	.02	/	/	/	/	/	24
25	/	/	/	/	/	/	/	/	/	/	/	/	25
26	/	/	/	/	/	.12	/	/	/	/	/	/	26
27	/	/	.23	/	/	/	/	/	/	/	.61	/	27
28	/	/	/	/	/	/	/	1.33	/	/	/	/	28
29	/	.17	/	/	.72	/	/	.03	/	/	/	/	29
30	/	X	/	0.1	/	1.93	/	/	-	.25	.01	/	30
31	.07	X	.30	X	/	X	2.14	.14	X	.01	X	26	31
Total	1.33	.80	1.50	2.34	2.00	4.25	4.26	3.88	2.14	3.23	1.61	1.14	28.48
Rain Days.													

REGISTER OF RAINFALL IN 1918

Kept at 33 Hamilton Terrace

in the County of London

by NW.

Lat. Long. Time of Observation 7.30 AM G.M.T. (as a rule) Nearest Railway Station during "Summer" term. Diameter of Funnel of Rain Gauge otherwise 8 in. 30 in. Height of top of Gauge above Ground ft. in. " " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										G.M.T.			1
2													2
3				.17					.02				3
4											.33		4
5			.25					.94	.70				5
6		.30								.18		.08	6
7					.89			.06		.17			7
8	.22						(?) .02		7.30 G.M.T. .17				8
9				.54		.04							9
10				.11			(8 a.m. G.M.T.) .92			.15	1.43	.57	10
11							.50			.17		.13	11
12			.01				(7.30 a.m. G.M.T.)						12
13		.25			.38						.09		13
14							(7.30 a.m. G.M.T.) .57						14
15	1.23				.01			.02	1.21				15
16				1.28		.55	(7.30 a.m. G.M.T.) .17		.26	.18			16
17				.26		.08	.39					.46	17
18							.04		1.39				18
19			.08			.31							19
20		.15									.02		20
21							.45						21
22	1.03				.48		.10		.85				22
23				.86	.25							.36	23
24						.08	.95		.11	.45			24
25							.34	.28					25
26								.10			.27		26
27		.25				.03					.12		27
28							.60						28
29	.04	.05						.17	1.16	.06			29
30		X		.12	.00	.03			.03		.25	.37	30
31	.02	X	.62	X		X	.01	.16	X	.04	X	.02	31
Total	2.54	1.00	.96	3.34	2.01	1.12	5.06	1.73	5.90	1.40	2.18	2.32	29.56
Rain Days.													...

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at 33 Hamilton Terrace, NW
in the County of Middlesex (London)
by Edward Hamilton

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
				.07									
1							.19			.07			1
2					.65		.39		.27				2
3							.11		.03				3
4		.14	.57			.10							4
5		.18							.08		.20	1.75	5
6													6
7	1.01			.04			.27						7
8													8
9											.08		9
10													10
11			1.22	.17									11
12													12
13													13
14	.91								.71	.13			14
15	.22			1.24			.51						15
16											.14		16
17													17
18		1.14	.34			.06							18
19								.37				.42	19
20		.18									.35		20
21	.41						.63			.02			21
22				.03									22
23							.17		.36				23
24						1.28				.20		.20	24
25		.27		.35		.03	.08		.12		.10		25
26			.88					.38					26
27	.57			1.21				.51					27
28					.02					.27		.28	28
29	.04	.16											29
30						.22			.00		.41		30
31	not read.		.40				.02	1.13		.04		.27	31
Total	3.16	2.07	3.41	3.11	.67	1.69	2.37	2.39	1.57	.73	1.28	2.92	25.37
Rain Days													

REGISTER OF RAINFALL IN 1920.

Kept at 33 Hamilton Terrace, N.W.
in the County of Middlesex
by Frank Hamilton F.R.S.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.22									1
2												.22	2
3													3
4		.09	.09	.16									4
5	.05		.17					.82		.60		.16	5
6			.15				1.27						6
7							.23		.20				7
8				.42									8
9													9
10	1.02	.11				.09							10
11	.12							.05					11
12						.51	.39			.02			12
13	.26												13
14			.48			.18			.15				14
15			.08										15
16					.36						.36	.26	16
17		.05						.00					17
18		Gauge broken. New gauge set 5 p.m. 23 Feb none		1.14	.16								18
19								.90		.62			19
20	.28											.13	20
21									2.0				21
22						.63		.03					22
23													23
24			.07										24
25		.02										.68	25
26					.18		1.59						26
27			.09										27
28							.12						28
29		.09							.21			.35	29
30				1.04	.12	.13			.75		.17	.22	30
31	.66		.20		.06		.41	.00		.10			31
TOTAL	2.39	.36	1.24	2.98	0.88	1.54	4.01	1.70	3.31	1.34	0.53	2.02	YEAR'S TOTAL 22.30
Days with .01 in. or more													

REI
ST MARYLEBONE
Kept at 3 Northwic
in the County of N of
by E H Allen

ST MARYLEBONE
NORTHWICK TERRACE
1911

FORM A2.
BRITISH RAINFALL
23 JAN 1912.
in.
Ground ft. in.
Sea Level ft.
Name
Distance Direction

IMPORTANT NOTE.—Rain should be entered for the previous day. If an Observer prefers not to conform to the universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02		01		02								1
2	24		01	79	18						18		2
3	02	02		01	14					01		18	3
4	04				01				02	04		30	4
5	03	02	09	09						24		10	5
6	32		13	02							30	22	6
7			01	02							30		7
8	20		18								23	37	8
9	12		02	04						15	01		9
10	05	13	11	04	02					01	07	46	10
11	25			01	30							01	11
12	02	01	48						06	02	1.08	22	12
13	01		10						48		01	43	13
14		13	02										14
15		07	16		36						06		15
16		01	01		01					22	40		16
17			03							01	31		17
18									01			35	18
19		16	03			1.22			22	08	73		19
20	01	03	03			01			06				20
21		10	01						21		01		21
22		01	05		02							43	22
23	09	09	06							59	04	34	23
24	01	16					03			1.17			24
25				09		1.33	16	65	33	02			25
26		07				01	05			12			26
27		39	14	23					15		10		27
28		20	01	28			73				01		28
29					06	23							29
30	01		01		03			24	17	42	01		30
31				09	38		09			01		02	31
Total	1.44	1.60	1.70	1.71	1.53	2.80	1.06	.89	1.71	3.11	3.85	3.43	TOTAL for year 24.83
No. of Rain Days	16	16	22	12	12	5	5	2	10	15	17	13	145

RE

FORM A2.
BRITISH RAINFALL.
23 JAN 1912.

Kept at 3 Northwich Terrace

in the County of N. of Thames

by E. H. Allen

RAIN GAUGE
Diameter of top in.
Height of top above Ground ft.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02		01		02								1
2	24		01	79	18						18		2
3	02	02		01	14					01		18	3
4	04				01				02	04		30	4
5	03	02	09	09						24		10	5
6	32		13	02							30	22	6
7			01	02							30		7
8	20		18								23	37	8
9	12		02	04						15	01		9
10	05	13	11	04	02					01	07	46	10
11	25			01	30							01	11
12	02	01	48						06	02	1.08	22	12
13	01		10						48		01	43	13
14		13	02										14
15		07	16		36						06		15
16		01	01		01					22	40		16
17			03							01	31		17
18									01			35	18
19		16	03			1.22			22	08	73		19
20	01	03	03			01			06				20
21		10	01						21		01		21
22		01	05		02							43	22
23	09	09	06							59	04	34	23
24	01	16					03			1.17			24
25				09		1.33	16	65	33	02			25
26		07				01	05			12			26
27		39	14	23					15		10		27
28		20	01	28			73				01		28
29					06	23							29
30	01		01		03			24	17	42	01		30
31				09	38		09			01		02	31
Total	1.44	1.60	1.70	1.71	1.53	2.80	1.06	.89	1.71	3.11	3.85	3.43	TOTAL for Year
No. of Rain Days	16	16	22	12	12	5	5	2	10	15	17	13	145

REGIS

Kept at 11 Ormonde
in the County of London
by Mrs Hamlyn

ST MARYLEBONE

ORMONDE TERRACE

1914-1917

Form A.
BRITISH RAINFALL.
6 JAN 1915
N
2.2
5 in
Ground ft. 17 in.
Sea Level 14.5 ft.

IMPORTANT NOTE.
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.05	-	-	-	-	.14	-	-	.02	.02	1
2	-	-	-	-	-	.01	.16	.10	-	-	.21	.12	2
3	-	-	.07	.01	.13	-	.10	-	-	-	.10	-	3
4	.04	-	.02	.20	-	-	-	.05	-	-	.29	.17	4
5	.05	-	.09	.18	.07	.03	.36	.67	-	-	-	-	5
6	-	.10	.02	.07	-	.20	.01	.02	-	-	.24	.10	6
7	-	.16	.35	.08	.79	.23	.06	.01	-	-	-	.07	7
8	.10	.30	.69	.07	.02	.16	.05	.12	.02	-	-	-	8
9	.16	-	.47	.15	-	.25	-	-	.12	-	-	1.23	9
10	.01	.10	.01	.04	.08	-	-	-	.15	-	-	.01	10
11	-	.31	.36	-	-	.13	-	-	.17	-	.30	.31	11
12	.01	.06	.11	-	-	-	.14	-	.18	-	.01	.37	12
13	-	.18	.12	-	-	-	-	-	.10	.08	.06	.40	13
14	.01	.06	.38	-	-	.02	.12	-	-	.16	.07	.40	14
15	.06	-	.16	-	-	-	.03	.01	-	.02	.29	.06	15
16	-	-	.02	-	-	.01	.05	-	.03	-	.01	-	16
17	-	.33	.07	-	-	-	-	-	.03	-	-	.15	17
18	-	.03	.09	-	-	-	-	-	-	-	-	.22	18
19	-	.03	.20	-	-	.01	.05	-	.03	-	.16	.29	19
20	-	.16	.27	-	-	.06	-	-	.15	.02	-	.10	20
21	-	.49	.08	-	-	.03	-	-	-	.01	-	.05	21
22	-	-	.01	.02	.24	.13	.11	.04	-	.13	-	-	22
23	-	.03	.18	-	.09	.02	.02	-	-	.13	-	.01	23
24	-	-	.06	-	.01	-	.01	-	-	.01	.14	-	24
25	.03	-	.14	-	-	-	-	.14	-	.28	-	.07	25
26	-	-	.02	-	-	-	.01	.10	-	.07	.17	.55	26
27	.03	-	-	-	-	-	-	-	-	-	.02	.15	27
28	.01	.04	-	-	.02	-	-	-	-	.06	.41	.86	28
29	.03	-	.11	-	-	-	-	-	-	.21	.11	-	29
30	-	-	.03	-	-	-	-	-	-	.03	.61	.12	30
31	-	-	-	-	.15	-	.03	-	-	-	-	.03	31
Total	.542	.384	.1882	1.60	1.29	1.31	1.40	.98	1.21	3.22	5.89	24.82	YEAR'S TOTAL
Rain Days.	12	15	27	9	10	14	16	11	10	13	18	24	179

REGIS

Kept at 11 Ormonde Terrace
in the County of London 2 N.W.
by Mrs Hamlyn Price

Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 17 in.
" " " " Sea Level 14 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.05	-	-	-	-	.14	-	-	.02	.02	1
2	-	-	-	-	-	.01	.16	.10	-	-	.21	.12	2
3	-	-	.07	.01	.13	-	.10	-	-	-	.10	-	3
4	.04	-	.02	.20	-	-	-	.05	-	-	.29	.17	4
5	.05	-	.09	.18	.07	.03	.36	.67	-	-	-	-	5
6	-	.10	.02	.07	-	.20	.01	.02	-	-	.24	.10	6
7	-	.16	.35	.08	.79	.23	.06	.01	-	-	-	.07	7
8	.10	.30	.69	.07	.02	.16	.05	.12	.02	-	-	-	8
9	.16	-	.47	.15	-	.25	-	-	.12	-	-	1.23	9
10	.01	.10	.01	.04	.08	-	-	-	.15	-	-	.01	10
11	-	.31	.36	-	-	.13	-	-	.17	-	.30	.34	11
12	.01	.06	.11	-	-	-	.14	-	.18	-	.01	.37	12
13	-	.18	.12	-	-	-	-	-	.10	.08	.06	.40	13
14	.01	.06	.38	-	-	.02	.12	-	-	.16	.07	.40	14
15	.06	-	.16	-	-	-	.03	.01	-	.02	.29	.06	15
16	-	-	.02	-	-	.01	.05	-	.03	-	.04	-	16
17	-	.33	.07	-	-	-	-	-	.03	-	-	.15	17
18	-	.03	.09	-	-	-	-	-	-	-	-	.22	18
19	-	.03	.20	-	-	.01	.05	-	.03	-	.16	.29	19
20	-	.16	.27	-	-	.06	-	-	.15	.02	-	.10	20
21	-	.49	.08	-	-	.03	-	-	-	.01	-	.05	21
22	-	-	.01	.02	.24	.13	.11	.04	-	.13	-	-	22
23	-	.03	.18	-	.09	.02	.02	-	-	.13	-	.01	23
24	-	-	.06	-	.01	-	.01	-	-	.01	.14	-	24
25	.03	-	.14	-	-	-	-	.14	-	.28	-	.07	25
26	-	-	.02	-	-	-	.01	.10	-	.07	.17	.55	26
27	.03	-	-	-	-	-	-	-	-	-	.02	.15	27
28	.01	.04	-	-	.02	-	-	-	-	.06	.41	.86	28
29	.03	-	.11	-	-	-	-	-	-	.21	.11	-	29
30	-	-	.03	-	-	-	-	-	-	.03	.61	.12	30
31	-	-	-	-	.15	-	.03	-	-	-	-	.03	31
Total	.54	2.38	4.18	.82	1.60	1.29	1.31	1.40	.98	1.21	3.22	5.89	24.82
Rain Days.	12	15	27	9	10	14	16	11	10	13	18	24	179

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at 11, Ormonde Terrace
in the County of London
by Mrs Hamlyn Price

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 145 ft.

FORM A.
BRITISH RAINFALL
14 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.16	.01	-	.03	-	-	-	.07	.03	.20	.44	1
2	.34	.15	.25	.13	-	.01	-	.51	-	.05	-	.12	2
3	.36	-	.06	.17	.01	-	-	.28	.01	-	-	.37	3
4	.03	-	-	-	-	-	-	.18	-	-	-	.27	4
5	.04	.31	-	-	-	-	-	.01	-	.03	-	.24	5
6	.30	.01	-	.21	.78	-	.81	.04	-	-	-	.44	6
7	.48	.21	.02	-	-	-	.23	.05	-	-	-	.20	7
8	.06	.43	.01	.02	-	-	.02	.05	-	-	-	-	8
9	-	.04	-	.10	-	.11	-	.05	-	.01	.32	.62	9
10	.27	-	-	-	-	.01	-	.14	-	-	-	.12	10
11	.04	-	.02	-	.01	-	-	.02	-	-	.55	.01	11
12	.08	.02	-	.26	.48	-	-	.41	-	-	.31	.01	12
13	.01	.31	-	-	1.12	-	-	.05	.01	-	-	-	13
14	-	.04	-	-	.01	-	.72	.04	.05	-	-	.52	14
15	.07	-	-	-	.06	-	.01	.44	-	-	.18	.10	15
16	.01	.26	-	-	-	-	.59	.01	-	-	-	.08	16
17	-	.35	-	-	.81	-	.03	.11	-	-	-	.01	17
18	-	.23	.05	-	.11	-	-	-	-	-	.04	-	18
19	-	.12	-	-	.01	-	.07	-	-	-	-	-	19
20	.33	-	-	.03	-	-	-	-	-	-	-	.23	20
21	.16	-	-	-	-	-	-	-	-	.01	-	.05	21
22	.86	.07	.19	.02	-	-	.75	-	-	-	-	.08	22
23	.01	.36	.07	-	-	.08	.15	-	.07	.34	-	.26	23
24	-	-	.01	.01	-	-	.06	-	.24	.11	-	.27	24
25	-	-	.05	.08	-	-	.09	-	-	-	-	.14	25
26	.01	.07	-	-	-	.27	.08	-	-	.01	-	.46	26
27	-	.02	-	-	-	.21	.23	-	-	.26	-	.06	27
28	-	.02	-	-	-	-	-	-	1.36	.07	-	-	28
29	-	X	.01	-	.01	-	.36	.13	-	-	.09	-	29
30	.03	X	-	-	-	-	-	-	-	.03	.16	.01	30
31	.01	X	-	X	-	X	-	.01	X	.63	X	.18	31
Total	3.81	3.18	.75	1.03	3.44	.69	4.20	2.54	1.81	1.58	1.85	5.29	30.17
Rain Days.	21	19	12	10	12	6	15	18	7	12	8	25	165

YEAR'S TOTAL

56
REGISTER OF RAINFALL IN 1916

Kept at 11, Ormonde Terrace
in the County of London
by Mrs Hamlyn Price

FORM A.
BRITISH RAINFALL
23 JAN 1917
Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 145 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	—	—	.40	.01	—	—	.26	.06	.32	—	1
2	.45	.01	.09	—	.30	—	.02	—	.25	.31	.01	—	2
3	—	.32	.10	—	.01	.02	.04	—	.03	.21	.62	—	3
4	.15	.12	—	—	.01	.31	.02	—	.05	.03	.37	—	4
5	.01	—	.01	.01	.09	.11	.03	—	—	.06	.34	—	5
6	—	.04	.23	.22	.05	.10	.36	—	—	.08	.36	—	6
7	.07	—	.22	—	.18	.21	.50	—	—	.01	.78	.06	7
8	—	—	.04	—	.30	.02	—	—	—	—	.01	.27	8
9	—	—	—	—	.24	.05	—	—	—	.06	—	.07	9
10	—	.16	.08	.10	—	.34	.05	—	—	—	.01	.12	10
11	.03	.11	.01	.15	.01	.13	—	—	.02	—	—	—	11
12	.04	.03	.02	.02	.27	.15	.05	.05	.01	.07	—	—	12
13	—	.30	.42	.10	.04	.05	.23	.15	.03	.01	—	—	13
14	—	.31	—	.03	.08	—	.01	.61	.01	—	—	.01	14
15	—	.24	.39	.01	—	—	.05	.26	—	.03	—	—	15
16	—	—	.14	.17	.01	—	.15	.18	—	—	—	—	16
17	.10	.09	—	.02	—	—	.02	.80	.02	.63	—	—	17
18	—	.10	.03	.08	—	—	—	.48	.34	.08	.65	—	18
19	.04	.05	.17	.12	—	—	—	—	.15	—	.76	—	19
20	.12	—	.20	.01	—	—	—	—	.01	—	.02	.42	20
21	—	—	.55	.04	—	—	.03	—	—	—	—	.27	21
22	—	—	.04	—	—	—	—	—	—	.02	—	.40	22
23	.01	.18	.01	—	—	.72	—	.02	—	.02	.04	.07	23
24	—	.12	.01	—	.07	.02	—	.03	—	.09	.03	.29	24
25	—	.36	.19	—	.02	—	—	.32	—	.06	.11	—	25
26	—	.22	.08	—	—	.06	—	.23	—	.05	—	—	26
27	.07	.01	.82	—	—	.02	—	.88	.10	.55	—	—	27
28	—	.36	.16	—	—	.06	—	.01	.03	.02	—	.21	28
29	—	.06	.06	—	—	.28	—	1.11	.05	.25	—	.15	29
30	—	X	—	—	—	—	—	.07	—	.42	—	—	30
31	—	X	—	X	—	X	—	.05	X	.13	X	.04	31
Total	1.12	3.19	4.02	1.08	2.08	2.06	1.56	5.25	1.36	3.25	4.43	2.38	31.78
Rain Days.	12	20	24	14	16	18	14	16	15	23	15	13	200

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at 11, Ormonde Terrace, N.W. 8.
in the County of London
by Mrs. Hamlyn Price

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 14.5 ft.

FORM A.
BRITISH RAINFALL.
29 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	—	.05	—	—	—	.98	.03	—	.08	—	1
2	—	.01	—	.41	—	.06	—	.06	—	—	.27	—	2
3	—	—	—	.05	—	—	—	.35	—	.26	.24	—	3
4	—	.15	.13	—	—	—	.11	.12	—	.36	—	—	4
5	.25	—	.03	.26	—	—	—	.09	1.01	.12	.10	—	5
6	—	—	—	.10	—	.05	—	—	.12	.03	.10	—	6
7	.17	—	—	—	—	—	—	—	—	.20	—	.02	7
8	.10	—	—	.08	—	—	.85	.08	—	.23	.18	.34	8
9	.01	—	.06	.09	—	—	.03	.10	.06	.01	.05	.11	9
10	.22	—	.09	.07	—	—	—	.01	—	—	.01	.02	10
11	.15	—	.06	.31	—	—	—	.01	.12	.20	—	—	11
12	.08	—	.41	.01	—	—	—	.05	—	.39	—	—	12
13	.01	—	.15	.03	—	—	—	.03	.04	.02	—	—	13
14	—	—	—	.21	—	—	—	.10	—	—	—	—	14
15	.07	—	—	—	—	—	.19	.01	—	.04	—	.01	15
16	.03	.17	—	.12	.12	3.50	.31	—	—	.40	—	.17	16
17	—	—	—	.10	.64	—	.35	.06	.40	.24	—	—	17
18	.03	.05	—	.09	.09	.49	.11	.03	.17	.19	—	—	18
19	.01	.10	.01	—	.13	.01	—	—	.23	—	—	—	19
20	.03	.25	.06	—	.64	—	.01	—	—	—	.06	—	20
21	.02	—	.02	.01	.03	.01	—	—	—	.02	.01	—	21
22	—	—	.01	—	—	—	—	.08	—	.08	—	—	22
23	.01	.13	—	—	.10	—	—	.11	—	—	.01	.02	23
24	.02	.03	—	—	—	.10	—	.07	—	.16	.01	.01	24
25	—	.01	.10	—	—	—	—	—	—	—	.05	—	25
26	—	—	.06	—	—	—	—	.24	.05	—	.47	—	26
27	—	—	.02	—	—	—	—	.96	—	—	—	—	27
28	—	—	—	—	—	1.72	—	.12	—	—	—	.05	28
29	—	—	—	—	.53	.06	.17	.02	—	.21	—	.15	29
30	.01	X	.12	—	—	—	1.81	.09	—	.01	—	.02	30
31	.04	X	.31	X	—	X	.44	.05	X	—	X	.01	31
Total	1.26	.91	1.64	1.99	2.28	6.00	4.38	3.82	2.23	3.17	1.64	.93	30.25
Rain Days.	18	10	16	16	8	9	11	24	10	14	14	12	167

YEAR'S TOTAL

REG

ST PANCRAS

ST PANCRAS

AUGUSTINES RD

1911

Kept at 91 St August

in the County of

by A E Payne

FORM A2.
BRITISH RAINFALL
JAN 1912

in.
round 1 ft.
sea Level 150 ft.

Name
Distance Direction
the result entered to t

IMPORTANT NOTE.—Rain should be measured on the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Days
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.77	—	—	—	.03	—	—	—	—	
2	.22	—	—	.09	.18	—	—	—	—	—	.17	.10	
3	—	.01	—	—	.20	—	—	—	—	—	.10	.10	3
4	.04	—	.08	.09	—	—	—	—	—	.03	.14	.34	4
5	—	—	—	.08	—	—	—	—	—	.21	.01	.04	5
6	.32	—	.18	.02	—	—	—	—	—	—	—	.14	6
7	.04	—	—	—	—	—	—	—	—	.14	.24	.24	7
8	.17	—	.19	—	—	—	—	—	—	—	.23	.24	8
9	.09	—	—	.04	—	—	—	—	—	—	—	.12	9
10	.05	.12	.10	—	—	—	—	—	—	—	.09	.26	10
11	.27	—	—	—	.46	—	—	—	—	—	.84	—	11
12	.03	—	.44	—	.12	.05	—	—	.05	—	.23	.01	12
13	—	—	.08	—	—	—	—	—	.42	.27	.02	.20	13
14	—	.11	—	—	.37	—	—	—	—	—	—	.37	14
15	—	.04	.21	—	—	—	—	—	—	.02	.05	.01	15
16	—	—	—	—	—	.65	—	—	—	—	.36	.02	16
17	—	—	.08	—	—	.03	—	—	—	—	.28	.11	17
18	—	.18	.01	—	—	.23	—	—	—	—	.48	.15	18
19	—	—	—	—	—	.24	—	.09	.19	.13	.24	.09	19
20	—	.03	.03	—	—	—	—	.27	.07	.03	—	.49	20
21	—	.09	—	—	—	—	—	.05	.01	.45	—	.05	21
22	.09	—	.06	—	—	—	—	—	—	.05	—	.36	22
23	—	.09	.10	—	—	.95	—	—	.26	—	.03	.12	23
24	.01	.15	.03	—	—	—	.02	.02	—	1.13	—	.21	24
25	—	.05	.01	.07	.02	.18	.12	—	.01	.03	—	.01	25
26	—	—	.05	.27	—	.14	.01	—	—	.15	.03	.28	26
27	—	.40	.07	.02	—	—	—	—	.12	—	.08	.08	27
28	—	.17	—	.23	.04	—	.61	.06	—	—	.01	.01	28
29	—	—	—	.10	—	.20	.10	—	.21	.23	—	—	29
30	—	—	—	.07	.07	.01	—	.01	.01	.18	—	—	30
31	—	—	—	—	.46	—	—	—	—	—	—	—	31
Total	1.33	1.44	1.46	1.85	1.92	2.68	.86	.53	1.35	3.05	3.63	4.15	24.51
No. of Rain Days	11	12	17	12	9	10	5	7	10	14	19	26	

REC

ST PANCRAS

Kept at 91 St Augustines Road

in the County of London 2

by A E Payne

RAIN GAUGE Height of top above Ground 1 ft. in.

" " " Sea Level 150 ft.

Time of Observation

Nearest Railway Station { Name Distance Direction

BRITISH RAINFALL FORM A2. JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.07	—	—	—	.03	—	—	—	—	
2	.22	—	—	.09	.18	—	—	—	—	—	.17	.10	
3	—	.01	—	—	.20	—	—	—	—	—	.10	.10	3
4	.04	—	.08	.09	—	—	—	—	—	.03	.14	.34	4
5	—	—	—	.08	—	—	—	—	—	.21	.01	.04	5
6	.32	—	.18	.02	—	—	—	—	—	—	—	.14	6
7	.04	—	—	—	—	—	—	—	—	.14	.24	.24	7
8	.17	—	.19	—	—	—	—	—	—	—	.23	.24	8
9	.09	—	—	.04	—	—	—	—	—	—	—	.12	9
10	.05	.12	.10	—	—	—	—	—	—	—	.09	.26	10
11	.27	—	—	—	.46	—	—	—	—	—	.84	—	11
12	.03	—	.44	—	.12	.05	—	—	.05	—	.23	.01	12
13	—	—	.08	—	—	—	—	—	.42	.27	.02	.20	13
14	—	.11	—	—	.37	—	—	—	—	—	—	.37	14
15	—	.04	.21	—	—	—	—	—	—	.02	.05	.01	15
16	—	—	—	—	—	.65	—	—	—	—	.36	.02	16
17	—	—	.08	—	—	.03	—	—	—	—	.28	.14	17
18	—	.18	.01	—	—	.23	—	—	—	—	.48	.15	18
19	—	—	—	—	—	.24	—	.09	.19	.13	.24	.09	19
20	—	.03	.03	—	—	—	—	.27	.07	.03	—	.49	20
21	—	.09	—	—	—	—	—	.05	.01	.45	—	.05	21
22	.09	—	.06	—	—	—	—	—	—	.05	—	.36	22
23	—	.09	.10	—	—	.95	—	—	.26	—	.03	.12	23
24	.01	.15	.03	—	—	—	.02	.02	—	1.13	—	.21	24
25	—	.05	.01	.07	.02	.18	.12	—	.01	.03	—	.01	25
26	—	—	.05	.27	—	.14	.01	—	—	.15	.03	.28	26
27	—	.40	.07	.02	—	—	—	—	.12	—	.08	.08	27
28	—	.17	—	.23	.04	—	.61	.06	—	—	.01	.01	28
29	—	—	—	.10	—	.20	.10	—	.21	.23	—	—	29
30	—	—	—	.07	.07	.01	—	.01	.01	.18	—	—	30
31	—	—	—	—	.46	—	—	—	—	—	—	—	31
Total	1.33	1.44	1.49	1.85	1.92	2.68	.86	.53	1.35	3.05	3.63	4.15	24.51
No. of Rain Days	11	12	16	12	9	10	5	7	10	14	19	26	

✓ SHEPPERTON
Report by Charlton Court
in the County of Middlesex
by Mrs. Water Board

REGIS

SHEPPERTON

CHARLTON COURT

1915 - 1920

N
FORM A.
BRITISH RAINFALL
31. MAY 1916

Station Shepperton
Gauge 8 in.
Ground 1 ft. — in.
Sea Level 400 ft.
The result entered to the
usual rule, he is earnestly

IMPORTANT NOTE.
previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.68	.14	.04	.12	-	-	.05	-	-	.04	.13	-	1
2	.29	.15	.26	.09	.04	.03	-	.80	-	.05	-	.15	2
3	.42	.03	.06	-	-	-	-	.16	-	-	-	.47	3
4	.04	-	-	-	-	-	-	-	-	-	-	.23	4
5	.05	.50	-	.01	-	-	-	-	-	.03	-	.32	5
6	.34	.07	.05	.23	-	-	.59	-	-	-	-	.51	6
7	.20	.22	.02	-	-	-	.24	.03	-	-	-	.20	7
8	.06	.43	.02	-	-	-	.02	.04	-	-	-	-	8
9	.02	.05	-	.24	-	.06	-	.03	-	-	-	.67	9
10	.19	-	.02	-	-	-	-	-	-	-	-	-	10
11	.03	-	.03	-	-	-	-	-	-	-	.67	.02	11
12	.04	.04	-	.34	.50	-	-	.34	-	-	.24	-	12
13	-	.52	-	-	.25	-	-	.03	-	.03	-	-	13
14	.01	.01	-	-	1.12	-	.47	-	.05	-	.16	.46	14
15	.07	.02	-	-	.05	-	-	.06	-	-	-	.12	15
16	-	.28	-	-	.02	-	.56	.09	-	-	-	-	16
17	-	.38	-	-	1.12	-	-	-	-	-	-	-	17
18	-	.25	.04	.03	.15	-	-	-	-	-	-	-	18
19	-	.04	-	-	.02	-	.03	-	-	.02	-	-	19
20	.26	-	-	-	-	-	-	-	-	-	-	.16	20
21	.13	-	-	-	-	-	.03	-	-	-	-	-	21
22	1.05	-	.22	.01	-	-	.83	-	-	-	-	.14	22
23	-	.10	.14	-	-	.03	.17	-	.22	.66	-	.29	23
24	-	-	.02	-	-	-	.15	-	.39	.24	-	.41	24
25	-	-	.02	.11	-	-	.14	-	-	-	-	.14	25
26	-	.02	-	-	-	.07	.15	-	-	-	-	.51	26
27	-	.01	-	-	-	.12	.08	-	-	.29	-	.11	27
28	-	.03	-	-	-	.03	-	.09	1.28	.13	-	-	28
29	-	-	-	-	-	.03	.29	-	-	.10	.18	.02	29
30	.03	X	-	-	-	.76	-	-	-	.15	.21	-	30
31	-	X	-	X	-	X	-	.01	X	1.11	X	.26	31
Total	5.91 3.91	3.29 3.29	.94 .94	1.18	3.27	1.13	3.80	1.68 1.68	1.94	2.85	1.59	5.19	30.81
Rain Days.	18	20	13	9	9	8	15	11	4	12	6	19	144

REGISTER OF RAINFALL

Kept at Chareton Court

in the County of Middlesex

by Mtⁿ Water Board

Lat. _____ Long. _____
 Time of Observation 9 AM.
 Nearest Railway Station Shepperton
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.68	.14	.04	.12	-	-	.05	-	-	.04	.13	-	1
2	.29	.15	.26	.09	.04	.03	-	.80	-	.05	-	.15	2
3	.42	.03	.06	-	-	-	-	.16	-	-	-	.47	3
4	.04	-	-	-	-	-	-	-	-	-	-	.23	4
5	.05	.50	-	.01	-	-	-	-	-	.03	-	.32	5
6	.34	.07	.05	.23	-	-	.59	-	-	-	-	.51	6
7	.20	.22	.02	-	-	-	.24	.03	-	-	-	.20	7
8	.06	.43	.02	-	-	-	.02	.04	-	-	-	-	8
9	.02	.05	-	.24	-	.06	-	.03	-	-	-	.67	9
10	.19	-	.02	-	-	-	-	-	-	-	-	-	10
11	.03	-	.03	-	-	-	-	-	-	-	.67	.02	11
12	.04	.04	-	.34	.50	-	-	.34	-	-	.24	-	12
13	-	.52	-	-	.25	-	-	.03	-	.03	-	-	13
14	.01	.01	-	-	1.12	-	.47	-	.05	-	.16	.46	14
15	.07	.02	-	-	.05	-	-	.06	-	-	-	.12	15
16	-	.28	-	-	.02	-	.56	.09	-	-	-	-	16
17	-	.38	-	-	1.12	-	-	-	-	-	-	-	17
18	-	.25	.04	.03	.15	-	-	-	-	-	-	-	18
19	-	.04	-	-	.02	-	.03	-	-	.02	-	-	19
20	.26	-	-	-	-	-	-	-	-	-	-	.16	20
21	.13	-	-	-	-	-	.03	-	-	-	-	-	21
22	1.05	-	.22	.01	-	-	.83	-	-	-	-	.14	22
23	-	.10	.14	-	-	.03	.17	-	.22	.66	-	.29	23
24	-	-	.02	-	-	-	.15	-	.39	.24	-	.41	24
25	-	-	.02	.11	-	-	.14	-	-	-	-	.14	25
26	-	.02	-	-	-	.07	.15	-	-	-	-	.51	26
27	-	.01	-	-	-	.12	.08	-	-	.29	-	.11	27
28	-	.03	-	-	-	.03	-	.09	1.28	.13	-	-	28
29	-	-	-	-	-	.03	.29	-	-	.10	.18	.02	29
30	.03	X	-	-	-	.76	-	-	-	.15	.21	-	30
31	-	X	-	X	-	X	-	.01	X	1.11	X	.26	31
Total	5.91 3.91	3.29 3.29	.94 .94	1.18	3.27	1.13	3.80	1.68 1.68	1.94	2.85	1.59	5.19	30.87 30.87
Rain Days.	18	20	13	9	9	8	15	11	4	12	6	19	144

REGISTER OF RAINFALL IN 19 16

Kept at 6 Carlton Court, Shepperton
in the County of Middlesex
by J. C. Murrell

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Shepperton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 41.94 ft.

FORM A.
BRITISH RAINFALL.
10 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05			.01			.28	.035	.39		1
2	.27	.03	.10		.45				.08	.40	.01		2
3		.40	.10		.20		.03		.25	.33	.39		3
4	.19	.06							.18		.54		4
5		.09				.20				.05	.55	.01	5
6			.41	.13		.20	.22			.03	.39		6
7	.05		.33			.20	.08			.15	.46	.06	7
8			.08	.03	.25	.16						.19	8
9					.28	.005				.025		.15	9
10	.15	.19			.09		.03					.08	10
11	.02	.13	.12									.025	11
12		.03		.19		.39	.005	.10		.05			12
13		.18	.40		.31	.10	.27	.13	.04	.02			13
14		.40				.04	.01	.30				.02	14
15		.20	.25				.02	.19		.035		.04	15
16			.50	.27			.30	.46		.005		.01	16
17	.14	.14		.04			.02	.22	.39	.495			17
18	.10	.07	.04	.09				.48	.08	.507	.69		18
19	.20		.19	.13					.19		.53	.015	19
20			.21		.09			.005			.02	.49	20
21			.39				.02					.26	21
22			.03							.035	.005	.37	22
23	.02	.23						.02			.015	.03	23
24						.005		.03		.22	.035	.32	24
25		.60	.25	.01		.02		.11		.04	.07		25
26		.14	.05					.35	.005	.17			26
27			.43			.04		.28	.02	.50			27
28		.28	.28			.06		.01	.02	.005		.09	28
29		.08				.03		.86	.04	.34		.14	29
30	.01	X				.26		.04		.50			30
31		X		X		X		.04	X	.20	X	.07	31
Total	1.15	3.28	4.51	0.89	1.67	1.420	1.005	3.625	1.495	4.142	4.075	2.370	29.952
Rain Days.	10	17	19	8	7	14	11	16	12	21	14	18	167
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1917

Kept at *Charlton Court, Shepperton*
in the County of *Middlesex*
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		018	015	23				1.11	01		05		1
2				20		04		07			20		2
3	005			10			24	29		29	05		3
4		005	06				36	22		315			4
5	26	035	025	28		02		03	29	21	08		5
6			21			105			23	01	035		6
7	15						27			33		02	7
8	15			12			97	36	06	24	18	335	8
9	03		02	05	02		03	15	03		05	15	9
10	11	005	10	195	005			10			01		10
11	08		35	18		435			60	195		005	11
12	05		08	005				06		35	005		12
13	03		20	02				06	025	09			13
14				135				51					14
15							19	06		01			15
16	06	11		23	045	29	17			47		47	16
17		005		10	57		24	05	42	25			17
18	03	06		06	18	535	08	13	25	10			18
19	01	125	02			005			11				19
20	005	13	025		68		34	01	03		035		20
21			015			085					01	005	21
22	02		07					08		055			22
23		12			10	03		08		05		02	23
24		02	005			18	005	01		22	02	01	24
25		025	09							10	05		25
26			045					23	04	005	31		26
27	005				005	08		71				01	27
28			02			1.91		07				03	28
29			015		90	12	95	01		25		10	29
30		X	465				1.83	07	01	005		01	30
31	015	X	01	X		X	30	03	X		X	015	31
Total	1.01	658	1.84	1.905	2.505	3.835	5.975	4.60	2.105	3.545	1.085	1.18	30.25
Rain Days.	15	10	20	13	8	12	13	24	13	19	14	12	174

REGISTER OF RAINFALL IN 1918.

Kept at *Charlton Court, Shepperton*
in the County of *Middlesex*
by *T.C. Deverell*

Lat. _____ Long. _____
Time of Observation *9 AM.*
Nearest Railway Station *Shepperton*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *42.00* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.08				.01			.23	.07	1
2		.08		.03				.36		.02	.25	.10	2
3		.01	.03	.03	.47			.11	.01		.42	.01	3
4		.05	.11	.01				.02	.16		.47		4
5		.04			.06			.03	.17	.07			5
6	.19	.10		.36	.18			.16	.02			.07	6
7		.09		.14	.39			.01	.10	.09	.10		7
8	.01	.04		.01					.12	.04	.10	.02	8
9	.01	.03		.04		.13	.18		.38	.09		.26	9
10				.17			.58		.04	.02	.03	.42	10
11	.01			.03	.03		.96		.01	.30	.10	.15	11
12		.03			.14		.08		.08			.01	12
13	.02				.10		.12		.10			.02	13
14	.13		.02			.21	.02		.30	.14		.25	14
15	<u>1.13</u>			.56			.04		.02			.04	15
16	.05		.02	.22		.11			.14	.05		.02	16
17	.31			.20	.25		.14	.03	.01			.14	17
18	.56					.19	.09		1.05	.11		.04	18
19	.08		.03	.07		.14	.32	.02	.01	.10		.04	19
20	.03	.12		.50		.03	.10		.18	.17	.01		20
21	.13	.01		.49			.03		.58				21
22	.10				.79		.16		.15			.17	22
23	.03	.02			.13		.51	.03	.07			.03	23
24		.25				.05	.54		.07		.06		24
25							.22	.10		.01	.01		25
26							.39	.02		.02	.09	.13	26
27		.01	.01	.05			.03	.19	.07		.11		27
28		.04	.23	.01				.11			.08	.12	28
29	.01	X							1.12				29
30		X	.45						.02		.02	.14	30
31	.01	X		X		X			X	.06	X	.00	31
Total	2.81	0.94	0.90	3.00	2.54	0.86	4.51	1.20	4.98	1.29	2.08	2.25	27.36
Rain Days.	17	16	8	18	10	7	18	14	25	15	15	21	184

REGISTER OF RAINFALL IN 1919.

Kept at Charlton Court

in the County of Middlesex

by Resident Engineer to the Metropolitan Water Board

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Shepperton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 42 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.03	.00	.03	.06	.00	.40	.00	.00	.03	.03	1.10	1
2	.47	.00	.01	.00	.07	.00	.04	.00	.14	.05	.09	.12	2
3	.29	.00	.34	.00	.01	.00	.24	.00	.03	.00	.02	.39	3
4	.09	.04	.43	.00	.00	.07	.15	.03	.02	.00	.01	.18	4
5	.00	.26	.42	.01	.00	.00	.23	.00	.20	.00	.03	.27	5
6	.09	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	.18	6
7	.03	.00	.38	.00	.00	.00	.00	.00	.00	.00	.02	.00	7
8	.09	.00	.06	.02	.00	.00	.00	.00	.00	.00	.00	.00	8
9	.15	.00	.01	.03	.02	.00	.00	.00	.00	.00	.01	.00	9
10	.80	.00	.05	.02	.00	.00	.00	.00	.00	.01	.02	.04	10
11	.02	.00	.09	.20	.01	.00	.26	.00	.00	.00	.02	.02	11
12	.01	.00	.04	.03	.00	.04	.15	.00	.00	.15	.00	.00	12
13	.00	.04	.00	.36	.00	.00	.00	.00	.01	.05	.01	.01	13
14	.22	.00	.00	.27	.00	.00	.08	.00	.78	.00	.00	.02	14
15	.32	.01	.00	.12	.00	.00	.00	.00	.00	.00	.00	.42	15
16	.04	.57	.13	.02	.00	.00	.00	.00	.00	.00	.10	.04	16
17	.00	.31	.00	.01	.00	.00	.00	.00	.00	.00	.18	.00	17
18	.00	.17	.11	.00	.00	.00	.00	.00	.03	.00	.08	.02	18
19	.03	.11	.00	.00	.00	.22	.61	.16	.00	.00	.06	.00	19
20	.16	.02	.60	.00	.00	.71	.21	.12	.11	.00	.00	.00	20
21	.18	.30	.22	.00	.00	.05	.04	.00	.00	.00	.02	.02	21
22	.00	.07	.02	.00	.00	.01	.20	.00	.12	.00	.02	.35	22
23	.00	.00	.00	.00	.00	.03	.00	.05	.02	.00	.03	.03	23
24	.00	.00	.00	.17	.00	.02	.09	.01	.00	.20	.04	.03	24
25	.03	.03	.00	.00	.03	.06	.00	.18	.00	.00	.00	.02	25
26	.06	.17	.02	.02	.00	.00	.00	.16	.07	.00	.00	.29	26
27	.56	.03	.12	1.13	.00	.00	.00	.45	.00	.00	.05	.05	27
28	.00	.00	.15	.02	.00	.00	.02	.77	.00	.00	.38	.28	28
29	.03	X	.22	.10	.00	.01	.00	.37	.00	.11	.05	.03	29
30	.00	X	.00	.25	.00	.13	.00	.18	.00	.03	.23	.35	30
31	.00	X	.02	X	.00	X	.05	.00	X	.02	X	.07	31
TOTAL	4.00	2.16	3.48	2.81	0.20	1.35	2.77	2.48	1.53	.65	1.50	4.33	27.26
Days with 0.1 in. or more	21	15	21	18	6	11	15	11	11	9	22	24	184

REGISTER OF RAINFALL IN 1920.

Kept at Charlton Court

in the County of Middlesex

by J. L. Powell Resident Engineer
to Metropolitan Water Board

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Shepperton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

Sea Level 42 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07			.30	.06		.26		.02	.47		.22	1
2			.06	.01	.01		.01	.79	.07	.04		.06	2
3		.05		.10			.02		.01	.01		.01	3
4		.05		.10			.72	.03		.21		.12	4
5			.07	.02	.03		.68	.01		.01		.03	5
6			.22		.07		.41					.04	6
7	.01			.10	.09		.13				.01		7
8		.01		.09	.10		.16	.01					8
9	.28	.01		.04			.02						9
10	.37	.04	.04			.08	.06						10
11	.20		.06	.27	.03	.05	.25						11
12	.06			.09		.85				.01		.16	12
13	.15		.14	.28							.02		13
14		.01	.26	.26		.23			.07	.19	.27	.01	14
15	.01	.02	.07	.25			.02		.45	.18	.11		15
16			.01	.09		.10			.32		.01		16
17	.01			.01	.04	.22	.02		.38			.03	17
18	.02				.01			.67	.15			.03	18
19	.09			.20		.05						.02	19
20	.04	.06		.22		.52			.01			.01	20
21				.01			.80	.01	.45			.05	21
22	.01			.31				.02	.04			.49	22
23		.01					.38	.03				.34	23
24	.01	.02	.06	.01								.01	24
25		.01	.01				.15						25
26	.04		.11	.01	.04	.01	.14				.02	.04	26
27	.20	.05	.01	.25		.09	.14				.46	.07	27
28	.30		.25	.02	.03	.01	.08				.05	.04	28
29	.28		.04	.04	.01						.04	.13	29
30	.02	~~X~~			.06	.01	.12		.24		.27	.14	30
31	.0.0	~~X~~	~~X~~	~~X~~		~~X~~	.05		~~X~~	.64	~~X~~	.08	31
TOTAL	2.17	.34	1.41	3.08	.58	2.22	4.62	1.57	2.21	1.76	1.26	2.13	YEAR'S TOTAL 23.35
Days with ".01 in. or more	~~20~~ 12	12	15	24	13	12	21	8	12	9	10	22	178 ~~177~~
Days with ".04 in. or more	12	5	12	17	7	9	16	2	9	6	6	14	115

81
written
3.4.14

REGIS

Kept at

Keybridge
Shrewsbury
Thames

SHEPPERTON LOCK

LOND/MIDDX

1913-20

57
BRITISH RAINFALL
FORM A.

in.

above Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.

previous day. If an Observer

requested to add the reading

for it at the end of this paragraph.

Full instructions for the measurement of rain,

the selection and placing of rain gauges, and particulars as to the British Rainfall

Organization are given in "Rules for Rainfall Observers," sent post-free on application to

Dr. H. R. MILL, 62, Camden Square, London, N.W.

and the result entered to the
universal rule, he is earnestly
pleased to hear in the space provided

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		22	06	27					80			02	1
2		15		02			12				11		2
3	01			16	32								3
4	20		03		33		01			21		06	4
5	11					04	12		46			09	5
6		03	11		03	08	04			41	12		6
7		15			09					33		16	7
8		03			07	07							8
9		29					06		12				9
10	02		12				03				41		10
11	25			50						66	29		11
12					06						20		12
13									11		23		13
14	03		08	05			33	12		09			14
15	33	08	18	25			27		13				15
16	12		50	09					16				16
17	03	11	03				15						17
18			26	10									18
19	19						11		25				19
20	17		30	04						39			20
21			22	05						16	80		21
22	49		16	10					15				22
23												45	23
24				03									24
25				20			02	17					25
26			17	10				04		66			26
27				03	10								27
28	20		31	08						20			28
29	03	X	06	40	97					07			29
30	29	X								12			30
31		X	03	X		X		76	X		X		31
Total	2.47	1.06	2.62	2.47	1.97	1.19	1.26	1.49	3.30	2.16	.78	21.55	YEAR'S TOTAL
Rain Days.	15	8	16	17	8	3	11	4	8	11	7	5	

1.09 2.18

REGIS

BRITISH RAINFALL FORM A. 37

Kept at Keybridge Shepperton Lock
in the County of Surry Middx
by Thames Conservancy

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		22	06	27					80			02	1
2		15		02			12				11		2
3	01			16	32								3
4	20		03		33		01			21		06	4
5	11					04	12		46			09	5
6		03	11		03	08	04			41	12		6
7		15			09					33		16	7
8		03			07	07							8
9		29					06		12				9
10	02		12				03				41		10
11	25			50						66	29		11
12					06						20		12
13									11		23		13
14	03		08	05			33	12		09			14
15	33	08	18	25			27		13				15
16	12		50	09					16				16
17	03	11	03				15						17
18			26	10									18
19	19						11		25				19
20	17		30	04						39			20
21			22	05						16	80		21
22	49		16	10					15				22
23												45	23
24				03									24
25				20			02	17					25
26			17	10				04		66			26
27				03	10								27
28	20		31	08						20			28
29	03	X	06	40	97					07			29
30	29	X								12			30
31		X	03	X		X		76	X		X		31
Total	2.47	1.06	2.62	2.47	1.97	19	1.26	1.49	3.30	2.16	78	21.55	YEAR'S TOTAL
Rain Days.	15	8	16	19	8	3	11	4	8	11	7	5	

1.09 2.18

88

REGISTER OF RAINFALL IN 1914

28 JAN 1915
131A
FORM A.
BRITISH RAINFALL.

Kept at Shepperton
in the County of Middlesex
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02									03	1
2							15	14				15	2
3			04		16		27					01	3
4	03		03	17				04			31	29	4
5	25		02	18	20	04	29	66					5
6		12		13		15	07				09	09	6
7	07	28	28	23	21	20	21					08	7
8		33	81			03	09	14				01	8
9	28		56	27					08			1.64	9
10		12		02	08				25			02	10
11		24	46			02			04		14	25	11
12		06	14				47		09			39	12
13		18	15						20		03	45	13
14		08	18			84	07			43	06	38	14
15	05	01	11				81				57	02	15
16		33	05								06		16
17		23	09									08	17
18		03	22									33	18
19		05	26			04	08				15	35	19
20		25	33									11	20
21		47	04					41		02		01	21
22			01		15	07	25			20			22
23		13	18		08	08				11			23
24			06		02						11		24
25			22							22		11	25
26			06				06	15			15	50	26
27											02	15	27
28		05			02					07	54	1.00	28
29	10	X	07							21	12		29
30		X	02							06	47	40	30
31		X		X	12	X			X	03	X	07	31
Total	78	2.96	4.41	1.00	1.04	1.47	2.82	1.54	66	1.35	2.82	6.92	27.77
Rain Days.	6	17	25	6	9	9	12	6	5	9	14	25	

REGISTER OF RAINFALL IN 1915

Kept at Shepperton Lock

in the County of Middlesex

by _____

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.65	16	12				16		.01	.04	.12	.52	1
2	.34	19	20					.69		.05		.16	2
3	.39		10	19	.04			.49				.48	3
4	.03											.22	4
5	.05	.49			.01			.01		.04		.32	5
6	.30	.09		.24			.58					.50	6
7	.24	.22	.03				.24	.02				.21	7
8	.04	.45	.07	.02			.02	.06					8
9		.08		.22		.06		.15			.35	.66	9
10	.22							.45				.16	10
11	.03							.02			.67		11
12	.04	.02		.34	.48			.08			.24	.01	12
13	.01	.60			1.30			.02					13
14	.01	.02					.29	.04	.04			.39	14
15	.05				.06			.14			.10	.11	15
16		.32					.51	.03				.01	16
17		.33			1.23			.02					17
18		.34	.07		.13								18
19		18			.02		.04						19
20	.25			.02								.13	20
21	.04						.02			.04		.03	21
22	1.25	.14	.14				.85					.11	22
23		.10	.06			.02	.06		.27	.69		.23	23
24							.07		.30	.23		.49	24
25				.08		.04	.24					.12	25
26		.02					.32					.52	26
27						.18	.01			.27		.07	27
28						.06			1.38	.10			28
29							.15	.14			.21	.02	29
30	.04					.29				.04	.26	.01	30
31	.03									1.30		.24	31
Total	4.01	3.75	.79	1.11	3.27	.65	3.56	2.36	2.00	2.80	1.95	5.72	31.97
Rain Days.	19	17	8	7	8	6	15	15	5	10	7	24	141

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

Kept at Shepperton Lock
in the County of Middlesex
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04		02		36				25	02	35		1
2	20	06	06		17				11	42			2
3		54	14		01				20	33	40		3
4	15	04				19			18	05	48		4
5	01				13	10				04	59		5
6		04	19	11		18	24			05	38		6
7	04		49		15	08	16				50	06	7
8			02		22	02						15	8
9					10					05		06	9
10		20	08		04	30	04					14	10
11	01	10		18		12							11
12		03	04	03	21	10	01	04					12
13		17	38	10		05	03	02		07			13
14		40	03					40				11	14
15		20	22					20		03			15
16		03	47	14			30	39					16
17	09	12		05			03		29	52			17
18		06	03	06				19	07	45	73		18
19	10		16	38					18		50		19
20	12		21								02	49	20
21	02		40				01					27	21
22	02		04					03		05		38	22
23		24	01					02		05	02	07	23
24						02				19	05	32	24
25		67	24		08			12		08	06		25
26		17	08			05		20	02	18			26
27		02	87			06		49		51			27
28		38	22			02			06			08	28
29		09				21		93	06	26		14	29
30		X						06		45			30
31		X		X		X		05	X	19	X	04	31
Total	80	3.56	4.40	1.05	1.47	1.50	.82	3.14	1.42	3.99	4.08	2.31	28.54
Rain Days.	11	19	22	8	10	14	8	14	10	20	12	13	165

REGISTER OF RAINFALL IN 1917

Kept at Shepperton Lock
in the County of Middlesex
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			01	30				1.19	02		05		1
2				21				07			17		2
3				08			52	30		20			3
4		35	09				25	18		37			4
5	27			27					27	19	13		5
6			31			10			22	08	05		6
7	12						10			20		01	7
8	14			11			1.05	09	05	25	20	33	8
9	03		02	09	01		09	24	04		04	16	9
10	16		08	20				08				02	10
11	09		31	20		34			43	15			11
12	07		09	01				09		41			12
13	03		18	02				13	02	08			13
14				16				11					14
15							17	12		02			15
16	08	08		17	02	17	15			48		57	16
17				08	54		22	04	39	30			17
18	03	05		07	15	54	05	10	23	03			18
19		15	03					09	16				19
20		08			67		08				05		20
21					01	05					02		21
22			08					08		05			22
23		12			08	13		09		05	02		23
24						16		01		18			24
25		05	03							03			25
26			04					20	03				26
27			03		68	05		608					27
28			02			1.25		06			30	08	28
29		~~X~~	01		32	20	66	01		23		04	29
30		~~X~~	45				1.84	05		03		07	30
31		~~X~~		~~X~~		~~X~~	29	02	~~X~~		~~X~~		31
Total	1.02	88	1.78	1.97	2.48	2.99	5.47	4.03	1.86	3.33	1.03	1.28	28.12
Rain Days.	10	7	16	14	9	10	13	23	11	19	10	8	150

REGISTER OF RAINFALL IN 1918 831

Kept at Shepperton Lock
in the County of Middlesex
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL
27.1

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				10							32	09	1
2		07		08				30			13	11	2
3		02	04	04	45			10			54	01	3
4		05	12					02	03		51		4
5		03			07			08	28	11			5
6	20	04		28	20							07	6
7		16		20	37				05	09	08		7
8	02	06							19	04	13	01	8
9		02		06		13	18		35	09	10	28	9
10				15			55		03			35	10
11				02	03		1.04		02	30		12	11
12		03			14		09		10			01	12
13	03				12				09			02	13
14	12		02			25	15		12	11		25	14
15	1.29			59			03		10			05	15
16	34			21		06			14			01	16
17	22			19	34		15		03			09	17
18	49					17	16	02	1.02	12		05	18
19			05	08		31	26	03		06		07	19
20	10	10		73		13	08		16	20			20
21	13	01		63			04		50	02			21
22	10			02	77		14		26			20	22
23	03				10		50					02	23
24		28				04	26	02	18		07		24
25		02					27			01			25
26		03					69	12			08	11	26
27			02				05	03	06				27
28			15	05				14			09	11	28
29		~~X~~	06					13	1.14				29
30		~~X~~	40									07	30
31		~~X~~	05	~~X~~		~~X~~			~~X~~	06	~~X~~		31
Total	3.07	.92	.91	3.43	2.59	1.09	4.64	.99	4.85	1.21	2.05	2.10	27.85
Rain Days.	12	14	9	16	10	7	17	11	20	12	10	21	159

REGISTER OF RAINFALL IN 1919

Kept at Shepperton Lock
in the County of Middlesex
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

801
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.31				.02		.22			.02	.03	1.02	1
2	.44		.01		.07		.17		.10	.10	.06	.14	2
3	.28		.35				.22		.08		.02	.39	3
4	.09		.41			.06	.15	.02	.05		.02	.14	4
5		.36	.47				.05		.15		.04	.25	5
6	.09		.03								.01	.13	6
7	.06		.38										7
8	.10		.07										8
9	.11		.01		.06						.03		9
10	.80		.04	.02							.01	.04	10
11			.07	.27			.30				.02	.01	11
12			.02	.05		.02	.08			.10	.01		12
13	.02			.26						.03	.01		13
14	.20			.24			.09		.79			.02	14
15	.23		.13	.07								.40	15
16	.03	.59									.08	.04	16
17		.19									.16	.01	17
18		.24	.08						.03		.07		18
19	.02	.08	.63			.24	.32	.23			.05		19
20	.15	.03	.34			.66	.48 ~~.48~~	.07					20
21	.17	.24	.02				.04				.02	.03	21
22		.06					.30		.14			.32	22
23									.01			.09	23
24				.19			.10	.06		.23	.06	.02	24
25					.06	.06		.16					25
26	.08	.23	.12					.14	.06			.07	26
27	.57	.03		1.04				.39			.05	.08	27
28	.04		.28	.04				.70			.44	.37	28
29				.10				.28		.10	.06	.03	29
30				.23		.11		.20		.05	.20	.36	30
31			.04				.03			.01		.03	31
Total	3.79	2.05	3.50	2.51	.21	1.15	2.55	2.25	1.41	.64	1.45	3.99	25.50
Rain Days.	19	10	19	11	4	6	14	10	9	8	21	22	153

REGISTER OF RAINFALL IN 1920.

Kept at Shepperton Lock, Weybridge
 in the County of Middlesex
 by R. A. Swarbrick

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	09			07	07		25			29		23	1
2			05	14	02		01	80	07	04		06	2
3		06		16					01	02		02	3
4		05	01	10			1.14	02		22		09	4
5			09	02	02		70	03				08	5
6			14	04	08		43					02	6
7	01		04	08	12		16						7
8				11	08		14	01					8
9	27			03				01					9
10	30	09	03	05	02		05						10
11	20		04	17	01	03	25					20	11
12	06		01	17		58	01						12
13	16		08	08									13
14	01		22	19		10			08	09	04		14
15		02	14	32					58	06	24		15
16				16					18		10		16
17			01	01	12	02			35		03	02	17
18	04				02			72	14			02	18
19	02			20								02	19
20	10	08		19		54						01	20
21				02			73		50			05	21
22	01			29				02	04			48	22
23							43	04				34	23
24	02	01	05	01								01	24
25		03					16						25
26	04	02	10	01			14					06	26
27	20		02	26		12	11				35	05	27
28	31		26	01	04		09				14	02	28
29	25		05	05							22	13	29
30	02	X			10		19		20		03	08	30
31		X								78	X	06	31
TOTAL	2.11	1.36	1.34	2.94	70	1.39	4.99	1.65	2.15	1.50	1.15	2.05	22.33
Days with 0.1 in. or more	18	8	17	26	12	6	17	8	10	7	8	21	158
(44,283).	12	4	12	19	7	4	15	3	9	6	6	13	110

made

REGIST

SIPSON

BRITISH RAINFALL FORM A2.
15 JAN 1912
in. 1 ft. 6 in.
Level ft.
Name West Drayton
Distance 2 miles Direction N

Kept at *Hollycroft*
in the County of *Middlesex*
by *W James Mitter*

"HOLLYCROFT"
LOND / MIDDY
1911-20

IMPORTANT NOTE.—Rainfall is the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	.13			.90	.16						.19	.10	2
3				~~1.11~~	.14						.09	.09	3
4	.04		.04	.06						.11	.15	.29	4
5										.14			5
6	.28		.13	.03								.34	6
7										.13	.26	.18	7
8			.21								.13	.24	8
9			.04										9
10		.10	.12								.18	.45	10
11	.21										.49		11
12			.40		.19						.21		12
13			.04		.05				.34	.23		.36	13
14		.09			.16							.31	14
15		.06	.10										15
16						.14					.32	.08	16
17						.14					.38	.19	17
18						.30					.39	.19	18
19						.26			.21	.04	.19	.13	19
20									.23			.49	20
21		.25						.18		.60		.10	21
22			.16					.15		.08		.38	22
23		.08				.44			.15		.06	.09	23
24		.10	.11					.05		.80		.14	24
25				.09	.09	.21							25
26				.13			.38			.14		.24	26
27		.36	.09									.16	27
28		.20						.04			.05		28
29				.14			.10		.19	.14			29
30								.10		.16			30
31					.14								31
Total	.66	1.24	1.14	1.35	.96	1.85	.48	.55	1.15	2.60	3.09	4.61	19.98
No. of Rain Days.	4	8	11	6	7	6	2	5	5	11	14	20	99.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

Kept at

Hollycroft, Sipson

in the County of

Middlesex

by

W James Mitchell
Gardener

Pattern

Snowden

RAIN
GAUGE

Diameter of top 6 in.

Height of top above Ground 1 ft. 6 in.

" " Sea Level ft.

Time of Observation

9 A.M.

Nearest Railway Station

Name West Drayton

Distance 2 miles Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	.13			.90	.16						.19	.10	2
3				~~.11~~	.14						.09	.09	3
4	.04		.04	.06						.11	.15	.29	4
5										.14			5
6	.28		.13	.03								.34	6
7										.13	.26	.18	7
8			.21								.13	.24	8
9			.04										9
10		.10	.12								.18	.45	10
11	.21										.49		11
12			.40		.19						.21		12
13			.04		.05				.34	.23		.36	13
14		.09			.16							.31	14
15		.06	.10										15
16						.44					.32	.08	16
17						.14					.38	.19	17
18						.30					.39	.19	18
19						.26			.21	.04	.19	.13	19
20									.23			.49	20
21		.25						.18		.60		.10	21
22			.10					.15		.08		.38	22
23		.08				.44			.15		.06	.09	23
24		.10	.11					.05		.80		.14	24
25				.09	.09	.21							25
26				.13			.38			.14		.24	26
27		.36	.09									.16	27
28		.20						.04			.05		28
29				.14			.10		.19	.14			29
30								.10		.16			30
31					.14								31
Total	.66	1.24	1.44	1.35	.96	1.85	.48	.55	1.15	2.60	3.09	4.61	19.98
No. of Rain Days.	4	8	11	6	7	6	2	5	5	11	14	20	99.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
16 JAN 1913

Kept at *Hollycroft Dipson*
in the County of *Middlesex*
by *W J Mitchell* *Gardener to R R Rothamsted*

Pattern *Snowden*
RAIN Diameter of top *6* in.
GAUGE Height of top above Ground *ft.* in.
" " " Sea Level *ft.*
Time of Observation *9 AM*
Nearest Railway Station { Name *W. Drayton*
Distance *2 miles* Direction *N.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08				.11		.09	.29		.19	1
2			.10			.19	.33						2
3			.04			.21		.31					3
4	.21	.10	.48			.23		.04			.16		4
5	.19				.06			.30					5
6	.42					.12		.09					6
7					.04	.62		.30					7
8	.35	.26	.26			.10		.41				.14	8
9			.04			.12		.47				.18	9
10		.06										.20	10
11	.04	.14				.05		.05				.16	11
12	.04	.04	.08		.24	.14							12
13													13
14								.20		.08		.24	14
15		.05	.19		.24	.47							15
16	.34					.11		.06		.04			16
17	.55		.21					.04					17
18	.11		.16					.04				.11	18
19	.10	.10	.11				.19	.24					19
20			.10	.06				.24		.30			20
21	.23	.05	.28		.18			.14		.05	.14		21
22		.14	.05				.05	.14					22
23	.28	.33	.31					.40		.06	.15	.14	23
24	.29	.05				.08		.14				.14	24
25	.21					.18		.38		.04	.23	.23	25
26								.31		.26	.26	.55	26
27										.23		.20	27
28							.04	.12	.11	.33	.39	.16	28
29						.08	.36	.19	1.16	.42			29
30			.25		.36	.10			.72	.11			30
31							.14	.12				.06	31
Total	3.42	1.38	2.80	.06	1.21	2.80	1.28	4.91	2.08	2.24	1.36	2.70	TOTAL for year 26.24
No. of Rain Days.	14	11	16	1	6	15	7	23	4	12	6	14	129

REGISTER OF RAINFALL IN 1913

Kept at *Hollycroft, Sipson*
in the County of *Middlesex*
by *W. J. Mitchell (Gardener)*

Lat. _____ Long. _____
Time of Observation *9 am*
Nearest Railway Station *West Drayton*
Diameter of Rain Gauge *5* in. *funnel*
Height of top of Gauge above Ground _____ ft. *0* in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
28 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.19		.10					.33			.11	1
2		.44					.08			.17	.16		2
3			.11	.19	.36					.09			3
4	.20				.12					.15		.12	4
5							.16		.33				5
6	.08	.14	.14		.06	.14	.07			.13	.20	.18	6
7					.06			.13		.43	.09		7
8					.07	.13							8
9		.17											9
10			.08				.15				.34		10
11	.32			.45						.67	.19		11
12					.06						.16		12
13									.10		.17		13
14	.07		.10	.06			.44	.12		.11	.06		14
15	.17	.10		.25			.19		.10				15
16			.40	.12					.20				16
17	.13		.06	.09			.15		.34				17
18			.17	.12							.10		18
19	.32				.08								19
20	.10			.05		.15				.50			20
21			.78	.06						.21	.66		21
22	.40								.13				22
23			.16					.19				.37	23
24				.06				.06					24
25				.15									25
26		.06	.16	.12				.05		.57		.16	26
27													27
28	.28		.21	.13	.11					.13			28
29	.05		.06	.41	.50			.09		.05		.05	29
30	.21							.07		.30			30
31			.10					.35					31
Total	2.33	.80	1.93	2.36	1.42	.42	1.24	1.06	1.53	3.51	2.13	.99	19.72
Rain Days.	12	6	13	15	9	3	7	8	7	13	10	6	109

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at *"Hollycroft" Sipson*
in the County of *Middlesex*
by *W. James Mitchell (Gardener)*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *West Drayton*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL FORM A.
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.16					.10					1
2							.21	.13			.07	.11	2
3			.05		.13		.27	.05					3
4				.16				.05			.29	.24	4
5	.14		.08	.13		.06	.38	.40					5
6		.10		.06		.14	.21				.21	.12	6
7			.19	.07	.68		.09					.09	7
8	.06	.45	.57			.07	.06	.13					8
9	.16		.46	.09		.32			.11			<u>1.44</u>	9
10			.08		.10				.21				10
11		.33	.31			.10			.07		.39	.21	11
12		.05	.13				.33		.16			.34	12
13		.19	.10						.15			.35	13
14		.07	.33			.52	.09			.27		.34	14
15	.07		.10				.21	.06			.21	.05	15
16			.05						.06				16
17		.30	.06									.12	17
18			.14									.32	18
19		.07	.27				.05				.16	.18	19
20		.20	.20						.10			.07	20
21		.42	.05										21
22			.09		.22	.11	.11			.19			22
23		.14	.11		.29		.11			.11			23
24			.10							.08	.10		24
25			.09					.14		.25	.12	.09	25
26							.10			.06		.50	26
27												.14	27
28	.06	.05								.06	.34	1.07	28
29	.05		.10							.20	.10	.	29
30		X	.05							.05	.49	.38	30
31		X		X	.15	X			X		X	.05	31
Total	.54	2.37	3.85	.51	1.57	1.32	2.22	1.06	.86	1.27	2.48	6.21	YEAR'S TOTAL 24.26
Rain Days.	6	12	24	5	6	7	13	8	7	9	11	20	128

W 912 Cond by Sun. Note 27.2.16
REGISTER OF RAINFALL IN 1915

Kept at "Hollycroft" Dipson
in the County of Middlesex
by W J Mitchell (Gardener)

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station West Drayton Glos
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50	.14	.12						.11	.06	.21	.40	1
2	.16	.14	.21	.10				.62		.06			2
3	.37		.06	.09				.07				.50	3
4	.11							.06				.20	4
5		.35										.32	5
6	.25	.06		.18			.54					.37	6
7	.40	.19	.07				.43					.13	7
8	.11	.38		.05				.10					8
9	.10	.07		.19		.09					.35	.59	9
10	.11							.30				.15	10
11								.10			.62		11
12	.07			.33	.39			.60			.36		12
13		.48			1.14			.05					13
14							.85		.07			.33	14
15	.10										.05	.12	15
16		.30					.54	.13					16
17		.34			1.26								17
18		.14	.08		.15								18
19							.10						19
20	.30											.17	20
21												.05	21
22	1.01		.25				.60					.12	22
23			.09				.19		.15	.60		.25	23
24							.12		.43	.38		.23	24
25				.11			.48					.12	25
26							.17					.47	26
27						.46				.25		.10	27
28		.23							1.12	.10			28
29								.13			.23		29
30		X				.11					.22		30
31		X		X		X			X	.75	X	.21	31
Total	3.59	2.82	.88	1.05	2.94	.66	4.02	2.16	1.88	2.20	2.04	4.83	29.07
Rain Days.	13	12	7	7	4	3	10	10	5	7	7	19	107

REGISTER OF RAINFALL IN 1916

Kept at Hollycroft, Lipson
in the County of Middlesex
by W. Mitchell

Lat. 51° 29' 20" N Long. 0° 27' 22" W
Time of Observation 9 o'clock
Nearest Railway Station West Drayton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 94 ft.

FORM A.
BRITISH RAINFALL
JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.8				3.5				2.5	0.9	2.8		1
2	2.5		1.0		2.2				1.0	3.7			2
3		4.4					0.5		1.9	2.5	3.0		3
4	1.7	0.7				2.2			1.4		4.5		4
5					0.7	1.2				0.5	5.8		5
6				1.3			2.8			1.2	3.5		6
7	0.7		5.4		1.1	2.3	0.7				5.8	1.7	7
8			1.5		2.2						6.5	2.2	8
9		1.9			2.4	0.9						1.0	9
10			0.8	0.5		1.0						1.1	10
11	0.5	1.3		1.2		4.7							11
12			1.0		2.2	1.1		2.0		1.0			12
13		2.1	2.8	0.9				1.3					13
14		3.5			0.6			5.0					14
15		2.1	2.2					1.0					15
16			3.9	1.4			4.0	2.4				0.8	16
17	1.2	1.0						0.6	2.1	4.0			17
18		0.9	0.5	1.8				3.8	1.1	2.2			18
19	0.8		1.8	1.2					2.2		5.3		19
20			1.8									5.6	20
21			3.4									2.5	21
22												4.2	22
23	0.6									1.7	0.5	3.5	23
24					1.2	1.6				0.5			24
25		2.0	1.3					1.5		1.1	1.0		25
26		3.0				0.7		4.0					26
27	0.5		0.1			0.8		3.0		3.8			27
28		6.0	2.4									1.0	28
29		1.4				2.2		1.10	0.8	2.2		1.3	29
30		X								3.8			30
31		X		X		X		0.8	X	1.1	X	0.6	31
Total	9.3	3.03	3.89	8.3	1.61	1.87	8.0	3.64	1.30	3.02	3.87	2.52	27.31
Rain Days.	9	13	15	7	9	11	4	12	8	15	10	12	125

REGISTER OF RAINFALL IN 1917

Kept at Hollycroft Spon

in the County of Middlesex.

by W. Mitchell.

Lat. 51° 29' 20" N Long. 0° 27' 22" W

Time of Observation 9 a.m.

Nearest Railway Station West Drayton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 94 ft.

FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06					.86					1
2				.73				.05			.05		2
3				.08			.10	.22		.25	.12		3
4			.16				.33	.10		.27	.08		4
5	.25			.26					.21	.14			5
6			.18	.06		.11			.22		.16		6
7	.20									.19			7
8	.18			.13			.03	.34		.20	.12	.25	8
9			.05				.05	.21	.05		.10	.10	9
10	.20			.14				.12					10
11	.09		.42	.21					.35	.19			11
12	.05		.07					.11		(.34)			12
13			.17	.05				.41					13
14				.21				.10					14
15							.28						15
16	.06	.42		.14	.06	.10	.13			.42		.44	16
17		.08		.11	.66		.27	.06	.40	.23			17
18		.11		.06	.12	.05	.09	.09	.17	.05			18
19			.12					.08	.23				19
20		.16			.70		.32						20
21						.08					.07		21
22			.12					.12		.06			22
23		.15			.10			.20		.15			23
24								.09		.18			24
25		.07											25
26								.30			.36		26
27						.05		.85					27
28						1.35		.10					28
29			.11		.06	.05	.85			.29			29
30		X					1.60	.08				.22	30
31		X	.35	X		X	.37		X		X		31
Total	1.03	.99	1.81	2.18	1.70	1.79	5.32	4.49	1.63	2.96	1.06	1.01	YEAR'S TOTAL 25.91
Rain Days.	7	6	11	12	6	7	12	20	7	14	8	14	114

REGISTER OF RAINFALL IN 1918

Smudge

Kept at Hollycroft Gardens
in the County of Huddersfield
by W. G. Mitchell

Lat. 53° 29' Long. 1° 10'
Time of Observation 9 a.m.
Nearest Railway Station Thorncliffe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 240 ft.

FORM A.
BRITISH RAINFALL
8. 1. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											2.0	1.0	1
2		.07		.06				.38			.35		2
3		.05			.45			.17				.08	3
4		.07	.13	.05							.70		4
5		.05							.21	.23			5
6	.78	.14		.23					.20		.15		6
7		.09		.14	.46								7
8		.00							.25				8
9	.05	.1					.75		.27	.20		.25	9
10				.10			.35					.33	10
11		.08		.05			.47			.32			11
12							.05					.73	12
13					.45								13
14	.77					.38	.16		.45			.15	14
15	.80						.10		.20			.12	15
16	.25			1.05					.15				16
17	.46			.15			.17						17
18	.53					.33			.53	.43			18
19	.05		.07	.06			.25					.17	19
20		.10								.15			20
21	.16			1.30	.45				.18			.15	21
22	.08								.50				22
23	.05				.20		.70						23
24		.22					.45				.70		24
25							.48	.12					25
26							.20					.12	26
27		.05					.17	.15	.10				27
28		.10	.16	.08		.14		.15			.20	.11	28
29									1.03	.05		.07	29
30		X	.40									.15	30
31		X		X		X		.08	X		X		31
Total	2.78	1.08	0.76	3.27	2.01	0.85	3.70	1.05	4.07	1.38	1.70	1.93	YEAR'S TOTAL
Rain Days.	11	12	14	11	5	5	13	6	12	6	6	13	102

W. H. R. S. only run 1865

REGISTER OF RAINFALL IN 1919.

Kept at The Gardens, Hallycroft
in the County of Middlesex
by Walter James Mitchell

Lat. 51° 29' 20" Long. 0° 27' 22" W
Time of Observation 9 a.m.
Nearest Railway Station West Drayton G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " above Sea Level 74 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	26				07		50			10		90	1
2	25		05		06		06		10			15	2
3	30		31				11		05			33	3
4	09	13	47			07	15	05	05			15	4
5			48				15		15			22	5
6	05		05	05								05	6
7			25										7
8			06										8
9	07												9
10	07		05	07						07		08	10
11	35		10	18			20						11
12	07			05		06	10			08			12
13	15			31			05						13
14				20			12		38				14
15	18		12									47	15
16	09	15									13	07	16
17	06	35									17		17
18	(05)	40	08						05		10	05	18
19		30	82			21	10	24			05		19
20	25		12			65	75	12	07				20
21	21	20				32	08						21
22		20							12		07	38	22
23									05				23
24				22			08	10		22			24
25	06							15					25
26		25	10					05	05			31	26
27	75	06		80				43			05	05	27
28								70			25	25	28
29			12	26				25		11		05	29
30		X		20		12		12			30	32	30
31		X		X		X			X		X		31
TOTAL	3.31	2.04	3.18	2.34	1.3	1.43	2.45	2.21	1.07	58	1.12	3.83	23.69
Days with 0.1 in. or more	17	9	15	10	2	6	13	10	10	5	8	16	121

REGISTER OF RAINFALL IN 1920.

Kept at The Gardens, Hollycroft, Liphonin the County of Middlesexby W. J. Mitchell, GardenerLat. 51° 29' 25" N Long. 1° 27' 22" WTime of Observation 9 A.M.Nearest Railway Station West DraytonDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." " " above Sea Level 94 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05			23	09		20		05	47		20	1
2							11	56	07	03			2
3				10					04			02	3
4		10		10			05	06		20			4
5			08				65						5
6			14		12		37					09	6
7				20			11						7
8				10	20		10	07					8
9	27	07		07									9
10	53		05			08	08						10
11	17		07	15	05	06	17						11
12	02			12		97				03		10	12
13	15		12	11							10		13
14			25	13		11			06	10	15		14
15		05	07	22			03			30	12		15
16				13					31	20		06	16
17					13	43	05		22	05			17
18	05							55					18
19				17		07			30				19
20	07	07		18		52			11			05	20
21							92	02	40			07	21
22				31				03	08			40	22
23							37	08				35	23
24			08										24
25		05					17						25
26	08		14	22	15		11						26
27	17	06				18	37				44		27
28	32		20		11		14				05	15	28
29	23		06								08	16	29
30		X			10		30		24		10	14	30
31		X		X		X			X	45	X	07	31
TOTAL	217	40	126	254	95	242	430	137	188	183	104	186	YEAR'S TOTAL 2202
Days with 01 in. or more	12	6	11	16	8	8	18	9	11	9	9	13	126
Days with 04 in. or more	12	6	11	16	8	8	17	5	10	9	9	12	179/120

mp 50

REG

SOUTHFIELDS

Kept at CORONATION GA
MERTON R

CORONATION GDNS

in the County of LONDON

LOND/MIDDX

by P. Dodd. M.Inst. C.E. Bo

1911-20

1
GRAPH (NEGATIVE) ZAMBRA
6 in.
ve Ground 1 ft.
Sea Level 37.15 ft.
AM
Name SOUTHFIELDS
Distance 667 yds Direction W.
d the result entered to the

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

N/L

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2												NIL	2
3												.07	3
4												.07	4
5												.23	5
6												.11	6
7												.22	7
8												.12	8
9												.39	9
10												.06	10
11												.50	11
12												NIL	12
13												NIL	13
14												.24	14
15												.41	15
16												.01	16
17												.03	17
18												.25	18
19												.21	19
20												.09	20
21												.50	21
22												.07	22
23												.47	23
24												.12	24
25												.33	25
26												.03	26
27												.39	27
28												.12	28
29												.01	29
30												NIL	30
31												NIL	31
Total												5.05	TOTAL for year
No. of Rain Days												25	

REGISTER OF RAINFALL IN 1911

Kept at CORONATION GARDENS.
MERTON RD. SOUTHFIELDS.
WANDSWORTH.
in the County of LONDON.

by P. DODD. M.Inst. C.E. BOROUGH ENGINEER OF
WANDSWORTH.

Pattern HYETOGRAPH (NEGATIVE)
RAIN GAUGE Diameter of top 6 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 37.15 ft.
Time of Observation 9 AM

Nearest Railway Station Name SOUTHFIELDS
Distance 667 Yds Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
NIL

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2												NIL	2
3												.07	3
4												.23	4
5												.11	5
6												.22	6
7												.12	7
8												.39	8
9												.06	9
10												.50	10
11												NIL	11
12												NIL	12
13												.24	13
14												.41	14
15												.01	15
16												.03	16
17												.25	17
18												.21	18
19												.09	19
20												.50	20
21												.07	21
22												.47	22
23												.12	23
24												.33	24
25												.03	25
26												.39	26
27												.12	27
28												.01	28
29												NIL	29
30												NIL	30
31												NIL	31
Total												5.05	TOTAL for year
No. of Rain Days												25	

REGISTER OF RAINFALL IN 1912

Kept at CORONATION GARDENS. SOUTHFIELDS.

in the County of LONDON.

by P.Dodd. M.Inst.C.E. BOROUGH ENGINEER.
WANDSWORTH.

Lat. 51° 26' 20" N. Long. 0° 11' 38" W.

Time of Observation 9^{AM}

Nearest Railway Station SOUTHFIELDS.

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Sea Level 37.15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	NIL	NIL	.08	.01	NIL	.11	.34	NIL	.05	.38	NIL	.17	1
2	.01	NIL	.29	NIL	NIL	.04	.33	.05	NIL	.02	NIL	NIL	2
3	.06	NIL	.12	NIL	NIL	.08	.02	.31	NIL	NIL	NIL	.13	3
4	.24	.02	.45	NIL	.13	.22	NIL	.03	NIL	NIL	.15	NIL	4
5	.16	.02	.05	NIL	NIL	NIL	NIL	.27	NIL	NIL	.04	NIL	5
6	.46	NIL	NIL	NIL	NIL	NIL	NIL	.10	.01	NIL	NIL	.04	6
7	NIL	NIL	NIL	NIL	.05	.85	.13	.61	NIL	NIL	NIL	.02	7
8	.27	.29	.12	NIL	NIL	.06	.03	.23	NIL	NIL	NIL	NIL	8
9	NIL	.07	NIL	.03	NIL	.16	.02	.14	NIL	NIL	NIL	.15	9
10	NIL	.03	NIL	NIL	NIL	.01	NIL	.44	NIL	NIL	.16	.26	10
11	.01	.30	NIL	NIL	NIL	.03	NIL	.06	.01	NIL	.01	.16	11
12	.03	.05	.05	NIL	.20	.15	NIL	NIL	NIL	.01	.03	.01	12
13	NIL	NIL	NIL	NIL	NIL	.01	NIL	.05	NIL	NIL	.04	.01	13
14	NIL	NIL	NIL	NIL	.02	NIL	NIL	.04	NIL	.05	NIL	.03	14
15	.02	.05	.09	NIL	.42	.63	NIL	NIL	NIL	NIL	.03	.39	15
16	.36	NIL	.03	NIL	.04	.10	NIL	.05	NIL	.04	.06	NIL	16
17	.43	NIL	.14	NIL	NIL	.02	NIL	.05	NIL	NIL	NIL	.02	17
18	.09	NIL	.09	NIL	NIL	NIL	NIL	.05	NIL	.02	.01	.10	18
19	.08	.06	.09	NIL	NIL	NIL	.05	.48	NIL	NIL	.03	NIL	19
20	.03	NIL	.16	NIL	NIL	NIL	NIL	.12	NIL	.48	.02	NIL	20
21	NIL	.03	.12	NIL	.01	NIL	NIL	.12	NIL	.07	.07	NIL	21
22	.25	.17	.03	NIL	.06	NIL	.08	.15	NIL	.03	.01	.05	22
23	.38	.44	.37	NIL	NIL	NIL	NIL	.42	NIL	.05	.20	.16	23
24	.15	NIL	NIL	NIL	NIL	.18	.02	.28	NIL	NIL	.01	.15	24
25	.18	NIL	NIL	NIL	NIL	.16	NIL	.72	NIL	NIL	.32	.55	25
26	NIL	.02	NIL	NIL	NIL	NIL	NIL	.42	NIL	.38	.36	.45	26
27	NIL	NIL	NIL	NIL	NIL	.09	.01	NIL	NIL	.15	NIL	.17	27
28	NIL	.07	NIL	NIL	NIL	.05	.16	.02	.06	.24	.37	.09	28
29	NIL	NIL	NIL	NIL	NIL	.10	.19	.15	.90	.13	.03	.01	29
30	NIL	—	NIL	NIL	.46	NIL	.10	.04	1.19	.17	NIL	NIL	30
31	NIL	—	.19	—	.04	—	.09	.11	—	.02	—	NIL	31
Total	3.21	1.62	2.47	.04	1.43	3.05	1.57	5.51	2.22	2.24	1.95	3.12	28.43
Rain Days.	18	14	17	2	10	19	14	27	6	16	19	21	183

REGISTER OF RAINFALL IN 1913.

Kept at CORONATION GARDENS. SOUTHFIELDS.

in the County of LONDON.

by P. DODD. M. Inst. C.E. BOROUGH ENGINEER.
WANDSWORTH.

Lat. 51° 26' 20" Long. 0° 11' 38"

Time of Observation 9^{AM}

Nearest Railway Station SOUTHFIELDS.

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 37.15 ft.

BRITISH RAINFALL
FORM A.
33-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.29	.03	.12	NIL	NIL	NIL	NIL	.38	.01	.03	.09	1
2	.03	.17	NIL	NIL	NIL	NIL	.09	NIL	NIL	.15	.16	NIL	2
3	NIL	NIL	.02	.36	.32	NIL	NIL	NIL	NIL	NIL	NIL	.02	3
4	.20	NIL	NIL	.01	.38	NIL	.08	NIL	NIL	.28	.01	.09	4
5	.39	NIL	NIL	.01	.03	.14	.08	NIL	.40	NIL	.02	.09	5
6	NIL	.01	.16	NIL	NIL	.06	.24	NIL	.02	.18	.15	.12	6
7	NIL	.08	NIL	NIL	.12	.01	.08	.22	NIL	.46	.07	NIL	7
8	NIL	.02	.02	NIL	.07	.19	NIL	NIL	NIL	.09	.02	NIL	8
9	NIL	.15	NIL	NIL	.02	NIL	.01	NIL	.06	NIL	.02	.03	9
10	NIL	NIL	.15	.15	NIL	NIL	.05	NIL	NIL	NIL	.32	NIL	10
11	.22	NIL	NIL	.42	.04	NIL	NIL	NIL	NIL	.68	.15	NIL	11
12	NIL	NIL	.01	NIL	.03	NIL	NIL	NIL	NIL	NIL	.34	NIL	12
13	.08	NIL	.05	NIL	NIL	NIL	NIL	.01	.06	NIL	.24	NIL	13
14	.04	NIL	.07	.07	NIL	NIL	.58	.09	NIL	.10	.04	NIL	14
15	.30	.08	.33	.22	NIL	NIL	.24	NIL	.04	NIL	.01	NIL	15
16	.14	NIL	.38	.11	NIL	NIL	NIL	NIL	.49	NIL	NIL	NIL	16
17	.03	.02	.09	.07	NIL	NIL	.16	NIL	NIL	NIL	NIL	NIL	17
18	NIL	.03	.14	.09	NIL	NIL	.01	NIL	NIL	NIL	.02	NIL	18
19	.17	NIL	.12	.01	.01	.02	.16	NIL	.23	NIL	NIL	NIL	19
20	.23	NIL	.35	.03	.02	.08	NIL	NIL	NIL	.50	.01	NIL	20
21	NIL	NIL	.15	.05	.01	NIL	.05	NIL	NIL	.23	.69	NIL	21
22	.40	NIL	.19	.11	NIL	NIL	NIL	.06	.17	NIL	NIL	NIL	22
23	NIL	NIL	.03	NIL	NIL	.03	NIL	.40	.02	NIL	NIL	.36	23
24	NIL	NIL	NIL	.05	NIL	NIL	NIL	.11	NIL	NIL	NIL	NIL	24
25	NIL	.02	NIL	.22	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	25
26	NIL	NIL	.17	.06	NIL	NIL	NIL	.11	NIL	.76	NIL	.24	26
27	NIL	NIL	.01	.05	.01	NIL	NIL	NIL	NIL	.01	NIL	NIL	27
28	.27	NIL	.22	.11	NIL	NIL	NIL	NIL	NIL	.09	NIL	NIL	28
29	.05	-	.05	.50	.78	NIL	NIL	.06	NIL	.01	NIL	NIL	29
30	.25	-	NIL	.04	NIL	NIL	NIL	.19	NIL	.08	NIL	NIL	30
31	NIL	-	.06	-	NIL	-	NIL	.50	-	.06	-	NIL	31
Total	2.82	.87	2.80	2.86	1.84	.53	1.83	1.75	1.87	3.69	2.30	1.04	YEAR'S TOTAL = 24.20
Rain Days.	16	10	22	22	13	7	13	10	10	16	17	8	= 164

22

EX LMC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
28 JAN 1915

Kept at Coronation Gardens, Southfields
in the County of London R. Bank
by P. Dodd

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			01					14					1
2							14	05			23	06	2
3			05		13		24	05					3
4	04		02	12				05			27	29	4
5	06		05	17	24		28	89					5
6		13	01	12		17	04	02			09	06	6
7		25	21	34	52	12	10					06	7
8	09	34	71	03	10	10	11	08				02	8
9	18		63	10		06				13		1.37	9
10		08	05	03	05					11		06	10
11		34	39			06				13	30	31	11
12		08	12				14			16	02	25	12
13		18	11							16	06	07	13
14		06	19			2.5.8	02			18	05	5.0	14
15	02	01	14				14	01		01	5.3	03	15
16			01						02		02		16
17		29	06									11	17
18		05	14									38	18
19		02	26			05	03				19	08	19
20		20	44			06			15			08	20
21		5.0	09			22		02				03	21
22			01		42	05	16	02		12			22
23			07		08	11	04			07			23
24			04	01	01						10	04	24
25	02		20				01	12		29			25
26			07				05	10		07	15	5.8	26
27	03										04	10	27
28		02								05	38	90	28
29	04		07							29	11		29
30			03							04	50	16	30
31					22		01					05	31
Total	48	2.55	4.18	.92	1.77	3.58	1.51	1.55	86	1.18	3.05	5.80	27.43
Rain Days.	8	15	27	8	9	11	15	12	7	10	16	23	161

REGISTER OF RAINFALL IN 1915

Kept at Coronation Garden, Aberton Road
Southfields, S.W.
in the County of London
by Metropolitan Borough of Wandsworth

Lat. 51° 26' 20" Long. 0° 11' 38"
Time of Observation 9 a.m.
Nearest Railway Station Southfields
Diameter of Funnel of Rain Gauge 6" in.
Height of top of Gauge above Ground one ft. six in.
" " " " Sea Level 37.15 ft.

Jan. 1, following.
—

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.45	.12	.02	nil	.06	nil	nil	.01	.03	.03	.36	.37	1
2	.18	.18	.26	.19	nil	.02	nil	.55	nil	.06	nil	.13	2
3	.37	nil	.09	.15	.01	nil	nil	.29	.01	nil	nil	.46	3
4	.02	nil	nil	nil	nil	nil	nil	.03	nil	nil	nil	.22	4
5	.05	.45	nil	nil	nil	nil	nil	nil	nil	.02	nil	.24	5
6	.38	.01	.01	.28	.02	nil	.76	nil	nil	.01	nil	.26	6
7	.25	.25	.03	nil	nil	nil	.10	.04	nil	nil	nil	.18	7
8	nil	.46	.01	.04	nil	nil	.09	.05	nil	nil	nil	nil	8
9	nil	.03	nil	.11	nil	.07	nil	.05	nil	.02	.32	.61	9
10	.18	nil	nil	nil	nil	nil	nil	.55	nil	nil	nil	.20	10
11	.06	nil	.02	nil	nil	nil	nil	nil	nil	.01	.67	.02	11
12	.08	.03	nil	.32	.47	nil	nil	.05	nil	nil	.39	nil	12
13	nil	.04	nil	nil	1.19	nil	nil	.36	nil	.01	nil	nil	13
14	nil	.49	nil	nil	nil	nil	.33	.02	.03	nil	nil	.38	14
15	.08	nil	nil	nil	.04	nil	nil	.23	nil	nil	.20	.08	15
16	nil	.20	nil	nil	nil	nil	.59	.11	nil	nil	nil	.17	16
17	nil	.31	nil	nil	.77	nil	.03	.60	nil	nil	nil	nil	17
18	nil	.26	.02	nil	.17	nil	nil	nil	nil	nil	.02	nil	18
19	nil	.19	nil	nil	nil	nil	.08	nil	nil	.01	nil	nil	19
20	nil	nil	nil	.04	nil	nil	nil	nil	nil	nil	nil	.20	20
21	.08	nil	nil	nil	nil	nil	nil	nil	nil	.04	nil	.04	21
22	.13 .65	.10	.17	.08	nil	nil	.76	nil	nil	nil	nil	.10	22
23	.48	.13	.05	nil	nil	.01	.48	nil	.02	.54	nil	.29	23
24	nil	.22	nil	.01	nil	nil	.15	nil	.17	.28	nil	.43	24
25	nil	nil	.06	.20	nil	.01	.33	nil	nil	nil	nil	.14	25
26	nil	nil	nil	nil	nil	.16	.10	nil	nil	nil	nil	.47	26
27	nil	nil	nil	nil	nil	.25	.36	nil	nil	.24	nil	.06	27
28	nil	.06	nil	nil	nil	.01	nil	nil	1.44	.38	nil	nil	28
29	nil	~~X~~	.01	nil	nil	nil	nil	.17	nil	.02	.11	nil	29
30	.01	~~X~~	nil	nil	nil	.15	nil	nil	nil	.03	.22	nil	30
31	.01	~~X~~	nil	~~X~~	nil	~~X~~	nil	.01	~~X~~	.78	~~X~~	.19	31
Total	3.33	3.53	.75	1.42	2.73	.68	4.15	3.13	1.70	2.48	2.29	5.24	YEAR'S TOTAL 31.42
Rain Days.	16	18	12	10	8	8	13	16	6	16	8	22	158

REGISTER OF RAINFALL IN 1916

Kept at Bromley Gardens, Norton Rd.
in the County of London Norton Road St.
by Metropolitan Borough of Wandsworth.

Lat. 51° 26' 20" Long. 0° 11' 38"
Time of Observation 9.45pm
Nearest Railway Station Southfields
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 37.15 ft.

FORM A.
BRITISH RAINFALL
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	nil	.01	nil	.41	nil	.02	nil	.21	.11	.38	nil	1
2	.40	.02	.10	nil	.27	nil	nil	nil	.21	.35	.03	nil	2
3	nil	.46	.14	nil	nil	nil	.03	nil	.15	.23	.66	nil	3
4	.21	.04	.01	.01	nil	.26	nil	nil	.13	nil	.41	nil	4
5	nil	nil	nil	nil	.15	.05	nil	nil	nil	.07	.52	nil	5
6	nil	.04	.03	.21	.04	.18	.32	nil	nil	.01	.34	nil	6
7	.05	nil	.54	nil	.12	.10	.23	nil	nil	nil	.59	.06	7
8	nil	nil	.06	nil	.20	nil	nil	nil	nil	nil	nil	.13	8
9	nil	nil	nil	nil	.25	.01	nil	nil	nil	.02	nil	.04	9
10	nil	.20	.09	.06	nil	.60	.04	nil	.02	nil	nil	.12	10
11	.01	.13	.02	.14	nil	.58	nil	nil	nil	nil	nil	.01	11
12	.02	nil	nil	.04	.28	.13	nil	.03	.01	.11	nil	nil	12
13	nil	.19	.27	.07	.02	.06	.11	.18	.01	.03	nil	nil	13
14	nil	.36	nil	nil	.09	nil	nil	.16	nil	.01	nil	.06	14
15	nil	.24	.21	nil	nil	nil	.09	.12	nil	nil	nil	nil	15
16	nil	.01	.21	.15	nil	nil	.16	.24	nil	nil	nil	nil	16
17	.06	.10	nil	.02	nil	nil	.02	.10	.29	.55	nil	nil	17
18	nil	.09	.02	.35	nil	nil	.02	.32	.16	.18	.75	nil	18
19	.07	.05	.15	.10	nil	nil	nil	nil	.08	nil	.60	nil	19
20	.13	nil	.24	nil	nil	nil	nil	.01	nil	nil	.01	.37	20
21	.01	nil	.40	nil	nil	nil	.26	nil	nil	nil	nil	.28	21
22	nil	nil	.05	nil	.01	nil	nil	nil	nil	nil	nil	.44	22
23	.03	.04	nil	nil	nil	.04	nil	.01	nil	.05	.01	.10	23
24	nil	.11	nil	nil	.08	.01	nil	.03	nil	.12	.02	.29	24
25	nil	.41	.18	nil	.07	nil	nil	.41	nil	.03	.10	nil	25
26	nil	.37	.06	nil	nil	.06	nil	.25	nil	.08	nil	nil	26
27	.03	.01	.84	nil	nil	.01	nil	.40	.03	.61	nil	nil	27
28	nil	.35	.23	nil	nil	nil	nil	.04	.02	nil	nil	.12	28
29	nil	.04	nil	nil	nil	.25	nil	1.01	.02	.20	nil	.11	29
30	nil	X	nil	nil	.16	nil	nil	.11	nil	.30	nil	nil	30
31	nil	X	nil	X	nil	X	nil	.09	X	.22	X	.01	31
Total	1.05	3.26	3.86	1.15	2.15	2.34	1.30	3.51	1.34	3.28	4.42	2.14	29.80
Rain Days.	12	20	21	10	14	14	11	17	13	19	13	14	178

REGISTER OF RAINFALL IN 1917

Kept at *Cornation Gardens Merton Road Wandsworth*
in the County of *London*
by *The Council of the Metropolitan Borough of Wandsworth*

Lat. *51° 26' 20"* Long. *0° 11' 38"*
Time of Observation *9 a.m.*
Nearest Railway Station *Southfield*
Diameter of Funnel of Rain Gauge *6* in.
Height of top of Gauge above Ground *1* ft. *6* in.
" " " " Sea Level *3 1/2* ft. *15*

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<i>nil</i>	<i>Rain Show .01</i>	<i>.01</i>	<i>.10</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>1.26</i>	<i>.03</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	1
2	<i>nil</i>	<i>Rain Show .01</i>	<i>nil</i>	<i>.16</i>	<i>nil</i>	<i>.05</i>	<i>nil</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>.23</i>	<i>nil</i>	2
3	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	<i>.02</i>	<i>.33</i>	<i>nil</i>	<i>.23</i>	<i>.02</i>	<i>nil</i>	3
4	<i>nil</i>	<i>Rain Show .08</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.43</i>	<i>.34</i>	<i>nil</i>	<i>.39</i>	<i>nil</i>	<i>nil</i>	4
5	<i>.30</i>	<i>nil</i>	<i>.15</i>	<i>.21</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.03</i>	<i>.65</i>	<i>.16</i>	<i>.08</i>	<i>nil</i>	5
6	<i>nil</i>	<i>nil</i>	<i>.08</i>	<i>.04</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	<i>.13</i>	<i>.02</i>	<i>.03</i>	<i>nil</i>	6
7	<i>.16</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.12</i>	<i>nil</i>	<i>nil</i>	<i>.32</i>	<i>nil</i>	<i>.01</i>	7
8	<i>.12</i>	<i>nil</i>	<i>nil</i>	<i>.10</i>	<i>nil</i>	<i>nil</i>	<i>.15</i>	<i>.08</i>	<i>.05</i>	<i>.22</i>	<i>.16</i>	<i>.28</i>	8
9	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>.11</i>	<i>.02</i>	<i>nil</i>	<i>.04</i>	<i>Rain Show .20</i>	9
10	<i>.10</i>	<i>nil</i>	<i>.04</i>	<i>.15</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>.03</i>	10
11	<i>.25</i>	<i>nil</i>	<i>.39</i>	<i>.22</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.24</i>	<i>.19</i>	<i>nil</i>	<i>nil</i>	11
12	<i>.05</i>	<i>nil</i>	<i>.04</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>.38</i>	<i>nil</i>	<i>nil</i>	12
13	<i>nil</i>	<i>nil</i>	<i>.24</i>	<i>.03</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.02</i>	<i>.03</i>	<i>.03</i>	<i>nil</i>	<i>nil</i>	13
14	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>.16</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	14
15	<i>.03</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.08</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	15
16	<i>Rain Show .04</i>	<i>.16</i>	<i>nil</i>	<i>.18</i>	<i>.19</i>	<i>.22</i>	<i>.18</i>	<i>nil</i>	<i>nil</i>	<i>.44</i>	<i>nil</i>	<i>.43</i>	16
17	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>.06</i>	<i>.52</i>	<i>nil</i>	<i>.33</i>	<i>.21</i>	<i>.42</i>	<i>.26</i>	<i>nil</i>	<i>nil</i>	17
18	<i>.03</i>	<i>.03</i>	<i>nil</i>	<i>.03</i>	<i>.06</i>	<i>.25</i>	<i>.18</i>	<i>.04</i>	<i>.21</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	18
19	<i>nil</i>	<i>.11</i>	<i>.09</i>	<i>nil</i>	<i>.08</i>	<i>.03</i>	<i>nil</i>	<i>nil</i>	<i>.18</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	19
20	<i>Rain Show .02</i>	<i>.16</i>	<i>.04</i>	<i>nil</i>	<i>.54</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>.03</i>	<i>nil</i>	20
21	<i>.02</i>	<i>nil</i>	<i>.02</i>	<i>.01</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	21
22	<i>.03</i>	<i>nil</i>	<i>.03</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	22
23	<i>nil</i>	<i>.11</i>	<i>.02</i>	<i>nil</i>	<i>.10</i>	<i>.01</i>	<i>nil</i>	<i>.08</i>	<i>nil</i>	<i>.12</i>	<i>nil</i>	<i>.01</i>	23
24	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.15</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.14</i>	<i>.03</i>	<i>.01</i>	24
25	<i>nil</i>	<i>nil</i>	<i>.02</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>Rain Show .04</i>	<i>nil</i>	25
26	<i>nil</i>	<i>nil</i>	<i>.04</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.21</i>	<i>.03</i>	<i>.01</i>	<i>.52</i>	<i>Snow Show .01</i>	26
27	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>1.05</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.01</i>	27
28	<i>nil</i>	<i>nil</i>	<i>.01</i>	<i>nil</i>	<i>nil</i>	<i>1.40</i>	<i>nil</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.05</i>	28
29	<i>nil</i>	~~X~~	<i>nil</i>	<i>nil</i>	<i>.25</i>	<i>.08</i>	<i>.45</i>	<i>.01</i>	<i>nil</i>	<i>.22</i>	<i>nil</i>	<i>.15</i>	29
30	<i>nil</i>	~~X~~	<i>.23</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>1.73</i>	<i>.05</i>	<i>nil</i>	<i>nil</i>	<i>nil</i>	<i>.03</i>	30
31	<i>Rain Show .02</i>	~~X~~	<i>.13</i>	~~X~~	<i>nil</i>	~~X~~	<i>.39</i>	<i>.01</i>	~~X~~	<i>nil</i>	~~X~~	<i>Rain Show .01</i>	31
Total	<i>1.21</i>	<i>.69</i>	<i>1.66</i>	<i>1.94</i>	<i>1.77</i>	<i>2.25</i>	<i>4.71</i>	<i>4.22</i>	<i>2.04</i>	<i>3.31</i>	<i>1.29</i>	<i>1.23</i>	YEAR'S TOTAL <i>26.32</i>
Rain Days.	<i>14</i>	<i>10</i>	<i>19</i>	<i>16</i>	<i>7</i>	<i>11</i>	<i>13</i>	<i>21</i>	<i>12</i>	<i>18</i>	<i>12</i>	<i>13</i>	<i>166</i>

REGISTER OF RAINFALL IN 1918

Kept at Coronation Gardens

in the County of London, Thames R.B.

by P. Dodd

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

Sea Level ft.

FORM A.
BRITISH RAINFALL
27-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	01		05							18	08	1
2	01	06		04				29		01	15	14	2
3	01		02		37			12			59	03	3
4	01	04	13					03	35		49		4
5		01			10			09	40	07			5
6	23	10		33	21			29	01			06	6
7		11		13	31	01			08	16	07	01	7
8		04							06	02	09	05	8
9	03	01		03		02	42		28	10		20	9
10				13			62		02	01	05	35	10
11	02			02	04		1.60		05	18	13	13	11
12		03			27		12		02			02	12
13	01				11		51		14				13
14	16		01			25	01		23	13		25	14
15	1.16			84			46			01		07	15
16	07			23		24			29			01	16
17	44			16		01	55	06	01			15	17
18	51					19	16		80	17		04	18
19	02		03	08		01	27		01	09		04	19
20	02	10		50		01	12		11	26		01	20
21	07	01		43					58	08			21
22	05				34		27		18			15	22
23	01			01	21		40	04	02			02	23
24		25				02	83		11		05		24
25				01			33	20			02		25
26							46	03		04	14	12	26
27				12			04	16	11		11	02	27
28		01	13			03					20	14	28
29			02						98				29
30		X	44						02	01	02	10	30
31		X		X		X		06	X	03	X		31
Total	2.84	78	78	3.11	1.96	79	7.17	1.37	4.86	1.37	2.29	2.19	29.51
Rain Days.	18	13	7	16	9	10	17	11	23	16	14	23	177

REGISTER OF RAINFALL IN 1919

Kept at Coronation Gardens
in the County of London
by P. Dodd

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25	03	01	01	02		20			05		83	1
2	35		01		05		28	02	26	04	12	11	2
3	28		33		01		15		04		02	38	3
4	07	10	47			06	26		01			14	4
5		30	59						04		03	24	5
6	01	01	04									06	6
7	02		29						01		02		7
8	08		05	05							02		8
9	05			03							02		9
10	49		03							01	03		10
11	02		05	26	02		36					01	11
12			04	04		02	03			09		01	12
13				26						03	01	01	13
14	20			29			09		53				14
15	23	02	20	16								20	15
16	05	46									12	03	16
17	01	37	02	02					02		16	02	17
18		24	04						02		10	07	18
19	07	07	39			30	48	19	01		08	01	19
20	06	05	04			71	26	17					20
21	16	21	01			01	08			01	01		21
22		07				01	15		17		01	30	22
23						03		01	06		01	02	23
24				19		02	09			14	03	01	24
25	01					01		14			01	01	25
26	05	20	11	10				17	09		01	25	26
27	32	03	06	1.11				37			01	06	27
28			21	02			04	51			25	30	28
29	02			09				31		28		05	29
30		X	01	27		20		17		02	21	31	30
31		X	01	X		X	02		X		X	04	31
Total	2.80	2.16	3.01	2.90	10	1.37	2.49	2.06	1.26	.67	1.28	3.47	23.57
Rain Days	21	14	22	15	4	10	14	12	12	9	21	24	176

REGISTER OF RAINFALL IN 1920

Kept at Southfields

in the County of London

by P. Dodd Brayley Engineer

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.01		.25	.01		.27	.01		.20		.19	1
2			.05				.01	.77	.04	.10		.07	2
3		.08							.06	.02		.03	3
4		.07		.04			.20	.03		.10		.02	4
5		.01	.10		.01		.56	.12	.01	.02		.05	5
6		.01	.13		.12		.44					.02	6
7		.01		.13	.04		.19						7
8	.01	.01		.15	.10		.09	.01					8
9	.31	.02		.02			.02						9
10	.46	.03	.03	.02		.06	.07				.01		10
11	.14		.06	.14	.01	.03	.35					.18	11
12	.08	.01		.08	.01	1.18				.02			12
13	.23		.06	.12		.03				.01			13
14		.01	.20	.18		.12			.19	.15	.19		14
15		.02	.06	.06					.81	.06	.09		15
16	.01			.11		.04			.11	.05			16
17	.01			.02	.13	.40			.87	.01	.02	.02	17
18	.02			.05	.01			.77	.16	.01		.02	18
19	.11			.20		.03						.03	19
20	.05	.22		.11		.57				.14			20
21							.65	.03	.60	.01		.04	21
22				.25					.07	.01		.42	22
23	.01						.29			.01		.34	23
24			.04							.01		.01	24
25		.02		.01			.07		.03				25
26	.01		.14				.17					.14	26
27	.16	.03	.02	.20		.15	.12				.70	.03	27
28	.42		.07	.20	.03		.10				.02	.02	28
29	.23		.08				.02				.03	.19	29
30	.02	X			.06		.18		.50		.20	.09	30
31		X		X	.02	X			X	.25	X	.09	31
TOTAL	2.31	.56	1.04	2.34	.55	2.61	3.80	1.74	3.59	1.04	1.26	2.00	22.84
Days with ".01 in. or more	18	15	13	20	12	10	18	7	13	17	8	20	171
Days with ".04 in. or more	10	3	11	16	5	7	15	3	11	7	4	11	103
YEAR'S TOTAL													

REGIS

SOUTHGATE

Kept at "Alon" Reservoir

in the County of Midd.

by Wm B. Butler

1911 - 1916

FORM A2.
BRITISH RAINFALL
Snow Gauge JAN 1912
in.
nd 1 ft. - in.
Level 255 ft.

Palmus Green
ice 2 mi. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	-	-	.70	-	-	.02	.05	-	-	-	-	1
2	.15	.01	-	.12	.19	-	.01	-	-	-	.22	.23	2
3	.01	.02	-	-	.21	-	-	.01	-	.03	.17	.11	3
4	.05	.02	.06	.11	-	-	-	-	-	.06	.12	.34	4
5	.01	-	-	.03	-	-	-	-	-	.08	-	.13	5
6	.38	-	.12	.01	-	-	-	-	-	-	.01	.35	6
7	.04	-	-	.02	-	-	-	-	-	.09	.27	.28	7
8	.16	-	.16	-	-	-	-	-	-	-	.18	.15	8
9	.11	-	.03	.02	-	-	-	-	-	-	-	.03	9
10	.04	.09	.10	.02	-	-	-	-	-	-	.08	.38	10
11	.31	-	-	-	.06	-	-	-	-	-	.64	.01	11
12	.03	-	.46	-	.22	.03	-	-	.06	-	.32	.02	12
13	-	-	.05	-	.15	-	-	-	.44	.81	.04	.21	13
14	-	.06	.03	-	.28	-	-	-	-	-	-	.48	14
15	-	.06	.24	-	-	-	-	-	-	.02	.04	.03	15
16	-	-	-	-	-	.47	-	-	-	-	.38	.04	16
17	-	-	.17	-	-	.05	-	-	-	-	.42	.14	17
18	-	.22	.01	-	-	.19	-	-	-	-	.43	.21	18
19	-	.02	-	-	.01	.11	-	-	.15	.15	.25	.11	19
20	-	.04	.01	-	-	.02	-	.31	.08	.08	-	.65	20
21	.01	.05	-	-	-	-	-	.18	-	.73	-	.07	21
22	.10	-	.02	-	-	.02	-	.01	-	.17	-	.43	22
23	-	.16	.24	-	-	.88	-	-	.31	-	.03	.14	23
24	-	.14	.02	-	-	.06	.02	.02	-	1.36	-	.22	24
25	-	.04	.03	.04	-	.23	.30	.01	.01	.01	-	-	25
26	-	.01	.03	.16	-	.12	.03	.01	-	.19	.01	.27	26
27	-	.46	.07	.06	-	-	-	-	.14	-	.04	.09	27
28	-	.35	-	.22	.01	-	.46	.07	-	-	-	-	28
29	-	-	-	.05	-	.18	.11	-	.27	.25	-	-	29
30	-	-	-	.01	.02	-	-	-	.01	.19	-	.01	30
31	-	-	-	-	.10	-	-	-	-	-	-	-	31
Total	1.43	1.75	1.85	1.57	1.25	2.36	.95	.67	1.47	4.22	3.65	5.13	TOTAL for year 26.30
No. of Rain Days	14	16	18	14	10	12	7	9	9	15	18	26	168

REGI.

FORM A2.
BRITISH RAINFALL.
6-JAN-1912

Kept at "Alva, Reservoir, Sarnyale

in the County of Mid^xby W^m B. ButlerRAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 255 ft.

Time of Observation 9 AM

Nearest Railway Station { Name Palmus Green
Distance 2 mi. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .03	in. —	in. —	in. .70	in. —	in. —	in. .02	in. .05	in. —	in. —	in. —	in. —	1
2	.15	.01	—	.12	.19	—	.01	—	—	—	.22	.23	2
3	.01	.02	—	—	.21	—	—	.01	—	.03	.17	.11	3
4	.05	.02	.06	.11	—	—	—	—	—	.06	.12	.34	4
5	.01	—	—	.03	—	—	—	—	—	.08	—	.13	5
6	.38	—	.12	.01	—	—	—	—	—	—	.01	.35	6
7	.04	—	—	.02	—	—	—	—	—	.09	.27	.28	7
8	.16	—	.16	—	—	—	—	—	—	—	.18	.15	8
9	.11	—	.03	.02	—	—	—	—	—	—	—	.03	9
10	.04	.09	.10	.02	—	—	—	—	—	—	.08	.38	10
11	.31	—	—	—	.06	—	—	—	—	—	.64	.01	11
12	.03	—	.46	—	.22	.03	—	—	.06	—	.32	.02	12
13	—	—	.05	—	.15	—	—	—	.44	.81	.04	.21	13
14	—	.06	.03	—	.28	—	—	—	—	—	—	.48	14
15	—	.06	.24	—	—	—	—	—	—	.02	.04	.03	15
16	—	—	—	—	—	.47	—	—	—	—	.38	.04	16
17	—	—	.17	—	—	.05	—	—	—	—	.42	.14	17
18	—	.22	.01	—	—	.19	—	—	—	—	.43	.21	18
19	—	.02	—	—	.01	.11	—	—	.15	.15	.25	.11	19
20	—	.04	.01	—	—	.02	—	.31	.08	.08	—	.65	20
21	.01	.05	—	—	—	—	—	.18	—	.73	—	.07	21
22	.10	—	.02	—	—	.02	—	.01	—	.17	—	.43	22
23	—	.16	.24	—	—	.88	—	—	.31	—	.03	.14	23
24	—	.14	.02	—	—	.06	.02	.02	—	1.36	—	.22	24
25	—	.04	.03	.04	—	.23	.30	.01	.01	.01	—	—	25
26	—	.01	.03	.16	—	.12	.03	.01	—	.19	.01	.27	26
27	—	.46	.07	.06	—	—	—	—	.14	—	.04	.09	27
28	—	.35	—	.22	.01	—	.46	.07	—	—	—	—	28
29	—	—	—	.05	—	.18	.11	—	.27	.25	—	—	29
30	—	—	—	.01	.02	—	—	—	.01	.19	—	.01	30
31	—	—	—	—	.10	—	—	—	—	—	—	—	31
Total	1.43	1.75	1.85	1.57	1.25	2.36	.95	.67	1.47	4.22	3.65	5.13	TOTAL for year 26.30
No. of Rain Days	14	16	18	14	10	12	7	9	9	15	18	26	168

REGISTER OF RAINFALL IN 1912

Kept at *"Alva," Reservoir Rd. Southgate*
 in the County of *Mid^x 2*
 by *W^m B. Butler*

Lat. _____ Long. _____
 Time of Observation *9 AM*
 Nearest Railway Station *Palmer Green*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. _____ in.
 " " " " Sea Level *255* ft.

BRITISH RAINFALL
 FORM A.
 FEB 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.08	-	-	.20	.24	-	.03	.31	-	.16	1
2	-	.02	.16	.01	.01	.10	.28	.16	-	-	-	-	2
3	.03	.01	.18	-	.02	.18	.04	.41	.01	-	-	.09	3
4	.26	.01	.69	-	.26	.12	-	.08	-	-	.22	-	4
5	.22	.08	.10	-	-	-	-	.18	-	-	.04	-	5
6	.53	.03	-	-	-	.02	-	.10	-	-	-	.14	6
7	-	-	-	-	.03	.45	.01	.24	-	-	-	.03	7
8	.41	.43	.16	-	-	-	.03	.12	-	-	-	.01	8
9	.01	.10	-	.04	-	.31	.05	.02	-	-	-	.16	9
10	-	.05	.01	-	-	.01	-	.39	.01	-	.12	.20	10
11	.03	.39	-	-	-	.04	-	-	.03	-	.01	.12	11
12	.08	.12	.09	-	.20	.16	-	-	-	.01	.04	-	12
13	-	-	.01	-	-	-	.02	-	-	.01	.09	.04	13
14	-	-	.01	-	.05	-	-	.11	-	.05	-	.03	14
15	-	.01	.09	-	.26	.38	-	.01	-	-	.01	.35	15
16	.23	-	.04	-	.10	.05	-	.15	-	.06	.08	-	16
17	.52	-	.24	-	-	.11	-	.06	-	-	-	.01	17
18	.12	-	.12	-	-	-	-	.13	-	.02	.03	.13	18
19	.22	.05	.11	-	-	-	.06	.37	-	.01	-	-	19
20	.02	-	.12	-	-	.03	.01	.48	-	.35	-	-	20
21	-	.08	.31	-	.03	-	-	.09	-	.08	.06	-	21
22	.27	.19	.06	-	.01	-	.25	.18	-	.07	-	.06	22
23	.39	.41	.32	-	-	-	.22	.48	-	-	.20	.13	23
24	.52	.03	-	-	-	.09	.01	.09	-	-	-	.12	24
25	-	-	-	-	-	.18	-	.73	-	-	.31	.45	25
26	-	.01	-	-	-	-	.08	.24	-	.46	.37	.36	26
27	-	-	.01	-	-	.07	.06	-	-	.17	-	.22	27
28	-	.05	-	.01	-	.03	.15	.04	.08	.40	.32	.14	28
29	-	.03	.01	-	-	.14	.57	.28	<u>1.33</u>	.33	.08	-	29
30	-	-	-	-	.18	-	-	.14	<u>1.02</u>	.13	-	-	30
31	.01	-	.40	-	.03	-	.16	.19	-	-	-	.05	31
Total	3.87	2.10	3.32	.06	1.18	2.67	2.24	5.47	2.51	2.46	1.98	3.00	30.86
Rain Days.	17	19	22	3	12	19	17	26	7	15	15	21	193

YEAR'S TOTAL

530 8-9
REGISTER OF RAINFALL IN 1913

Kept at Alva, Reservoir Rd., Southgate
in the County of Mid^x
by Wm B. Butler

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Palmers Green
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 255 ft.

FORM A.
BRITISH RAINFALL
7- JAN 10 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.18	.10	.34	-	-	-	-	.12	-	.06	.11	1
2	.01	.16	-	-	-	-	.08	-	.08	-	.04	-	2
3	-	-	.05	.20	.47	-	-	-	-	-	-	.02	3
4	.21	-	-	.01	.24	-	.13	-	-	.26	.04	.01	4
5	.08	-	-	-	-	.04	.08	-	.24	.01	.01	.04	5
6	.02	.02	.06	-	.08	.25	.03	-	.02	.37	.03	.07	6
7	-	.12	-	-	.06	.01	.23	.01	-	.40	.15	-	7
8	-	.01	.03	-	.21	.18	-	-	-	.12	.02	-	8
9	-	.18	-	.02	.02	.01	-	-	.03	-	.07	.07	9
10	.01	-	.05	.21	-	-	.36	.04	-	-	.34	-	10
11	.72	-	-	.48	.08	-	-	.03	-	.47	.10	-	11
12	-	.01	-	-	.02	-	-	-	-	.01	.55	-	12
13	.06	-	.01	-	-	-	-	.04	.07	-	.47	-	13
14	.07	.01	.10	.06	.03	-	.55	.08	-	.17	.09	-	14
15	.20	.07	.23	.24	-	-	.30	-	.05	-	-	-	15
16	.09	-	.34	.20	-	-	-	-	.16	-	-	-	16
17	.02	.01	.04	.16	-	-	.18	.01	.06	-	.02	.02	17
18	.02	-	.07	.13	.04	-	-	-	-	-	.07	-	18
19	.16	-	.05	.01	-	-	.11	-	.37	-	-	.01	19
20	.05	-	.08	.03	-	.16	-	-	-	.56	.02	-	20
21	.01	-	.17	.11	-	-	.06	-	-	.20	.66	-	21
22	.39	-	.10	.03	-	-	-	.03	.15	-	-	-	22
23	-	-	.01	-	-	.01	-	.16	.03	-	-	.19	23
24	-	-	-	.02	-	-	-	.07	-	-	.01	-	24
25	-	.02	-	.17	-	.03	-	-	-	-	-	-	25
26	-	.04	.23	.08	-	-	-	.14	-	.72	-	.33	26
27	-	-	.04	.06	-	-	-	-	-	.03	-	-	27
28	.20	-	.20	.14	-	-	-	-	-	.12	-	-	28
29	.07	-	.06	.45	.58	-	-	.06	-	.02	-	-	29
30	.25	-	-	.14	-	-	-	.14	-	.10	.04	-	30
31	-	-	.03	-	-	-	-	.35	-	.03	-	-	31
Total	2.66	.83	2.05	3.29	1.83	.69	2.11	1.16	1.38	3.59	2.79	.87	YEAR'S TOTAL 23.25
Rain Days.	20	12	21	22	11	8	11	13	12	16	19	10	175

REGISTER OF RAINFALL IN 1914

Kept at Alva, Reservoir Rd., Southgate
in the County of Mid.*
by Wm B. Butler

Lat. _____ Long. _____
Time of Observation 9 AM.
Nearest Railway Station Palmers Green
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 255 ft.

FORM A.
BRITISH RAINFALL
5-JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.08	-	-	-	-	.18	-	-	.05	.03	1
2	.01	-	-	-	-	-	.08	.10	-	-	.13	.10	2
3	-	-	.14	.01	.17	-	.42	-	-	-	.10	-	3
4	.17	-	.02	.19	.01	-	-	.04	-	-	.33	.21	4
5	.01	-	.08	.19	.16	.05	.53	.73	-	-	-	-	5
6	-	.10	-	-	.02	.11	.03	.02	-	-	.39	.20	6
7	-	.18	.26	.15	.53	.04	.07	.02	-	-	-	.13	7
8	.06	.33	.80	.11	.04	.17	.13	.10	-	-	-	.07	8
9	.17	-	.62	.05	-	.39	-	-	.11	-	-	1.35	9
10	.02	.18	.01	.06	.05	-	-	-	.14	-	-	-	10
11	-	.27	.44	-	-	.41	-	-	.10	-	.23	.25	11
12	.02	.05	.13	-	-	-	.06	-	.30	-	-	.42	12
13	-	.31	.10	-	-	-	-	-	.17	.05	.06	.37	13
14	-	.07	.50	-	-	-	.20	-	-	.15	.12	.54	14
15	.05	.01	.20	-	-	-	-	.03	-	.03	.08	.07	15
16	-	-	.04	-	-	-	.03	-	.05	-	.01	-	16
17	-	.42	.05	-	-	-	-	-	.11	-	-	.17	17
18	-	.02	.13	-	-	-	-	-	-	-	-	.26	18
19	-	.02	.18	-	-	.05	.03	-	.05	-	.15	.23	19
20	-	.21	.25	-	-	.05	-	-	.09	-	-	.11	20
21	-	.48	.07	-	-	.05	-	-	-	.02	-	.11	21
22	-	-	.02	.01	.30	.05	.12	.03	-	.17	-	-	22
23	-	-	.14	-	.20	.08	.01	-	-	.14	-	.01	23
24	-	-	.01	.03	.02	-	.05	-	-	.01	.15	-	24
25	.04	-	.19	-	-	-	-	.09	-	.32	-	.09	25
26	-	-	.03	-	-	-	.03	.07	-	.04	.18	.58	26
27	.04	-	-	-	-	-	-	.01	-	-	-	.22	27
28	-	.03	-	-	-	-	-	-	-	.01	.40	1.18	28
29	.08	~~X~~	.10	-	-	-	-	-	-	.27	.11	-	29
30	-	~~X~~	.06	-	-	-	-	-	-	.02	.65	.17	30
31	-	~~X~~	-	~~X~~	.17	~~X~~	.03	-	~~X~~	-	~~X~~	.02	31
Total	.67	2.68	4.65	.80	1.67	1.45	1.82	1.42	1.12	1.23	3.14	6.89	YEAR'S TOTAL 27.54
Rain Days.	11	15	26	9	11	11	15	12	9	12	16	24	171

REGISTER OF RAINFALL IN 1915

Kept at *Alva, Reservoir Rd, Southgate*
in the County of *Mid^x*
by *Wm B. Butler*

Lat. _____ Long. _____
Time of Observation *9 AM*
Nearest Railway Station *Palmer Green*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level *255* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.14	.04	-	.03	-	-	-	.11	.03	.22	.45	1
2	.33	.12	.27	.18	-	-	-	.36	.01	.05	-	.14	2
3	.45	-	.05	.15	-	-	.03	.73	.03	-	-	.43	3
4	.04	-	-	-	-	-	-	.88	-	-	-	.27	4
5	.03	.37	-	-	-	-	-	-	-	.03	-	.24	5
6	.25	.01	.01	.25	.17	-	.76	.01	-	-	-	.46	6
7	.16	.29	.05	-	-	-	.30	.02	-	-	-	.20	7
8	.05	.48	.02	.03	-	-	.08	.04	-	-	-	-	8
9	-	.11	-	.06	-	.07	-	.06	-	.01	.39	.66	9
10	.31	-	.01	-	-	-	-	.09	-	-	-	.13	10
11	.03	-	.01	-	.01	-	-	.01	-	-	.81	.01	11
12	.10	.04	-	.21	.41	-	-	.25	-	-	.45	.01	12
13	.01	.36	-	-	1.62	-	-	-	-	-	-	-	13
14	-	.02	-	-	-	-	1.19	.32	.05	-	-	.67	14
15	.23	-	-	-	.05	-	.06	.12	-	-	.25	.14	15
16	-	.38	-	.01	.01	-	.68	-	-	-	-	.07	16
17	-	.31	-	-	.67	-	.13	.02	-	-	-	-	17
18	-	.27	.12	-	.10	-	-	-	-	-	.04	-	18
19	-	.05	.02	-	-	-	.11	-	-	.02	-	-	19
20	.35	-	-	.02	-	-	-	-	-	-	-	.32	20
21	.14	.03	-	-	.01	-	.04	-	-	-	-	.04	21
22	.76	.17	.29	-	-	-	.62	-	-	-	-	.14	22
23	-	.16	.17	-	-	.03	.22	-	.16	.28	-	.29	23
24	-	-	.05	-	-	.01	.12	-	.26	.08	-	.18	24
25	-	-	.07	.08	-	-	.18	-	-	.01	-	.13	25
26	-	.10	-	-	-	.18	.06	-	-	-	-	.41	26
27	-	.01	-	-	-	.35	.09	-	-	.37	-	.09	27
28	-	.07	-	-	-	.06	-	.01	1.37	.23	-	-	28
29	-	X	.02	-	-	-	.20	.14	-	-	.15	.02	29
30	.06	X	-	-	-	1.10	-	-	.01	.02	.13	-	30
31	.06	X	-	X	-	X	-	.07	X	.94	X	.16	31
Total	3.76	3.49	1.20	.99	3.08	1.80	4.87	3.13	2.00	2.07	2.44	5.66	34.49
Rain Days.	18	20	15	9	10	7	17	16	8	12	8	24	164

67 m x
REGISTER OF RAINFALL IN 1916

Kept at Alva, Reservoir Rd.
Southgate
in the County of Midx
by Wm B. Butler

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Palmer's Green, G.N.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

937
FORM A.
BRITISH RAINFALL.
10 MAR 1917
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.17	-	-	-	.16	.03	-	-	.14	.03	.36	-	1
2	.58	.02	.08	-	.28	-	.01	-	.17	.36	-	-	2
3	-	.35	.21	-	-	-	.05	-	.30	.25	.64	-	3
4	.26	.15	-	-	-	.40	-	-	.02	.14	.44	-	4
5	.03	-	.02	-	.04	.22	-	-	-	.14	.53	-	5
6	-	.06	.30	.27	.04	.04	.41	-	-	.03	.45	-	6
7	.10	-	.22	-	.12	.25	.08	-	-	.01	.51	.04	7
8	.01	.02	.04	-	.48	-	-	-	-	-	.01	.35	8
9	-	-	-	-	.32	.12	-	-	-	.07	-	.16	9
10	-	.16	.10	.08	-	.51	.07	-	-	-	-	.14	10
11	.06	.12	.02	.14	.01	.14	-	-	-	-	-	-	11
12	.03	.03	.02	.14	.30	.12	.02	.29	.01	.06	-	-	12
13	-	.47	.15	.09	.09	.09	.09	.09	-	.03	-	-	13
14	-	.37	.09	.02	.08	-	-	.31	-	.05	-	.21	14
15	-	.33	.36	-	-	-	.04	.22	-	-	-	-	15
16	-	.02	.15	.15	.04	-	.19	.23	-	.01	-	-	16
17	.10	.07	-	.03	-	-	.03	1.42	.34	.62	-	-	17
18	.01	.08	.04	.07	-	-	-	.19	.08	.02	.60	.05	18
19	.17	-	.11	.26	-	-	-	-	.20	-	.71	.05	19
20	.20	-	.27	.06	-	-	-	.01	-	-	.07	.33	20
21	-	-	.74	.01	-	-	.07	-	-	-	-	.44	21
22	-	.02	.10	-	-	-	-	-	-	.02	-	.49	22
23	.03	.27	.01	-	-	.12	-	.02	-	.01	.05	.10	23
24	-	.06	-	-	.09	.19	-	.02	-	.06	.02	.35	24
25	-	.40	.12	-	.03	-	-	.20	-	.04	.14	.01	25
26	-	.15	.02	-	-	.01	-	.04	-	.02	-	-	26
27	.09	.04	1.03	-	-	.02	-	.21	.07	.49	-	-	27
28	-	.41	.37	-	-	.21	-	.02	.07	-	-	.20	28
29	-	.08	-	-	-	.23	-	1.79	.03	.51	-	.17	29
30	-	X	-	-	.06	.01	-	.08	-	.66	-	-	30
31	-	X	-	X	-	X	-	.06	X	.16	X	.04	31
Total	1.84	3.68	4.57	1.32	2.14	2.71	1.06	5.20	1.43	3.79	4.53	3.13	YEAR'S TOTAL 35.40
Rain Days.	14	22	23	12	15	17	11	17	11	23	13	16	194

RE

STAINES.

BELLE VUE

1911 - 1920

Kept at

Staines

in the County of

Midd.

by

J. Gundry

IMPORTANT NOTE.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

in. ft. in.
Ground _____
Sea Level _____

Name _____
Distance _____ Direction _____

the result entered to the

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 03	in.	in. 01	in. 64	in. 01	in.	in. 07	in. 05	in.	in.	in.	in.	1
2	06			44	21			02			16	08	2
3	05				16					01	11	09	3
4	03		05	04					04	13	17	35	4
5	03			02						21	09		5
6	25		15							01	01	38	6
7	04			02						11	28	19	7
8	12		23								13	34	8
9	15		01	01							02	20	9
10	06	10	12								16	45	10
11	25										70		11
12	03		45		22				01		28		12
13			08		09				45	31	01	48	13
14		07			30							45	14
15		07	18							03	04	03	15
16			02			36					38	04	16
17						19					61	24	17
18		11		01		06					53	25	18
19				01		45			21	07	21	17	19
20	02	03	01					20	12	05		57	20
21	01	15						72	02	61	01	10	21
22	09		10			02		01		13		50	22
23		12	22			50			17		05	19	23
24		14				04		03		1.06		13	24
25		04	03	07	01	14	43	03	02	02			25
26		02	01	22	16	12	09			12	01	26	26
27		36	04	05			09		12		01	20	27
28		17		34			07				01		28
29				04		22	14		17	20			29
30				10	01	04		02		20			30
31					21					04			31
Total	1.22	1.38	1.71	2.01	1.38	2.14	.82	1.15	1.33	3.31	3.98	5.69	TOTAL for year 26.12
No. of Rain Days	15	12	16	14	10	11	5	9	10	17	22	22	163

RE

FORM A2.
BRITISH RAINFALL.
23 JAN 1912Kept at Staines Belle Vuein the County of Middlesex 1by J. GundryRAIN GAUGE
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03		01	64	01		07	05					1
2	06			44	21			02			16	08	2
3	05				16					01	11	09	3
4	03		05	04					04	13	17	35	4
5	03			02						21	09		5
6	25		15							01	01	38	6
7	04			02						11	28	19	7
8	12		23								13	34	8
9	15		01	01							02	20	9
10	06	10	12								16	45	10
11	25										70		11
12	03		45		22				01		28		12
13			08		09				45	31	01	48	13
14		07			30							45	14
15		07	18							03	04	03	15
16			02			36					38	04	16
17						19					61	24	17
18		11		01		06					53	25	18
19				01		45			21	07	21	17	19
20	02	03	01					20	12	05		57	20
21	01	15						72	02	61	01	10	21
22	09		10			02		01		13		50	22
23		12	22			50			17		05	19	23
24		14				04		03		1.06		13	24
25		04	03	07	01	14	43	03	02	02			25
26		02	01	22	16	12	09			12	01	26	26
27		36	04	05			09		12		01	20	27
28		17		34				07			01		28
29				04		22	14		17	20			29
30				10	01	04		02		20			30
31					21					04			31
Total	1.22	1.38	1.71	2.01	1.38	2.14	.82	1.15	1.33	3.31	3.98	5.69	TOTAL for year
No. of Rain Days	15	12	16	14	10	11	5	9	10	17	22	22	163

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

Kept at Staines Boltune
in the County of Middlesex
by J. Gundry

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			09	04		07	02		05	44		18	1
2		01	13			11	39	22		03			2
3		01	07			14	01	32				05	3
4	23		47		10	27		11			25		4
5	20	05	03					39			02		5
6	53	05			01	07		15				02	6
7					07	121	02	24				02	7
8	46	30	20			12		09					8
9	01	16	10	05		28	02	02				21	9
10		05				04		20			17	23	10
11	06	29				04		15			01	22	11
12	06	12	10		15	15	01				02	02	12
13											02		13
14			03		02			02				02	14
15	01	03	15		17	57						27	15
16	35	01	09		10	19		04		02	04		16
17	53		11			03		08					17
18	21		19					06				11	18
19	09	10	05				15	41					19
20	02	01	14			01	02	15		37	02		20
21	01	02	27		22			05		04	12		21
22	19	17	01		01		01	13				03	22
23	35	32	34					41		07	17	16	23
24	33	01	01			05		24				14	24
25	30	01				28		47		05	22	55	25
26		02						38		37	34	37	26
27			01			03	01			22		24	27
28		03				04	11	07	23	50	49	17	28
29		03				14	45	27	162	38	01		29
30					30	01			97	13			30
31			25		04		17	15				04	31
Total	394	180	284	09	119	385	139	482	287	262	190	305	TOTAL for year 3036
No. of Rain Days.	18	21	21	2	11	21	13	25	4	12	14	19	181

82

REGISTER OF RAINFALL IN 1913

127
27 JAN 1914
BRITISH RAINFALL FORM A.

Kept at Staines
in the County of Middlesex
by J. Gundry

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		22	05	05		13			73		10	09	1
2	02	14					09			42	07		2
3	01			22	35					02		02	3
4	22				13		03			20	03	07	4
5	06					10	11		32	06	15	02	5
6		02	08		06	09	04		03	33	10	17	6
7		13			08	05	02			55	08		7
8		02			11	18				12	01		8
9		17			01		04		13		01	04	9
10	02		18	05			16				44		10
11	39			45	03			08		79	22		11
12					07						17		12
13	03		04					01	10		24		13
14	07	01	05	07			35	10	08	10	03		14
15	22	05	20	26			23		06		02		15
16	12		30	17					21				16
17	03	01	04	06			18					02	17
18	01		09	19	01				10		04		18
19	31		06	01	02		13		31				19
20	14		06	03	01	28				65			20
21			25	03			02			15	82		21
22	45		22	10				11	18				22
23						01		13				36	23
24				03									24
25				23								01	25
26		03	17	09				05		60		24	26
27		02		04	15					04			27
28	23	03	31	19						15			28
29	04		05	52	45			12		06			29
30	24			01				11		12			30
31			06					48		03			31
Total	2.61	85	2.21	2.80	1.48	84	1.40	1.19	2.25	4.39	2.53	1.04	23.59
Rain Days.	18	12	17	20	13	7	12	9	11	17	16	10	162

82
REGISTER OF RAINFALL IN 1914

Kept at Staines BELLE Vue
in the County of Middlesex
by J. Gundry

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

115
28 JAN 1915
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"—sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			07					17			01	02	1
2	01					02	19	16			04	14	2
3			03	02	14		20	02			02	03	3
4	06		01	31			03	08			31	32	4
5	06		06	15	05	04	33	1.00					5
6		12		09	01	10	14	02			01	12	6
7		31	25	10	78	16	14	01				09	7
8	06	30	72	03	02	06	04	12					8
9	17		58	05		65			10			1.65	9
10		14	02	02	07				12			02	10
11		26	48			09			19		18	32	11
12	01	06	13				38		18			41	12
13		18	11						16	02	02	37	13
14		11	33			3.48	06			34	08	35	14
15	05		12				38	06		01	38	01	15
16			03						02		02		16
17		40	08						03			11	17
18		02	18									41	18
19		08	29				08				15	29	19
20		30	25						14			12	20
21		54	05					01		05		02	21
22			05		11	06	19	01		27			22
23		20	16		13	06	04			11			23
24			02		06					04	12		24
25	02		19				01	12		28		10	25
26			06				03	01		05	14	52	26
27	03		01								03	15	27
28		05	02		02					09	34	1.23	28
29	02		07							20	13		29
30			06							06	78	44	30
31					10		03			02		03	31
Total	49	3.07	4.43	77	1.49	4.72	2.27	1.79	94	1.54	2.76	7.27	31.54
Rain Days.	10	15	28	8	11	10	16	13	8	13	17	24	173

REGISTER OF RAINFALL IN 1916

916
FORM A.
BRITISH RAINFALL

Kept at Staines B&W VWS
in the County of Middlesex
by J. Gundry

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	60	15	08		02		08	01	03	05	16	50	1
2	23	20	26	10		02		86	03	06		13	2
3	61		08	08				20	02			42	3
4	03							02				27	4
5	03	51		02				02		05		32	5
6	29	09	08	26			64					55	6
7	30	22	04				26	02				16	7
8	12	50	02	06			01	06					8
9	03	09		20		08		03			38	70	9
10	24		02					08				16	10
11	07		04					03		03	81	03	11
12	05	05		34	50			56			27	01	12
13	01	55			141			33					13
14		01					74	03	05			54	14
15	08				06		02	03			07	12	15
16	01	32			02		69	04			04	03	16
17		34			124								17
18		17	04		13						02		18
19		03			02		08			01			19
20	31			02	01					05		15	20
21	04	01			05		06			02		04	21
22	110	04	23	01			73					14	22
23	01	10	05			03	20		21	64		34	23
24			02			03	10		48	21		45	24
25				08		03	49			01		07	25
26		04				08	20					70	26
27						12	04			28		03	27
28		02				09			136	08			28
29						02	20	11		01	16	02	29
30	03	X				11				27	30	03	30
31		X		X		X		01	X	94	X	24	31
Total	419	344	96	117	346	61	454	244	218	271	221	615	3406
Rain Days.	20	19	12	10	10	10	16	17	7	15	9	25	170

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

Kept at *Staines*
in the County of *Middlesex*
by *J. Gundry*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	05		04		45	02			33	03	47		1
2	33	03	08		19				19	55	01		2
3		54	04				04		21	34	37		3
4	20	08				25			18	03	63		4
5	01	02			10	15				05	64		5
6		09	25	16		18	29			03	42		6
7	05		32		10	23	22			01	54	06	7
8			04		32							26	8
9			01		22					04		12	9
10		19	05	04		22						04	10
11		13	05	15		20	02					05	11
12	04	03		05	10	08	01	19		05			12
13		17	38	15		15	31	17	03	04			13
14		37	02	01	04			61		02		15	14
15		20	22				08	19		05			15
16		04	42	14			28	30		01			16
17	08	10		04			01	41	26	60			17
18		09	05	14				34	08	51	88		18
19	12	01	15	12				01	25		51		19
20	14		25								02	36	20
21	02		46									43	21
22		01	03							02		43	22
23	03	19	01			02		01		02	01	07	23
24		04			13	08		04		20	05	34	24
25		61	21		02			11		04	08		25
26		18	04			06		29	01	15			26
27	01	01	92			03		33	06	53			27
28		37	13			02			04	04		12	28
29		12				29		99	04	32		15	29
30		X						05		39			30
31		X		X		X		04	X	19	X	07	31
Total	1.08	3.62	4.17	1.00	1.67	1.98	1.26	4.08	1.68	4.26	4.60	2.65	32.05
Rain Days.	12	23	23	10	10	15	9	16	12	25	13	14	182

REGISTER OF RAINFALL IN 1917

Kept at *Staines, Belle Vue*
in the County of *Middlesex*
by *J. Gundry*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

856
100
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01	.47		.03		1.10	.03		.05		1
2				.25				.04			.13		2
3				.08			.18	.31		.26	.08		3
4		.33	.08				.39	.05		.38		.01	4
5	.29		.02	.30		.02		.01	.26	.18	.09		5
6			.28			.05			.23	.07	.02		6
7	.20						.27			.28		.01	7
8	.19			.13			1.07	.08	.04	.25	.19	.33	8
9	.01		.03	.05			.05	.22	.06		.05	.08	9
10	.21		.11	.18	.01			.09			.02	.03	10
11	.08		.36	.08					.53	.23			11
12	.06		.03	.02				.08		.43			12
13	.01		.22	.03				.54		.05			13
14				.23				.23					14
15	.01						.08	.09		.05			15
16	.05	.09		.27	.07	.24				.50		.36	16
17				.10	.59		.17	.04	.44	.25			17
18	.02	.05		.05	.17	.25	.20	.03	.19	.07			18
19		.12	.04			.12			.23				19
20		.17	.04		.54		.21				.02		20
21			.01			.09				.01	.03		21
22	.01		.04			.01		.12		.06			22
23		.13						.13		.05		.02	23
24		.02				.07		.03		.13	.04	.01	24
25		.01	.05							.09	.02		25
26			.08					.35	.03		.26		26
27					.30	.01		1.01					27
28						1.81		.23				.01	28
29			.02		.03	.07	1.16	.01		.28		.13	29
30		X	.52				1.99	.04	.01		.01	.01	30
31		X	.05	X		X	.27	.03	X		X		31
Total	1.14	.92	1.99	2.24	1.71	2.77	6.04	4.86	2.05	3.62	1.01	1.00	29.35
Rain Days.	12	8	18	14	7	12	12	23	11	19	14	11	161

REGISTER OF RAINFALL IN 1918

Kept at Staines, Belle Vue
in the County of Middlesex
by J. Gundry

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01		.06							.24	.09	1
2		.13						.40		.02	.46	.11	2
3			.03	.05	.45			.16			.32	.02	3
4		.03	.12		.01			.01	.28		.56		4
5		.04	.01		.06			.04	.07	.06			5
6	.18	.11		.35	.10			.02	.02				6
7	.01	.09		.14	.46			.02	.14	.12	.10	.01	7
8		.08		.02					.10	.05		.05	8
9	.02	.04		.07		.12	.15		.45	.13	.01	.18	9
10				.16		.03	.59		.06	.07	.03	.53	10
11	.01			.03	.04		.74		.04	.41	.07	.17	11
12		.03			.11		.14		.07			.01	12
13	.01			.01	.17		.18		.14			.02	13
14	.15		.02			.13	.01		.46	.13		.23	14
15	1.19			.66		.01	.19		.01			.07	15
16	.34		.02	.29	.04	.29			.45			.03	16
17	.19			.28		.01	.16	.03	.06			.15	17
18	.66					.24	.14		.63	.16		.06	18
19	.05		.05	.02		.15	.37	.04	.03	.08		.08	19
20	.02	.12		.71		.03	.08		.13	.13	.01	.01	20
21	.19	.02		.46					.49	.02			21
22	.06				.79		.09		.13			.19	22
23	.02				.19		.66	.04	.03			.03	23
24		.23				.04	.62		.06		.05		24
25							.44	.17		.01	.02		25
26							.33	.03	.01	.02	.15	.12	26
27		.03		.05			.17	.19	.09		.12		27
28		.04	.21	.01				.13			.07	.14	28
29									1.19		.01		29
30		X	.46						.04		.02	.13	30
31		X		X		X			X	.04	X	.02	31
Total	3.10	1.00	.92	3.37	2.42	1.05	5.06	1.28	5.18	1.45	2.24	2.45	29.52
Rain Days.	15	14	8	17	11	10	17	13	25	15	16	23	184

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Staines
in the County of Middlesex
by J. Gundry

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	31	02	02	04	01		27			03	03	1.18	1
2	36	01			08		10		10	06	08	16	2
3	31		30		02		17		05		02	39	3
4	08	03	47			07	13	10	03		02	12	4
5		29	52				78		22	01	06	16	5
6	04		05	01					02			08	6
7	03		37										7
8	13		05	02									8
9	12		01	02	04						01		9
10	52		08	03						01	01	06	10
11	05		12	21	02		16					07	11
12			02	03		05	28			12	01		12
13	01			34			01			06		02	13
14	21			29			07		54			01	14
15	20	08	10	11								45	15
16	07	64		01							08	03	16
17	01	35		02							20	01	17
18		16	10						03	01	06	02	18
19	03	11	96			21	66	11			05		19
20	23	07	41			70	20	12	09				20
21	22	31	02			02	04				03	02	21
22		08					19		11		02	29	22
23						04		09	08	02	02	10	23
24				14		02	16	01		19	06	02	24
25	05	01		01	04	01		15					25
26		16	04	02				05				30	26
27	83	02	07	1.22				44			03	06	27
28	03		16	05				78		01	28	29	28
29			01	10		01		25		09	06	03	29
30	01	X		25		13		15		02	28	36	30
31	01	X		X		X	04		X	03	X	04	31
Total	3.86	2.34	3.88	2.92	21	1.26	3.26	2.25	1.27	.66	1.41	4.27	27.59
Rain Days.	23	15	20	19	6	10	15	11	10	13	20	24	186

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920..

Kept at Staines, Belle Vue

in the County of Middlesex

by J. Gundry

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				27	08		20		01	26		19	1
2			02				07	68	07	02		14	2
3	03	03		20			06		02	02		02	3
4		05	01	09			29	05		28		02	4
5			05	02	03		78	03		01		01	5
6			17		06		48					04	6
7	02			13	13		14						7
8		02		09	18		13	03				01	8
9	27			09									9
10	32	04	03	02		06	06						10
11	07		06	24	04	04	23					03	11
12	06	01	01	11		1.10					01		12
13	15		13	16						01	05		13
14		01	29	20		15			08	04	27		14
15	01	02	10	36		01	11		52	12	12	02	15
16			01	17		08	01		17	03			16
17	01				15	21	02		34			02	17
18	01				02			60	12			03	18
19	09			20		05						01	19
20	05	04		32		58					01	01	20
21				03			93	02	43			06	21
22	01			34				01	02	01		55	22
23							41	05				33	23
24	02		06									03	24
25		02	03				18				01		25
26	04		10	01	05		17					04	26
27	20	04		25		15	14				40		27
28	33		20	01	10	01	08				06	01	28
29	29	01	05	04			01				05	14	29
30	03				09	02	14		24	01	19	16	30
31	01				01					74		06	31
TOTAL	2.22	29	1.32	3.35	.94	2.46	4.64	1.47	2.02	1.55	1.17	1.93	YEAR'S TOTAL
Days with 01 in. or more	20	11	16	22	12	12	21	8	11	12	10	22	177

82

R

STAINES WEST

912

FORM A2.
BRITISH RAINFALL
24 JAN 1913

Kept at Staines T2

in the County of Midd

by M. W. B.

LOND / MIDDx

1912 - 20

Top _____ in.
above Ground _____ ft. _____ in.
„ Sea Level _____ ft.

ion { Name _____
Distance _____ Direction _____
and the result entered to the

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							13		05	36		13	1
2							35	23		02			2
3							01	30			02	05	3
4								10		01	17		4
5								31			06		5
6								14	01			02	6
7							01	19		01		04	7
8								20		01		01	8
9							01	03				17	9
10								20		01	15	22	10
11								13	01	01	01	18	11
12										01	01	02	12
13										01	03	03	13
14								03		02		01	14
15								01			01	18	15
16								03		04	03		16
17								07				01	17
18								07		01	01	09	18
19							14	31					19
20							02	09		33	02		20
21								03		03	09		21
22							04	12				02	22
23								38	01	05	15	14	23
24								19		01		12	24
25								45		07	16	54	25
26								36		32	30	30	26
27							03			20		17	27
28							11	11	20	43	35	14	28
29							38	21	134	40	10	01	29
30									95	16			30
31							15	16				04	31
Total	3.45	1.63	2.79	07	1.08	3.54	1.38	4.45	2.57	2.52	1.67	2.64	TOTAL for year 7.79
No. of Rain Days.							12	26	7	22	17	23	

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
24 JAN 1913

Kept at Staines Reservoirs

in the County of Middlesex

by M. W. B. J. A. Sparks

RAIN GAUGE { Pattern
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

Time of Observation _____

Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							13		05	36		13	1
2							35	23		02			2
3							01	30			02	05	3
4								10		01	17		4
5								31			06		5
6								14	01			02	6
7							01	19		01		04	7
8								20		01		01	8
9							01	03				17	9
10								20		01	15	22	10
11								13	01	01	01	18	11
12										01	01	02	12
13										01	03	03	13
14								03		02		01	14
15								01			01	18	15
16								03		04	03		16
17								07				01	17
18								07		01	01	09	18
19							14	31					19
20							02	09		33	02		20
21								03		03	09		21
22							04	12				02	22
23								38	01	05	15	14	23
24								19		01		12	24
25								45		07	16	54	25
26								36		32	30	30	26
27							03			20		17	27
28							11	11	20	43	35	14	28
29							38	21	1.34	40	10	01	29
30									95	16			30
31							15	16				04	31
Total	3.45	1.63	2.79	07	1.08	3.54	1.38	4.45	2.57	2.52	1.67	2.64	TOTAL for year 27.79
No. of Rain Days.							12	26	7	22	17	23	

82

REGISTER OF RAINFALL IN 1913

27 JAN 1914
BRITISH RAINFALL
FORM A.

Kept at Staines M. H. B. 4 M
in the County of Middlesex
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.22	.01	.05		.28			.60		.08	.09	1
2	.02	.14	.05				.08			.40	.03	.01	2
3	.01		.02	.19	.33					.03		.03	3
4	.19			.01	.14		.05			.34	.02	.08	4
5	.06				.01	.11	.06		.34		.05	.01	5
6		.03	.09		.05	.08	.03		.02	.37	.12	.16	6
7		.11			.07	.04	.01			.39	.09		7
8		.03	.01		.10	.12				.09	.01		8
9		.15		.01	.02		.03		.09			.05	9
10	.03		.12	.05			.11				.42		10
11	.37			.40	.04			.06		.65	.19		11
12		.01			.09					.01	.15		12
13	.04		.04	.01					.10		.21		13
14	.07	.02	.08	.06			.37	.12	.06	.09	.03		14
15	.16	.04	.22	.25			.17		.05		.02		15
16	.08		.24	.12					.18				16
17	.03	.02	.03	.07			.18			.01		.01	17
18	.02		.13	.17	.01		.03		.12		.03		18
19	.30		.11	.01	.03		.10		.28				19
20	.11		.04	.01		.22				.61	.01		20
21			.24	.04						.15	.74		21
22	.42		.19	.04			.02	.20	.16		.01		22
23						.01					.01	.35	23
24				.02							.01		24
25				.20						.01		.03	25
26		.04	.17	.20				.04		.56		.19	26
27		.02	.01	.07	.33					.05			27
28	.23		.22	.16						.15			28
29	.04		.06	.45	.48			.10		.06			29
30	.23			.01				.36		.09			30
31			.07					.47		.02			31
Total	2.43	.83	2.15	2.60	1.70	.86	1.24	1.35	2.00	4.08	2.23	1.01	22.48
Rain Days.	19	12	21	23	13	7	13	7	11	19	19	11	175

SL
14.11.15

W. H. M. C. Observer 14.11.15
REGISTER OF RAINFALL IN 1914

116
FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at Staines Reservoir

in the County of Middlesex

by Met. Water Board Iron Sparks

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			06					17			02	01	1
2	01					01	18	10			04	11	2
3	01		03	02	13		18	07			03	02	3
4	07		01	18				08			30	30	4
5	04		05	16	05	04	34	74					5
6		11	01	07	01	09	18	02			03	11	6
7		23	21	09	66	11	11	03			01	09	7
8	05	26	60	01		08	07	09					8
9	16	01	52	05		79			07			145	9
10	01	18	05	02	05				22			02	10
11		20	46			07			11		13	26	11
12		04	12				38		16		01	36	12
13		14	10						15	02	02	36	13
14		09	30			247	07		32	06	31		14
15	05		10				34	05			31	01	15
16	02		02						05		02		16
17		35	08						01		01	07	17
18		01	19									40	18
19		07	29			01	07				14	40	19
20		28	19			01	02		10			13	20
21		52	04							04		04	21
22			03		09	06	19	01		34			22
23		17	16		20	01	04			11			23
24	01	01	01		06		01			04	10		24
25	01		12				01	12		26		11	25
26			11				02	03		06	15	48	26
27	03	01	01								02	15	27
28		04			01					11	35	109	28
29	02		08							18	07	01	29
30			05							04	65	40	30
31	01						02					05	31
Total	50	272	400	60	126	375	223	151	87	152	247	674	2817
Rain Days.	14	18	28	8	9	12	17	12	78	11	20	25	182

REGISTER OF RAINFALL IN 1915

917
47
FORM A.
BRITISH RAINFALL

Kept at Staines Reservoir
in the County of Middlesex
by Met. Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	.13	.05		.02		.03	.01	.06	.04	.16	.46	1
2	.22	.17	.25	.09		.02		.76	.13	.05		.10	2
3	.45		.07	.09				.08	.03		.01	.45	3
4	.05							.14				.26	4
5	.03	.43						.01		.03		.33	5
6	.26	.08	.05	.23			.65					.50	6
7	.33	.22	.05				.24	.04				.15	7
8	.14	.43	.03	.05				.03					8
9	.02	.08		.19		.10		.03			.36	.65	9
10	.21							.10				.15	10
11	.03		.05					.08		.03	.76	.04	11
12	.05	.04		.29	.45			.48			.31	.02	12
13		.51			1.29			.32					13
14		.01					.75	.03	.05			.46	14
15	.08	.02			.07		.04	.03			.09	.15	15
16		.30					.61	.04				.04	16
17		.21			1.19								17
18		.27	.04		.12						.03		18
19		.02			.02		.10			.01			19
20	.29			.04						.08		.15	20
21	.05	.01					.01			.01		.03	21
22	.99	.04	.21	.02			.68					.14	22
23	.02	.08	.10			.02	.17		.21	.45		.26	23
24						.02	.11		.43	.43		.38	24
25			.02	.06		.03	.52			.01		.12	25
26	.01	.05				.09	.16					.58	26
27						.12	.07			.28		.08	27
28		.02				.15			1.23	.08			28
29						.02	.12	.12		.01	.15	.08	29
30	.04	X				.10				.04	.28	.02	30
31		X		X		X			X	.88	X	.23	31
Total	3.83	3.12	.92	1.06	3.16	.67	4.26	2.30	2.14	2.43	2.15	5.83	31.87
Rain Days.	19	20	11	9	7	10	15	16	7	15	9	25	163

REGISTER OF RAINFALL IN 1916

Kept at Staines Reservoir
in the County of Middlesex
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04		05		47	01			29	03	47		1
2	32	01	05		18	02			16	47	01		2
3	01	58	04				05		25	34	35		3
4	17	13				25			16	02	49		4
5	02				11	11				05	54		5
6		11	25	14		20	04			06	36		6
7	05		32		11	31	35			01	57	07	7
8			06		21							26	8
9					20	02				04		12	9
10		16	03	05		16						05	10
11	01	12	03	05		20	02					10	11
12	03	19	03	09	09	16		19		05			12
13		03	32	16	04	07	25	13	05	05	01		13
14		40	01		04			57		03		11	14
15	01	19	24					21					15
16		03	45	14			30	22					16
17	08	09	01	02			01	30	22	59		01	17
18	01	09	05	02				42	06	44	66		18
19	07		19	10					22		51	01	19
20	18		20								02	32	20
21	02		45								01	47	21
22		03	04							01		43	22
23	03	17				03		01		02	02	07	23
24		07				03		04		18	03	35	24
25		59	16		11			11		04	09		25
26		15	05			05		48		12			26
27	02	01	95			05		57	02	50			27
28		33	09			02			06	03	01	11	28
29		11	01			24		100	03	19		15	29
30		X						04		49			30
31		X		X		X		04	X	19	X	09	31
Total	1.07	3.59	4.08	.87	1.56	1.93	1.02	4.33	1.52	3.95	4.15	2.72	30.79
Rain Days.	16	21	24	9	10	17	7	15	11	23	16	16	185

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Staines Reservoir
in the County of Middlesex
by Met. Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01	.42				1.08	.05		.06		1
2				.17				.04			.11		2
3				.06			.12	.25		.23	.09		3
4		.35	.06				.38	.07		.36	.01		4
5	.28		.04	.21		.03			.27	.21	.11		5
6			.27	.06		.06			.22	.01	.04		6
7	.21						.08			.33		.02	7
8	.17			.14			1.06	.10	.03	.22	.17	.29	8
9	.01		.02	.02	.01		.11	.19	.03		.06	.13	9
10	.22		.08	.17	.01			.08				.02	10
11	.07		.36	.13				.01	.53	.22			11
12	.06		.05	.02				.08		.41	.01	.01	12
13	.01		.21	.03				.44	.02	.03			13
14				.19				.19			.01		14
15	.01						.09	.06		.04			15
16	.01	.09		.20	.06	.21	.01			.40		.46	16
17	.03			.10	.64		.27		.39	.28			17
18	.01	.06		.05	.20	.25	.13	.07	.16	.08			18
19		.10	.06			.08			.23				19
20		.14	.03		.52		.21				.03		20
21	.01		.02		.03	.07				.01	.02		21
22	.01		.03			.03		.08		.05			22
23		.13	.05		.09			.15		.05			23
24		.02				.05		.07	.01	.22	.03	.01	24
25		.02	.05							.06	.06		25
26			.04					.29	.03		.26		26
27						.05		.93				.01	27
28						1.77		.22				.04	28
29			.03		.03	.09	1.22		.01	.27		.11	29
30	.01	X	.42				1.98	.06	.02	.02	.01	.02	30
31	.01	X	.05	X		X	.25	.01	X		X	.01	31
Total	1.13	.91	1.88	1.97	1.59	2.69	5.91	4.47	2.00	3.50	1.08	1.13	28.26
Rain Days.	16	8	19	15	9	11	13	21	14	20	16	12	174

REGISTER OF RAINFALL IN 1918

Kept at Staines Reservoir
in the County of Middlesex
by M. W. B.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
27-1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		02		05							22	07	1
2		11		03				23		02	16	10	2
3		03	03	05	45			15			56	04	3
4		06	11		01				27		57		4
5		04			07			05	12	07			5
6	19	11		31	07				02			06	6
7		09		14	45			01	10	14	09		7
8		07		02					15	03	07	02	8
9	01	07	01	05		12	17		42	12		16	9
10				14		04	49		03	07	03	43	10
11	02			04	06		74		04	36	09	14	11
12		03			23		08		08	01		02	12
13	02				20		12		12				13
14	15		03	01		14	05		40	11		29	14
15	19			60			15		02	01		07	15
16	34		02	28		11			40			03	16
17	24			17			15	03	07			13	17
18	66					20	05		63	16		06	18
19	04		05	06		11	34	02	07	06	01	06	19
20	03	11		72		03	07		13	12	01		20
21	18	01		64					45	02	01		21
22	09				68		10		13			18	22
23	02				20		64	04	04			02	23
24		22				11	71		04		06		24
25		01					38	17		01	01		25
26							28	02		01	12	12	26
27		01		04			06	16	09		11	01	27
28		09	16	05				12			08	12	28
29	01		43						1.12				29
30	01	X	01						02		02	15	30
31	01	X		X		X			X	06	X	01	31
Total	3.21	1.08	.85	3.40	2.42	.86	4.58	1.00	4.96	1.38	2.22	2.29	28.25
Rain Days.	17	16	9	18	10	8	17	11	24	17	17	22	186

REGISTER OF RAINFALL IN 1919

Kept at Staines Reservoir
in the County of Middlesex
by M. W. B.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

807
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	29	02	02	02	07		35			03	03	1.09	1
2	33				07		06		10	11	10	21	2
3	28		35				29		05		02	35	3
4	09	05	47				13	03	04	01	03	19	4
5		30	52				48		21		06	24	5
6	05	01	05	01							01	07	6
7	05		37			07					01		7
8	09		05	02							02		8
9	11		01	04									9
10	46		05	03						02	03	07	10
11	05		13	18	01		19					03	11
12			04	02		05	14			08		01	12
13	02	01		25			05			03		03	13
14	20			29			08		50		01		14
15	21		12	11								43	15
16	06	67		01					01		10	05	16
17		32									18	02	17
18		21	09						06		07	02	18
19	05	12	73			20	59	11		02	06		19
20	19	06	24			68	23	15	12		02		20
21	21	27				04	03			01	03	03	21
22		06					19		09		03	27	22
23						03			07	03	03	06	23
24				14		02	11	09		18	06	01	24
25	04	02			04			15				02	25
26	07	20	12	03				05	10			27	26
27	42	02	04	89				42			05	05	27
28	22		13	05			01	80			22	26	28
29	04			11				21		11	11	03	29
30		X		22		11		13		02	21	33	30
31		X	02	X		X	04		X	03	X	05	31
Total	3.53	2.34	3.55	2.42	19	1.20	2.97	2.14	1.35	.68	1.49	4.19	26.05
Rain Days.	22	15	19	17	4	8	16	10	11	13	23	25	183

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1920.

Kept at.....

in the County.....

by.....

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge..... in.

Height of top of Gauge above Ground..... ft..... in.

" " " " Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	-	-	0.27	0.08	-	0.19	-	-	0.34	0.01	0.18	1
2	-	-	0.03	0.01	-	-	0.07	0.65	0.08	0.02	-	0.08	2
3	-	0.05	-	0.21	-	-	0.06	-	0.04	0.01	-	0.04	3
4	-	0.06	-	0.09	-	-	0.15	0.05	-	0.23	-	0.02	4
5	-	-	0.06	0.02	0.03	-	0.71	0.04	-	-	-	0.02	5
6	-	-	0.16	-	0.06	-	0.37	-	-	-	-	-	6
7	0.02	0.01	0.01	0.17	0.07	-	0.14	-	-	-	0.02	-	7
8	-	0.03	-	0.12	0.27	-	0.10	0.05	-	-	-	0.01	8
9	0.24	0.02	0.01	0.09	-	-	-	-	-	-	-	-	9
10	0.53	0.04	0.03	0.02	-	0.08	0.06	-	-	-	-	0.01	10
11	0.15	-	0.07	0.21	0.04	0.05	0.21	-	-	0.01	0.01	-	11
12	0.05	-	-	0.12	0.01	1.03	-	-	-	0.01	0.01	0.07	12
13	0.17	-	0.12	0.15	-	0.01	-	-	-	0.01	0.05	-	13
14	-	-	0.25	0.17	-	0.18	-	-	0.06	0.08	0.32	0.02	14
15	0.01	0.05	0.12	0.30	-	-	0.10	-	0.32	0.09	0.13	-	15
16	-	-	0.01	0.18	-	0.07	-	-	0.32	0.07	-	-	16
17	-	-	-	0.01	0.15	0.38	0.03	-	0.31	-	0.01	0.04	17
18	0.02	-	-	-	0.02	0.01	-	0.60	0.11	-	-	0.02	18
19	0.08	0.01	-	0.20	-	0.05	-	0.02	-	-	-	0.03	19
20	0.05	0.05	-	0.30	-	0.53	-	-	-	-	-	-	20
21	-	-	-	0.02	-	-	0.93	0.02	0.36	-	-	0.08	21
22	0.02	-	-	0.30	-	-	-	0.02	0.04	0.02	-	0.50	22
23	-	0.01	-	-	-	-	0.39	0.05	-	-	0.02	0.34	23
24	0.02	0.01	0.06	-	-	-	-	-	-	0.02	-	0.03	24
25	-	0.03	0.04	-	-	-	0.16	-	-	0.01	0.01	-	25
26	0.05	-	0.09	-	0.05	0.01	0.19	-	-	0.01	-	0.03	26
27	0.19	0.05	-	0.26	-	0.13	0.07	-	-	0.01	0.45	0.09	27
28	0.34	0.01	0.18	0.02	0.11	-	0.09	-	-	0.01	0.07	0.01	28
29	0.25	-	0.07	0.05	0.01	-	-	-	-	-	0.04	0.14	29
30	0.01	X	-	-	0.08	0.02	0.12	-	0.26	-	0.19	0.43	30
31	0.02	X	-	X	-	X	0.02	-	X	0.64	X	0.08	31
TOTAL	2.27	0.43	1.31	3.27	0.98	2.55	4.16	1.50	1.90	1.59	1.34	1.97	23.27
Days with "01 in. or more	19	14	16	23	13	13	20	9	10	17	14	25	191
Days with "04 in. or more	12	6	11	15	8	9	17	6	10	6	5	12	112

REC

STEPNEY

Kept at Mile End

in the County of Lon

MILE END

by Station H. M. M.

1911 - 1914

FORM A2
BRITISH RAINFALL
1-JAN-1914

in.

Ground 10 ft.

Sea Level ft.

Name Stepney Green

Distance 300 Direction C

the result entered to the

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured on the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4							3		1			1
2	23			90	19						23		2
3	2	2			15						9	13	3
4	2		4	5					1	2		19	4
5	2	1		1						21		22	5
6	22		19								28	15	6
7										9	34	23	7
8	18		11								29	21	8
9	15		4	2									9
10		12	8								14	34	10
11	32				64						66		11
12	5		49		30	5			3		18		12
13			4						45	44	6	16	13
14		9			39							42	14
15		5	24							2	4	1	15
16						91					38		16
17			12								24	13	17
18		14				15						15	18
19					3	16			19	13	72	7	19
20			3						6	13		52	20
21		14						55	2			10	21
22	4		8					20		69		38	22
23		12	9			95			34		3		23
24		15					5			1.04			24
25		6		3		19	7					71	25
26			5	26	3	11				10	2		26
27		40	10	2			16		25	1	4	7	27
28		18		22	4			5			4		28
29					3	20	8	2	15	22			29
30				15						19			30
31					65								31
Total	1.32	1.54	1.43	1.68	2.45	2.72	-36	-85	1.50	3.20	3.81	4.22	TOTAL for year
No. of Rain Days	12	12	15	11	10	8	4	6	9	15	19	20	25.38

REC

FORM A2.
BRITISH RAINFALL
1-JAN-1912

Kept at *Stepney Mile End E*

in the County of *London*

by *John H. M. Charrington & Co*

RAIN GAUGE Diameter of top *1 1/2* in.
Height of top above Ground *10* ft.
" " " Sea Level *10* ft.
Time of Observation *9 1/2*
Nearest Railway Station { Name *Stepney Green*
Distance *300 yds* Direction *E*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>4</i>							<i>3</i>		<i>1</i>			1
2	<i>2 3</i>			<i>90 19</i>							<i>2 3</i>		2
3	<i>2</i>	<i>2</i>			<i>1 5</i>						<i>9</i>	<i>1 3</i>	3
4	<i>2</i>		<i>4</i>	<i>4</i>					<i>1</i>	<i>2</i>		<i>1 9</i>	4
5	<i>2</i>	<i>1</i>		<i>1</i>						<i>2 1</i>		<i>2 2</i>	5
6	<i>2 2</i>		<i>1 9</i>								<i>2 8</i>	<i>1 5</i>	6
7													7
8	<i>1 8</i>		<i>1 1</i>							<i>9</i>	<i>3 4</i>	<i>2 3</i>	8
9	<i>1 5</i>		<i>4</i>	<i>2</i>							<i>2 9</i>	<i>2 1</i>	9
10		<i>1 2</i>	<i>8</i>								<i>1 4</i>	<i>3 4</i>	10
11	<i>3 2</i>				<i>6 4</i>						<i>6 6</i>		11
12	<i>5</i>		<i>4 9</i>		<i>3 0</i>	<i>5</i>			<i>3</i>		<i>1 8</i>		12
13			<i>4</i>						<i>4 5</i>	<i>4 4</i>	<i>6</i>	<i>1 6</i>	13
14		<i>9</i>			<i>3 9</i>							<i>4 2</i>	14
15		<i>5</i>	<i>2 4</i>							<i>2</i>	<i>4</i>	<i>1</i>	15
16						<i>9 1</i>					<i>3 8</i>		16
17			<i>1 2</i>								<i>2 4</i>	<i>1 3</i>	17
18		<i>1 4</i>				<i>1 5</i>						<i>1 5</i>	18
19					<i>3</i>	<i>1 6</i>			<i>1 9</i>	<i>1 3</i>	<i>7 2</i>	<i>7</i>	19
20			<i>3</i>						<i>6</i>	<i>1 3</i>		<i>5 2</i>	20
21		<i>1 4</i>						<i>5 5</i>	<i>2</i>			<i>1 0</i>	21
22	<i>4</i>		<i>8</i>					<i>2 0</i>		<i>6 9</i>		<i>3 8</i>	22
23		<i>1 2</i>	<i>9</i>			<i>9 5</i>			<i>3 4</i>		<i>3</i>		23
24		<i>1 5</i>					<i>5</i>			<i>1 0 4</i>			24
25		<i>6</i>		<i>3</i>	<i>1 9</i>	<i>7</i>						<i>7 1</i>	25
26			<i>5</i>	<i>2 6</i>	<i>3</i>	<i>1 1</i>				<i>1 0</i>	<i>2</i>		26
27		<i>4 0</i>	<i>1 0</i>	<i>2</i>			<i>1 6</i>		<i>2 5</i>	<i>1</i>	<i>4</i>	<i>7</i>	27
28		<i>1 8</i>		<i>2 2</i>	<i>4</i>			<i>5</i>			<i>4</i>		28
29					<i>3</i>	<i>2 0</i>	<i>8</i>	<i>2</i>	<i>1 5</i>	<i>2 2</i>			29
30				<i>1 5</i>						<i>1 9</i>			30
31					<i>6 5</i>								31
Total	<i>1.32</i>	<i>1.54</i>	<i>1.43</i>	<i>1.68</i>	<i>2.45</i>	<i>2.72</i>	<i>- 36</i>	<i>- 85</i>	<i>1.50</i>	<i>3.20</i>	<i>3.81</i>	<i>4.22</i>	TOTAL for year
No. of Rain Days	<i>12</i>	<i>12</i>	<i>15</i>	<i>11</i>	<i>10</i>	<i>8</i>	<i>4</i>	<i>6</i>	<i>9</i>	<i>15</i>	<i>19</i>	<i>20</i>	<i>25.38</i>

REGISTER OF RAINFALL IN 1912

Kept at Wick End
in the County of London
by J. Hulion

Pattern Funnel
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground 10 ft. _____ in.
Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			6				20	17	5	31		27	1
2						21	28			2			2
3			37			18						7	3
4	32	2	59		27	10					14		4
5	17	3	4					69			9		5
6	53	6			2	15		4				7	6
7	33		1		4	66	6	4					7
8		25	10				5	15				1	8
9		6		5		46	2	6				16	9
10						4		33			6	28	10
11		36				5			2			14	11
12	4	8	8		16	14					2	1	12
13	1	2	1									1	13
14					2			8		7	5		14
15		2	7		26	64					3	47	15
16	19					6		5				1	16
17	66		25							5	5		17
18	4		14					10		2		9	18
19	13	7	11				3	45			3		19
20	2	2	11					8		43			20
21		3	11		6			19		5	4		21
22	31	16	3		2		26	12		4			22
23	38	44	37				6	52		2		17	23
24	31	3				29		15			22		24
25	27					16		85			25	106	25
26		2					5	26		56	35		26
27						5						24	27
28		8		1			9	13		29	40	9	28
29						9	23	10	106	16			29
30					22			3	20				30
31			21				19	20					31
Total	3.78	1.75	2.66	0.06	1.04	3.28	1.52	4.82	2.33	2.02	1.73	3.22	TOTAL for year 28.14
No. of Rain Days.	16	14	19	2	9	17	12	25	5	13	14	20	169

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL
7-JAN 1914

Kept at Mile End
in the County of London
by Shenton

Pattern Funnel.
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground 10 ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation 9 1/2 a.m.
Nearest Railway Station { Name Stepney Lge
Distance 3 1/4 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2			14					21		5	9	1
2		45	4						11		6		2
3			11	10	38		7					4	3
4				1	18		13			11	1	3	4
5	46		10			4	15		24				5
6		2			3	8	83			15	11	10	6
7		10			11		14	7		45	5		7
8					13	9							8
9		14			5		97		4		5	5	9
10				20				10			32		10
11	53		14	50						64	54		11
12	5							4			41		12
13	2		10								38		13
14			8	8			66			18	11		14
15	43	8		21			14		1				15
16	15		48	20					45				16
17	4		6	5			19				1		17
18			5	12		9	1				6		18
19	13			4	2		15		21				19
20	14		35	6		12				34	4		20
21		3	18				3			24	70		21
22	39		11						20			37	22
23						2		32	3				23
24				4							1		24
25		2		22		2						22	25
26		2	20	3				23		83			26
27			2	6						2			27
28	23		18	7				12		17			28
29	5		3	35	54					5		2	29
30	22			15						6			30
31								91		15			31
Total	2.87	89	2.53	2.64	1.44	0.46	3.53	1.79	1.50	3.42	2.51	1.92	TOTAL for year 24.52
No. of Rain Days.	15	10	14	19	8	7	12	8	9	13	16	8	142

REGISTER OF RAINFALL IN: 19 14

FORM A.
BRITISH RAINFALL
JAN 1915

Kept at

Mile End

in the County of

London

by

Inspection

Lat.

Long.

Time of Observation

9⁰⁰

Nearest Railway Station

Stepney Green

Diameter of Rain Gauge

in.

Height of top of Gauge above Ground

10

ft.

in.

Sea Level

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			2								2	1	1
2							16				20	25	2
3	6		13		15		3	43					3
4			2	16	22			2			34	22	4
5	3		8	20		2	51	46					5
6		10		9		25	2				4	12	6
7		20	1-20	15	92	10	6					12	7
8		33		6	3	5	9		#			1.17	8
9		5	64			6			10				9
10	14			16					7			40	10
11		40	35			8			29		43		11
12		6	10				5		18		10	35	12
13		18	13						13	19		39	13
14		6	28			5				11	8	47	14
15		2	20				7			3	33	7	15
16			2				1						16
17		34	6						4			18	17
18		5	17									33	18
19		2	21			36	2				19	36	19
20		9	56									6	20
21		64	9			13						4	21
22					22	30	21						22
23			9		26	2	4						23
24			2								15		24
25			16					10		33			25
26			3				5	10		7	20	75	26
27			1								3		27
28		4								2	60	1.17	28
29	6		6							31	9	9	29
30			5							2	64		30
31					19							4	31
Total	36	258	468	52	206	152	132	111	081	122	154	60	2562
Rain Days.	5	15	26	6	9	11	13	6	6	10	15	22	144

STOKE NEWINGTON

REGI

STOKE NEWINGTON

NEW RIVER FILTER BEDS

1911 - 13

Kept at New River Filter
in the County of N. of I.
by Met. Water Board

in.
und ft.
Level ft.

Direction
e result entered to the

IMPORTANT NOTE.—Rain should be measured every day, and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 03	in.	in.	in. 60	in.	in.	in.	in.	in.	in.	in.	in.	1
2	17			29	17						13	12	2
3					12						08	06	3
4	03		05	05						02	18	21	4
5				01						16		15	5
6	28		14									17	6
7	02									07	24	24	7
8	12		14								23	23	8
9	10			04									9
10	04	12	08								04	36	10
11	24				23						71		11
12	02		39		18	15			03		33		12
13			04		12				41	15		19	13
14		09			22							34	14
15		04	19								04		15
16						62					37		16
17			10			01					22	11	17
18		18				12					39	13	18
19						18		01	17	10	21	04	19
20		01						26	10	08		46	20
21		10	02					20		58		06	21
22	06		12							02		38	22
23		05	12			92			25			11	23
24		12				01	02			1.10		24	24
25		03		05		12	07						25
26			02	23		08				13	03	26	26
27		35	06						10		10	06	27
28		18		20			57	03					28
29				07		16	08		18	22			29
30				06	04				07	18			30
31					04								31
Total	1.11	1.27	1.47	1.60	1.12	2.37	.74	.50	1.31	2.81	3.30	3.92	TOTAL for year 21.52
No. of Rain Days	11	11	13	10	8	10	4	4	8	12	15	20	126

Kept at New River Filter Works
in the County of N. of Thames
by Met. Water Board R Morris

RAIN GAUGE Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03			60									1
2	17			29	17						13	12	2
3					12						08	06	3
4	03		05	05						02	18	21	4
5				01						16		15	5
6	28		14									17	6
7	02									07	24	24	7
8	12		14								23	23	8
9	10			04									9
10	04	12	08								04	36	10
11	24				23						71		11
12	02		39		18	15			03		33		12
13			04		12				41	15		19	13
14		09			22							34	14
15		04	19								04		15
16						62					37		16
17			10			01					22	11	17
18		18				12					39	13	18
19						18		01	17	10	21	04	19
20		01						26	10	08		46	20
21		10	02					20		58		06	21
22	06		12							02		38	22
23		05	12			92			25			11	23
24		12				01	02			1.10		24	24
25		03		05		12	07						25
26			02	23		08				13	03	26	26
27		35	06						10		10	06	27
28		18		20			57	03					28
29				07		16	08		18	22			29
30				06	04				07	18			30
31					04								31
Total	1.11	1.27	1.47	1.60	1.12	2.37	.74	.50	1.31	2.81	3.30	3.92	TOTAL for year 21.52
No. of Rain Days	11	11	13	10	8	10	4	4	8	12	15	20	126

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A. 17 FEB 1913

Kept at New River Works, Finsbury Park
in the County of London
by Metropolitan Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	06	-	-	07	56	01	03	26	-	20	1
2	-	-	24	-	-	01	23	40	-	-	-	-	2
3	06	-	14	-	-	19	-	03	-	-	-	05	3
4	30	-	57	-	25	06	-	12	-	-	13	-	4
5	15	06	05	-	-	-	-	15	-	-	03	-	5
6	63	04	-	-	-	17	-	08	-	-	-	-	6
7	-	-	-	-	02	66	02	05	-	-	-	02	7
8	35	27	10	-	-	03	-	06	-	-	-	-	8
9	-	06	-	03	-	17	-	20	-	-	-	14	9
10	-	03 29	-	-	-	-	-	-	-	-	03	21	10
11	-	06	-	-	-	04	-	-	-	-	-	11	11
12	08	-	07	-	13	09	-	-	-	-	02	-	12
13	-	-	-	-	-	-	02	-	-	-	05	-	13
14	-	-	-	-	02	-	-	07	-	07	-	02	14
15	-	-	11	-	18	45	-	01	-	-	-	35	15
16	22	-	02	-	01	03	-	05	-	04	08	-	16
17	51	-	19	-	-	04	-	03	-	-	-	-	17
18	03	-	09	-	-	-	-	04	-	-	-	11	18
19	16	06	10	-	-	-	03	39	-	-	-	-	19
20	02	-	11	-	-	-	-	10	-	36	-	-	20
21	-	06	10	-	02	-	-	10	-	04	03	-	21
22	24	15	-	-	-	-	20	51	-	01	-	05	22
23	35	33	32	-	-	-	-	11	-	03	16	14	23
24	38	02	-	-	-	10	-	76	-	-	-	10	24
25	12	-	-	-	-	16	-	22	-	-	22	43	25
26	-	07	-	-	-	-	06	-	-	43	30	27	26
27	-	-	-	-	-	08	-	02	-	16	-	21	27
28	-	04	-	-	-	06	18	23	03	22	34	07	28
29	-	-	-	-	-	21	24	-	94	10	06	-	29
30	-	-	-	-	18	-	-	17	103	11	-	-	30
31	-	-	27	-	01	-	07	-	-	-	-	-	31
Total	3.60	1.48	2.54	03	.82	2.62	1.61	4.01	2.03	1.83	1.45	2.48	24.50
Rain Days.	15	13	16	1	9	18	10	25	4	12	12	16	152

21

FORM A.
BRITISH RAINFALL.

28 ✓
STOKE NEWINGTON
Kept at New River Filter Beds
in the County of London 2 Finsbury Park
by R. Morris

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		22	05	26					23		07	07	1
2	05	11					05		18	01	02		2
3				07	38							05	3
4	16		01		32		13			24	03	02	4
5	21					02	20		18			04	5
6			13		06	11	32			16	07	06	6
7		07			01		05	03		43	07		7
8		02	05		12	08				03			8
9		13			03				02		06	07	9
10			06	14			85	07			31		10
11	58			44	01			05		49	06		11
12					01						54		12
13	06							02	02		35		13
14	05		07	06			63	06	02	16	07		14
15	23	05	25	18			17						15
16	13		30	16					44				16
17	02		02	08			14				01		17
18			03	17							05		18
19	13		05	03	02		10		23				19
20	07		13	03		23				37	02		20
21			17	06			03			16	69		21
22	38		07					05	13				22
23			02			04		21	02			24	23
24				02				01					24
25		02		10		03							25
26		02	18	01				16		76		16	26
27			03	05						02			27
28	18		15	08						11			28
29	05		03	40	46			07		01			29
30	20			19				19		11			30
31			03					59		05			31
Total	2.50	64	1.83	2.53	1.42	51	2.67	1.51	1.47	3.11	2.42	71	2132
Rain Days.	15	8	20	19	10	6	11	12	10	15	15	8	149

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Stoke Newington New River Res
Kept at
in the County of R. of Thames
by Met. Water Board

Pattern
RAIN GAUGE
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station Name Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 04	in.	in. 01	in. 62	in.	in.	in. 02	in.	in.	in.	in.	in.	1
2	18			28	20						15	13	2
3	02	02		02	16						10	08	3
4	03	02	06	08					01	03	21	22	4
5	01			03						19	01	17	5
6	31		16	02								18	6
7	04			02						08	27	26	7
8	14		17								22	23	8
9	13		03	03							01	01	9
10	05	12	10								05	37	10
11	29		02		31						74		11
12	04		40		15	08			04		36	01	12
13			06		14				42	15	02	21	13
14		11	03		26	01						34	14
15		06	22							01	04	01	15
16			01			63					39	03	16
17			18			03					24	10	17
18		20	01			12					39	16	18
19		01			02	18			20	11	22	06	19
20		02	02					24	10	07		49	20
21		11	01					26		68		07	21
22	08		11			02				03		37	22
23		10	15			98					03	13	23
24		15	01			03	04			1.15		25	24
25		04	02	06		14	18	01		03			25
26			02	25		08	02			12	02	27	26
27		39	07	02					12		11	08	27
28		22		22			35	04			01	01	28
29				07		18	10		20	23			29
30				08	06	04				20			30
31			01		02								31
Total	1.36	1.57	1.88	1.80	1.32	2.52	.71	.55	1.09	3.08	3.59	4.24	23.71
No. of Rain Days	13	14	23	14	9	13	6	4	7	14	20	25	162

St. ✓

REGISTER OF RAINFALL IN 1913

BRITISH FORM A. 22
RAINFALL

Stoke Newington New River Des.
in the County of London
by M.W.B.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	23	07	24					27		07	10	1
2	05	12	01				06		21	04	04	01	2
3	01		03	10	42							06	3
4	18	01	01	02	33		15			28	03	03	4
5	22					03	23		19	02	01	04	5
6	01	02	17		07	12	19		01	16	02	06	6
7		10	01		02		06	01		25	08		7
8		04	05		13	16				05	03	01	8
9		15		01	05				02		06	06	9
10	01		07	16			94	08			31		10
11	65			46	02			04		23	08		11
12					02				02	01	60		12
13	08		03					03	01		37		13
14	05	01	08	08			63	08		17	08		14
15	29	05	28	20			18						15
16	15		39	23					41				16
17	03	02	03	10			16				02		17
18	02		04	18			01				06		18
19	15		06	06	01	01	11		26				19
20	09		14	04		20				41	03		20
21			20	09			04			20	71		21
22	39		08	01				04	15				22
23			04			05		22	03		01	25	23
24	01			03				02			01		24
25		03		13		04						01	25
26		04	20	03				16		83		19	26
27			05	06						03			27
28	18		17	09						13			28
29	06		04	40	47			09				01	29
30	22			21				20		14			30
31			04					65		06			31
Total	2.88	.82	2.29	2.93	1.54	.61	2.76	1.62	1.58	3.01	2.62	.83	2349
Rain Days.	21	12	24	22	10	7	12	12	11	16	19	12	148

STOKE NEWINGTON

LORDSHIP RD

LONDON

1912, 14 - 1920

FORM A.
BRITISH RAINFALL.
17 FEB 1913Kept at *Lordskip Rd*in the County of *Essex*by *Metropolitan*

IMPORTANT

previous day. If an

requested to add the

for it at the end of this paragraph.

the selection and placing of rain gauges, and particulars as to the British Rainfall

Organization are given in "Rules for Rainfall Observers," sent post-free on application to

Dr. H. R. MILL, 62, Camden Square, London, N.W.

On 1st January of the following year in the space provided
Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

in.
ft. in.
ft.

result entered to the
rule, he is earnestly

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	07	-	-	08	45	03	03	27	-	24	1
2	-	01	27	-	-	03	27	-	-	01	-	-	2
3	07	01	17	-	-	20	02	42	01	-	-	08	3
4	34	01	62	-	27	10	-	05	-	-	14	-	4
5	20	06	06	-	-	01	-	13	-	-	05	-	5
6	61	03	01	-	-	13	-	15	-	-	-	02	6
7	-	-	01	-	04	73	02	11	02	-	-	03	7
8	38	30	13	-	-	02	-	07	-	-	-	-	8
9	-	08	-	03	-	18	02	08	-	-	-	16	9
10	01	04	-	-	-	03	-	15	-	-	05	22	10
11	01	29	-	-	-	04	-	-	02	-	-	12	11
12	10	08	09	-	15	11	-	-	-	02	03	-	12
13	01	-	-	-	-	-	02	-	-	-	06	02	13
14	-	-	02	-	03	-	-	09	-	07	-	02	14
15	-	02	11	-	19	48	-	03	-	-	02	40	15
16	22	-	04	-	03	07	-	07	-	06	07	-	16
17	50	-	21	-	-	06	-	05	-	-	-	-	17
18	04	-	11	-	-	-	-	05	-	-	01	11	18
19	15	07	11	-	-	-	04	49	-	-	-	-	19
20	03	-	13	-	-	01	-	14	-	39	01	-	20
21	-	07	16	-	04	-	-	11	-	05	04	01	21
22	23	17	04	-	-	-	25	13	-	02	01	07	22
23	34	34	33	-	-	-	05	55	-	04	15	17	23
24	40	02	-	-	-	10	-	14	-	-	-	11	24
25	10	-	-	-	-	18	-	79	-	-	26	43	25
26	-	02	-	-	-	-	08	24	-	46	31	33	26
27	-	-	-	-	-	09	-	-	-	18	-	22	27
28	-	06	-	-	-	09	19	03	04	26	36	12	28
29	-	02	-	-	-	20	28	25	97	11	10	-	29
30	-	-	-	-	21	-	-	-	104	13	-	-	30
31	01	-	29	-	03	-	10	21	-	-	-	-	31
Total	375	169	298	03	99	294	179	456	213	207	167	288	2748
Rain Days.	19	18	20	1	9	21	13	25	7	14	16	19	182

REGISTER OF RAINFALL IN 1913

17 FEB 1913
FORM A.
BRITISH RAINFALL

Kept at Lordskip Rd. Stoke Newington
in the County of London 2
by Metropolitan Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	07	-	-	08	45	03	03	27	-	24	1
2	-	01	27	-	-	03	27	-	-	01	-	-	2
3	07	31	17	-	-	20	02	42	01	-	-	08	3
4	34	01	62	-	27	10	-	05	-	-	14	-	4
5	20	06	06	-	-	01	-	13	-	-	05	-	5
6	61	03	01	-	-	13	-	15	-	-	-	02	6
7	-	-	01	-	04	73	02	11	02	-	-	03	7
8	38	30	13	-	-	02	-	07	-	-	-	-	8
9	-	08	-	03	-	18	02	08	-	-	-	16	9
10	01	04	-	-	-	03	-	15	-	-	05	22	10
11	01	29	-	-	-	04	-	-	02	-	-	12	11
12	10	08	09	-	15	11	-	-	-	02	03	-	12
13	01	-	-	-	-	-	02	-	-	-	06	02	13
14	-	-	02	-	03	-	-	09	-	07	-	02	14
15	-	02	11	-	19	48	-	03	-	-	02	40	15
16	22	-	04	-	03	07	-	07	-	06	07	-	16
17	50	-	21	-	-	06	-	05	-	-	-	-	17
18	04	-	11	-	-	-	-	05	-	-	01	11	18
19	15	07	11	-	-	-	04	49	-	-	-	-	19
20	03	-	13	-	-	01	-	14	-	39	01	-	20
21	-	07	16	-	04	-	-	11	-	05	04	01	21
22	23	17	04	-	-	-	25	13	-	02	01	07	22
23	34	34	33	-	-	-	05	55	-	04	15	17	23
24	40	02	-	-	-	10	-	14	-	-	-	11	24
25	10	-	-	-	-	18	-	79	-	-	26	43	25
26	-	02	-	-	-	-	08	24	-	46	31	33	26
27	-	-	-	-	-	09	-	-	-	18	-	22	27
28	-	06	-	-	-	09	19	03	04	26	36	12	28
29	-	02	-	-	-	20	28	25	97	11	10	-	29
30	-	-	-	-	21	-	-	-	104	13	-	-	30
31	01	-	29	-	03	-	10	21	-	-	-	-	31
Total	375	169	298	03	99	294	179	456	213	207	167	288	2748
Rain Days.	19	18	20	1	9	21	13	25	7	14	16	19	182

82

REGISTER OF RAINFALL IN 1914

28 JAN 1915
FORM A.
BRITISH RAINFALL

Kept at Lordskip Road, Newington
in the County of London L. Bank
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05					29			03	03	1
2							16	18			26	10	2
3	02		12	01	14		07	01			16	01	3
4	10		02	18				03			30	18	4
5	04		08	23	10	03	45	55					5
6		10	01	03		17		02			10	15	6
7		16	32	08	94	17	05					08	7
8	04	28	64	05	04	10	10	11				01	8
9	15		53	12		10			13			117	9
10	01	08		06	06				13			01	10
11		34	41	01		12			16		24	26	11
12	01	05	12				13		18		01	35	12
13		21	03						12	07	08	39	13
14		05	49				02			16	08	36	14
15	03		18							05	20	07	15
16			03				10		03				16
17		38	07						06			16	17
18		04	13									25	18
19		02	20			20	03		04		16	33	19
20		11	31			05			12			08	20
21		53	07			03				02		06	21
22				05	26	06	11	02		14			22
23			18		11	02				09		02	23
24	02		10								15		24
25	03		17	01				11		34	01	06	25
26	01		03				14	10		06	18	55	26
27	03		01								03	16	27
28	01	05								04	46	96	28
29	04		10							21	11		29
30			04							02	59	12	30
31	01				20		02					03	31
Total	55	240	454	83	185	105	138	142	97	120	315	595	2529
Rain Days.	15	14	26	11	8	11	12	10	9	11	18	26	171

8-9. 3.11.
REGISTER OF RAINFALL IN 19 15

Kept at Lordship Road, Stoke Newington.

in the County of Middlesex

by D. R. Bailey

Lat. 51° 4' Long.

Time of Observation 9 a.m.

Nearest Railway Station Stamford Hill 9.2.1916

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. + in.

" " " " Sea Level 100' 0.6. 9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.16	.10		.05				.05	.04	.34	.55	1
2	.30	.15	.23	.12				.66		.04		.09	2
3	.39		.06	.21				.55	.02			.44	3
4	.04							.09				.31	4
5	.04	.30			.02			.01		.02		.24	5
6	.38	.01		.23	.40		.64				.01	.44	6
7	.44	.24	.04	.02			.29	.02				.19	7
8	.05	.44		.04			.14	.05					8
9		.03		.04		.04		.05		.02	.38	.44	9
10	.33		.02			.01		.05				.14	10
11	.04		.01					.01			.65	.01	11
12	.08	.02		.23	.46			.45		.01	.49		12
13	.01	.35			1.53			.05					13
14		.03					.84	.01	.04			.69	14
15	.12				.06		.02	.26			.22	.11	15
16	.02	.24					.68	.02				.14	16
17		.41			.94		.08						17
18		.25	.05		.10						.02		18
19		.16					.06						19
20	.34		.01	.06								.26	20
21	.16									.02		.04	21
22	.88	.08	.14	.01			.43					.12	22
23		.19	.06			.15	.24		.05	.30		.26	23
24			.09			.01	.04		.19	.10		.24	24
25			.10	.06			.11					.08	25
26		.04				.05	.06					.42	26
27						.23	.24			.36		.06	27
28		.04				.08			1.26	.08			28
29			.02			.33	.11				.11	.02	29
30	.04	X				.54				.01	.14		30
31	.04	X		X		X		.02	X	.84	X	.16	31
Total	4.21	2.29	.96	1.08	2.56	1.14	4.63	2.41	1.61	1.88	2.40	5.90	33.14
Rain Days.	19	18	13	10	8	8	15	16	6	12	9	23	154
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1916

Lat. $51\frac{1}{2}^{\circ}$ N. ? Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Stamford Hill G.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 12 in.

" " " " Sea Level 100 ? ft.

Kept at Lordship Road.

in the County of Middlesex. London

by D.R. Galley.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03				.19	.01			.21	.03	.34		1
2	.49	.02	.10		.20		.01		.17	.35			2
3		.27	.15				.04		.56	.37	.66		3
4	.18	.13			.01	.32			.02	.09	.33		4
5	.02		.02		.05	.29				.05	.37		5
6		.06	.31	.29	.02	.16	.44			.08	.39		6
7	.06		.20		.15	.17	.52			.02	.85	.04	7
8			.02		.30	.01					.01	.27	8
9					.29	.01				.06		.06	9
10		.15	.07	.08		.37	.08				.01	.10	10
11	.05	.12	.01	.13		.18			.01				11
12	.03	.02		.05	.27	.11	.02	.03		.07			12
13		.40	.21	.13	.06	.09	.34	.14		.02			13
14		.40		.10	.09			.52		.05		.12	14
15		.26	.35	.01			.02	.41					15
16	.01	.01	.15	.15			.16	.11					16
17	.08	.07		.02			.02	.70	.30	.64			17
18	.02	.08	.02	.08				.16	.04	.03	.63		18
19	.04		.12	.14					.13		.81	.03	19
20	.16		.26	.06							.02	.32	20
21	.03		.68									.33	21
22		.01	.06							.01		.34	22
23	.02	.11	.01			.06		.02		.01	.06	.11	23
24		.04			.13	.08				.10	.03	.31	24
25		.26	.23		.01			.43		.05	.12		25
26		.14	.02			.04		.13		.03			26
27	.07	.01	.96			.03		.35	.07	.57		.02	27
28		.31	.25			.07		.03	.05	.01		.25	28
29		.05				.27		1.40	.02	.29		.15	29
30				.03				.09		.42			30
31								.05		.15		.04	31
Total	1.29	2.92	4.20	1.27	1.77	2.27	1.65	4.57	1.58	3.40	4.63	2.49	32.04
Rain Days.	15	21	21	13	13	17	10	15	11	23	14	15	188

REGISTER OF RAINFALL IN 1917

Kept at Lordslip Rd
in the County of London L.B. Thames
by M. R. B.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

26 JAN 1918

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.11				.96	.03		.12		1
2				.55		.06		.07			.04		2
3				.03				.40		.27	.39		3
4		.11	.12				.05	.10		.37			4
5	.25		.04	.38				.12	.74	.09	.10		5
6			.04	.02		.03			.07	.02	.13		6
7	.20						.13			.33	.01	.04	7
8	.10			.11			.90	.14	.01	.25	.19	.24	8
9	.01		.04	.13			.05	.09	.01		.06	.15	9
10	.24		.10	.21				.05				.03	10
11	.11		.40	.13					.02	.28			11
12	.11		.02					.02		.41			12
13			.15	.03				.01	.02	.04		.01	13
14				.20				.06					14
15	.02						.13	.05		.04		.01	15
16	.04	.14		.14	.19	1.57	.21	.05		.39		.16	16
17		.01			.52		.27		.41	.29			17
18	.02	.07		.15	.08	.58	.11	.03	.17	.05			18
19		.12	.09		.13	.04			.22				19
20	.02	.25	.11		.80						.08		20
21			.01		.02	.02				.01	.03	.01	21
22			.02			.02		.07		.07			22
23		.12	.01		.14	.01		.11					23
24	.01	.03				.07		.13		.22	.02	.02	24
25		.01	.04								.07		25
26			.05			.08		.25	.04		.52		26
27						.01		1.06				.02	27
28			.01			1.46		.11				.05	28
29			.02		.01	.03	.16	.10		.18		.12	29
30		X	.22				1.37	.09		.02		.01	30
31	.03	X	.20	X		X	.45	.03	X		X		31
Total	1.16	.86	1.69	2.19	1.89	3.98	3.83	4.10	1.74	3.33	1.76	.87	27.40
Rain Days.	13	9	19	13	8	13	11	23	11	18	13	13	164

REGISTER OF RAINFALL IN 1918

Kept at Lordship Road
in the County of London, Thames R.B.
by M. R. B.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01		09							10	07	1
2	01	07		03				34			07	23	2
3		01	02	02	43			25	01		54	01	3
4		07	17	01				05	68		52	01	4
5		02			12			11	12	10			5
6	12	18		28	18			15				07	6
7	04	09		05	09			01	06	07	10		7
8		04							12	01	05	05	8
9	03	04		02		03	29		40	13		16	9
10	04			07			62		01	01	03	40	10
11	01			02	06		51		15	13	07	11	11
12		06			21		10		10			03	12
13	01	01			13		19		25			01	13
14	15		01			18	06		35	19		23	14
15	122			82		01	24		02			09	15
16	18			25		10			22	02		04	16
17	21			25	116	08	96	02				14	17
18	61					22	03		74	11		06	18
19	04	01	04	08		18	27		01	05		15	19
20	01	14		57		01	11		12	12		07	20
21	09	01		18			01		44	03			21
22	06			05	60		17		12			15	22
23	03				25		38	06	07			05	23
24		21				09	31		08		03		24
25				02		03	36	14			07		25
26					01		38	17	01	02	18	12	26
27		02	01	09			01	16	06		11	02	27
28		02	11	01							25	10	28
29	01		01						128		01		29
30		X	50						01		03	06	30
31		X		X		X		04	X	03	X	01	31
Total	287	1.01	87	2.91	3.24	93	5.00	1.50	5.43	1.02	2.16	2.44	29.88
Rain Days.	18	17	8	19	11	10	18	12	24	14	15	25	191

8/1/20
Baker
11.3.20

REGISTER OF RAINFALL IN 1919

60
FORM A
BRITISH RAINFALL
17 MAR 20

Kept at Lordskip Road
in the County of London
by M. W. P.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	37	03		02	07		25			01	03	82	1
2	40				14		12		04	06	08	13	2
3	21		32		01		04		02		02	38	3
4	09	05	30			09	17	13			02	14	4
5	02	30	56						03		01	28	5
6	01		08									03	6
7	03		36								05		7
8	05		04	01							02		8
9	14		02	10	04						03		9
10	34		05	02							01	02	10
11	03		10	27			31					01	11
12	01		06	01		04	07			07			12
13	01			36						03		01	13
14	25			31			08		47			01	14
15	20	01	10	25						07		21	15
16	05	63		02							11	04	16
17		49	04	01							21		17
18		19	06						05		06	06	18
19	03	19	74			22	13	24	05		19	01	19
20	34	07	05			83	14	10	01			01	20
21	20	30	01			02	13				01	11	21
22		12					09		18		04	30	22
23						04		01	13		02	02	23
24				16		02	03	03		16	03	01	24
25	02			11	07		03	13				02	25
26	07	11	11	03				12	09			34	26
27	43	02	03	123				50				02	27
28			12	02				76			17	31	28
29	02			01				27		26	14	03	29
30		X	02	22		20		14	X	02	23	22	30
31	01	X		X		X	02		X		X	01	31
Total	3.33	2.51	3.17	3.16	.33	1.46	1.61	2.43	1.07	.68	1.48	3.55	24.78
Rain Days	24	13	20	18	5	8	14	11	10	8	20	26	177

REGISTER OF RAINFALL IN 1920.

Kept at Lordskip Road.
in the County of London
by Metro. Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.35	.04		.29			.41		.21	1
2			.03	-	.01			.74	.07	.09		.09	2
3		.07					.04		.08			.02	3
4		.02	.01	.07			.09	.04		.12		.04	4
5			.12		.04		.40	.03	.06			.05	5
6			.17		.10		.43	.02				.03	6
7	.03		.04	.21	.01		.11					.01	7
8	.05	.02		.11	.08		.05	.02					8
9	.34	.02		.04				.01					9
10	.60	.04	.10			.06	.05					.01	10
11	.18		.06	.41	.01	.03	.33					.21	11
12	.09			.10		.38				.02			12
13	.14	.01	.12	.12							.12		13
14		.01	.27	.23		.42			.22	.17	.15	.03	14
15		.01	.09	.15					.72	.11	.10		15
16			.01	.16		.08			.17	.30		.01	16
17	.01				.13				.34			.03	17
18	.02			.01	.01			.86	.15			.03	18
19	.12			.18		.07						.02	19
20	.05	.23		.17		.54			.16				20
21							.88	.13	.53			.05	21
22				.34					.10			.30	22
23							.37					.39	23
24	.02		.05									.06	24
25		.02	.01	.04			.20		.03				25
26	.02		.05				.02					.03	26
27	.14	.08	.02	.29		.08	.06				.46	.09	27
28	.40		.22	.05	.01		.05					.02	28
29	.20		.06		.13		.01				.05	.33	29
30	.03	~~X~~			.13		.51		.48		.15	.18	30
31	.02	~~X~~		~~X~~	.03	~~X~~			~~X~~	.17	~~X~~	.11	31
TOTAL	2.49	.53	1.43	3.03	.73	1.66	3.89	1.85	3.11	1.39	1.03	2.35	YEAR'S TOTAL 23.49
Days with 0.1 in. or more	18	11	17	18	13	8	17	8	13	8	6	24	161

RE

STRAND

Kept at 406 Slieve

in the County of L

by L. J. Stewart

1911-18, 20

FORM A2.
BRITISH RAINFALL
10 JAN 1912

5 in.
e Ground 45 ft.
Sea Level 80 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be entered for the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

W

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05			.30									1
2	.25			.44	.17						.21	.08	2
3	.05	.01			.11						.09	.08	3
4	.03	.01	.07	.03						.02	.23	.21	4
5	.01									.25	.02	.27	5
6	.25		.20									.15	6
7	.02									.14	.29	.20	7
8	.13		.12								.25	.27	8
9	.14		.04	.02									9
10		.13	.06								.11	.45	10
11	.30				.39						.43		11
12	.05		.47		.07				.04		.34		12
13			.09		.06				.43	.21	.06	.27	13
14		.09			.27							.42	14
15		.05	.23							.02	.04		15
16						.59					.33	.02	16
17			.02			.05					.23	.12	17
18		.15	.01								.24	.15	18
19					.02	.20		.42	.13	.09	.40	.06	19
20			.01					.38	.11	.09		.49	20
21		.11						.13	.02	.30		.06	21
22	.07		.02							.40		.37	22
23		.07	.09			.83			.27		.03	.22	23
24		.14					.05			.90		.20	24
25		.04		.03		.23	.42		.01			.16	25
26			.04	.23		.27	.03			.11	.01	.12	26
27		.37	.09	.04					.20		.09	.09	27
28		.16		.20			.69	.06			.01		28
29				.07		.17	.07		.12	.21			29
30				.01				.11		.15			30
31					.71								31
Total	1.35	1.33	1.56	1.37	1.80	2.34	1.26	1.10	1.33	2.89	3.41	4.46	TOTAL for year 137
No. of Rain Days.	12	12	15	10	8	7	5	5	9	13	19	22	137

RI

FORM A2.
BRITISH RAINFALL
10 JAN 1912

Kept at 406 Strand, London
in the County of London 2
by L. J. Plazara

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 45 ft. in.
Sea Level 80 ft.
Time of Observation 8 a.m.
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05			.30									1
2	.25			.44	.17						.21	.08	2
3	.05	.01			.11						.09	.08	3
4	.03	.01	.07	.03						.02	.23	.21	4
5	.01									.25	.02	.27	5
6	.25		.20									.15	6
7	.02									.14	.29	.20	7
8	.13		.12								.25	.27	8
9	.14		.04	.02									9
10		.13	.06								.11	.45	10
11	.30				.39						.43		11
12	.05		.47		.07				.04		.34		12
13			.09		.06				.43	.21	.06	.27	13
14		.09			.27							.42	14
15		.05	.23							.02	.04		15
16						.59					.33	.02	16
17			.02			.05					.23	.12	17
18		.15	.01								.24	.15	18
19					.02	.20		.42	.13	.09	.40	.06	19
20			.01					.38	.11	.09		.49	20
21		.11						.13	.02	.30		.06	21
22	.07		.02							.40		.37	22
23		.07	.09			.83			.27		.03	.22	23
24		.14					.05			.90		.20	24
25		.04		.03		.23	.42		.01			.16	25
26			.04	.23		.27	.03			.11	.01	.12	26
27		.37	.09	.04					.20		.09	.09	27
28		.16		.20			.69	.06			.01		28
29				.07		.17	.07		.12	.21			29
30				.01				.11		.15			30
31					.71								31
Total	1.35	1.33	1.56	1.37	1.80	2.34	1.26	1.10	1.33	2.89	3.41	4.46	TOTAL for year 11.20
No. of Rain Days.	12	12	15	10	8	7	5	5	9	13	19	22	137

REGISTER OF RAINFALL IN 1912

Kept at 406 Strand, London
 in the County of London 2
 by L. L. Steward

Lat. _____ Long _____
 Time of Observation 8 a.m.
 Nearest Railway Station _____
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 40 ft. in.
 " " " " Sea Level 80 ft.

FORM A.
 BRITISH RAINFALL
 8 - JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06			.17	.21		.07	.35		.20	1
2			.30			.04	.27	.17	.02	.02			2
3	.07		.08			.15		.40				.05	3
4	.31	.03	.50		.25	.17		.01			.12		4
5	.18	.05	.02					.22			.07		5
6	.49	.02				.21		.11				.01	6
7			.01		.07	.61	.09	.14					7
8	.31	.25	.09			.01		.19					8
9		.07		.01		.22		.03				.15	9
10		.03				.01		.36			.03	.25	10
11	.02	.34				.03		.02				.11	11
12	.04	.07	.07		.17	.13					.02		12
13	.01	.02	.02								.03	.01	13
14			.01		.02			.05		.05		.19	14
15		.02	.11		.30	.40					.02	.25	15
16	.30		.03		.05	.15		.05		.04	.04		16
17	.59		.17			.05		.03				.01	17
18	.03		.11					.06		.02	.01	.11	18
19	.15	.04	.10				.01	.50					19
20			.10					.07		.41			20
21		.02	.20		.01			.17		.04	.03		21
22	.28	.14	.05		.01		.17	.10		.05		.09	22
23	.35	.37	.34				.01	.43		.05	.17	.19	23
24	.37	.04				.23	.02	.14				.12	24
25	.28					.17		.79			.24	.36	25
26		.02					.06	.33		.34	.33	.51	26
27						.07				.15		.22	27
28		.04				.02	.13	.01	.05	.26	.37	.09	28
29						.08	.23	.21	.90	.10	.07		29
30					.31			.02	.98	.13			30
31			.30				.08	.14					31
Total	3.78	1.57	2.67	0.01	4.19	2.92	1.28	4.75	2.02	2.01	1.55	2.92	26.67
Rain Days.	16	17	20	1	9	19	11	26	5	14	14	18	170

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at 406 Strand.
in the County of London
by J. J. Neward

Lat. Long. 8am
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 40 ft.
Sea Level 80 ft.

BRITISH RAINFALL FORM A.
7-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.20	.04	.17					.24		.03	.07	1
2	.04	.17					.06		.12		.05		2
3			.07	.13	.32							.03	3
4	.15			.01	.28		.13			.19	.01	.04	4
5	.29					.06	.13		.22	.02		.06	5
6		.02	.09		.05	.09	.26			.07	.06	.07	6
7		.11			.05		.02	.10		.50	.05		7
8		.02	.03		.09	.09				.09	.02	.	8
9		.15			.03				.04		.03	.03	9
10			.11	.07			.03	.06			.30		10
11	.33			.45	.02					.53	.10		11
12					.08						.39		12
13	.09		.03					.01	.03		.29		13
14	.03		.06	.09			.50	.07	.07	.17	.10		14
15	.27	.07	.08	.19			.25		.03				15
16	.09		.55	.20					.39				16
17	.04		.10	.11			.10				.01		17
18			.05	.14							.09		18
19	.15		.05		.02	.19	.13		.25				19
20	.11		.21	.03		.06				.33	.03		20
21			.13	.09			.03			.21	.69		21
22	.39		.07						.17				22
23			.09			.02		.28	.03			.30	23
24	.01			.05		.01							24
25		.01		.15		.06						.17	25
26		.01	.20					.15		.77			26
27			.01	.06						.02			27
28	.22		.19	.09						.11			28
29	.05		.06	.41	.50			.05					29
30	.19			.07				.26		.07			30
31			.05					.28		.07			31
Total	2.46	0.76	2.27	2.51	1.44	0.58	1.64	1.26	1.59	3.15	2.25	0.77	20.68
Rain Days.	17	9	21	18	10	8	11	9	11	14	16	8	152
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at 406 Shaw. Lane
in the County of London 2
by L. J. Stewart

Lat. Long.
Time of Observation 8 am
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.
3-MAY 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04					.27			.01	.02	1
2							.20	.13			.29	.15	2
3			.09		.15		.03				.20		3
4	.04		.01	.10				.03			.25	.19	4
5	.05		.06	.20	.19	.01	.33	.63			.01		5
6		.10		.09		.11	.01	.03			.07	.08	6
7		.12	.25	.15	.85	.18	.05					.09	7
8	.15	.31	.73	.04	.02	.07	.15	.08					8
9	.19		.52	.07		.09			.05			1.37	9
10		.02	.01	.05	.05				.09			.03	10
11		.36	.30			.07			.32		.41	.30	11
12		.05	.10				.19		.13	.10	.01	.25	12
13		.15	.15						.14	.10	.07	.40	13
14		.02	.13			.12				.01		.41	14
15	.03	.03	.24				.05				.40	.06	15
16			.04				.01						16
17		.26	.06						.02			.13	17
18		.06	.13						.02			.26	18
19		.01	.17			.11	.05				.20	.30	19
20		.11	.41			.05			.12			.14	20
21		.52	.07			.01				.01		.05	21
22			.03		.30	.21	.11	.01		.17			22
23			.10		.16	.13	.07			.08		.01	23
24			.03		.03						.12	~~.01~~	24
25	.04		.15					.09		.27	~~.01~~		25
26			.02				.05	.17		.06	.17	.30	26
27	.02										.03	.39	27
28	.01	.03								.03	.45	1.06	28
29	.02		.06							.20	.08	~~1.06~~	29
30		X	.05							.03	.59	.11	30
31		X		X	.10	X			X		X	.05	31
Total	.55	2.15	3.92	.70	1.85	1.16	1.30	1.44	.89	1.06	3.37	6.15	24.54
Rain Days.	9	15	16	7	9	12	13	9	8	11	18	13	160

REGISTER OF RAINFALL IN 1918

Kept at Loob Strand London
in the County of London
by L. S. Steward

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 40 ft. _____ in.
" " " " Sea Level 80 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.14	.02	.04					.11	.02	.35	.35	1
2	.23	.20	.20	.27	.02			.62		.05			2
3	.49		.09		.01			.45	.04			.53	3
4	.05							.10				.27	4
5	.05	.43								.02	.01	.20	5
6	.39	.28		.22	1.76		.77	.04				.37	6
7	.53	.45	.03				.15					.19	7
8	.10	.04		.03			.05	.05					8
9				.10				.12			.31	.65	9
10	.30							.32				.19	10
11	.01		.02								.60		11
12	.05			.25	.37			.25			.40		12
13	.02	.19			1.27			.04					13
14		.21					.63	.09	.03			.47	14
15	.10				.04			.84			.23	.11	15
16	.01	.19					.60					.15	16
17		.29			.86		.05	.07					17
18		.29	.05		.17						.09		18
19		.11					.07						19
20	.37	X		.06								.27	20
21	.02									.03		.04	21
22	.94	.10	.13	.03			.57					.10	22
23	.09	.25	.06	.01		.05	.57		.02			.30	23
24							.04		.23	.53		.15	24
25			.10	.16			.21					.14	25
26	.01	.11					.02					.03	26
27		.01				.33	.39			.27		.53	27
28		.04				.10			1.70	.20			28
29							.23	.13			.09		29
30	.02	X									.15		30
31		X		X		X		.01	X	.83	X	.17	31
Total	4.13	3.33	.70	1.17	4.50	.48	4.35	3.13	2.13	1.95	2.23	5.21	33.31
Rain Days.	20	17	9	10	8	3	14	14	6	8	9	20	138

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at 406 Strand
in the County of London
by A. J. Newman

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 40 ft. _____ in.
" " " " Sea Level 50 ft.

FORM A.
BRITISH RAINFALL.
10 JUL 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19		.01		.32	.01			.21	.03	.27		1
2	.30	.01	.09		.30		.02		.22	.39	.02		2
3		.32	.17				.02		.40	.26	.62		3
4	.20	.10	.02			.33			.04	.02	.31		4
5					.10	.19	.10			.04	.15		5
6		.09	.15	.27	.02	.05	.34				.25		6
7	.05		.32		.18	.10	.27				.46	.05	7
8			.10		.29							.20	8
9				.27	.23	.03				.05		.14	9
10		.25	.09	.07		.20	.05	.07				.01	10
11	.02	.15	.03	.19		.21						.01	11
12	.03	.02		.09	.30	.13	.03	.03		.04			12
13		.30	.39	.11		.10	.26	.16		.03			13
14		.35		.02	.10			.71				.11	14
15		.21	.30	.03				.13		.01			15
16		.01	.13	.12			.18	.05					16
17	.05	.07		.01			.08	.70	.26	.53			17
18	.01	.12		.21				.56	.06	.08	.50		18
19	.05	.06	.29	.19					.16		.79		19
20	.12		.23								.01	.24	20
21			.57	.10								.39	21
22			.09									.36	22
23		.09	.01			.01				.03	.03	.47	23
24	.03	.12			.03	.02		.02		.08			24
25		.35	.05		.05			.45		.05	.15		25
26		.29	.16			.04		1.00		.05			26
27	.03		.87			.02		.40	.05	.61			27
28		.39	.23			.05			.05			.27	28
29		.05				.29		1.41	.04	.19		.17	29
30		X			.05			.09		.26			30
31		X		X		X		.07	X	.20	X	.04	31
Total	1.08	3.35	4.30	1.41	1.97	1.78	1.35	5.85	1.49	2.95	3.56	2.46	31.55
Rain Days.	12	20	21	12	12	16	10	15	10	19	12	13	172

REGISTER OF RAINFALL IN 1917

Kept at 406 Piccadilly
in the County of London
by A. J. Plewman

Lat. _____ Long. _____
Time of Observation 8 am
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 40 ft. in.
" " " " Sea Level 80 ft.

FORM A.
BRITISH RAINFALL
1917
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.05				1.02			.05		1
2				.12				.10	.01		.09		2
3				.01				.33		.16	.32		3
4		.19	.05				.19	.30		.29			4
5	.25		.15						1.15	.12	.05		5
6			.03	.28		.04			.15		.06		6
7	.17						.10			.17		.01	7
8	.10			.04			.69	.10		.21	.13	.35	8
9	~~.10~~		.03	.14			.03	.06	.04	.01	.05	.09	9
10	.10		.05	.19				.01				.04	10
11	.15		.42	.12				.01	.27	.19			11
12	.11		.03	.01				.02		.40			12
13			.14					.01	.02	.11			13
14	.01		.01					.27					14
15	.02			.15			.10			.03			15
16	.10	.17		.12	.16	.33	.03			.35		.34	16
17				.09	.53		.37	.05	.32	.27			17
18	.03	.05		.10	.06	.39	.08	.01	.15	.15			18
19		.15	.05		.18	.05		.04	.13				19
20	.01	.23	.05		.86						.06		20
21	.01		.02		.02	.01		.05			.03		21
22			.03					.05		.07			22
23		.10	.04		.10							.01	23
24						.14				.20	.02		24
25		.01	.04					.22			.06		25
26			.03						.05		.49	.01	26
27			.05					.80					27
28								1.00			.05		28
29			.05		.35	1.90	.15	.03		.19		.17	29
30		X	.25			.04	1.62	.04		.05		.01	30
31	.07	X	.19	X		X	.51	.01	X		X		31
Total	1.13	0.90	1.71	1.42	2.26	2.90	3.87	4.53	2.29	2.97	1.41	1.08	YEAR'S TOTAL 26.47
Rain Days.	13	7	20	13	8	8	11	22	10	17	12	10	151

REGISTER OF RAINFALL IN 1918

Kept at Hob Shand
in the County of London
by J. J. Neward

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 40 ft.
Sea Level 80 ft.

FORM A.
BRITISH RAINFALL
14-1-18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

25

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.07							.10	.10	1
2		.08		.05				.35			.03	.15	2
3			.03		.40			.38			.57	.01	3
4		.03	.19	.01				.14	.60		.43		4
5		.01			.15			.02	.30	.09			5
6	.17	.02		.23	.16			.19				.05	6
7	.02	.10		.12	.15			.01	.06	.20	.06		7
8		.05							.09	.03	.07	.04	8
9	.02			.05		.02	.20		.35	.09		.17	9
10				.10			.50		.02		.02	.27	10
11	.02			.02	.10		1.43		.04	.17	.12	.10	11
12		.03			.11		.07		.05			.02	12
13					.11		.02		.16				13
14	.32		.01			.34	.21			.12		.26	14
15	1.15			.83			.60		.20			.04	15
16	.19			.31		.05			.18			.01	16
17	.26			.37	.18	.12	.94	.03	.23			.12	17
18	.37					.20	.50		.71	.25		.03	18
19	.01		.05	.11		.15	.23		.03	.06		.10	19
20	.01	.12		.23		.02	.13		.11	.14		.03	20
21	.07	.01		.57					.24	.09			21
22	.04			.02	.42		.19		.32			.17	22
23	.02			.04	.15		.47	.04	.03		.01	.05	23
24		.22				.05	.71		.06		.02		24
25				.04			.40	.12			.03		25
26				.10			.41	.10		.02	.15	.10	26
27							.07	.15	.06		.10		27
28		.08	.20			.02					.21	.15	28
29			.10						1.11		.02		29
30		X							.01			.07	30
31		X	.12	X		X		.09	X	.02	X		31
Total	2.67	0.75	0.70	3.27	1.93	0.97	7.08	1.62	4.96	1.28	1.94	2.04	29.21
Rain Days.	14	11	7	18	10	9	17	12	22	12	15	21	168

REGISTER OF RAINFALL IN 1920.

Kept at 486 Strand WCin the County of Londonby L. J. Newson

Lat. _____ Long. _____

Time of Observation 9 am

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 40 ft. in." " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.18

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.29	.01		.24			.12		.16	1
2	.01		.03		.01			.77	.06	.04		.04	2
3		.05		.01					.08			.03	3
4		.03	.01	.07			.02	.01		.08		.02	4
5			.10		.02		.46	.07	.03			.05	5
6			.13		.11		.36					.02	6
7			.02	.19	.10		.13					.03	7
8		.02		.07	.07		.06	.01					8
9	.29	.01		.02									9
10	.56	.07	.06	.01		.12	.08						10
11	.14		.05	.20	.005	.005	.27					.14	11
12	.07	.005		.07									12
13	.17	.005	.07	.18		.42					.02		13
14		.01	.32	.16		.14			.13	.04	.11	.05	14
15		.01	.06	.13			.02		.57	.19	.11	.04	15
16			.005	.23					.29				16
17					.11				.64	.32		.02	17
18	.09							.77				.03	18
19	.11			.14		.04			.17			.07	19
20	.06	.25		.12		.51			.09				20
21							.71		.55			.02	21
22				.26				.02	.04			.33	22
23							.28					.34	23
24		.07	.04									.01	24
25				.01			.08						25
26			.07	.005			.12		.03			.09	26
27	.08	.09	.02	.29		.07	.42				.45	.09	27
28	.36		.16	.12	.005		.08					.01	28
29	.17		.06	.02	.01						.02	.21	29
30	.02				.07		.39		.55		.13	.11	30
31					.02					.16		.07	31
TOTAL	2.15	0.55	1.20	2.59	0.53	1.30	3.72	1.65	3.23	0.95	0.84	1.89	YEAR'S TOTAL 20.60
Days with .01 in. or more	14	10	15	20	10	6	16	6	13	7	6	22	145
Days with .04 in. or more	11	4	11	15	5	6	14	3	11	7	4	13	104

Kept at M.W.B.

in the County of

by

STREATHAM
CONYERS RD
LONDON

1911-1920

IMPORTANT
previous day. If a
requested to add the
for it at the end of
the selection and
Organization are given
Dr. H. R. MILL, 62, Camden Square, London, N.W.

BRITISH RAINFALL FORM A2.
Holborn JAN 1912

in.
and 4 ft. 3 in.
Level 118 ft.
M.
re Streatham Common
ance 3 miles Direction South

result entered to the
1 rule, he is earnestly
in the space provided
of rain,
Rainfall

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	-	.80	-	-	-	.05	-	-	-	-	1
2	.12	-	-	.23	.11	-	-	-	-	-	.12	.06	2
3	.03	.02	-	-	.11	-	-	-	-	-	.05	.06	3
4	.03	.01	.07	.07	-	-	-	-	.01	.06	.12	.19	4
5	.02	.01	-	.01	-	-	-	-	-	.19	.03	.13	5
6	.12	-	.23	-	-	-	-	-	-	-	-	.23	6
7	.03	-	-	-	-	-	-	-	-	.11	.25	.10	7
8	.09	-	.10	.01	-	-	-	-	-	-	.25	.27	8
9	.15	-	.02	.02	-	-	-	-	-	-	-	.15	9
10	.01	.08	.02	.01	-	-	-	-	-	-	.06	.31	10
11	.27	-	-	-	.40	-	-	-	-	-	.55	-	11
12	.03	-	.46	-	.02	-	-	-	.02	-	.15	-	12
13	-	-	.06	-	.16	-	-	-	.31	.16	.01	.16	13
14	-	.06	-	-	.22	-	-	-	-	-	-	.36	14
15	-	.03	.16	-	-	-	-	-	-	.02	.01	.02	15
16	.01	-	-	-	-	.70	-	-	-	-	.34	.01	16
17	-	-	-	-	-	-	-	-	-	-	.25	.11	17
18	-	.08	.03	-	-	-	-	-	-	-	.47	.19	18
19	-	-	-	-	.03	.23	-	-	.29	.10	.15	.06	19
20	-	.02	-	-	-	-	-	.10	-	.07	-	.46	20
21	-	.12	-	-	-	-	-	.74	.03	.56	-	.07	21
22	.05	-	.18	-	-	-	-	.01	-	.03	-	.38	22
23	-	.08	.05	-	-	.81	-	-	.23	-	.03	.05	23
24	.01	.11	-	-	-	-	.04	-	-	.96	-	.22	24
25	-	.02	-	.04	-	.12	.19	-	-	.03	-	.01	25
26	-	.01	.11	.16	-	.11	.01	-	-	.08	.01	.20	26
27	-	.29	.09	.07	-	-	-	-	.14	.01	.06	.08	27
28	-	.08	-	.15	-	-	.08	.09	-	-	.02	-	28
29	.01	-	-	.13	-	.18	.07	-	.11	.18	.01	-	29
30	-	-	-	-	-	.02	-	.57	.01	.16	-	-	30
31	-	-	-	-	.05	-	-	-	-	.02	-	-	31
Total	1.07	1.02	1.58	1.70	1.10	2.17	.39	1.50	1.15	2.74	2.94	3.88	TOTAL for year
No. of Rain Days.	16	15	13	12	8	7	5	6	9	16	20	24	151

Do

BRITISH RAINFALL FORM A2. JAN 1912

Kept at M.W.B. Compers R^d Streatham
in the County of Surrey
by J. Cawrighton

Pattern Baker, Holborn
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 4 ft. 3 in.
" " " Sea Level 118 ft.
Time of Observation 9 A.M.
Name Streatham Common
Nearest Railway Station { Distance 3 miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	-	-	.80	-	-	-	.05	-	-	-	-	1
2	.12	-	-	.23	.11	-	-	-	-	-	.12	.06	2
3	.03	.02	-	-	.11	-	-	-	-	-	.05	.06	3
4	.03	.01	.07	.07	-	-	-	-	.01	.06	.12	.19	4
5	.02	.01	-	.01	-	-	-	-	-	.19	.03	.13	5
6	.12	-	.23	-	-	-	-	-	-	-	-	.23	6
7	.03	-	-	-	-	-	-	-	-	.11	.25	.10	7
8	.09	-	.10	.01	-	-	-	-	-	-	.25	.27	8
9	.15	-	.02	.02	-	-	-	-	-	-	-	.15	9
10	.01	.08	.02	.01	-	-	-	-	-	-	.06	.31	10
11	.27	-	-	-	.40	-	-	-	-	-	.55	-	11
12	.03	-	.46	-	.02	-	-	-	.02	-	.15	-	12
13	-	-	.06	-	.16	-	-	-	.31	.16	.01	.16	13
14	-	.06	-	-	.22	-	-	-	-	-	-	.36	14
15	-	.03	.16	-	-	-	-	-	-	.02	.01	.02	15
16	.01	-	-	-	-	.70	-	-	-	-	.34	.01	16
17	-	-	-	-	-	-	-	-	-	-	.25	.11	17
18	-	.08	.03	-	-	-	-	-	-	-	.47	.19	18
19	-	-	-	-	.03	.23	-	-	.29	.10	.15	.06	19
20	-	.02	-	-	-	-	-	.10	-	.07	-	.46	20
21	-	.12	-	-	-	-	-	.74	.03	.56	-	.07	21
22	.05	-	.18	-	-	-	-	.01	-	.03	-	.38	22
23	-	.08	.05	-	-	.81	-	-	.23	-	.03	.05	23
24	.01	.11	-	-	-	-	.04	-	-	.96	-	.22	24
25	-	.02	-	.04	-	.12	.19	-	-	.03	-	.01	25
26	-	.01	.11	.16	-	.11	.01	-	-	.08	.01	.20	26
27	-	.29	.09	.07	-	-	-	-	.14	.01	.06	.08	27
28	-	.08	-	.15	-	-	.08	.09	-	-	.02	-	28
29	.01	-	-	.13	-	.18	.07	-	.11	.18	.01	-	29
30	-	-	-	-	-	.02	-	.57	.01	.16	-	-	30
31	-	-	-	-	.05	-	-	-	-	.02	-	-	31
Total	1.07	1.02	1.58	1.70	1.10	2.17	.39	1.50	1.15	2.74	2.94	3.88	TOTAL for year
No. of Rain Days.	16	15	13	12	8	7	5	6	9	16	20	24	151

Case J. C. REGISTER OF RAINFALL IN 1912

Kept at M.W.B. Conyers R^d Streatham.

in the County of Surrey.

by J. Brighton.

Pattern
RAIN GAUGE Diameter of top 5" in.
Height of top above Ground 4 ft.
" " " Sea Level 120 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Streatham form
Distance 600^{ft} Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	-	-	.06	.01	-	.10	.25	-	.05	.41	-	.13	2
3	.04	.04	.04	-	-	.05	.01	.30	-	-	-	.07	3
4	.19	-	.45	-	.10	.17	-	.09	-	-	.15	-	4
5	.12	.03	.03	-	-	-	-	.25	-	-	.05	-	5
6	.38	.02	-	-	.01	-	-	.09	.01	-	-	.07	6
7	-	-	-	-	.05	.88	.09	.41	.01	-	-	.01	7
8	.21	.23	.13	-	-	.03	.02	.30	-	-	-	-	8
9	-	.04	-	.05	-	.12	.01	.69	-	-	-	-	9
10	-	.02	-	-	-	-	-	.05	-	-	.12	.32	10
11	.02	.26	-	-	-	.02	-	-	.01	-	-	.13	11
12	.03	.05	.04	-	.19	.16	-	.08	.01	.02	.02	.01	12
13	-	-	-	-	-	-	-	.02	-	-	.02	-	13
14	-	-	-	-	.02	-	-	-	-	.10	-	.02	14
15	-	.02	.08	-	.36	.57	-	-	-	-	.04	.31	15
16	.32	-	.01	-	.03	.11	-	.04	-	.02	.06	-	16
17	.39	-	.17	-	-	.03	-	.03	-	-	-	.03	17
18	.11	-	.12	-	-	-	-	.04	-	.03	-	.10	18
19	.08	.07	.07	-	-	-	.02	.58	-	-	.01	-	19
20	.01	.01	.18	-	.01	-	-	.05	-	.44	.01	-	20
21	-	.02	.10	-	-	-	-	.11	-	.06	.04	-	21
22	.28	.13	.04	-	.03	-	.06	.14	-	-	-	.03	22
23	.33	.37	.27	-	-	-	-	.36	-	.06	.19	.14	23
24	.13	.01	-	-	-	.14	.02	.21	-	-	-	.10	24
25	.15	-	-	-	-	.12	-	.84	-	-	.26	.45	25
26	-	.02	-	-	-	-	-	.32	-	.26	.30	.26	26
27	-	-	-	-	-	.05	-	-	-	.11	-	.11	27
28	-	.07	-	-	-	.05	.25	.01	.08	.22	.36	.07	28
29	-	-	-	.02	-	.11	.22	.08	.91	.11	.05	-	29
30	-	-	-	-	.40	-	.02	.17	1.14	.24	-	-	30
31	-	-	.10	-	-	-	.04	.10	-	.02	-	-	31
Total	2.79	1.41 4.20	2.09 6.29	.09 6.38	1.20 7.58	2.72 10.30	1.31 11.61	5.42 17.03	2.20 19.23	2.12 21.35	1.68 23.03	2.30 25.33	TOTAL for year 25.33
No. of Rain Days	16	17	17	4	10	17	13	26	6	15	15	18	174

REGISTER OF RAINFALL IN 1913

Kept at *M.W.B. Congers R^d Streatham*

in the County of *Surrey*

by *J. Freighton*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Streatham Common*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *4* ft. _____ in.
" " " " Sea Level *120* ft.

BRITISH RAINFALL FORM A
7-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.23	.01	.17	-	-	-	-	.38	.02	.02	.08	1
2	.02	.13	-	-	-	-	.08	-	-	.11	.09	-	2
3	-	-	.01	.33	.32	-	-	-	-	-	-	.05	3
4	.13	-	-	.03	.25	-	.07	-	-	.22	-	.07	4
5	.28	-	-	-	-	.05	.08	-	.41	-	.01	.05	5
6	.01	.01	.11	-	.03	.06	.30	-	-	.16	.15	.10	6
7	-	.05	-	-	.04	-	.07	-	-	.61	.05	-	7
8	-	.02	.02	-	.08	.05	-	.30	-	.07	.01	-	8
9	-	.13	-	-	.02	-	-	-	.06	-	.02	.02	9
10	-	-	.15	.08	-	-	.01	-	-	-	.27	-	10
11	.20	-	-	.35	.02	-	-	-	-	.55	.16	-	11
12	-	-	-	-	.03	-	-	-	-	.01	.21	-	12
13	.07	.01	.02	-	-	-	-	.02	.05	-	.20	-	13
14	.04	-	.06	.08	-	-	.69	.09	.06	.09	.05	-	14
15	.26	.06	.24	.15	-	-	.24	-	.05	-	.01	-	15
16	.08	-	.28	.10	-	-	-	-	.35	-	-	-	16
17	.04	.10	.07	.03	-	-	.14	-	-	-	-	-	17
18	.01	-	.07	.12	-	-	-	-	-	-	-	-	18
19	.15	-	.07	-	-	-	.13	-	.18	-	-	-	19
20	.18	-	.27	.02	-	.02	-	-	-	.32	-	-	20
21	.01	-	.16	.06	-	-	.05	-	-	.20	.60	-	21
22	.30	-	.22	.07	-	-	-	-	.12	.01	-	-	22
23	-	-	-	-	-	-	-	.40	.01	-	-	.33	23
24	-	-	.01	.02	-	.02	-	.07	-	-	.02	-	24
25	-	.03	-	.15	-	-	-	-	-	-	-	-	25
26	-	-	.16	.04	-	-	-	.12	-	.76	-	.19	26
27	-	-	.01	.10	-	-	-	-	-	.01	-	-	27
28	.24	-	.21	.12	-	-	-	-	-	.08	-	-	28
29	.04	-	.04	.39	.38	-	-	.05	-	.04	-	-	29
30	.17	-	-	.05	-	-	-	.22	-	.12	-	-	30
31	-	-	.03	-	-	-	-	.87	-	.08	-	-	31
Total	2.24	.77	2.22	2.46	1.17	.20	1.86	2.14	1.67	3.46	1.87	.89	YEAR'S TOTAL
Rain Days.	19	10	21	20	9	5	11	9	10	18	15	8	155

REGISTER OF RAINFALL IN 1914

Kept at *Conyers Rd, Streatham N.W.B.*
in the County of *London R. Bank*
by *J. Craghton*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

28 JAN 1915
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02					18					1
2							19	02			16	15	2
3		01	04		10		11				03		3
4	03		01	10				01			24	22	4
5	05		03	21	11	03	21	37			02		5
6		08	01	10		17	02	02			07	05	6
7		19	19	18	28	10	14					04	7
8	07	27	66		01	05	14	05	01			01	8
9	17		61	06		03			03			1.55	9
10		03	02	02	03				09			02	10
11		30	28			04			15		22	36	11
12		05	10				20		12		01	38	12
13		13	10						16	09	07	33	13
14		04	14			2.45	05			22	03	42	14
15	03		11				14	02			70	04	15
16	01		01						02				16
17		24	05									08	17
18		05	11									23	18
19		03	23			01	03				19	24	19
20		10	46			07			07			05	20
21		55	07			02				01		02	21
22		01	01		18	04	12			12			22
23			04		08	13	03			07		02	23
24					02						08		24
25	03		23					10		18		06	25
26			07				08	06		07	13	47	26
27	03										03	07	27
28		01	01							07	39	75	28
29	04		03							35	07		29
30			02							04	32	09	30
31					16		01						31
Total	46	2.09	3.66	67	97	3.14	1.47	83	65	1.22	2.76	5.65	23.57
Rain Days.	9	16	27	6	9	12	14	9	8	10	17	23	160

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at *M. W. B. Cony's R^d Streatham*
in the County of *Surrey London*
by *J. Brighton*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1915													
1	.43	.09	.02	-	.05	-	-	.05	.04	.02	.33	.31	1
2	.29	.10	.18	.12	-	.02	-	.61	.01	.01	-	.11	2
3	.28	-	.06	.16	.02	-	-	.25	.05	-	-	.42	3
4	.08	-	-	-	-	-	-	-	-	-	-	.17	4
5	.04	.40	-	-	-	-	-	-	-	.04	-	.23	5
6	.35	.01	-	.22	-	-	.60	-	-	-	-	.11	6
7	.21	.18	.03	-	-	-	.06	.03	-	-	.01	.14	7
8	.12	.39	-	.10	-	-	.08	.10	-	-	-	-	8
9	-	.02	-	.10	-	.08	-	.03	-	.03	.32	.59	9
10	.14	-	-	-	-	-	-	1.14	-	-	-	.16	10
11	.04	-	-	-	-	-	-	-	-	.01	.50	.03	11
12	.04	.05	.04	.32	.37	-	-	.01	-	-	.25	-	12
13	-	.40	-	-	1.13	-	-	.19	-	-	-	-	13
14	-	.03	-	-	-	-	.36	.55	.02	-	-	.26	14
15	.06	-	-	-	.03	-	-	.19	-	-	.18	.03	15
16	-	.20	-	-	.01	-	*(.53)	.09	-	-	-	.07	16
17	-	.21	-	-	.89	-	.03	.04	-	-	-	-	17
18	-	.19	.03	-	.21	-	-	-	-	-	.04	-	18
19	-	.15	-	-	.01	-	.05	-	-	.02	-	-	19
20	.27	-	-	.02	-	-	-	-	-	-	-	.20	20
21	.23	-	-	-	-	-	-	-	-	.03	-	.05	21
22	1.04	.03	.16	.02	-	-	.52	-	-	-	-	.06	22
23	-	.29	.07	-	-	.02	.01	-	.07	.49	-	.20	23
24	-	-	.01	-	-	-	.04	-	.13	.26	-	*(.50)	24
25	-	-	-	.21	-	-	.34	-	-	-	-	.14	25
26	-	.02	-	-	-	.02	.05	-	-	-	-	.39	26
27	-	-	.04	-	-	.19	.28	-	-	.17	-	.02	27
28	-	.06	-	-	-	.05	-	-	1.55	.15	-	-	28
29	-	-	-	-	-	.01	-	.11	-	-	.14	-	29
30	.02	X	-	-	-	.01	-	-	-	.01	.32	-	30
31	-	X	-	X	-	X	-	-	X	.97	X	.19	31
Total	3.64	2.82	.64	1.27	2.72	.40	(2.95)	3.39	1.87	2.21	2.09	(4.38)	YEAR'S TOTAL (28.38)
Rain Days.	16	18	10	9	9	8	13	14	7	13	9	22	1.48

REGISTER OF RAINFALL IN 1916

Kept at Conyers Road, Stratford
in the County of London R. Bank
by J. Creighton M. H. B.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02				.50				.16	.12	.18		1
2	.26	.04	.10		.26		.01		.06	.31	.05		2
3		.47	.17						.03	.21	.57		3
4	.17	.12				.07			.11		.38		4
5					.15	.17				.05	.55		5
6		.03	.27	.25	.02	.12	.28			.01	.35		6
7	.05		.57		.13	.31	.60			.01	.72	.05	7
8			.02		.22							.17	8
9					.13	.02				.08		.03	9
10		.23	.13	.05		.40	.01		.02			.09	10
11		.06	.02	.10		.43						.02	11
12	.02	.02		.04	.23	.16			.01	.07	.01		12
13		.16	.29	.08		.07	.14	.11		.03			13
14		.32	.02		.09			.69				.06	14
15		.18	.18					.15				.02	15
16		.01	.18	.14			.21	.05					16
17	.05	.09		.01			.03	.42	.30	.53		.01	17
18		.07	.02	.34				.30	.13	.18	.78	.02	18
19	.07	.02	.12	.16					.13		.52	.02	19
20	.12		.31								.02	.30	20
21			.40	.04			.10					.33	21
22		.01	.08									.35	22
23	.01	.35	.01							.04	.02	.16	23
24					.05	.03		.02		.11	.02	.29	24
25		.71	.15					.30		.03	.08		25
26		.18	.13			.09		.44		.08			26
27			.73			.33		.30	.07	.06			27
28	.02	.38	.22					.04	.04			.10	28
29		.05				.15		.91	.03	.20		.13	29
30		X						.16		.28			30
31		X		X		X		.06	X	.12	X	.02	31
Total	.79	3.50	4.12	1.21	1.78	2.35	1.38	3.95	1.09	2.52	4.25	2.17	29.11
Rain Days.	10	20	21	10	10	13	8	14	12	19	13	18	168

REGISTER OF RAINFALL IN 1917

Kept at *In H.B. Conyers R. Skelthorpe*
in the County of *Surrey*
by *J. Brightin*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Skelthorpe Common*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *2 ft. 9* in.
" " " " Sea Level *119* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	-	.16	-	-	-	1.45	-	-	.05 ⁰⁵	-	1
2	-	-	-	.36	-	.01	-	.11	-	-	.21	-	2
3	-	-	-	.07	-	-	.02	.30	-	.15	.02	-	3
4	-	.15	.07	-	-	-	.54	.17	-	.37	.04	-	4
5	.23	-	.04	.24	-	-	-	-	1.04	.77	-	-	5
6	-	-	.05	.01	-	.05	-	-	.15	.04	.09	-	6
7	.09	-	.01	-	-	-	.13	-	-	.19	-	.01	7
8	.10	-	-	.08	-	-	.71	.09	.05	.20	.14	.25	8
9	-	-	-	.04	.01	-	.01	.08	.03	-	.07	.26	9
10	.20	-	.04	.08	-	-	-	.01	-	-	.02	.03	10
11	.09	.02	.39	.14	-	-	-	-	.18	.17	-	-	11
12	.07	-	.04	.04	-	-	-	.04	-	.38	-	-	12
13	.04	-	.15	.09	-	-	-	.05	.03	.08	-	.01	13
14	-	-	.01	.13	-	-	-	.02	-	-	.01	-	14
15	.05	-	-	-	-	-	.33	.02	-	.01	-	-	15
16	.05	.15	-	.22	.10	-	.32	-	-	.19	-	.44	16
17	-	-	-	.06	.58	-	.22	.05	.35	.15	-	-	17
18	.04	.03	-	.11	.04	.01	.16	.11	.15	.06	-	-	18
19	-	.12	.13	-	.08	.02	-	-	.11	-	-	-	19
20	.01	.16	.05	-	.57	-	.04	-	-	-	.03	-	20
21	-	-	.05	-	-	-	-	-	-	-	.02	.02	21
22	.03	-	-	-	-	-	-	.07	-	.06	-	-	22
23	-	.10	-	-	.10	.03	-	.05	-	.06	-	.01	23
24	-	.01	-	-	-	.16	.02	.03	-	.11	.03	.02	24
25	-	-	.04	-	-	-	-	-	-	.02	.06	-	25
26	-	-	.06	-	-	-	-	.32	.03	.02	.46	-	26
27	-	-	.02	-	-	.01	-	.78	-	-	-	.01	27
28	-	.01	-	-	-	1.52	-	.03	-	-	-	.07	28
29	-	-	.01	-	.24	.20	.20	.01	-	.21	-	.13	29
30	.01	X	.22	-	-	-	1.79	.08	-	.02	-	.03	30
31	.06	X	.12	X	-	X	.48	.01	X	-	X	.02	31
Total	1.07	.76	1.50	1.83	1.72	2.01	4.97	3.88	2.12	2.66	1.25	1.31	YEAR'S TOTAL 25.08
Rain Days.		1.83	3.33	5.16	6.88	8.89	13.86	17.74	19.86	22.52	23.77	25.08	
	14	10	18	15	8	9	14	22	10	20	14	14	168

REGISTER OF RAINFALL IN 1918

In No. 13.

Kept at Conyers Rd. Streatham
in the County of Surrey London
by J. Breighton

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Streatham Common
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft.
Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W.1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.05	-	-	-	-	-	-	.17	.07	1
2	-	.11	-	.05	-	-	-	.02	-	-	.26	.10	2
3	-	.02	.06	.02	.31	-	-	.24	-	-	.42	.03	3
4	-	.02	.16	-	-	-	-	.20	.36	-	.33	-	4
5	-	.02	.01	-	.11	-	-	.04	.35	.08	-	-	5
6	.20	.08	-	.24	.20	-	-	.06	.04	-	-	.06	6
7	.03	.08	-	.07	.31	-	-	.07	.10	.08	.07	-	7
8	-	.07	-	-	-	-	-	.01	.08	.01	.04	.02	8
9	.01	.01	-	.05	-	.04	.21	-	.20	.08	.04	.20	9
10	-	-	-	.11	-	-	.59	-	.03	.02	.04	.31	10
11	-	-	-	.02	.01	-	1.55	-	.01	.17	.12	.12	11
12	-	.02	-	-	.18	-	.11	-	.02	-	-	.01	12
13	.04	-	-	.01	.12	-	.02	-	.09	-	-	-	13
14	.09	-	.02	.01	-	.25	.02	-	.12	.09	-	.22	14
15	1.08	-	-	.68	-	-	.20	-	-	-	-	.06	15
16	.28	-	-	.23	-	.12	-	-	.17	-	-	-	16
17	.22	-	-	.14	-	-	1.63	.05	-	-	-	.08	17
18	.41	-	-	-	-	.07	.12	-	.67	.25	-	.04	18
19	.03	-	.04	.14	-	.12	.17	-	-	.12	-	.05	19
20	.02	.07	-	.58	-	-	.15	-	.14	.27	.01	.01	20
21	.07	.02	-	.32	-	-	-	-	.53	.08	-	-	21
22	.02	-	-	.01	.30	-	.21	-	.15	-	-	.11	22
23	.02	-	-	.03	.19	-	.45	.06	.02	-	-	.03	23
24	-	.25	-	-	-	.04	.73	-	.11	-	.03	-	24
25	-	-	-	.07	-	-	.26	.19	-	.01	.03	-	25
26	-	-	-	-	-	-	.36	.02	-	.04	.08	.09	26
27	-	.01	-	.11	-	-	.04	.14	.09	-	.08	.02	27
28	-	.01	.08	.03	-	.01	.02	.01	-	-	.20	.10	28
29	-	.40	.02	-	-	-	-	-	.87	-	.01	-	29
30	-	X	.38	-	-	-	-	-	.01	.04	-	.13	30
31	.01	X	-	X	-	X	-	.06	X	.03	X	.01	31
Total	2.53	.79	.77	2.97	1.73	.65	6.84	1.17	4.16	1.37	1.93	1.87	26.78
Rain Days.	15	14	8	21	9	7	18	14	21	15	16	22	180
YEAR'S TOTAL													180

REGISTER OF RAINFALL IN 19

FORM A. 6
BRITISH RAINFALL

Kept at *Streatham Works*

in the County of *London*

by *J. Brighton*

Lat. _____ Long. _____
Nearest Railway Station *Streatham Corn*
Time of Observation *9 A.M.*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *2* ft. *6* in.
" " " Sea Level *119* ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.06	—	—	.01	—	.25	—	—	.01	.08	.74	1
2	.23	—	—	—	.03	—	.65	.07	.05	.04	.10	.08	2
3	.25	—	.35	—	—	—	.12	—	.05	—	.03	.31	3
4	.07	.07	.41	—	—	.06	.16	.05	—	—	.02	.14	4
5	—	.25	.64	—	—	—	—	—	.04	—	.01	.21	5
6	.02	—	.04	—	—	—	—	—	—	.01	—	.07	6
7	.02	—	.21	—	—	—	—	—	—	—	.02	—	7
8	.17	—	.04	.05	—	—	—	—	—	—	—	—	8
9	.11	—	—	.02	—	—	—	—	—	—	.06	—	9
10	.25	—	.02	—	—	—	—	—	—	.01	—	—	10
11	.03	—	.05	.22	—	—	.34	—	—	—	—	—	11
12	.01	—	.04	.04	—	—	.08	—	—	.06	—	—	12
13	—	—	—	.26	—	—	—	—	.02	.04	—	—	13
14	.17	.01	—	.15	—	—	—	—	.58	—	—	.01	14
15	.20	.02	.21	.09	—	—	.04	—	—	—	—	.11	15
16	.04	.48	—	—	—	—	—	—	—	—	.10	.05	16
17	—	.39	.07	.01	—	—	—	—	—	—	.12	—	17
18	—	.30	.05	—	—	—	—	—	.04	—	.08	.05	18
19	.01	.04	.28	—	—	.23	.29	.26	.02	—	.05	.01	19
20	.04	.05	.04	—	—	.73	.26	.14	—	—	.02	.01	20
21	.14	.21	.02	—	—	.03	.10	—	—	—	.02	.01	21
22	—	.07	—	—	—	.01	.16	—	.22	.45	.01	.25	22
23	—	—	—	—	—	.04	—	—	.04	—	.01	.01	23
24	—	—	—	.21	—	—	.10	.01	—	.15	.04	—	24
25	.02	—	—	—	—	—	—	—	—	—	—	.02	25
26	.03	.20	.07	.07	—	—	—	.29	.05	.05	—	.17	26
27	.26	.05	.03	.88	—	—	.02	.31	—	—	.02	.64	27
28	—	—	.32	.03	—	.08	.02	.58	—	—	.17	.24	28
29	.04	—	—	.04	—	—	—	.32	—	.29	.04	.08	29
30	—	—	—	.21	—	.12	—	.24	—	.03	.14	.23	30
31	.05	—	.01	—	—	—	.05	—	—	.01	—	.04	31
Total	2.34	2.20	2.90	2.28	.04	1.23	2.62	2.27	1.11	4.65	1.14	2.88	TOTAL for year
No. of Rain Days	22	14	19	14	2	8	16	10	10	10	20	22	165

REGISTER OF RAINFALL IN 1920.

Kept at STREATHAM

in the County of LONDON

by METROPOLITAN WATER BOARD
(SOUTHERN DISTRICT).

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station STREATHAM COMMON (L.B. & S.C.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

Sea Level 119 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.27			.26	.02		.10		.18	1
2			.06					.42	.05	.05		.03	2
3		.05		.01				.01	.05	.01		.07	3
4		.06		.07			.14			.06			4
5			.14		.01		.48	.21	.02			.04	5
6			.31		.14		.21					.01	6
7	.01			.13	.03		.17						7
8		.01		.15	.09		.06						8
9	.24	.03		.02									9
10	.37	.02	.06			.10	.10				.04		10
11	.10		.05	.10			.28					.19	11
12	.06			.07		.92							12
13	.24		.09	.11							.02		13
14			.13	.10		.21			.17	.04	.13		14
15	.01		.05	.14					.49	.17	.05	.02	15
16		.02	.01	.15		.07			.36	.02		.02	16
17	.02				.11	.91			.46			.04	17
18	.01			.01				.97	.25			.06	18
19	.10			.17		.04						.05	19
20	.05	.37		.09		.49			.13				20
21							.58	.02	.65			.01	21
22				.25				.04	.06			.37	22
23		.02					.29	.01				.23	23
24		.02	.03								.02	.01	24
25		.01		.01			.08		.04				25
26	.01		.21	.01		.01	.02			.02			26
27	.11	.04	.05	.21		.12	.17				.52	.04	27
28	.26		.09	.10			.10				.02	.02	28
29	.16		.06	.04	.02		.02				.03	.11	29
30	.02	~~X~~			.11		.12		.55		.14	.08	30
31	.01	~~X~~		~~X~~	.04	~~X~~			~~X~~	.23	~~X~~	.06	31
TOTAL	1.82	0.65	1.34	2.21	0.55	2.87	3.08	1.70	3.28	0.70	0.97	1.64	YEAR'S TOTAL 20.81
Days with ".01 in. or more	18	11	14	21	8	9	16	8	13	9	9	20	156
Days with ".04 in. or more	11	4	12	16	5	8	14	4	12	6	5	13	109

S.O.

FORM A2.
BRITISH RAINFALL.

Kept at Strea STREATHAM HILL RES

in the County of

LONDON

by M. B.

IMPORTANT
previous day. If
requested to add the
for it at the end
the selection and
Organization are given
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911 - 1920

in.
ound 3 ft. 1 1/2 in.
a Level 196.70 ft.
me
stance Direction
e result entered to the
al rule, he is earnestly
in the space provided
nt of rain,
sh Rainfall
plication to
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	-	.01	.70	-	-	-	.04	-	-	-	-	1
2	.13	-	-	.25	.14	-	-	-	-	-	.15	.07	2
3	.02	.02	-	-	.12	-	-	-	-	-	.06	.06	3
4	.02		.07	.04						.05	.15	.18	4
5	.01									.17	.01	.15	5
6	.15		.20	.02								.23	6
7	.04			.02						.12	.28	.09	7
8	.10		.13								.26	.28	8
9	.15		.01	.02								.04	9
10	.02	.09	.03								.08	.46	10
11	.30				.50						.64		11
12	.02		.45		.13				.03		.17		12
13			.05		.13				.40	.35	.01	.16	13
14		.06			.22							.36	14
15		.04	.09							.02	.02	.03	15
16			.01			.61					.35	.11	16
17			.01								.25	.02	17
18		.13	.02								.45	.18	18
19					.03	.17		.01	.27	.12	.16	.06	19
20		.02	.01					.12		.13		.48	20
21		.12						1.22	.03	.46		.05	21
22	.05		.17			.01				.04		.40	22
23		.11	.05			.82			.25		.02	.08	23
24		.12	.01			.03	.04			1.03		.30	24
25		.02		.08		.13	.34	.01		.02		.02	25
26		.01	.07	.18	.01	.19	.01			.07	.01	.24	26
27		.35	.08	.06					.14	.02	.06	.09	27
28		.12		.16				.07			.02		28
29				.15		.19	.06		.13	.25			29
30						.03	.13	.22	.03	.17			30
31					.07					.01			31
Total	1.06	1.21	1.47	1.68	1.35	2.18	.58	1.69	1.28	3.03	3.15	4.14	TOTAL for year
No. of Rain Days.	13	13	18	11	9	9	5	7	8	16	19	24	152

S.O.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Breattham Hill Reservoir
in the County of Surry London

by W. Bailecombe
for P. F. Wanger.

PATTERN
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 3 ft. 1 1/2 in.
" " " Sea Level 196.70 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	-	.01	.70	-	-	-	.04	-	-	-	-	1
2	.13	-	-	.25	.14	-	-	-	-	-	.15	.07	2
3	.02	.02	-	-	.12	-	-	-	-	-	.06	.06	3
4	.02		.07	.04						.05	.15	.18	4
5	.01									.17	.01	.15	5
6	.15		.20	.02								.23	6
7	.04			.02						.12	.28	.09	7
8	.10		.13								.26	.28	8
9	.15		.01	.02								.04	9
10	.02	.09	.03								.08	.46	10
11	.30				.50						.64		11
12	.02		.45		.13				.03		.17		12
13			.05		.13				.40	.35	.01	.16	13
14		.06			.22							.36	14
15		.04	.09							.02	.02	.03	15
16			.01			.61					.35	.11	16
17			.01								.25	.02	17
18		.13	.02								.45	.18	18
19					.03	.17		.01	.27	.12	.16	.06	19
20		.02	.01					.12		.13		.48	20
21		.12						<u>1.22</u>	.03	.46		.05	21
22	.05		.17			.01				.04		.40	22
23		.11	.05			.82			.25		.02	.08	23
24		.12	.01			.03	.04			1.03		.30	24
25		.02		.08		.13	.34	.01		.02		.02	25
26		.01	.07	.18	.01	.19	.01			.07	.01	.24	26
27		.35	.08	.06					.14	.02	.06	.09	27
28		.12		.16				.07			.02		28
29				.15		.19	.06		.13	.25			29
30						.03	.13	.22	.03	.17			30
31					.07					.01			31
Total	1.06	1.21	1.47	1.68	1.35	2.18	.58	1.69	1.28	3.03	3.15	4.14	TOTAL for year
No. of Rain Days.	13	13	18	11	9	9	5	7	8	16	19	24	152

REGISTER OF RAINFALL IN 1912

Kept at Streatham Hill Reservoir
in the County of Surrey London
by W. Baulcombe
A. F. Worger.

Lat. _____ Long. _____
Time of Observation 9.2 m
Nearest Railway Station Streatham Hill
Diameter of Rain Gauge 5' in.
Height of top of Gauge above Ground 3' ft. 2" in.
" " " " Sea Level 200 ft.

BRITISH RAINFALL FORM A.
21 APR 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	06	01	-	10	29	-	07	39	-	15	1
2	-	-	24	02	-	-	39	18	-	03	-	-	2
3	07	-	07	-	-	07	02	36	-	-	02	08	3
4	21	-	48	-	16	17	-	07	-	-	14	-	4
5	14	03	04	-	-	-	-	22	-	-	04	-	5
6	37	02	-	-	01	-	-	10	02	-	-	05	6
7	-	-	-	-	06	74	07	46	-	-	-	01	7
8	24	23	12	-	-	03	08	15	-	-	-	01	8
9	-	06	-	04	-	15	02	04	-	-	-	12	9
10	01	03	-	-	-	03	-	34	-	-	12	25	10
11	02	33	-	-	-	02	-	03	01	-	01	16	11
12	03	05	06	-	17	15	-	-	-	-	01	02	12
13	01	02	01	-	-	-	01	13	-	-	02	-	13
14	-	-	01	-	02	-	-	02	-	08	01	02	14
15	-	02	07	-	36	61	-	-	-	-	02	34	15
16	30	-	02	-	03	01	-	05	-	06	-	-	16
17	29	-	19	-	-	02	-	04	-	-	06	03	17
18	15	-	12	-	-	-	-	05	-	02	04	08	18
19	10	06	09	-	-	-	-	58	-	-	01	-	19
20	01	01	17	-	-	-	-	04	-	42	01	-	20
21	-	02	09	-	03	-	-	12	-	06	04	-	21
22	26	15	04	-	04	-	07	13	-	03	01	05	22
23	33	41	32	-	01	-	09	34	-	05	17	14	23
24	12	01	-	-	-	16	-	23	-	-	-	16	24
25	16	-	-	-	-	15	-	81	-	-	30	43	25
26	01	02	-	-	-	-	-	38	-	29	31	24	26
27	-	-	-	-	-	05	-	-	-	14	-	13	27
28	-	06	-	-	-	01	32	02	14	23	40	07	28
29	-	01	-	03	-	20	18	10	91	13	04	-	29
30	-	-	-	-	38	-	05	06	120	22	-	-	30
31	-	-	11	-	-	-	04	11	-	02	-	-	31
Total	283	154 437	231 668	10 678	127 805	267 1072	163 1235	516 1751	235 1986	217 2203	178 2381	254 2635	YEAR'S TOTAL 2635
Rain Days.	19	18	19	4	11	17	13	27	6	15	20	20	189

REGISTER OF RAINFALL IN 1913

Kept at Streatham Hill Reservoir
in the County of Essex
by W. Baulcombe

Lat. _____ Long. _____
Time of Observation 9.2 m
Nearest Railway Station Streatham Hill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 2 in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL FORM A.
15 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.06	.01	.14					.32	.01	.03	.07	1
2	.01	.16					.08		.02	.12	.14	.07	2
3			.01	.32	.33							.07	3
4	.14			.02	.27		.06		.01	.21	.01	.09	4
5	.32					.11	.08		.38	.01	.02	.08	5
6	.01	.01	.12		.03	.06	.22		.04	.15	.15	.09	6
7		.06			.07		.10	.32		.61	.06		7
8		.02	.02		.07	.15				.12	.01		8
9		.13			.04				.06		.02	.02	9
10			.12	.06			.02				.30		10
11	.24			.40						.60	.22		11
12		.01			.06						.26		12
13	.07		.04					.01	.07		.25		13
14	.06		.06	.07			.56	.08	.08	.08	.05		14
15	.30	.05	.28	.19			.17	.01	.03		.01		15
16	.11		.29	.12			.01		.36				16
17	.03	.02	.06	.05			.12				.01		17
18			.16	.12							.03		18
19	.15			.01	.02	.02	.13		.20				19
20	.18			.02	.01	.02				.28	.02		20
21	.03		.39	.10			.06			.24	.63		21
22	.39		.18	.09			.01		.14		.07		22
23			.21			.03		.44	.01			.34	23
24			.02	.02		.02		.03			.01		24
25		.02	.01	.15		.02							25
26		.01	.18	.04				.14		.78		.19	26
27			.02	.10	.02					.03			27
28	.25		.22	.14						.11			28
29	.05		.04	.42	.41			.05		.04			29
30	.21			.05				.20		.14			30
31			.04					.84		.09			31
Total	2.54	.55 3.09	2.48 5.57	2.63 8.20	1.33 9.53	.43 9.96	1.62 11.58	2.12 13.70	1.72 15.42	3.62 19.04	2.24 21.28	.90 22.18	YEAR'S TOTAL 22.18
Rain Days.	18	11	21	21	11	8	13	10	13	17	20	9	172

REGISTER OF RAINFALL IN 1914

Kept at *Streatham Hill Reservoir, N.W.B.*
in the County of *London* *R. Bank*
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

28 JAN 1915
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01								.01		1
2							.20	.14			.20	.20	2
3			.05	.01	.11		.10	.01			.01		3
4	.04		.02	.14				.05			.25	.25	4
5	.02		.04	.16	.22	.01	.25	.53			.02		5
6		.10	.02	.11		.15	.01	.03			.07	.07	6
7		.22	.18	.20	.42	.02	.10					.05	7
8	.06	.30	.70		.06	.05	.08	.07	.04			.02	8
9	.19		.62	.12		.05			.05			1.46	9
10	.01	.04	.04	.02	.04				.19			.01	10
11		.35	.32			.05			.08		.36	.36	11
12		.05	.11		.01		.18		.13		.03	.41	12
13		.16	.12						.14	.14	.08	.35	13
14		.05	.17			2.26	.05		.02	.20	.04	.40	14
15	.02	.01	.12				.11	.02		.01	.60	.04	15
16			.02						.03		.01		16
17		.25	.06									.11	17
18		.04	.14					.02				.25	18
19	.01	.02	.20			.05	.05		.02		.18	.33	19
20		.07	.46			.05			.08			.03	20
21		.57	.08			.03				.01		.04	21
22		.01	.01		.28	.05	.13	.01		.10			22
23		.01	.06		.09	.12	.09			.09		.03	23
24			.04		.03					.01	.10	.09	24
25	.02		.18					.11		.23	.01	.51	25
26			.07				.03	.10		.06	.13	.11	26
27	.02		.01								.03	.08	27
28	.01									.06	.35	.64	28
29	.04		.05							.32	.10		29
30			.03							.05	.36	.09	30
31					.19		.01					.03	31
Total	.44	2.25	3.93	.76	1.45	2.89	1.39	1.09	.78	1.28	2.94	5.96	25.16
Rain Days.	11	16	28	7	10	12	14	11	10	12	20	25	176

REGISTER OF RAINFALL IN 1915

Kept at M. W. B. Sheatham Hill Res.
 in the County of London
 by W. Bankombe

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL
 18 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.10	.01	-	.04	-	-	.01	.04	.02	.33	.34	1
2	.31	.13	.22	.17	-	.02	-	.53	-	.04	-	.12	2
3	.34	-	.07	.12	.03	-	-	.43	.05	-	-	.46	3
4	.02	-	-	-	-	-	-	.02	-	-	-	.19	4
5	.05	.44	-	-	-	-	-	-	-	.03	-	.29	5
6	.37	.03	-	.23	-	-	.67	-	-	-	-	.14	6
7	.17	.19	.02	-	-	-	.08	.03	-	-	-	.18	7
8	.10	.40	.01	.04	-	-	.10	.15	-	-	-	-	8
9	-	.03	-	.08	-	.13	.04	.04	-	.03	.34	.62	9
10	.17	-	.02	-	-	.01	-	.83	-	-	-	.17	10
11	.05	-	.02	-	.01	-	-	.01	-	-	.63	-	11
12	.06	.04	-	.29	.43	-	-	.05	-	.01	.32	.01	12
13	.03	.48	-	.01	1.23	-	-	.23	-	-	-	-	13
14	-	.04	-	-	-	-	.23	.13	.02	-	-	.34	14
15	.07	-	-	-	.04	-	-	.13	-	-	.18	.05	15
16	-	.20	-	-	.01	-	.53	.01	-	-	-	.10	16
17	-	.25	-	-	.88	-	.03	.08	-	-	-	-	17
18	-	.23	.03	-	.20	-	-	-	-	-	.01	-	18
19	-	.13	.01	-	.01	-	.08	-	-	.01	.05	-	19
20	.29	-	-	.03	-	-	-	-	-	-	-	.17	20
21	.22	-	-	-	-	-	.02	-	-	.03	-	.15	21
22	.95	.06	.18	.03	-	-	.60	-	-	-	-	.08	22
23	-	.23	.06	.01	-	.05	.19	-	.10	.50	-	.27	23
24	-	-	.03	.02	-	.01	.20	-	.20	.27	-	.52	24
25	-	-	.08	.20	-	.01	.27	-	-	.01	-	.12	25
26	-	.04	-	-	-	.07	.40	-	-	-	-	.47	26
27	-	-	-	-	-	.20	.02	-	-	.21	-	.04	27
28	-	.05	-	-	-	.05	-	-	1.53	.17	-	-	28
29	.0	-	-	-	-	.03	.01	.19	-	.01	.18	-	29
30	.02	X	-	-	-	.01	-	-	-	.03	.29	.21	30
31	.01	X	-	X	-	X	-	.01	X	.83	X	-	31
Total	3.66	3.07	.76	1.23	2.88	.59	3.33	2.88	1.94	2.20	2.33	5.04	YEAR'S TOTAL 29.91
Rain Days.		6.73	7.49	8.72	11.60	12.19	15.52	18.40	20.34	22.54	24.87	29.91	
	18	18	13	12	10	11	15	17	6	15	9	22	166

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Streatham Reservoir
in the County of London R. Bank
by Met. Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04				48				30	12	22		1
2	35	04	09		28		02		10	33	06		2
3		56	08				01		14	23	57		3
4	23	15	02	02	01	18			10		38		4
5	01				08	13				05	51		5
6		05	44	26	02	22	35				34		6
7	05		22		15	33	26			02	70	04	7
8					20							19	8
9			02		24	02				06		02	9
10		19	08	07		41	10		04			08	10
11	02	14		12		23						02	11
12	03		03	04	25	15		02	01	07	01		12
13		03		06	01	07	07	11		02	01		13
14		19	26		08		07	29					14
15		35	02	01			14	15				05	15
16	01	24	22	15				06					16
17	05	11	16	02			03	40	30	55			17
18		07	03	30				40	08	18	80	04	18
19	07	06	14	10					12		57	39	19
20	14		26					03				24	20
21			40				05					49	21
22	02		06							04		18	22
23		25	01			03				09	03	25	23
24			01		04			03		05	02	03	24
25		30	15					28		07	08		25
26		04	05			08		50		55		02	26
27		26	76			15		04	05			11	27
28		25	09			05		1.12	03	19		12	28
29		04	05			22		12	03	25			29
30		X			15					14		01	30
31		X		X		X		07	X		X		31
Total	1.02	3.32	3.65	1.15	1.99	2.27	1.10	3.62	1.30	3.01	4.30	2.28	29.01
Rain Days.	12	19	24	11	13	14	10	15	12	18	14	18	80

REGISTER OF RAINFALL IN 1917

Kept at Streatham Reservoir
 in the County of Surrey
 by W. Baulcombe

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Streatham
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 3 ft. 2 in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL
 12 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.02	-	.06	-	-	-	1.44	.01	-	.03	-	1
2	-	-	-	.37	-	-	-	.09	-	-	.27	-	2
3	.02	-	.09	.07	-	-	-	.30	-	.22	.02	-	3
4	-	.09	-	-	-	-	.35	-	-	.39	-	-	4
5	.27	-	.04	.18	-	-	-	-	1.41	.16	.06	-	5
6	-	-	.03	.04	-	.06	-	-	.13	.02	.07	-	6
7	.11	-	-	-	-	-	.13	-	.05	.25	-	-	7
8	.07	-	-	-	-	-	.74	.07	-	.19	.14	.21	8
9	-	-	.05	.14	.01	-	.02	.08	.03	-	.02	.24	9
10	.19	-	.05	.10	-	-	-	.01	-	-	-	.03	10
11	.09	.02	.44	.05	-	-	-	-	.30	.17	-	-	11
12	.09	-	.03	.15	-	-	-	.04	-	.35	-	-	12
13	.04	-	.18	.06	-	-	-	.05	.04	.09	-	.02	13
14	-	-	-	.05	-	-	-	.09	-	-	-	-	14
15	.04	-	-	.07	-	-	.20	-	-	.01	-	-	15
16	.02	.16	-	.18	.27	-	.06	-	-	.32	-	.36	16
17	-	.03	-	.09	.57	-	.28	.11	.34	.19	-	-	17
18	.03	.04	-	.05	.06	-	.19	-	.15	.03	-	-	18
19	-	.12	.13	-	.19	-	-	.07	.13	-	-	-	19
20	-	.19	.07	-	.59	-	.03	-	.02	.05	.06	-	20
21	-	.02	.05	-	.01	-	-	-	-	.05	.01	-	21
22	.02	-	-	-	.01	-	-	.09	-	.04	-	-	22
23	-	.10	-	-	.11	-	-	.04	-	.09	-	-	23
24	-	.01	-	-	-	.15	.01	.04	-	.13	-	-	24
25	-	-	.04	-	-	-	-	-	-	.03	.06	-	25
26	-	-	.06	-	-	-	-	.38	.03	-	.50	.03	26
27	-	-	.03	-	-	-	-	.86	-	-	.01	.03	27
28	-	-	-	-	-	1.65	-	.04	-	-	-	.06	28
29	-	-	-	-	.21	.12	.17	-	-	.17	-	.14	29
30	-	X	.25	-	-	-	1.70	.08	-	-	-	.03	30
31	.04	X	.09	X	-	X	.48	.01	X	-	X	-	31
Total	1.04	.80	1.63	1.66	2.03	1.98	4.36	3.89	2.64	2.95	1.25	1.15	YEAR'S TOTAL 25.38
Rain Days.	14	11	16	15	10	4	13	21	12	20	12	10	156

W m L end by e 4 p m with other conform

REGISTER OF RAINFALL IN 1918

M. R. B.

Kept at

Streattham Reservoir

in the County of

Surrey London

by

J. Baulcombe

Lat.

Long.

Time of Observation 9.0 a.m.

Nearest Railway Station Streattham Hill 1.9

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 2 in.

" " " " Sea Level 119 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.41	-	-	-	.02	-	-	.16	.03	1
2	-	-	-	.05	-	-	-	.42	-	.01	-	.14	2
3	-	.14	.03	.04	.32	-	-	-	-	-	.15	.03	3
4	-	.03	.18	-	-	-	-	.13	.41	-	.49	-	4
5	-	.02	.01	-	.14	-	-	.05	.25	-	-	-	5
6	.20	.09	-	.28	.15	-	-	.06	.03	.08	-	-	6
7	-	.02	-	.07	.26	-	-	.07	.11	.10	.07	.06	7
8	-	.07	-	-	-	-	-	-	.09	-	.04	-	8
9	-	-	-	.07	-	.03	.29	-	.22	.10	-	.03	9
10	-	-	-	.14	-	.04	.70	-	.01	.03	.05	.21	10
11	-	-	-	.02	.03	-	1.62	-	.04	.18	.14	.28	11
12	-	.03	-	-	.23	-	.10	-	.02	-	-	.11	12
13	.03	-	-	-	.11	-	.04	-	.11	-	-	.02	13
14	.12	-	.02	-	-	.28	.19	-	.17	.12	-	-	14
15	1.15	-	-	.61	-	-	.22	-	-	-	-	.20	15
16	.35	-	-	.23	-	.24	.01	-	.17	-	-	.09	16
17	.21	-	-	.14	-	.01	1.60	-	-	-	-	-	17
18	.44	-	-	-	-	.10	.03	.04	.65	.20	-	.12	18
19	.02	-	.04	.10	-	.12	.16	-	-	.10	-	-	19
20	.03	.10	-	.60	-	.02	.16	-	.12	.25	-	.06	20
21	.07	.01	-	.38	-	-	-	-	.61	.09	-	.01	21
22	.03	-	-	.01	.25	-	.30	-	.19	-	-	.13	22
23	.02	-	-	.05	.20	.03	.38	-	.04	-	-	-	23
24	-	.23	-	-	-	-	.50	-	-	-	.04	-	24
25	-	-	-	.04	-	-	.22	.18	-	-	.04	-	25
26	-	-	-	-	-	-	.34	.03	-	-	.06	.11	26
27	-	-	-	.09	-	-	-	.14	.12	.06	.06	-	27
28	-	-	.02	.01	-	.01	-	.01	.50	-	-	-	28
29	-	-	.10	-	-	-	-	-	.45	-	.01	-	29
30	-	X	-	-	-	-	-	-	.01	.04	.02	.15	30
31	-	X	-	X	-	X	-	.09	X	.04	X	-	31
Total	2.67	.74	.40	3.34	1.69	.88	6.86	1.24	4.32	1.40	1.33	1.78	26.65
Rain Days.	12	10	7	19	9	10	17	12	21	14	13	16	164

REGISTER OF RAINFALL IN 1919

Kept at STREATHAM HILL RESERVOIR

in the County of LONDON

by W. BAULCOMBE

Lat. _____ Long. _____
 Nearest Railway Station _____
 Time of Observation 9 AM
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 3 ft. 2 in.
 " " " Sea Level 204.73 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N. W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. <u>.22</u>	in. .	in. .	in. .	in. .	in. .	in. <u>.19</u>	in. .	in. .	in. <u>.01</u>	in. <u>.04</u>	in. <u>.56</u>	1
2	<u>.31</u>	.	.	.	<u>.04</u>	.	<u>.21</u>	.	.	<u>.02</u>	<u>.06</u>	<u>.26</u>	2
3	<u>.25</u>	.	<u>.40</u>	.	<u>.01</u>	.	<u>.60</u>	.	<u>.03</u>	.	<u>.02</u>	<u>.39</u>	3
4	<u>.08</u>	<u>.16</u>	<u>.44</u>	.	.	<u>.05</u>	<u>.35</u>	<u>.04</u>	<u>.08</u>	.	<u>.02</u>	<u>.13</u>	4
5	.	<u>.24</u>	<u>.60</u>	.	.	.	<u>.18</u>	<u>.07</u>	.	.	<u>.01</u>	<u>.23</u>	5
6	<u>.02</u>	.	<u>.05</u>	.	.	.	.	.	<u>.05</u>	.	.	.	6
7	.	.	<u>.24</u>	.	.	.	.	.	.	.	<u>.02</u>	<u>.03</u>	7
8	<u>.18</u>	.	<u>.05</u>	.	.	.	.	.	.	.	<u>.02</u>	.	8
9	<u>.10</u>	.	<u>.01</u>	<u>.05</u>	<u>.04</u>	.	.	.	.	.	<u>.06</u>	.	9
10	<u>.29</u>	.	<u>.02</u>	<u>.02</u>	.	.	.	.	.	<u>.01</u>	.	.	10
11	<u>.05</u>	.	<u>.07</u>	<u>.25</u>	.	.	.	.	.	.	.	<u>.01</u>	11
12	.	.	<u>.03</u>	<u>.06</u>	.	<u>.02</u>	<u>.28</u>	.	.	<u>.07</u>	.	.	12
13	.	.	.	<u>.21</u>	.	.	<u>.25</u>	.	<u>.01</u>	.	.	.	13
14	<u>.20</u>	.	.	<u>.25</u>	.	.	<u>.05</u>	.	<u>.52</u>	.	.	<u>.01</u>	14
15	<u>.23</u>	<u>.02</u>	<u>.24</u>	<u>.13</u>	.	.	.	.	.	.	.	<u>.09</u>	15
16	<u>.05</u>	<u>.50</u>	.	.	.	.	.	.	.	.	<u>.11</u>	<u>.07</u>	16
17	.	<u>.32</u>	<u>.05</u>	.	.	.	.	.	.	.	<u>.14</u>	<u>.01</u>	17
18	.	<u>.23</u>	<u>.06</u>	.	.	.	.	.	<u>.03</u>	.	<u>.09</u>	<u>.05</u>	18
19	<u>.04</u>	<u>.06</u>	<u>.26</u>	.	.	<u>.19</u>	<u>.30</u>	<u>.24</u>	.	.	<u>.08</u>	<u>.01</u>	19
20	<u>.15</u>	<u>.04</u>	<u>.04</u>	.	.	<u>.85</u>	<u>.26</u>	<u>.14</u>	.	.	.	<u>.02</u>	20
21	.	<u>.21</u>	<u>.01</u>	.	.	.	<u>.05</u>	.	.	.	.	<u>.19</u>	21
22	.	<u>.08</u>	.	.	.	.	<u>.18</u>	.	<u>.25</u>	.	<u>.01</u>	<u>.07</u>	22
23	<u>.02</u>	.	.	.	.	<u>.04</u>	.	<u>.01</u>	<u>.03</u>	.	<u>.02</u>	<u>.01</u>	23
24	<u>.06</u>	.	.	<u>.22</u>	.	.	<u>.05</u>	.	.	<u>.16</u>	<u>.03</u>	.	24
25	<u>.20</u>	.	.	.	.	.	.	<u>.11</u>	.	.	.	.	25
26	.	<u>.17</u>	<u>.10</u>	<u>.30</u>	.	.	<u>.01</u>	<u>.21</u>	<u>.08</u>	.	.	<u>.21</u>	26
27	<u>.02</u>	<u>.04</u>	<u>.03</u>	<u>.73</u>	.	.	.	<u>.31</u>	.	.	<u>.01</u>	<u>.03</u>	27
28	.	.	<u>.17</u>	<u>.03</u>	.	.	<u>.03</u>	<u>.58</u>	.	.	<u>.19</u>	<u>.29</u>	28
29	.	~~X~~	~~X~~	.	.	.	.	<u>.31</u>	.	<u>.31</u>	<u>.03</u>	<u>.08</u>	29
30	.	~~X~~	.	<u>.23</u>	.	<u>.19</u>	.	<u>.18</u>	.	<u>.03</u>	<u>.17</u>	<u>.25</u>	30
31	.	~~X~~	<u>.03</u>	~~X~~	.	~~X~~	<u>.01</u>	.	~~X~~	.	~~X~~	<u>.08</u>	31
Total	<u>2.47</u>	<u>2.07</u>	<u>2.90</u>	<u>2.48</u>	<u>0.09</u>	<u>1.34</u>	<u>3.00</u>	<u>2.20</u>	<u>1.08</u>	<u>.61</u>	<u>1.13</u>	<u>3.08</u>	TOTAL for year <u>22.45</u>
No. of Rain Days	<u>18</u>	<u>12</u>	<u>20</u>	<u>12</u>	<u>3</u>	<u>6</u>	<u>16</u>	<u>11</u>	<u>9</u>	<u>7</u>	<u>19</u>	<u>23</u>	<u>156</u>

REGISTER OF RAINFALL IN 1920.

Kept at STREATHAM HILL RESERVOIR
 in the County of LONDON
 by METROPOLITAN WATER BOARD
(SOUTHERN DISTRICT).

Lat. _____ Long. _____
 Time of Observation 9 A.M.
 Nearest Railway Station STREATHAM HILL (L.B. & S.C. Ry.)
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 3 ft. 2 in.
 " " " " 0.0 Sea Level 204.73 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.27			.40			.10		.19	1
2	.03		.05		.01			.53	.05	.06		.05	2
3		.06		.01					.07	.01		.02	3
4		.05		.06			.01	.01		.07		.01	4
5		.01	.15				.49	.22	.03			.03	5
6			.32		.13		.24					.03	6
7				.14	.08		.17					.01	7
8		.02		.13			.07						8
9	.27	.03		.03	.13		.01						9
10	.39	.03	.06			.07	.08				.02		10
11	.13		.07	.17		.01	.29					.30	11
12	.08	.01		.08		.69				.01	.01		12
13	.21		.09	.13					.02				13
14	.01	.01	.13	.13		.61			.13		.15		14
15	.01	.01		.12					.70	.04	.04		15
16				.18	.01				.25			.01	16
17	.01				.15				.49	.05			17
18	.02			.01				.92	.30			.02	18
19	.10			.17		.04						.05	19
20	.06	.26		.08		.54			.01			.01	20
21							.61	.02	.76			.01	21
22				.26				.03	.08	.01		.38	22
23							.27	.01	.01			.31	23
24			.03										24
25		.03					.07						25
26	.01		.25	.02		.01	.07					.01	26
27	.11	.05	.06	.18		.13	.24			.02	.46	.04	27
28	.30		.11	.06	.03		.11				.01	.02	28
29	.18		.05				.01				.05	.12	29
30	.03	~~XX~~			.10		.16		.55		.14	.10	30
31		~~XX~~		~~XX~~		~~XX~~			~~XX~~	.18	~~XX~~	.06	31
TOTAL	1.95	0.57	1.37	2.23	0.64	2.10	3.30	1.74	3.45	0.55	0.88	1.78	YEAR'S TOTAL 20.56
Days with ".01 in. or more	17	12	12	19	8	8	17	7	14	10	8	21	153
Days with ".04 in. or more	10	4	11	15	5	6	14	3	10	6	5	10	99

REGI

STROUD GREEN

OAKFIELD ROAD

LOND/MIDDY

1918-20

Kept at Stroud G
in the County of Middle
by E. A. Mady

FORM A.
BRITISH RAINFALL
Gauging (G.N.R.) 2.10
Gauge 5 in.
Ground ft. in.
Sea Level ft.

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.08	—	—	—	—	—	—	.10	.04	1
2	—	.07	—	.01	—	—	—	.26	—	—	.07	.24	2
3	—	—	.03	.02	.43	—	—	.21	—	—	.52	.01	3
4	—	.07	.18	.02	—	—	—	.04	.58	—	.46	.01	4
5	—	.02	—	—	.12	—	—	.10	.13	.10	—	—	5
6	.15	.20	—	.28	.18	—	—	.18	—	—	—	.07	6
7	.03	.08	—	.06	.09	—	—	.02	.06	.11	.10	—	7
8	—	.04	—	.01	—	—	—	—	.12	.02	.05	.03	8
9	.02	.04	—	.02	—	.07	.21	—	.40	.13	—	.16	9
10	.04	—	—	.07	—	—	.61	—	.03	.01	.02	.36	10
11	—	—	—	.02	.04	—	.52	—	.14	.17	.07	.10	11
12	—	.06	—	—	.18	—	.09	—	.13	.01	—	.02	12
13	—	.01	—	—	.15	—	.20	—	.24	—	—	.01	13
14	.15	—	.01	—	—	.16	.06	—	.35	.18	—	.26	14
15	1.21	—	—	.68	—	—	.15	—	.02	—	—	.07	15
16	.19	—	—	.31	—	.15	.01	—	.27	.03	—	.01	16
17	.20	—	—	.26	.28	.06	.60	—	—	—	—	.15	17
18	.56	—	—	—	—	.21	.09	—	1.15	.12	—	.07	18
19	.04	—	.03	.09	—	.55	.35	—	.01	.04	—	.19	19
20	.01	.13	—	.54	—	.02	.12	—	.11	.14	—	.02	20
21	.09	.02	—	.20	—	—	.01	—	.46	.03	—	.01	21
22	.05	—	—	.04	.56	—	.17	—	.14	—	—	.18	22
23	.02	—	—	.04	.27	—	.38	.07	.09	—	—	.01	23
24	—	.22	—	.01	—	.05	.34	—	.06	—	.02	—	24
25	—	—	—	.03	—	.03	.36	.16	—	—	.09	—	25
26	—	—	—	—	—	—	.36	.15	.01	.03	.19	.14	26
27	—	.02	—	.11	—	—	.01	.18	.05	—	.08	.01	27
28	—	.02	.10	.02	—	—	—	—	—	—	.25	.12	28
29	—	—	.01	—	—	—	—	—	1.26	—	.02	—	29
30	—	X	.51	—	—	—	—	—	.01	—	.06	.05	30
31	—	X	—	X	—	X	—	.04	X	.03	X	.01	31
Total	2.76	1.00	.87	2.92	2.30	1.30	4.64	1.41	5.82	1.15	2.10	2.35	28.62
Rain Days	14	14	7	22	10	9	19	11	23	15	15	26	185

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1978

Kept at Stroud Green.
in the County of Middlesex
by E. A. Madge

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Staringay (G.N.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
1978-1979

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.08	—	—	—	—	—	—	.10	.04	1
2	—	.07	—	.01	—	—	—	.26	—	—	.07	.24	2
3	—	—	.03	.02	.43	—	—	.21	—	—	.52	.01	3
4	—	.07	.18	.02	—	—	—	.04	.58	—	.46	.01	4
5	—	.02	—	—	.12	—	—	.10	.13	.10	—	—	5
6	.15	.20	—	.28	.18	—	—	.18	—	—	—	.07	6
7	.03	.08	—	.06	.09	—	—	.02	.06	.11	.10	—	7
8	—	.04	—	.01	—	—	—	—	.12	.02	.05	.03	8
9	.02	.04	—	.02	—	.07	.21	—	.40	.13	—	.16	9
10	.04	—	—	.07	—	—	.61	—	.03	.01	.02	.36	10
11	—	—	—	.02	.04	—	.52	—	.14	.17	.07	.10	11
12	—	.06	—	—	.18	—	.09	—	.13	.01	—	.02	12
13	—	.01	—	—	.15	—	.20	—	.24	—	—	.01	13
14	.15	—	.01	—	—	.16	.06	—	.35	.18	—	.26	14
15	1.21	—	—	.68	—	—	.15	—	.02	—	—	.07	15
16	.19	—	—	.31	—	.15	.01	—	.27	.03	—	.01	16
17	.20	—	—	.26	.28	.06	.60	—	—	—	—	.15	17
18	.56	—	—	—	—	.21	.09	—	1.15	.12	—	.07	18
19	.04	—	.03	.09	—	.55	.35	—	.01	.04	—	.19	19
20	.01	.13	—	.54	—	.02	.12	—	.11	.14	—	.02	20
21	.09	.02	—	.20	—	—	.01	—	.46	.03	—	.01	21
22	.05	—	—	.04	.56	—	.17	—	.14	—	—	.18	22
23	.02	—	—	.04	.27	—	.38	.07	.09	—	—	.01	23
24	—	.22	—	.01	—	.05	.34	—	.06	—	.02	—	24
25	—	—	—	.03	—	.03	.36	.16	—	—	.09	—	25
26	—	—	—	—	—	—	.36	.15	.01	.03	.19	.14	26
27	—	.02	—	.11	—	—	.01	.18	.05	—	.08	.01	27
28	—	.02	.10	.02	—	—	—	—	—	—	.25	.12	28
29	—	—	.01	—	—	—	—	—	1.26	—	.02	—	29
30	—	X	.51	—	—	—	—	—	.01	—	.06	.05	30
31	—	X	—	X	—	X	—	.04	X	.03	X	.01	31
Total	2.76	1.00	.87	2.92	2.30	1.30	4.64	1.41	5.82	1.15	2.10	2.35	28.62
Rain Days	14	14	7	22	10	9	19	11	23	15	15	26	185

YEAR'S TOTAL

69 Oakfield Rd,

Stroud Green,

N. H.

16. 21st 1919.

Dear Sir.

I have now a complete rainfall record for the year ended 31st December last and was recommended by Mr. Bennett of Wightman Road, Haringey, who already sends in his results to you, to forward ~~them~~ it. The gauge used was a 5" "Snowden" pattern in galvanized iron.

The days with $\frac{1}{2}$ " or over
are as under.

Jan 15 — 1. 21
18 — 56.

April 15 — 68.
20 — 54.

May 22 — 56.

June 19 — 55.

July ~~June~~ 10 — 61

11 — 52

17 — 60

Sept 4 — 58.

18 — 1. 15.

29 — 1. 26.

Nov. 3 — 52.

believe me, Dear Sir,
yours sincerely
E. A. Mudge

69 Oakfield Rd
Strand Green

24

1919 April 13

Dear Sir

I must apologize for not writing before, as I promised, to give the other particulars re rain gauge: I have been rather busy of late & have not been able to attend to the matter.

The various data are as under.

- ① Latitude N $51^{\circ} 34' 34''$
- ② Longitude W $0^{\circ} 6' 30''$
- ③ Height above mean sea level 205'
- ④ nearest railway station Harringay (G.N.R.)
 { 350 yds (straight line.)
 { lies to the East.
- ⑤ Height of rim of gauge above ground 1'
- ⑥ nearest object - house. - lies to the East.
 part distant from centre of gauge.
 9'-6" west. 22' 6"

5 in. Snow
Gal. in N135
(L)

NR

⑤ Height of rim of gauge above ground 1'

⑥ nearest object - house. - lies to the East
part distant from centre of gauge.
9'-6" rest. 22'-6"

The above particulars were obtained from the Borough of Hornsey Surveyor, at Highgate (i.e. nos. 1 2 3 & 4.) Hoping these particulars, together with

those previously forwarded will
meet your requirements, I remain,

Dear Sir,

yours sincerely

Esmağge



RAINFALL CHART.

NEGRETTI AND ZAMBRA

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Edward A. W. Madge

YEAR 1919
Lat: 51° 34' 34"
Long: 0° 6' 30" W

At Stroud Green

Time of Observation 9 AM

County Middlesex

GAUGE
Diameter 5"
Above ground 11 1/4"
Above sea level 206 ft.

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Inches	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.													
1	.38	.03	.	.	.09	.	.30	.	.	.01	.	.83	9												
2	.38	.	.	.	.13	.	.10	.01	.09	.06	.09	.12													
3	.26	.	.27	.	.02	.	.06	.	.03	.	.03	.40													
4	.10	.04	.30	.	.	.07	.19	.02	.	.	.02	.14	8												
5	.01	.34	.47	.	.	.	.	.	.03	.	.01	.28													
6	.01	.	.08	.	.	.	.	.	.	.	.	.03													
7	.02	.	.37	.	.	.	.	.	.	.	.03	.													
8	.06	.	.05	.01	.	.	.	.	.	.	.02	.	7												
9	.10	.	.01	.05	.04	.	.	.	.	.	.04	.													
10	.32	.	.06	.03	.	.	.	.	.	.	.01	.01													
11	.02	.	.09	.27	.	.	.26	.	.	.	.	.01	6												
12	.	.	.06	.01	.	.04	.05	.	.	.07	.	.													
13	.01	.	.	.42	.	.	.	.	.	.03	.	.01													
14	.26	.	.	.29	.	.	.07	.	.64	.	.	.02													
15	.22	.01	.15	.21	.	.	.	.	.	.09	.01	.25	5												
16	.03	.66	.	.01	.	.	.	.	.	.	.10	.04													
17	.	.43	.03	.01	.	.	.	.	.	.	.20	.													
18	.	.23	.06	.	.	.	.	.	.04	.	.07	.06	4												
19	.08	.19	.75	.	.	.24	.17	.34	.05	.	.19	.01													
20	.27	.06	.06	.	.	.82	.14	.15	.02	.	.	.02													
21	.17	.34	.01	.	.	.02	.14	.	.	.	.	.11													
22	.	.14	.	.	.	.01	.11	.	.17	.	.03	.31	3												
23	.	.	.	.	.	.04	.	.01	.24	.	.01	.01													
24	.	.	.	.17	.	.03	.03	.05	.	.18	.03	.01													
25	.01	.	.	.14	.05	.	.	.17	.	.	.	.03	2												
26	.08	.13	.12	.01	.	.	.02	.12	.09	.	.	.32													
27	.47	.01	.03	1.05	.	.	.	.47	.	.	.	.03													
28	.01	.	.14	.03	.	.	.	.73	.	.	.18	.30	1												
29	.02	.	.	.01	.	.	.	.27	.	.19	.04	.03													
30	.	.	.02	.24	.	.22	.	.13	.	.02	.24	.19													
31	.02	.	.	.	.	.	.02	.	.	.	.	.01													
Totals	3.31	2.61	3.13	2.96	.33	1.49	1.66	2.47	1.40	.65	1.35	3.58													

MONTHLY TOTALS

24 13 20 17 5 9 14 12 10 8 19 26

24.94 in 176 days

REGISTER OF RAINFALL IN 1920

Kept at Stroud Green
in the County of Middlesex
by E. A. Madge

Lat. 51°34'34" Long. 0°6'30" W.
Time of Observation 9 A.M.
Nearest Railway Station Haringay, G.N.R.
Diameter of Funnel of Rain Gauge FIVE in.
Height of top of Gauge above Ground one ft.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	37	05	.	30	.	.	26	.	22	1
2	.	.	03	.	.	.	01	81	08	06	.	08	2
3	.	07	.	.	.	.	.	.	08	.	.	01	3
4	.	01	.	07	.	.	15	04	.	13	.	03	4
5	.	.	11	.	03	.	36	02	05	01	.	04	5
6	.	.	19	.	10	.	35	.	.	.	.	02	6
7	03	.	04	26	.	.	11	.	.	.	.	03	7
8	05	01	.	13	09	.	07	01	.	.	.	.	8
9	39	02	.	04	.	.	.	01	.	.	.	.	9
10	54	05	10	.	.	07	05	.	.	.	.	.	10
11	16	.	07	35	.	02	28	.	.	.	.	23	11
12	10	.	.	12	.	43	.	.	.	.	.	.	12
13	13	01	11	19	.	.	.	.	.	.	10	.	13
14	.	02	32	24	.	52	.	.	24	09	17	01	14
15	.	02	11	20	.	.	.	.	63	09	09	.	15
16	.	.	.	18	.	06	.	.	16	32	.	.	16
17	.	.	.	02	15	.	.	.	34	.	.	04	17
18	02	.	.	03	01	.	.	69	09	.	.	04	18
19	16	.	.	19	.	05	.	.	.	.	.	02	19
20	05	19	.	15	.	57	.	.	17	.	.	.	20
21	.	.	.	.	.	.	88	01	53	.	.	05	21
22	.	.	.	34	.	.	.	.	16	.	.	27	22
23	.	.	.	.	.	.	39	.	.	.	.	39	23
24	02	.	06	.	.	.	.	.	.	.	.	06	24
25	.	03	02	07	.	.	18	.	03	.	.	.	25
26	01	.	06	01	13	.	03	.	.	.	.	01	26
27	15	09	02	29	.	10	06	.	.	.	50	09	27
28	39	.	18	06	01	.	05	.	.	.	.	.	28
29	23	.	07	.	09	.	01	.	.	.	04	36	29
30	03	X	.	.	09	.	36	.	51	.	16	22	30
31	02	X	.	X	03	X	.	.	X	15	X	09	31
TOTAL	2.45	.52	1.49	3.31	.78	1.82	3.64	1.59	3.07	1.11	1.06	2.31	23.15
Days with 01 in. or more	17	11	15	20	11	8	17	7	13	8	6	21	154
Days with 04 in. or more	11	4	12	17	7	7	14	3	11	7	6	14	113

only
IX-1500 JB.

REC

SUNBURY

FORM A.
BRITISH RAINFALL
13 JAN 1915

Kept at Sunbury
in the County of Mi.
by F. A. Wile

1911 - 1919

2.30 a.m.

Sunbury

5 in.

Above Ground 3 ft. 9 in.

Sea Level ft.

IMPORTANT NOTE: The result entered to the previous day. If an Observer prefers not to follow the universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12		.08	.73	.04				.03		1
2	.02			.67									2
3	.12			.36	.18						.16	.06	3
4	.03	.02			.12						.02	.09	4
5	.02	.01	.05	.07					.03	.05	.19	.33	5
6	.02									.22	.04	.03	6
7	.27		.14	.01							.01	.36	7
8	.02			.01							.30	.21	8
9	.10		.17							.16	.12	.35	9
10	.12		.02								.01	.03	10
11	.03	.13	.08								.15	.53	11
12	.31			.01							.60		12
13	.03		.40		.26				.02		.20		13
14			.06		.06				.38	.38	.04	.36	14
15		.05			.35							.44	15
16		.05	.09								.02	.02	16
17	.01					.33					.38	.03	17
18			.01			.05					.47	.16	18
19											.50	.19	19
20						.28			.23	.10	.18	.10	20
21	.02	.02	.01					.01	.09		.06	.53	21
22		.14						.35		.50		.13	22
23	.10		.13			.01		.05		.22		.40	23
24	.01	.11	.13			.91			.14		.03	.08	24
25		.11				.03				.72		.22	25
26		.03	.02	.03	.01	.12	2.23	.01		.05			26
27		.01	.01	.25	.09	.17	.09			.10	.02	.25	27
28		.30	.05	.02					.10		.01	.16	28
29				.22				.11			.01		29
30		X		.12		.20	.10		.14	.19	.01		30
31		X		X		X		.19	X	.16	X	.01	31
Total	1.23	.98	1.49	1.77	1.15	2.83	2.46	.72	1.13	2.85	3.57	5.07	25.25
Rain Days.	16	12	16	11	8	10	4	6	8	12	24	24	151

1915
15000

REC

FORM A.
BRITISH RAINFALL
13 JAN 1915

Kept at Sunbury Lodge Sunbury
in the County of Middlesex
by F. A. Wallroth

Time of Observation 8.30 a.m.
Nearest Railway Station Sunbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12		.08	.73	.04				.03		1
2	.02			.67									2
3	.12			.36	.18						.16	.06	3
4	.03	.02			.12						.02	.09	4
5	.02	.01	.05	.07					.03	.05	.19	.33	5
6	.02									.22	.04	.03	6
7	.27		.14	.01							.01	.36	7
8	.02			.01							.30	.21	8
9	.10		.17							.16	.12	.35	9
10	.12		.02								.01	.03	10
11	.03	.13	.08								.15	.53	11
12	.31			.01							.60		12
13	.03		.40		.26				.02		.20		13
14			.06		.06				.38	.38	.04	.36	14
15		.05			.35							.44	15
16		.05	.09								.02	.02	16
17	.01					.33					.38	.03	17
18			.01			.05					.47	.16	18
19											.50	.19	19
20						.28			.23	.10	.18	.10	20
21	.02	.02	.01					.01	.09		.06	.53	21
22		.14						.35		.50		.13	22
23	.10		.13			.01		.05		.22		.40	23
24	.01	.11	.13			.91			.14		.03	.08	24
25		.11				.03				.72		.22	25
26		.03	.02	.03	.01	.12	2.23	.01		.05			26
27		.01	.01	.25	.09	.17	.09			.10	.02	.25	27
28		.30	.05	.02					.10		.01	.16	28
29				.22				.11			.01		29
30		X		.12		.20	.10		.14	.19	.01		30
31		X		X		X		.19	X	.16	X	.01	25.24 31
Total	1.23	.98	1.49	1.77	1.15	2.83	2.46	.72	1.13	2.85	3.56 3.57	5.07	25.25
Rain Days.	16	12	16	11	8	10	4	6	8	12	24	24	151

REGISTER OF RAINFALL IN 1912

Kept at Sunbury Lodge Sunbury
 in the County of Midd^x
 by F. A. Wallcut

Lat. _____ Long. _____
 Time of Observation 8.30 a.m.
 Nearest Railway Station Sunbury
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 3 ft. 9 in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL
 15 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01			.03	.01	.05	.12	.98			1
2			.10	.35		.05	.10		.05	.55		.18	2
3			.15			.31	.33	.17	.02	.03			3
4			.07			.05		.24				.05	4
5	.18		.37		.08	.08		.01			.21		5
6	.15	.03	.06			.09		.31			.05	.01	6
7	.41	.04				.30		.19				.03	7
8			.01		.07	.50	.18	.17				.01	8
9	.38	.31	.21			.11	.01	.28				.01	9
10	.01	.18	.04	.01			.01	.03				.15	10
11		.04	.01			.06	.01	.20		.01	.07	.24	11
12	.05	.20	.01			.07		.19		.01	.01	.20	12
13	.05	.04	.06		.18	.07		.06		.01	.02	.02	13
14		.01									.03	.03	14
15			.01		.03			.04		.03		.03	15
16		.01	.11		.15	.64		.04			.01	.27	16
17	.40		.05		.07	.12		.03		.04	.07	.01	17
18	.45		.17			.02		.04				.01	18
19	.13		.15					.10			.02	.09	19
20	.07	.06	.06				.14	.45					20
21	.02	.01	.09				.01	.10		.35	.01		21
22		.01	.12		.06			.08			.09		22
23	.17	.16	.02		.03		.03	.09		.04		.05	23
24	.35	.34	.35					.41		.09	.14	.17	24
25	.36	.03				.19		.24				.13	25
26	.18					.16		.41		.01	.16	.45	26
27								.46		.33	.33	.34	27
28		.02	.01			.03	.01			.18		.19	28
29		.04				.06	.15	.02	.05	.34	.45	.10	29
30		~~X~~				.12	.22	.25	1.29	.26	.04		30
31		~~X~~		~~X~~	.53	~~X~~		.01	~~X~~	.15	~~X~~		31
Total	3.36	1.53	2.24	.36	1.20	3.06	1.21	4.67	1.53	3.41	1.71	2.77	YEAR'S TOTAL 27.05
Rain Days.	16	17	23	2	9	20	13	28	5	17	16	23	189

REGISTER OF RAINFALL IN 1913

Kept at Sunbury Lodge Sunbury
in the County of Midd^x
by F. A. Waller

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Sunbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
13 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.04	.02				.51		.04		1
2		.23	.04	.13					.43		.06	.13	2
3	.05	.15		.01			.10		.01	.73	.07		3
4			.01	.23	.33							.03	4
5	.19				.30	.16	.03			.25	.02	.05	5
6	.12					.06	.09		.37			.01	6
7		.02	.10		.03	.06	.06			.22		.16	7
8		.13			.08	.09				.38	.14		8
9		.03		.01	.08	.11					.07		9
10		.15			.02				.09		.01		10
11	.02		.14	.06			.05						11
12	.26	.01		.41						.64	.34		12
13		.01			.02					.01	.32		13
14			.03					.15	.06		.15		14
15		.02	.05	.06	.04		.34			.10	.05		15
16	.24	.05	.25	.20			.39		.08				16
17	.11		.34	.10					.19				17
18	.05	.10	.03	.05			.17		.01			.01	18
19			.10	.06	.03				.04		.02		19
20	.23		.15				.13		.23				20
21	.16		.34	.02		.24				.33			21
22			.14	.05			.01			.18	.73		22
23	.40		.13	.06			.01	.17	.14	.01			23
24			.01				.01		.01		.01	.37	24
25				.03						.01			25
26				.17								.01	26
27			.17	.06				.04		.68		.17	27
28		.01	.01	.04	.18					.01			28
29	.23		.25							.12			29
30	.04	X	.05	.48	.64			.18					30
31	.26	X		X		X		.13	X	.09	X		31
Total	2.36	.91	2.34	2.27	1.77	.72	1.39	.67	2.17	3.76	2.03	.94	21.35
Rain Days.	14	12	19	20	12	6	12	5	13	15	14	9	151

made
written
24.11.15

end for auto 23.11.15 & for WD. 6.12.15.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
JAN 1915

Kept at Sunbury Lodge Sunbury on Thames
in the County of Middlesex
by F. A. Wallwith

Lat. _____ Long. _____
Time of Observation 8.45 a.m.
Nearest Railway Station Sunbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. _____ in.
" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(.05)
calc.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02			.10		.02				.46	1
2			.03					.06			.01	.04	2
3	.01						.16	.13			.05	.17	3
4			.03		.14		.26				.01		4
5	.02		.01	.13				.05			.26	.26	5
6	.08			.13	.05		.26	1.01					6
7		.11		.09		.04	.03	.01			.09	.09	7
8		.23	.23	.15	.27	.08	.15					.10	8
9	.06	.33	.75		.06	.09	.17	.10			.01	.02	9
10	.17		.55	.29		.11			.14			1.48	10
11		.10	.02	.02	.05				.07		.17	.03	11
12		.25	.45			.04			.20			.24	12
13		.05	.11				.32		.17			.22	13
14		.15	.15						.14	.01	.03	.50	14
15		.08	.17			2.30	.15			.39	.04	.40	15
16	.05		.10				.54	.03		.03	.50	.04	16
17			.03								.03		17
18		.33	.07									.06	18
19		.03	.19									.29	19
20			.24			.32	.07				.16	.40	20
21		.27	.34						.10			.07	21
22		.52						.02		.02		.02	22
23			.06		.43	.05	.25	.01		.15			23
24		.09	.19		.23	.05	.02			.11			24
25	.01		.05					.10			.09		25
26	.01		.21				.01			.23		.07	26
27			.07				.05	.06		.06	.13	.53	27
28	.04		.01								.02	.13	28
29					.05					.08	.47	.95	29
30	.03	X	.06							.20	.10		30
31		X	.03	X		X			X	.05	X	.33	31
Total	48	2.54	4.17	.81	1.28	3.18	2.44	1.60	.82	1.33	2.17	6.05	YEAR'S TOTAL 27.72
Rain Days.	10	14	25	6	9	9	15	11	6	11	18	24	158

W. 8,000. X. 14.
48 2.56 4.15 .81 1.38 3.08 2.46 1.58 .82 1.33 2.63 6.49 27.77

REGISTER OF RAINFALL IN 1915

Kept at

Sunbury Lodge Sunbury

in the County of

Midd^x.

by

F. A. Wallcuth

Lat.

Long.

Time of Observation

Nearest Railway Station

Sunbury

Diameter of Funnel of Rain Gauge

5 in.

Height of top of Gauge above Ground

3 ft. 9 in.

" " " " Sea Level

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.64	.12	.05	.	.03		.02			.03	.15	.54	1
2	.43	.15	.24	.10				.85		.07		.06	2
3	.43		.06	.10		.02		.17			.01	.55	3
4	.02											.21	4
5	.04	.45								.04		.30	5
6	.29	.08	.06	.21			.70					.55	6
7	.23	.20	.02				.28	.03			.01	.22	7
8	.08	.47	.02	.06			.03	.02					8
9	.01	.09		.16				.06		.01	.38	.64	9
10	.17					.05		.33				.13	10
11	.05		.03					.03		.03	.64	.02	11
12	.05	.05			.42			.15			.27	.03	12
13		.51		.45	1.36			.07					13
14		.02					.39	.01	.05			.43	14
15	.06	.03			.07			.10			.17	.10	15
16		.25					.50	.12				.02	16
17		.40			1.10								17
18		.31	.01		.20								18
19		.09			.02		.04			.02	.02		19
20	.24			.02								.18	20
21	.12						.02			.02		.03	21
22	1.18	.29	.14				.72					.11	22
23		.12	.05			.01	.24		.25	.65		.28	23
24						.02	.04		.40	.26		.41	24
25			.01	.12			.20			.01		.16	25
26		.02				.05	.05					.55	26
27						.15	.20			.27		.11	27
28		.02				.01			1.37	.12			28
29		X				.02	.28	.07		.01	.19	.02	29
30	.02	X				.75				.06	.22	.01	30
31		X		X		X			X	1.18	X	.22	31
Total	4.06	3.67	.69	1.22	3.20	1.08	3.71	2.01	2.07	2.78	2.06	5.88	YEAR'S TOTAL 32.43
Rain Days.	17	19	11	8	7	9	15	13	4	15	10	25	153

REGISTER OF RAINFALL IN 1916

Kept at Sunbury Lodge, Sunbury
in the County of Middlesex
by F. A. Wallroth

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.01			.49				.23	.04	.26		1
2	.27	.02	.13		.20				.11	.44	.03		2
3		.40	.08				.03		.10	.31	.40		3
4	.19	.05				.19			.18		.41		4
5	.01				.13	.21				.05	.54		5
6		.07	.29	.12	.01	.14	.22			.04	.37	.02	6
7	.05		.23		.10	.17	.12			.01	.41	.06	7
8			.03		.28	.14						.16	8
9			.02		.09	.02				.02		.13	9
10		.15	.06	.03		.20	.03					.06	10
11	.05	.14	.02	.12		.23					.01	.05	11
12	.02	.03	.05	.03	.44	.14		.05		.04	.01		12
13		.17	.41	.14		.03	.22	.16	.04				13
14		.37	.01		.04			.44		.01		.10	14
15		.18	.20					.17		.03			15
16	.01	.03	.47	.12			.29	.38					16
17	.06	.08		.03			.03	.11	.30	.46		.02	17
18	.01	.09	.04	.15				.38	.10	.57	.69		18
19	.10		.16	.14					.14		.55		19
20	.18		.18								.04	.33	20
21			.39				.20					.39	21
22		.01	.03							.06		.36	22
23	.02	.25						.01		.03	.02	.06	23
24		.55		.05				.02		.18	.03	.30	24
25		.16	.24	.02				.12		.07	.08	.02	25
26			.06			.05		.29		.17			26
27			.88			.07		.32	.04	.50			27
28		.40	.29			.01			.05		.01	.12	28
29		.07				.24		1.03	.06	.24		.14	29
30		~~X~~						.05		.48			30
31		~~X~~		~~X~~		~~X~~		.05	~~X~~	.17	~~X~~	.08	31
Total	1.01	3.23	4.27	.95	1.78	1.84	1.04	3.58	1.35	3.92	3.86	2.40	29.23
Rain Days.	13	20	22	11	9	14	8	15	11	21	16	17	177

REGISTER OF RAINFALL IN 1911

Kept at *Sunbury Lodge Sunbury*
in the County of *Middx*
by *F. A. Wallroth*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
JAN 1918
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.01	.31				1.27			.05		1
2				.12				.10			.08		2
3				.07			.19	.30		.20	.12		3
4		.13	.08				.30	.23		.40			4
5	.35		.03	.24				.02	.27	.18	.07		5
6				.04		.13			.22	.01	.03		6
7	.16						.12			.30		.01	7
8	.14			.10			.94	.35	.07	.23	.16	.31	8
9	.04		.03	.02	.02		.12	.13	.06		.05	.16	9
10	.07		.07	.13							.01		10
11	.17		.35	.32		.14			.60	.19		.02	11
12	.06		.08					.06		.35	.01		12
13	.02		.21	.02				.11	.02	.08			13
14				.13				.15			.01		14
15	.04						.12	.05		.02			15
16	.05	.11		.20	.05	.27	.13			.48		.52	16
17				.10	.60		.17	.03	.40	.30			17
18	.03	.05		.06	.10	.54	.13	.13	.22	.16			18
19	.01	.09	.03			.01			.13				19
20			.01		.62		.37		.05		.03		20
21			.02		.02	.03					.02	.03	21
22	.02	.11	.03					.06		.06			22
23			.04		.11	.03		.08		.07		.02	23
24		.02				.21				.21			24
25		.03	.04							.08			25
26			.03					.17	.02	.01	.36		26
27						.03		.68					27
28			.02			1.40		.04				.04	28
29			.01		.29	.14	.91			.23		.10	29
30		X	.40				1.88	.06		.02		.01	30
31		X	.01	X		X	.38	.01	X		X	.01	31
Total	1.16	.56	1.50	1.86	1.81	2.93	5.76	4.03	2.06	3.58	1.00	1.23	YEAR'S TOTAL 27.46
Rain Days.	13	8	19	14	8	11	13	20	11	20	13	11	161

W L F F 4567 mm net
REGISTER OF RAINFALL IN 1918

Kept at Simbury Lodge, Simbury
in the County of Midd^x
by F. A. Wallcut

Lat. _____ Long. _____
Time of Observation 8.30 a.m.
Nearest Railway Station Simbury
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.04				.01			.21	.08	1
2		.08		.04				.28		.01	.13	.10	2
3		.01	.02	.05	.43			.25			.53	.01	3
4	.01	.06	.11					.04	.12		.48		4
5		.05	.01		.06			.05	.30	.07			5
6	.18	.11		.36	.14			.10	.01			.07	6
7	.01	.08		.12	.39				.21	.07	.09		7
8		.05							.12	.03	.10	.03	8
9		.01		.04		.13	.24		.36	.10		.22	9
10				.16		.01	.47		.02	.02	.04	.37	10
11				.04	.02		1.15		.01	.27	.11	.14	11
12		.02			.12		.09		.05	.01		.01	12
13	.02				.12		.13		.06			.01	13
14	.12		.02			.13	.03		.33	.13		.24	14
15	1.08			.55		.06	.03		.01	.01		.05	15
16	.45		.01	(.25)		.11			.16			.01	16
17	.18			.18	.10	.01	.19	.02				.13	17
18	.56					.17	.09		1.11	.12		.05	18
19	.05		.03	.07		.06	.31	.01		.10		.03	19
20	.03	.11		.50			.10		.18	.18	.01		20
21	.10	.01		.49			.02		.62	.01			21
22	.08				.42		.09		.13	.01		.16	22
23	.03				.13		.50	.02	.03				23
24		.24				.09	.51		.06		.05		24
25							.28	.09		.01	.01		25
26							.45	.09		.02	.05	.15	26
27		.01		.03			.03	.18	.05		.11		27
28		.04	.20	.01				.06			.09	.12	28
29									1.13				29
30		X	.46						.03		.02	.14	30
31		X		X		X			X	.08	X	.02	31
Total	2.90	.90	.86	2.89	1.93	.77	4.71	1.20	5.10	1.25	2.05	2.14	YEAR'S TOTAL 26.70
Rain Days.	14	15	8	16	10	9	18	14	22	18	15	21	180

REGISTER OF RAINFALL IN 1919.

Kept at Sunbury Lodge, Sunbury
in the County of Middlesex
by F. A. Waller

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35			.05	.05		.30				.01	.96	1
2	.44				.07		.08		.19	.10	.09	.14	2
3	.26		.32				.21		.03		.01	.35	3
4	.10	.07	.45			.05	.12	.04			.02	.15	4
5		.29	.41						.18		.05	.25	5
6	.09		.04								.01	.13	6
7	.04		.38								.04		7
8	.08		.06	.01									8
9	.13		.01	.02						.01			9
10	.77		.05		.01						.04	.03	10
11	.02		.08	.18			.18				.04	.01	11
12			.04			.03	.23			.13			12
13	.02			.28							.01	.01	13
14	.21	.01		.37			.08		.64	.05		.02	14
15	.26	.01	.14	.12								.41	15
16	.03	.54									.09	.02	16
17		.28									.16		17
18	.40	.19	.07						.04		.06	.05	18
19		.10	.58			.20	.31	.27			.06		19
20	.17	.02	.22			.70	.55		.10		.01		20
21	.19	.23	.02			.01	.04				.01	.02	21
22		.06					.19		.12			.33	22
23						.03		.03	.03		.01		23
24				.23		.02	.08			.18	.03	.03	24
25		.02			.01	.06		.18					25
26	.11	.17	.09	.92				.14	.07			.26	26
27	.38	.03	.03	.14				.43			.05	.05	27
28			.20				.02	.65			.40	.25	28
29	.19			.04				.28		.11	.10	.02	29
30		~~X~~		.23		.11		.17			.19	.34	30
31	.03	~~X~~		~~X~~		~~X~~	.06		~~X~~		~~X~~	.08	31
TOTAL	4.27	2.02	3.19	2.59	.14	1.21	2.45	2.19	1.40	.58	1.49	3.91	YEAR'S TOTAL
Days with ".01 in. or more	21	14	18	12	4	9	14	9	9	6	22	22	160

RE

TOOTING

Kept at 14 Longley
in the County of Lo

LONGLEY RD

by (Mrs) M. M.

1911 - 1912

FORM A2.
BRITISH RAINFALL.
23 FEB 1912

5 in.

Ground — ft. 11 in.

Sea Level 50.50 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		F.D	.50				.04			F.D	.08	1
2	.14			.28	.14						.14	.07	2
3	F.D	.02		.005	.13			.01			.07	.06	3
4	.04	.01	.05	.08	F.D					.06	.16	.19	4
5	.03	F.D		.04						.20	.04	.12	5
6	.15		.27							F.D		.28	6
7	.04		.005	.03						.12	.31	.09	7
8	.11		.17								.25	.36	8
9	.17		F.D	.02							.005	.09	9
10	.02	.08	.04								.05	.53	10
11	.02 ³		.40		.55						.60		11
12	.35		.05		.05						.16	.005	12
13	.005	F.D	.10 ^{RS}		.18				.04		.16	.005	13
14	F.D	.09	.02 ^{RS}		.26				.37	.15	.01	.19	14
15		.05	.13							.02	.01	.03	15
16			F.D			.76					.35	.03	16
17	F.D	F.D									.28	.14	17
18		.08				.03					.50	.19	18
19	F.D	F.D	.04		.02	.16			.27	.09	.17	.08	19
20		F.D				F.D		.14	.01	.10	.01	.50	20
21		.13						.82	.04	.52		.09	21
22	.06	F.D	.20			.02				.03		.40	22
23	F.D	.05	.06			.79			.23	F.D	.03	.09	23
24		.12	.01			.04	.04 ^T	F.D	.005	1.01		.27	24
25		.02		.04		.14	.12	.30		.06	.02	.01	25
26		.05	.08	.017	.02	.12	.05		F.D	.08	.02 ³		26
27		.35	.01	.07		F.D			.14	.05	.05 ^{RS}	.34	27
28		.10	.005	.018			.03	.10		.03	.02	F.D	28
29				.016		.19	.08 ^T		.14	.22			29
30			.01	.005		.04		.32		.20			30
31					.05					.02			31
Total	1.165	1.205	1.650	1.121	1.40	2.28	.32	1.73	1.245	2.96	3.255	4.655	TOTAL for year 22.986
No. of Rain Days.	12	13	16	11	9	10	5	7	8	17	21	24	153

RE

FORM A2.
BRITISH RAINFALL.
23 FEB 1912Kept at 14 Longley Road, Wokingin the County of London.by (Mrs) M. M. Latham.RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 11 ft.
" " " Sea Level 50.50 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		F.D	.50				.04			F.D	.08	1
2	.14			.28	.14						.14	.07	2
3	F.D	.02		.005	.13			.01			.07	.06	3
4	.04	.01	.05	.08	F.D					.06	.16	.19	4
5	.03	F.D		.04						.20	.04	.12	5
6	.15		.27							F.D		.28	6
7	.04		.005	.03						.12	.31	.09	7
8	.11		.17								.25	.36	8
9	.17		F.D	.02							.005	.09	9
10	.02	.08	.04								.05	.53	10
11	.02 ^s		.40		.55						.60		11
12	.35		.05		.05				.04		.16	.005	12
13	.005	F.D	.10 ^{RS}		.18				.37	.15	.01	.19	13
14	F.D	.09	.02 ^{RS}		.26							.42	14
15		.05	.13							.02	.01	.03	15
16			F.D			.76					.35	.03	16
17	F.D	F.D									.28	.14	17
18		.08				.03					.50	.19	18
19	F.D	F.D	.04		.02	.16			.27	.09	.17	.08	19
20		F.D				F.D		.14	.01	.10	.01	.50	20
21		.13						.82	.04	.52		.09	21
22	.06	F.D	.20			.02				.03		.40	22
23	F.D	.05	.06			.79			.23	F.D	.03	.09	23
24		.12	.01			.04	.04 ^T	F.D	.005	1.01		.27	24
25		.02		.04		.14	.12	.30		.06	.02	.01	25
26		.05	.08	.017	.02	.12	.05		F.D	.08	.02 ^s		26
27		.35	.01	.07		F.D			.14	.05	.05 ^{RS}	.34	27
28		.10	.005	.018			.03	.10		.03	.02	F.D	28
29				.016		.19	.08 ^T		.14	.22			29
30			.01	.005		.04		.32		.20			30
31					.05					.02			31
Total	1.165	1.205	1.650	1.121	1.40	2.28	.32	1.73	1.245	2.96	3.255	4.655	TOTAL for year 22.986
No. of Rain Days.	12	13	16	11	9	10	5	7	8	17	21	24	153

Bayanda

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
19 APR 1913

Kept at 114, Longley Road, Tooting, S.W.

in the County of London

by Mrs. G.B. Latham

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 11 ft.
Sea Level 50.50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	-	-	.09	.005	-	.09	.25	-	.07	.41	-		1	
2	-	.01	.28	.03	-	.02	.02	.11	-	.02	-		2	
3	.05	.04	.04	-	-	.06	.30	.29	-	-	-		3	
4	.22	.01	.48	-	.13	.19	-	.02	-	-	.15		4	
5	.14	.01	.05	-	-	F.D.	-	.42	-	-	.07		5	
6	.41	.04	F.D.	-	.005	-	-	.11	-	-	-		6	
7	.005	F.D.	-	-	-	.85	.14	.25	.03	-	-		7	
8	.24	.29	.15	.01	-	.04	.03	.28	-	-	-		8	
9	.005	.06	.005	.06	-	.19	.03	.05	-	-	-		9	
10	.005	.03	F.D.	-	-	F.D.	-	.68	-	-	-		10	
11	.02	.24	-	-	-	.03	-	.09	.01	-	-		11	
12	.04	.06	.05	-	.24	.15	-	-	-	-	-		12	
13	.005	F.D.	.005	-	-	F.D.	-	.09	-	-	-		13	
14	-	-	.005	-	.03	-	-	.04	-	.06	-		14	
15	-	.02	.11	-	.30	.62	-	.005	-	-	.03		15	
16	.39	F.D.	.03	-	-	.13	-	.04	-	-	.05		16	
17	.50	-	.14	-	.05	.03	-	-	-	-	-		17	
18	.04	-	.15	-	-	-	-	.07	-	.06	-		18	
19	.06	.07	.17	-	-	-	.04	.53	-	-	-		19	
20	F.D.	.02	.20	-	-	-	-	.03	-	.48	.03		20	
21	F.D.	.03	.13	-	-	-	-	.08	-	.08	.04		21	
22	.20	.17	.06	-	.05	-	.07	.16	-	-	-		22	
23	.34	.41	.31	-	.05	-	-	.39	-	.08	.22		23	
24	.13	.005	.05	-	-	.20	.02	.25	-	-	-		24	
25	.16	.005	-	-	-	.16	-	.73	-	-	.28		25	
26	.005	.025	-	-	-	-	-	.30	-	.31	.37		26	
27	-	-	.005	-	-	.08	.005	-	-	.15	-		27	
28	-	.06	-	.01	-	.005	.17	.03	.07	.26	.40		28	
29	-	.01	-	F.D.	-	.30	.24	.10	1.00	.13	.03		29	
30	-	-	-	-	.42	F.D.	.02	.12	1.18	.20	-		30	
31	-	-	.12	-	.005	-	.06	.12	-	.04	-		31	
Total	2.965	1.615	2.630	.115	1.280	3.145	1.395	5.385	2.36	2.28	1.67	#	YEAR'S TOTAL 24.84	
Rain Days.	15	18	19	20	18	20	14	19	8	16	17	13	26	148

Amended

FORM A. 1. METEOROLOGICAL RECORD

TOTTENHAM
DRAYTON ROAD
LOND / MIDDX

RAINIZATION.

Kept at Tottenham
in the County of London
by Medical Gff

Date 9 0° 5' W
B.M.T.
Gauge in.
Ground ft. in.
Sea Level 51 ft.

1919-20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.38	0.04	0.04	-	0.02	-	0.15	-	-	0.01	-	0.85	1
2	0.39	-	-	0.26	0.16	-	0.18	0.01	0.06	0.10	0.09	0.09	2
3	0.23	-	0.30	-	-	-	0.11	-	0.05	-	0.03	0.34	3
4	0.11	-	0.30	-	-	0.27	0.22	0.05	-	-	0.02	0.14	4
5	0.01	0.40	0.50	-	-	-	-	-	0.04	-	-	0.28	5
6	-	-	0.25	-	-	-	-	-	-	-	-	0.05	6
7	0.02	-	0.36	-	-	-	-	-	-	-	0.09	-	7
8	0.05	-	0.06	0.01	-	-	-	-	-	-	0.02	-	8
9	0.18	-	0.01	0.05	0.12	-	-	-	-	-	0.07	-	9
10	0.34	-	0.07	0.01	-	-	-	-	-	-	-	-	10
11	0.02	-	0.07	0.27	0.06	-	0.30	-	-	-	-	0.02	11
12	-	-	0.07	0.01	-	-	0.05	-	-	0.06	-	-	12
13	-	-	-	0.30	-	-	-	-	-	0.03	-	0.005	13
14	0.27	-	-	0.27	-	-	0.03	-	0.54	-	-	0.01	14
15	0.20	0.11	0.05	0.17	-	-	0.01	-	-	0.03	-	0.19	15
16	0.03	0.67	-	0.01	-	-	-	-	-	-	0.11	0.04	16
17	-	0.20	0.07	0.01	-	-	-	-	-	-	0.20	0.005	17
18	-	0.18	0.05	-	-	-	-	-	-	-	0.08	0.10	18
19	0.07	0.2	0.78	-	-	0.23	0.13	0.30	0.07	-	0.12	0.02	19
20	0.23	0.07	0.05	-	-	0.85	0.12	0.13	-	-	-	-	20
21	0.14	0.37	-	-	-	0.02	0.12	-	-	-	-	0.11	21
22	-	0.12	-	-	-	-	0.10	-	9.20	-	0.02	0.03	22
23	-	-	-	-	-	0.08	-	-	17	-	-	-	23
24	-	-	-	0.14	-	-	-	0.06	-	0.17	0.03	0.01	24
25	-	0.2	-	0.09	0.10	-	-	0.13	-	-	-	0.03	25
26	0.07	0.47	0.10	0.04	-	-	0.10	0.10	0.09	-	-	0.34	26
27	0.38	0.03	0.02	1.30	-	-	-	0.54	-	-	-	0.02	27
28	0.02	-	0.42	0.06	-	-	-	0.74	-	-	0.20	0.30	28
29	0.03	-	-	-	-	-	-	0.30	-	0.22	0.18	0.03	29
30	-	X	0.01	0.22	-	0.20	-	0.12	-	0.02	0.25	0.30	30
31	0.02	X	-	X	-	X	-	-	X	-	X	0.01	31
TOTAL	3.19	2.30	3.58	3.22	4.6	1.65	1.62	2.48	1.02	0.64	1.51	3.32	YEAR'S TOTAL
Days with 0.1 in. or more	21	11	20	17	5	6	13	11	8	8	15	24	159

REGISTER OF RAINFALL IN 1919.

Kept at Tottenham

in the County of London

by Medical Officer of Health

Lat. 51° 36' N. Long. 0° 5' W

Time of Observation 9.15 P.M.

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.38	0.04	0.04	-	0.02	-	0.15	-	-	0.01	-	0.85	1
2	0.39	-	-	0.26	0.16	-	0.18	0.01	0.06	0.10	0.09	0.09	2
3	0.23	-	0.30	-	-	-	0.11	-	0.05	-	0.03	0.34	3
4	0.11	-	0.30	-	-	0.27	0.22	0.05	-	-	0.02	0.14	4
5	0.01	0.40	0.50	-	-	-	-	-	0.04	-	-	0.28	5
6	-	-	0.25	-	-	-	-	-	-	-	-	0.05	6
7	0.02	-	0.36	-	-	-	-	-	-	-	0.09	-	7
8	0.05	-	0.06	0.01	-	-	-	-	-	-	0.02	-	8
9	0.18	-	0.01	0.05	0.12	-	-	-	-	-	0.07	-	9
10	0.34	-	0.07	0.01	-	-	-	-	-	-	-	-	10
11	0.02	-	0.07	0.27	0.06	-	0.30	-	-	-	-	0.02	11
12	-	-	0.07	0.01	-	-	0.05	-	-	0.06	-	-	12
13	-	-	-	0.30	-	-	-	-	-	0.03	-	0.005	13
14	0.27	-	-	0.27	-	-	0.03	-	0.54	-	-	0.01	14
15	0.20	0.11	0.05	0.17	-	-	0.01	-	-	0.03	-	0.19	15
16	0.03	0.67	-	0.01	-	-	-	-	-	-	0.11	0.04	16
17	-	0.20	0.07	0.01	-	-	-	-	-	-	0.20	0.005	17
18	-	0.18	0.05	-	-	-	-	-	-	-	0.08	0.10	18
19	0.07	0.20	0.78	-	-	0.23	0.13	0.30	0.07	-	0.12	0.02	19
20	0.23	0.07	0.05	-	-	0.85	0.12	0.13	-	-	-	-	20
21	0.14	0.31	-	-	-	0.02	0.12	-	-	-	-	0.11	21
22	-	0.12	-	-	-	-	0.10	-	8.20	-	0.02	0.03	22
23	-	-	-	-	-	0.08	-	-	17	-	-	-	23
24	-	-	-	0.14	-	-	-	0.06	-	0.17	0.03	0.01	24
25	-	0.11	-	0.09	0.10	-	-	0.13	-	-	-	0.03	25
26	0.07	0.17	0.10	0.04	-	-	0.10	0.10	0.09	-	-	0.34	26
27	0.38	0.05	0.02	1.30	-	-	-	0.54	-	-	-	0.02	27
28	0.02	-	0.42	0.06	-	-	-	0.74	-	-	0.20	0.30	28
29	0.03	-	-	-	-	-	-	0.30	-	0.22	0.18	0.03	29
30	-	X	0.01	0.22	-	0.20	-	0.12	-	0.02	0.25	0.30	30
31	0.02	X	-	X	-	X	-	-	X	-	X	0.01	31
TOTAL	3.19	2.30	3.58	3.22	4.6	1.65	1.62	2.48	1.02	0.64	1.51	3.32	YEAR'S TOTAL
Days with 0.1 in. or more	21	11	20	17	5	6	13	11	8	8	15	24	159

REGISTER OF RAINFALL IN 1920.

Kept at Tottenham (mo)
in the County of Middlesex
by The Medical Officer of Health

Lat. 51° 36' N Long. 0° 5' W
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0.53	0.05	-	0.30	-	-	0.41	-	0.23	1
2	-	-	-	-	-	-	-	0.77	0.10	0.06	-	0.08	2
3	-	0.05	-	-	-	-	-	-	0.07	-	-	0.01	3
4	-	-	0.04	0.08	-	-	0.08	0.03	-	0.08	-	0.03	4
5	-	-	0.11	-	0.04	-	0.35	-	0.04	-	-	0.07	5
6	-	-	0.29	-	0.10	-	0.38	0.05	-	-	-	0.02	6
7	-	-	0.07	0.22	0.005	-	0.12	-	-	-	-	0.03	7
8	-	0.03	-	0.18	0.13	-	0.04	-	-	-	-	-	8
9	0.46	0.03	-	0.03	-	-	-	-	-	-	-	-	9
10	0.53	0.05	-	0.05	-	0.08	0.05	-	-	-	-	-	10
11	0.20	-	0.09	0.39	0.03	0.06	0.34	0.05	-	-	-	0.23	11
12	0.09	-	0.06	0.09	-	0.51	-	-	-	-	-	-	12
13	0.14	0.06	0.15	0.09	-	-	-	-	-	-	0.11	-	13
14	-	0.06	0.30	0.24	-	0.13	-	-	0.19	0.15	0.14	0.04	14
15	-	-	0.05	0.12	-	-	-	-	0.68	0.10	0.10	-	15
16	-	-	-	0.18	-	0.03	-	-	0.03	0.31	-	-	16
17	-	-	-	-	0.14	-	-	-	0.39	-	-	0.06	17
18	-	-	-	-	0.03	-	-	0.75	0.10	-	-	0.05	18
19	0.10	-	-	0.19	-	0.03	-	0.04	-	-	-	0.02	19
20	0.05	0.23	-	(0.14)	-	0.53	-	-	0.18	-	-	-	20
21	0.04	-	-	-	-	-	0.87	0.03	0.62	-	-	-	21
22	-	-	-	0.32	-	-	-	-	0.19	-	-	0.28	22
23	-	-	-	-	-	-	(0.47)	-	-	-	-	0.41	23
24	-	-	0.05	-	-	-	-	-	-	-	-	0.05	24
25	0.01	-	0.01	0.02	-	-	0.20	-	-	-	-	-	25
26	0.01	-	0.05	0.02	-	-	0.01	-	-	-	-	0.06	26
27	0.14	0.06	0.04	0.30	-	0.06	0.09	-	-	-	0.54	0.11	27
28	0.43	-	0.14	0.01	-	-	0.04	-	-	-	-	0.02	28
29	0.22	-	-	-	0.10	-	-	-	-	-	0.03	0.36	29
30	0.10	~~X~~	-	-	0.11	-	0.34	-	0.45	-	0.16	0.24	30
31	-	~~X~~	-	~~X~~	0.03	~~X~~	0.04	-	~~X~~	0.20	~~X~~	0.04	31
TOTAL	2.52	0.57	1.45	3.20	0.765	1.43	3.72	1.72	2.304	1.31	1.08	2.47	YEAR'S TOTAL 23.275
Days with 0.1 in. or more	14	8	14	19	11	8	16	7	12	7	6	21	143

REGISTE

TWICKENHAM S.W.

Kept at *Twickenham Sewage*

in the County of *Middlesex*

by *Fred W. Pearce*

LOND/MIDDY

1911-20

FORM A2.
BRITISH RAINFALL.

1 ft. 7 in.
vel. 37 1/2 ft.

Twickenham

ce 9/10 yds. Direction *East*
result entered to the

Jan. 1, following.

IMPORTANT NOTE.—Rain previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	-	.68	-	-	-	.06	-	-	-	-	1
2	.09	-	-	.36	.15	-	-	-	-	-	.13	.06	2
3	.04	-	-	-	.11	-	-	-	-	-	.03	.09	3
4	.02	.01	.04	.01	-	-	-	-	.01	.03	.15	.22	4
5	.02	-	-	.03	-	-	-	-	-	.22	.02	.12	5
6	.20	-	.13	-	-	-	-	-	-	-	-	.22	6
7	.03	-	-	-	-	-	-	-	-	.04	.21	.12	7
8	.11	-	.12	-	-	-	-	-	-	-	.11	.30	8
9	.12	-	.02	.02	-	-	-	-	-	-	-	.02	9
10	-	.11	-	-	-	-	-	-	-	-	.05	.36	10
11	.21	-	-	-	-	-	-	-	-	-	.54	-	11
12	-	-	.49	-	.39	.01	-	-	.02	-	.19	.01	12
13	-	-	.02	-	.06	-	-	-	.50	.38	.01	.26	13
14	-	.05	-	-	.29	-	-	-	-	-	-	.35	14
15	-	.04	.15	-	-	-	-	-	-	.02	-	.01	15
16	-	-	-	-	-	.47	-	-	-	-	.29	.02	16
17	-	-	.03	-	-	.01	-	-	-	-	.29	.13	17
18	-	.07	.01	-	-	-	-	-	-	-	.51	.16	18
19	-	-	-	-	-	.17	-	-	.21	.06	.10	.05	19
20	.03	-	.01	-	-	-	-	.06	.07	.04	-	.44	20
21	.01	.09	-	-	-	-	-	.57	-	.38	-	.06	21
22	.09	-	.15	-	-	.01	-	-	-	.15	-	.36	22
23	-	.06	.06	-	-	.57	-	-	.16	-	.05	.07	23
24	-	.09	.02	-	-	.02	.01	-	-	1.05	-	.19	24
25	-	.02	.01	.06	.01	.13	.49	.01	.01	.01	-	.01	25
26	-	.01	.01	.17	.07	.10	.07	-	-	.10	.01	.26	26
27	-	.34	.05	.05	-	-	.07	-	.12	-	-	.14	27
28	-	.10	-	.20	-	-	-	.08	-	-	.01	-	28
29	-	-	-	.06	-	.17	.10	-	.14	.18	-	-	29
30	-	-	-	.02	-	.03	-	.88	.04	.12	-	-	30
31	-	-	-	-	.43	-	-	-	-	.01	-	-	31
Total	.98	.99	1.32	1.66	1.51	1.69	.74	1.66	1.28	2.79	2.70	4.03	TOTAL for year 31.35
No. of Rain Days.	13	12	16	11	8	11	5	6	10	15	17	25	149

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL

Kept at *Twickenham Sewage Disposal Works*

in the County of *Middlesex*

by *Fred W. Pearce*

RAIN GAUGE { Pattern
Diameter of top *5* in.
Height of top above Ground *1* ft. *7 1/2* in.
" " " Sea Level *37 3/4* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Twickenham*
Distance *910 yds.* Direction *East*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	-	.68	-	-	-	.06	-	-	-	-	1
2	.09	-	-	.36	.15	-	-	-	-	-	.13	.06	2
3	.04	-	-	-	.11	-	-	-	-	-	.03	.09	3
4	.02	.01	.04	.01	-	-	-	-	.01	.03	.15	.22	4
5	.02	-	-	.03	-	-	-	-	-	.22	.02	.12	5
6	.20	-	.13	-	-	-	-	-	-	-	-	.22	6
7	.03	-	-	-	-	-	-	-	-	.04	.21	.12	7
8	.11	-	.12	-	-	-	-	-	-	-	.11	.30	8
9	.12	-	.02	.02	-	-	-	-	-	-	-	.02	9
10	-	.11	-	-	-	-	-	-	-	-	.05	.36	10
11	.21	-	-	-	-	-	-	-	-	-	.54	-	11
12	-	-	.49	-	.39	.01	-	-	.02	-	.19	.01	12
13	-	-	.02	-	.06	-	-	-	.50	.38	.01	.26	13
14	-	.05	-	-	.29	-	-	-	-	-	-	.35	14
15	-	.04	.15	-	-	-	-	-	-	.02	-	.01	15
16	-	-	-	-	-	.47	-	-	-	-	.29	.02	16
17	-	-	.03	-	-	.01	-	-	-	-	.29	.13	17
18	-	.07	.01	-	-	-	-	-	-	-	.51	.16	18
19	-	-	-	-	-	.17	-	-	.21	.06	.10	.05	19
20	.03	-	.01	-	-	-	-	.06	.07	.04	-	.44	20
21	.01	.09	-	-	-	-	-	.57	-	.38	-	.06	21
22	.09	-	.15	-	-	.01	-	-	-	.15	-	.36	22
23	-	.06	.06	-	-	.57	-	-	.16	-	.05	.07	23
24	-	.09	.02	-	-	.02	.01	-	-	<u>1.05</u>	-	.19	24
25	-	.02	.01	.06	.01	.13	.49	.01	.01	.01	-	.01	25
26	-	.01	.01	.17	.07	.10	.07	-	-	.10	.01	.26	26
27	-	.34	.05	.05	-	-	.07	-	.12	-	-	.14	27
28	-	.10	-	.20	-	-	-	.08	-	-	.01	-	28
29	-	-	-	.06	-	.17	.10	-	.14	.18	-	-	29
30	-	-	-	.02	-	.03	-	.88	.04	.12	-	-	30
31	-	-	-	-	.43	-	-	-	-	.01	-	-	31
Total	.98	.99	1.32	1.66	1.51	1.69	.74	1.66	1.28	2.79	2.70	4.03	TOTAL for year 21.35
No. of Rain Days.	13	12	16	11	8	11	5	6	10	15	17	25	149

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL
16 JAN 1913

Kept at Twickenham Sewage Disposal Works

in the County of Middlesex

by Fred W. Pearce, F.S.S. Surveyor

Lat. _____ Long. _____

Time of Observation 9 a.m.

Nearest Railway Station Twickenham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 373 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.	.	.07	.03	.	.11	.57	.	.10	.33	.	.17	1
2	.	.	.15	.	.	.06	.32	.07	.	.06	.	.01	2
3	.02	.	.14	.	.	.08	.	.24	.	.	.	.06	3
4	.16	.04	.35	.	.10	.30	.	.01	.	.	.15	.	4
5	.06	.	.03	.	.	.	.	.32	.	.	.03	.	5
6	.55	.01	.	.	.	.13	.	.16	.	.	.	.03	6
7	.	.	.	.	.05	.71	.11	.35	.	.	.	.01	7
8	.29	.32	.15	.	.	.15	.	.29	.	.	.	.01	8
9	.	.10	.02	.04	.	.11	.	.06	.	.	.	.19	9
10	.	.03	.	.	.	.02	.	.37	.	.	.11	.22	10
11	.04	.24	.	.	.	.03	.	.08	.	.	.	.14	11
12	.05	.05	.04	.	.15	.12	.03	.01	.	.02	.03	.01	12
13	.01	.02	.	.	.	.	.05	.	.	.	.04	.01	13
14	.	.	.	.	.02	.	.	.06	.	.05	.	.01	14
15	.20	.02	.11	.	.25	.56	.	.02	.	.	.	.18	15
16	.36	.	.02	.	.05	.05	.	.03	.	.03	.04	.	16
17	.57	.	.30	.	.	.03	.	.06	.	.	.01	.	17
18	.05	.	.11	.	.	.	.	.15	.	.01	.	.08	18
19	.07	.03	.06	.	.	.	.16	.68	.	.	.01	.	19
20	.01	.01	.07	.	.	.	.	.08	.	.31	.	.	20
21	.	.01	.17	.	.03	.	.	.06	.	.06	.06	.	21
22	.16	.09	.02	.	.	.	.05	.10	.	.02	.	.04	22
23	.37	.22	.32	.	.	.	.01	.41	.	.06	.15	.13	23
24	.37	.02	.	.	.	.32	.	.23	.	.	.	.18	24
25	.27	.	.	.	.	.14	.	.54	.	.01	.21	.23	25
26	.	.02	.	.	.	.	.02	.38	.	.34	.30	.26	26
27	.	.	.	.	.	.04	.	.	.	.17	.	.19	27
28	.	.03	.	.	.	.05	.08	.04	.03	.25	.36	.07	28
29	.	.01	.	.	.	.13	.32	.21	1.05	.20	.04	.	29
30	.	.	.	.	.50	.01	.	.01	.99	.10	.	.	30
31	.	.	.30	.	.	.	.12	.15	.	.	.	.	31
Total	3.38	1.27	2.43	.07	1.15	3.15	1.84	5.17	2.17	2.02	1.54	2.26	YEAR'S TOTAL 26.45
Rain Days.	17	18	18	2	8	20	12	28	4	16	14	21	178

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
15 JAN 1914

Kept at Twickenham Sewage Disposal Works
in the County of Middlesex
by Fred. W. Pearce, F.S.I.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Twickenham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 373 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.20	.03	.08	-	-	-	-	.22	.02	.06	.09	1
2	.05	.13	-	-	-	-	.07	-	.02	.66	.07	-	2
3	.01	-	.01	.24	.42	-	-	-	-	-	-	-	3
4	.21	-	-	-	.34	-	-	-	-	.21	.02	.06	4
5	.14	-	-	-	.04	.11	.08	-	.37	.03	-	.04	5
6	-	.02	.06	-	.05	.07	.12	-	.01	.19	.09	.73	6
7	-	.07	-	-	.03	.02	.02	.20	-	.52	.06	-	7
8	-	.03	-	-	.07	.15	-	-	-	.05	-	-	8
9	-	.15	-	-	.03	-	-	-	.05	-	.02	.03	9
10	.01	-	.10	.05	-	-	.17	-	-	-	.40	-	10
11	.31	-	-	.40	.02	-	-	-	-	.69	.09	-	11
12	-	-	-	-	.04	-	-	-	-	-	.34	-	12
13	-	-	.02	-	-	-	-	-	.10	-	.17	-	13
14	.03	.02	.05	.07	-	-	.83	.16	-	.09	.04	-	14
15	.17	.05	.19	.22	-	-	.25	-	.12	-	.01	-	15
16	.12	-	.33	.15	-	-	-	-	.26	-	-	-	16
17	.02	.02	.07	.05	-	-	.15	-	-	-	-	-	17
18	-	-	.06	.13	-	-	-	-	-	-	-	-	18
19	.17	-	.04	-	-	-	.12	-	.26	-	-	-	19
20	.13	-	.27	.02	-	.12	-	-	-	.36	-	-	20
21	.02	-	.13	.05	-	-	.02	-	-	.19	.73	-	21
22	.37	-	.10	.05	-	-	-	.05	.18	-	-	-	22
23	-	-	-	-	-	-	-	.11	.01	-	-	.36	23
24	-	-	-	.03	-	.02	-	-	-	-	-	-	24
25	-	.01	-	.16	-	-	-	-	-	-	-	.01	25
26	-	-	.17	.06	-	-	-	.05	-	.77	-	.13	26
27	-	-	.02	.04	.06	-	-	-	-	.01	-	-	27
28	.25	-	.19	.06	-	-	-	-	-	.07	-	-	28
29	.04	-	.05	.54	.67	-	-	.10	-	.03	.01	-	29
30	.19	-	-	.06	.02	-	-	.13	-	.09	-	-	30
31	-	-	.03	-	-	-	-	.67	-	.10	-	-	31
Total	2.26	.70	1.92	2.46	1.79	.49	1.83	1.47	1.60	4.08	2.11	.85	YEAR'S TOTAL 21.56
Rain Days.	18	10	19	19	12	6	10	8	11	17	14	8	152

REGISTER OF RAINFALL IN 1914

Kept at Twickenham Sewage Disposal Works
 in the County of Middlesex
 by Fred. W. Pearce

Lat. 51° 24' N Long. 0° 20' West
 Time of Observation 9 a.m.
 Nearest Railway Station Twickenham
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 7 in.
 " " " " Sea Level 27 1/2 ft.

FORM A.
 BRITISH RAINFALL
 9 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.01	-	-	-	-	.36	-	-	.03	.05	1
2	.	.	.	-	-	-	.21	.23	-	-	.05	.15	2
3	.	.	.03	-	.13	-	.14	-	-	-	-	-	3
4	.04	.	.01	.12	-	-	.02	.08	-	-	.29	.23	4
5	.05	.	.03	.14	.06	.04	.28	1.40	-	-	-	-	5
6	.	.11	.	.07	-	.10	.08	.03	-	-	.07	.07	6
7	.	.16	.17	.09	.76	.03	.09	-	-	-	-	.05	7
8	.06	.30	.72	.01	.02	.05	.14	.09	-	-	-	.01	8
9	.15	.	.57	.21	-	.27	-	-	.12	-	-	1.51	9
10	.	.12	.04	.03	.06	-	-	-	.18	-	-	.01	10
11	.	.25	.37	-	-	.06	-	-	.13	-	.21	.20	11
12	.	.04	.11	-	-	-	.26	-	.16	-	.01	.26	12
13	.	.11	.11	-	-	-	-	-	.16	-	.03	.48	13
14	.	.04	.18	-	-	1.80	.08	-	-	.28	.05	.42	14
15	.05	.	.08	-	-	-	.21	-	-	-	.40	.03	15
16	.	.	.02	-	-	-	-	-	.02	-	-	-	16
17	.	.26	.06	-	-	-	-	-	-	-	-	.07	17
18	.	.03	.16	-	-	-	-	-	-	-	-	.26	18
19	.	.05	.27	-	-	.05	.11	-	-	-	.16	.32	19
20	.	.19	.27	-	-	-	-	-	.10	-	-	.07	20
21	.	.57	.05	-	-	-	-	.15	-	-	-	.03	21
22	.	.	.03	-	.19	.05	.14	-	-	.24	-	-	22
23	.	.05	.16	-	.27	.05	.09	-	-	.12	-	-	23
24	.	.	.07	-	.02	-	-	-	-	-	.10	-	24
25	.	.	.12	-	-	-	-	.14	-	.23	-	.10	25
26	.	.	.04	-	-	-	.10	.05	-	.05	.16	.51	26
27	.04	.	-	-	-	-	-	-	-	-	.01	.13	27
28	.	.02	-	-	.02	-	-	-	-	.05	.40	.78	28
29	.03	~~X~~	.07	-	-	-	-	-	-	.21	.10	-	29
30	.	~~X~~	.04	-	-	-	-	-	-	.04	.46	.22	30
31	.	~~X~~	-	~~X~~	.13	~~X~~	.02	-	~~X~~	-	~~X~~	.05	31
Total	.42	2.30	3.79	.67	1.66	2.50	1.97	2.53	.87	1.22	2.53	6.01	YEAR'S TOTAL 26.47
Rain Days.	7	15	26	7	10	10	15	9	7	8	16	24	154

W 9mX Cont for a/c 26.2.16
REGISTER OF RAINFALL IN 1915

Kept at Twickenham

in the County of Middlesex

by F. W. Seares



Lat. 51° 24' N. Long. 0° 20' W.
Time of Observation 9 am
Nearest Railway Station Twickenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 37 1/2 ft.

918
FORM A.
BRITISH RAINFALL
18 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.53	.15	.09		.02				.03	.02	.20	.53	1
2	.42	.19	.24	.13		.03		.60		.05		.15	2
3	.37		.06	.09				.08	.02			.44	3
4	.03							.03				.23	4
5	.02	.33		.20				.01		.06		.30	5
6	.32	.06		.20			1.12					.53	6
7	.24	.17	.02				.23	.03				.22	7
8	.14	.44	.01	.03			.04	.04					8
9	.04	.10		.12		.05		.05		.02	.41	.68	9
10	.16	.05	.01					.42				.14	10
11			.03					.02		.04	.74	.03	11
12	.05	.04		.28	.53			.23			.27	.02	12
13		.37			1.25			.46					13
14		.03					.55	.02	.04			.36	14
15	.05				.04		.03	.02			.16	.07	15
16		.27			.01		.60	.03				.03	16
17		.32			1.40		.02	.06					17
18		.23	.04		.18					.0			18
19		.06		.0	.04		.04			.01			19
20	.28			.05						.05	.02	.17	20
21	.15						.02			.02		.04	21
22	1.07	.08	.17				.91					.09	22
23	.01	.17	.04				.12		.32	.62		.33	23
24				.03			.10		.60	.32		.27	24
25			.01	.15			.20					.13	25
26		.04				.22	.14					.52	26
27						.14	.15			.28		.07	27
28		.05				.05			1.52	.13			28
29						.01	.01	.17			.13		29
30	.03	X				.07				.06	.17	.01	30
31		X		X		X			X	.94	X	.15	31
Total	3.91	3.15 8.85	.70	1.28	3.47	.60	4.28 4.28	2.27	2.53	2.62	2.10	5.51	32.42 32.42
Rain Days.	17	19	11	10	8	7	16	16	6	14	8	24	156

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916.

Kept at Twickenham Sewage Works

in the County of Middlesex

by Fred W. Pearce

Lat. 51° 24' N. Long. 0° 20' W.

Time of Observation 9 am

Nearest Railway Station Twickenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 37 ft.

FORM A.
BRITISH RAINFALL
9 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	-	.08	-	.62	-	-	-	.27	.09	.34	-	1
2	.32	.03	.09	-	.19	-	-	-	.05	.39	.02	-	2
3	-	.37	.13	-	-	-	.03	-	.19	.29	.50	-	3
4	.15	.06	-	.06	-	.16	.04	-	.17	.03	.33	-	4
5	.01	-	-	-	.11	.18	.05	-	-	.06	.44	-	5
6	-	.06	.24	.19	.02	.14	.31	-	-	.01	.35	.03	6
7	.03	-	.40	-	.11	.11	.16	-	-	.01	.43	.07	7
8	-	-	.03	-	.21	.10	-	-	-	-	-	.15	8
9	-	-	-	-	.14	.02	-	-	-	.05	-	.08	9
10	-	.21	.05	.04	-	.11	.04	-	-	-	-	.13	10
11	.03	.10	.02	.15	-	.28	-	-	-	-	-	.03	11
12	-	.02	.03	.04	.39	.13	-	.05	-	.10	-	-	12
13	-	.17	.34	.05	-	.08	.23	.20	.03	.02	-	-	13
14	-	.40	-	.01	.08	.01	.01	.64	-	.06	-	.03	14
15	-	.15	.21	-	-	-	.04	.24	-	.01	-	.10	15
16	-	-	.36	.12	-	-	.25	.28	-	.01	-	-	16
17	.08	.11	.01	.01	-	-	.02	.05	.28	.54	-	-	17
18	-	.07	.04	.21	-	-	-	.34	.16	.28	.71	.02	18
19	.05	.02	.20	.17	-	-	-	.01	.08	-	.50	-	19
20	.14	-	.20	-	-	-	-	-	-	-	.02	.35	20
21	.01	-	.48	-	-	-	.21	-	-	-	-	.32	21
22	-	-	.03	-	.02	-	-	-	-	.04	-	-	22
23	.02	.02	-	-	-	.02	-	.01	-	.22	.02	.05	23
24	-	.17	-	-	-	.03	-	.02	-	.16	.03	.33	24
25	-	.30	.23	-	.04	-	-	.19	-	.03	.06	.07	25
26	-	.29	.03	-	-	.06	-	.35	-	.13	-	-	26
27	.03	-	.97	-	-	.08	-	.51	.07	.59	-	-	27
28	-	.36	.33	-	-	.01	-	.02	.07	.01	-	.01	28
29	-	.05	-	-	-	.27	-	.92	.03	.24	-	.15	29
30	-	X	-	-	-	-	-	.10	-	.45	-	.01	30
31	-	X	-	X	-	X	-	.07	X	.27	X	.32	31
Total	.88	2.96	4.50	1.05	1.93	1.79	1.39	4.00	1.40	4.09	3.75	2.25	29.99
Rain Days.	12	19	22	11	11	17	12	17	11	25	13	18	188

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917.

858

Kept at Twickenham Sewage Disposal
works,
in the County of Middlesex
by the Surveyors to the Council.

Lat. $51^{\circ}-24'N$ Long. $0^{\circ}-20'W$. (approx)

Time of Observation

Nearest Railway Station Twickenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 37 $\frac{1}{2}$ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01*	.02	.18	—	—	—	1.16	.01	—	.06	—	1
2	.04	—	—	.34	—	—	—	.05	—	—	.13	—	2
3	—	—	—	.05	—	—	.07	.34	—	.20	.05	—	3
4	—	.22*	.10	—	—	—	.44	.25	—	.36	—	—	4
5	.21	—	.05	.26	—	—	—	.02	.27	.18	.06	—	5
6	—	—	.16	.03	—	.02	—	—	.21	.02	.04	—	6
7	.20	—	—	—	—	—	.05	—	—	.30	—	—	7
8	.13	—	—	.08	—	—	.87	.36	.05	.20	.14	.12	8
9	.05	—	—	.02	—	—	.05	.12	.05	—	.09	.34	9
10	.22	—	.09	.17	—	—	—	.03	—	—	.02	.03	10
11	.10	—	.43	.22	—	—	—	—	.40	.17	—	—	11
12	.01	—	.03	—	—	—	—	.10	—	.42	—	—	12
13	.03	—	.23	.01	—	—	—	.10	.03	.01	—	—	13
14	.01	—	—	.11	—	—	—	.37	—	—	—	—	14
15	.03	—	—	.02	—	—	.07	—	—	.03	—	.02	15
16	.06	.15	—	.17	.06	.44	.20	—	—	.42	—	.41	16
17	.02	.01	—	.08	.72	—	.32	.05	.41	.27	—	—	17
18	.02	.05	—	.07	.04	.73	.11	.06	.20	.05	—	—	18
19	—	.13	.07	—	—	—	—	—	.12	—	—	—	19
20	.01	.15	.03	—	.64	—	.10	—	—	—	.05	—	20
21	.01	—	.01	.01	.02	.04	—	—	—	—	.03	—	21
22	—	—	.16	—	—	—	—	.07	—	.05	—	—	22
23	—	.12	.03	—	.09	.02	—	.06	—	.16	—	—	23
24	—	.03	—	—	—	.16	—	—	—	.15	.02	.06	24
25	—	.01	.05	—	—	—	—	—	—	.01	.07	—	25
26	—	—	.07	—	—	—	—	.17	.03	—	.33	—	26
27	—	—	—	—	—	.01	—	.70	—	—	—	.01	27
28	—	—	.01	—	—	1.40	—	.08	—	—	—	.03	28
29	—	X	—	—	—	.07	.62	.01	—	.20	—	.13	29
30	.01*	X	.31	—	—	—	1.98	.07	—	—	—	.01	30
31	—	X	.10	X	—	X	.35	.03	X	—	X	—	31
Total	1.16	.88	1.95	1.82	1.57	2.89	5.23	4.20	1.78	3.20	1.09	1.16	26.93
Rain Days.	17	10	18	16	6	9	13	21	11	18	13	10	162

YEAR'S TOTAL

6x9m
REGISTER OF RAINFALL IN 1918.

Kept at Twickenham Sewage Station Disposal Works
in the County of Middlesex

by Fred W. Pearce

Surveyor to the Twickenham U.D. Council

Lat. 51° 24' N Long. 0° 20' W.

Time of Observation Approximately 9 a.m.

Nearest Railway Station Twickenham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

Sea Level 37 1/3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

1918

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.04	-	-	-	-	-	-	.19	.07	1
2	-	.08	-	.05	-	-	-	.36	-	.02	.15	.09	2
3	-	-	.02	.01	.53	-	-	.17	-	-	.57	.04	3
4	-	.04	.15	-	-	-	-	.02	.26	-	.38	-	4
5	-	.03	-	-	.07	-	-	.05	.27	.09	-	-	5
6	.23	.08	-	.34	.19	-	-	.02	.01	-	-	.07	6
7	-	.07	-	.10	.42	-	-	-	.24	.10	.08	-	7
8	-	.03	-	-	-	-	-	-	.17	-	.10	.02	8
9	-	-	-	.11	-	.13	.24	-	.38	.08	-	.24	9
10	.01	-	-	.12	-	-	.66	-	.05	.01	.03	.43	10
11	-	-	-	.03	.03	-	.79	-	.04	.22	.13	.13	11
12	-	.02	-	-	.23	-	.10	-	.03	-	-	-	12
13	* .01	-	-	-	.14	-	.11	-	.10	-	-	.02	13
14	.13	-	.01	-	-	.18	.05	-	.44	.13	-	.16	14
15	1.20	-	-	.64	-	-	.04	-	.01	-	-	.06	15
16	* .29	-	-	.24	-	.09	-	-	.21	-	-	-	16
17	.22	-	-	.22	.02	-	.27	.05	-	-	-	.12	17
18	.51	-	-	-	-	.16	.24	-	1.67	.19	-	.04	18
19	.03	-	.03	.08	-	.07	.34	-	.03	.09	-	.03	19
20	.05	.10	-	.51	-	.03	.10	-	.14	.17	-	-	20
21	.11	-	-	.55	-	-	-	-	.53	.03	-	-	21
22	.07	-	-	-	.15	-	.14	-	.12	-	-	.16	22
23	.02	-	-	-	.13	-	.40	.02	.02	-	.02	.03	23
24	-	.25	-	-	-	.09	1.04	-	.06	-	.03	-	24
25	-	-	-	-	-	-	.47	.08	-	-	-	-	25
26	-	-	-	-	-	-	.51	-	-	.03	.17	.11	26
27	-	-	-	.05	-	-	.07	.16	.04	-	.11	.01	27
28	-	.05	.10	.01	-	.05	-	.02	-	-	.03	.12	28
29	-	X	.01	-	-	-	-	-	1.14	-	-	-	29
30	-	X	.47	-	-	-	-	-	.08	-	.03	.07	30
31	-	X	-	X	-	X	-	.03	X	.06	X	-	31
Total	2.88	.75	.79	3.10	1.91	.80	5.57	.98	6.09	1.22	2.02	2.02	28.13
Rain Days.	13	10	7	16	10	8	17	11	23	13	14	20	162

(* Snow)

REGISTER OF RAINFALL IN 1919.

Kept at Thicknham Sewage Disposal Works
in the County of Middlesex
by Fred W. Pearce

Lat. 51° 24' N Long. 0° 20' W
Time of Observation 9 A.M.
Nearest Railway Station Thicknham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 7 in.
" " " " Sea Level 37 1/3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25	-	-	-	-	-	28	-	-	02	-	10	1
2	47	-	-	-	05	-	01	01	44	07	10	11	2
3	25	-	35	-	02	-	21	-	05	-	02	31	3
4	07	13	40	-	-	05	23	-	-	-	02	17	4
5	-	30	45	02	-	-	30	-	16	-	03	20	5
6	06	-	04	-	-	-	-	-	-	-	01	06	6
7	03	-	31	-	-	-	-	-	-	-	03	-	7
8	07	-	06	03	-	-	-	-	-	-	-	-	8
9	13	-	-	02	02	-	-	-	-	-	-	-	9
10	75	-	03	-	-	-	-	-	-	01	03	03	10
11	03	-	06	21	-	-	29	-	-	-	-	01	11
12	01	-	06	06	-	-	14	-	-	10	01	-	12
13	-	-	-	20	-	02	-	-	01	04	01	-	13
14	18	-	-	22	-	-	11	-	77	-	-	-	14
15	23	01	12	07	-	-	-	-	-	-	-	38	15
16	04	55	-	02	-	-	-	-	-	-	11	03	16
17	04	40	-	-	-	-	-	-	-	-	12	02	17
18	-	21	06	-	-	-	-	-	02	-	07	02	18
19	02	12	65	-	-	11	42	11	-	-	05	-	19
20	18	06	08	-	-	95	31	12	01	-	03	01	20
21	23	20	01	-	-	27	07	-	-	-	02	02	21
22	-	05	-	-	-	-	17	-	12	-	-	28	22
23	-	-	-	-	-	02	01	02	08	-	01	03	23
24	-	-	-	26	-	02	17	-	-	15	04	01	24
25	04	02	-	-	01	-	-	18	-	-	01	-	25
26	07	21	07	05	-	-	-	06	11	-	-	25	26
27	55	02	05	118	-	-	01	40	-	-	04	03	27
28	-	-	13	01	-	-	-	71	-	-	30	30	28
29	02	-	-	03	-	-	-	28	-	14	03	02	29
30	-	~~X~~	01	22	-	12	-	14	-	02	17	25	30
31	02	~~X~~	-	~~X~~	-	~~X~~	03	-	~~X~~	-	~~X~~	04	31
TOTAL	374	228	294	260	10	156	276	203	177	55	126	358	YEAR'S TOTAL
Days with 01 in. or more	23	13	18	15	4	8	16	10	10	8	22	23	170

REGISTER OF RAINFALL IN 1920.

Kept at *Twickenham Sewage
Disposal Works,*
in the County of *Middlesex,*by *Twickenham Urban District Council*Lat. *51°24' N. Appx* Long. *0°20' W. Appx*
Time of Observation *9 am*
Nearest Railway Station *Twickenham*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *7* in.
" " " " Sea Level *37 1/3* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·00	·00	·25	·03	·00	·23	·00	·02	1·07	·00	·20	1
2	·00	·00	·04	·00	·00	·00	·02	·77	·05	·11	·00	·05	2
3	·00	·05	·00	·06	·00	·00	·07	·00	·03	·01	·00	·01	3
4	·00	·04	·00	·08	·00	·00	·75	·03	·00	·19	·00	·07	4
5	·02	·00	·09	·00	·01	·00	·64	·00	·01	·00	·00	·04	5
6	·00	·00	·14	·02	·08	·00	·41	·00	·00	·00	·00	·03	6
7	·01	·00	·00	·12	·02	·00	·12	·00	·00	·00	·00	·00	7
8	·00	·02	·00	·13	·25	·00	·07	·00	·00	·00	·00	·00	8
9	·27	·01	·00	·04	·00	·00	·00	·00	·00	·00	·00	·00	9
10	·29	·01	·02	·00	·01	·17	·05	·00	·00	·00	·00	·00	10
11	·13	·00	·05	·11	·00	·02	·29	·00	·00	·00	·00	·25	11
12	·06	·00	·00	·09	·01	1·52	·00	·00	·00	·02	·00	·00	12
13	·20	·00	·10	·14	·00	·00	·00	·00	·00	·00	·02	·00	13
14	·00	·00	·22	·21	·00	·18	·00	·00	·08	·51	·23	·00	14
15	·01	·01	·04	·20	·00	·00	·04	·00	·50	·08	·07	·00	15
16	·00	·00	·00	·12	·00	·01	·00	·00	·33	·07	·00	·00	16
17	·00	·00	·00	·01	·12	·59	·01	·00	·30	·03	·00	·04	17
18	·05	·00	·00	·00	·01	·00	·00	·68	·13	·00	·00	·04	18
19	·04	·00	·00	·17	·00	·04	·00	·02	·00	·00	·00	·00	19
20	·05	·08	·00	·10	·00	·60	·00	·04	·07	·00	·00	·01	20
21	·00	·00	·00	·02	·00	·00	·84	·02	·64	·00	·00	·06	21
22	·00	·00	·00	·30	·00	·00	·00	·00	·03	·00	·00	·51	22
23	·00	·00	·00	·00	·00	·00	·38	·03	·00	·00	·00	·34	23
24	·00	·01	·04	·00	·00	·00	·01	·00	·00	·00	·00	·01	24
25	·00	·05	·01	·00	·00	·00	·14	·00	·00	·00	·02	·00	25
26	·02	·00	·06	·00	·16	·00	·13	·00	·00	·00	·00	·02	26
27	·15	·06	·00	·18	·01	·09	·17	·00	·00	·00	·70	·07	27
28	·31	·00	·09	·01	·02	·01	·10	·00	·00	·00	·01	·01	28
29	·24	·00	·10	·03	·01	·00	·00	·00	·00	·00	·02	·10	29
30	·02	~~X~~	·00	·00	·10	·00	·13	·00	·39	·00	·24	·10	30
31	·01	~~X~~	·00	~~X~~	·00	~~X~~	·02	·00	~~X~~	·36	~~X~~	·07	31
TOTAL	1·89	·34	1·00	2·39	·84	3·23	4·62	1·59	2·58	2·45	1·31	2·03	YEAR'S TOTAL
Days with ·01 in. or more	18	10	13	21	14	10	21	7	13	10	8	20	24·27
Days with ·04 in. or more	11	5	11	16	5	7	17	3	9	7	4	14	165
													109

19 days late
Kept at Frays Lea
in the County of Middlesex
by John Calver

REGIS

UXBRIDGE

HIGH ST.

1917 - 1920

am
trap: Melton
auge 15 in.
round 1 ft. 3 in.
Sea Level 150 ft.

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Observer conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.02	-	.40	-	-	.02	1.27	.08	-	-	-	1
2	.03	.01	-	.03	-	-	-	.41	-	.01	-	-	2
3	-	-	.02	.38	-	-	-	1.01	.03	-	-	-	3
4	-	-	-	.39	-	.09	-	.03	-	-	-	-	4
5	.02	-	-	.01	-	-	.02	.32	-	.30	-	-	5
6	-	.24	.22	-	-	-	.28	.12	-	.46	-	-	6
7	.26	-	-	.32	-	-	.01	.01	.14	.12	.70	-	7
8	-	-	.17	.01	-	.06	-	-	.19	.02	.17	.01	8
9	.24	-	-	-	-	.14	.11	-	-	.19	-	.03	9
10	.21	-	-	.10	-	-	.80	.51	.01	.32	.16	.17	10
11	.01	-	.05	.09	-	-	.11	.30	.02	-	.11	.13	11
12	.23	-	.15	.26	.01	-	-	.12	-	-	.03	.04	12
13	.20	-	.38	.07	-	-	-	-	.02	.24	-	-	13
14	.06	-	.04	.06	-	-	-	.27	-	.49	-	-	14
15	.02	-	.14	.01	-	-	-	.21	.03	.01	-	.02	15
16	.01	-	.01	.30	-	-	-	.06	-	.01	-	-	16
17	.03	-	-	.01	-	-	.39	.15	-	.03	-	-	17
18	-	.12	-	.34	.12	.19	.08	-	-	.73	-	.53	18
19	-	.03	-	.13	.80	-	.30	.04	.50	.29	-	-	19
20	.03	.09	-	.08	.11	.23	.22	.04	.15	.05	-	-	20
21	.01	.19	.05	-	-	.01	-	.04	.41	-	.02	-	21
22	.03	.17	.03	-	.70	-	.07	.01	.05	-	.06	-	22
23	.04	-	.01	.01	.12	.09	-	-	-	.03	.01	.02	23
24	-	-	.05	-	-	.03	-	.07	-	.09	-	-	24
25	-	.13	-	-	.11	.03	-	.17	-	.12	-	.01	25
26	-	.02	-	-	.01	.04	-	.03	.01	.35	.01	.01	26
27	-	.02	-	-	-	-	.03	-	-	.01	.08	-	27
28	-	-	.05	-	.01	.01	-	.38	.04	-	.32	-	28
29	-	-	.01	-	-	.06	-	.88	-	-	-	.04	29
30	-	X	.02	-	-	1.32	-	.12	-	-	-	.03	30
31	.02	X	.03	X	.08	X	1.78	.02	X	-	X	.15	31
Total	1.54	1.04	1.43	3.00	2.07	2.30	4.22	6.59	1.68	3.87	1.67	1.19	30.60
Rain Days.	17	11	17	19	10	13	14	25	14	20	11	13	184

REGIS

Kept at Frays Lodge, High St
at bridge
in the County of Middlesex
by John Calvert Hithert

Lat. _____ Long. _____
Time of Observation 9 a.m
Nearest Railway Station Metrop: Melmond Rd.
Diameter of Funnel of Rain Gauge 2.5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.02	—	.40	—	—	.02	1.27	.08	—	—	—	1
2	.03	.01	—	.03	—	—	—	.41	—	.01	—	—	2
3	—	—	.02	.38	—	—	—	1.01	.03	—	—	—	3
4	—	—	—	.39	—	.09	—	.03	—	—	—	—	4
5	.02	—	—	.01	—	—	.02	.32	—	.30	—	—	5
6	—	.24	.22	—	—	—	.28	.12	—	.46	—	—	6
7	.36	—	—	.32	—	—	.01	.01	.14	.12	.70	—	7
8	—	—	.17	.01	—	.06	—	—	.19	.02	.17	.01	8
9	.24	—	—	—	—	.14	.11	—	—	.19	—	.03	9
10	.21	—	—	.10	—	—	.80	.51	.01	.92	.16	.17	10
11	.01	—	.05	.09	—	—	.11	.30	.02	—	.11	.13	11
12	.23	—	.15	.26	.01	—	—	.12	—	—	.03	.04	12
13	.20	—	.38	.07	—	—	—	—	.02	.24	—	—	13
14	.06	—	.04	.06	—	—	—	.27	—	.49	—	—	14
15	.02	—	.14	.01	—	—	—	.21	.03	.01	—	.02	15
16	.01	—	.01	.30	—	—	—	.06	—	.01	—	—	16
17	.03	—	—	.01	—	—	.39	.15	—	.03	—	—	17
18	—	.12	—	.34	.12	.19	.08	—	—	.73	—	.53	18
19	—	.03	—	.13	.80	—	.30	.04	.50	.29	—	—	19
20	.03	.09	—	.08	.11	.23	.22	.04	.15	.05	—	—	20
21	.01	.19	.05	—	—	.01	—	.04	.41	—	.02	—	21
22	.03	.17	.03	—	.70	—	.07	.01	.05	—	.06	—	22
23	.04	—	.01	.01	.12	.09	—	—	—	.03	.01	.02	23
24	—	—	.05	—	—	.03	—	.07	—	.09	—	—	24
25	—	.13	—	—	.11	.03	—	.17	—	.12	—	.01	25
26	—	.02	—	—	.01	.04	—	.03	.01	.35	.01	.01	26
27	—	.02	—	—	—	—	.03	—	—	.01	.08	—	27
28	—	—	.05	—	.01	.01	—	.38	.04	—	.32	—	28
29	—	—	.01	—	—	.06	—	.88	—	—	—	.04	29
30	—	X	.02	—	—	1.32	—	.12	—	—	—	.03	30
31	.02	X	.03	X	.08	X	1.78	.02	X	—	X	.15	31
Total	1.53	1.04	1.43	3.00	2.07	2.30	4.22	6.59	1.68	3.87	1.67	1.19	30.60
Rain Days.	17	11	17	19	10	13	14	25	14	20	11	13	184

1.53 1.01 1.86 2.57 2.07 2.32 5.88 4.99 1.61 3.86 1.67 1.24 30.61
W. 8,000, IX. 17.
17 9 19 17 10 14 15 4.50 24 14 19 11 15 184

FRAYS LODGE,
UXBRIDGE.

Dear Sir.

March 15.

I am in receipt of your
letter for which I am obliged
and I am now receiving my
statement according to your
instructions - The Mainfall
on 31st Dec 1917 was .01 & on
the 1st of Jan¹⁹¹⁸ .04 Yours faithfully
John C. Hibbert.

REGISTER OF RAINFALL IN 1918

Kept at *Frays Lodge Uxbridge*
in the County of *Middlesex*
by *John Calvert Hibbert*

Lat. _____ Long. _____
Time of Observation *9 A.M.*
Nearest Railway Station *9. W.R. Uxbridge*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *10* in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
1.18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	04	03		11							23	06	1
2		13		13				30		03	26	13	2
3		03	03	04	55			23	03	01	45	03	3
4		08	08	01					30	02	46	04	4
5		02	01		09			12	32	12	-	-	5
6		14		24	11				01	01	-	10	6
7	18	10		14	25			07	02	10	10	01	7
8	01	08		02					10	06	-	02	8
9		04		10		20	39		39	18	-	13	9
10	02			11			46		08	01	09	39	10
11	01			05	08		50		17	43	08	15	11
12	01	09			16		04		09		-	02	12
13				01	34		23		18		01	02	13
14	01		04	01		18	05		33	22	-	22	14
15	14			75		04	16		01		-	17	15
16	1.09		01	35					65	03	-	03	16
17	18			19	01	07	23	07			-	11	17
18	23					24	10		44	11	-	04	18
19	57	02	05	05		24	28	03	06	04	-	08	19
20	05	13		1.05		04	10		17	14	03	01	20
21	03	02		99		01	04		41	02	-	01	21
22	17				30		11		14	01	-	20	22
23	10				28		81	06	06		03	02	23
24	04	23				02	28		06		17		24
25							26	20		01	03		25
26		01					48	05		04	26	11	26
27		03	01	05			05	20	06		13	04	27
28	01	02	58	09				05			17	23	28
29	01		04						1.14		-	-	29
30	01	X	44						13		12	13	30
31	02	X	01	X		X		14	X	09	X	01	31
Total	2.93	1.20	1.30	4.49	2.17	1.04	4.57	1.52	5.35	1.68	2.62	2.51	31.38
Rain Days.	21	17	11	20	10	9	18	12	24	20	16	27	205

REGISTER OF RAINFALL IN 1919.

Kept at Frays Lodge, Uxbridge
in the County of Middlesex
by John Calvert Hibbert

Lat. _____ Long _____
Time of Observation 9 A.M.
Nearest Railway Station 1/2 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	40	-	01	-	09	-	35	-	-	05	-	95	1
2	25	-	01	-	24	-	04	-	10	04	13	32	2
3	34	-	38	-	02	-	14	-	06	-	05	29	3
4	09	14	45	-	-	08	10	02	04	-	03	14	4
5	03	31	54	01	-	-	14	-	18	-	03	36	5
6	04	-	10	01	-	-	-	-	-	-	01	03	6
7	08	-	40	-	-	-	-	-	-	-	01	-	7
8	15	-	05	03	-	-	-	-	-	-	-	-	8
9	03	-	01	02	-	-	-	-	-	-	-	-	9
10	17	-	07	04	-	-	-	-	-	03	03	10	10
11	05	-	17	22	01	-	29	-	-	-	01	09	11
12	01	-	07	03	-	07	12	-	-	08	-	03	12
13	01	02	-	32	-	-	-	-	-	10	03	-	13
14	29	-	-	42	-	-	09	-	51	-	-	03	14
15	28	02	10	06	-	-	-	-	-	-	04	54	15
16	13	74	-	01	-	-	-	-	-	-	06	04	16
17	02	50	-	01	-	-	-	-	-	-	30	02	17
18	-	-	10	-	-	-	-	01	04	-	10	06	18
19	10	16	1.08	-	-	21	53	19	-	-	19	01	19
20	31	08	09	-	-	82	26	16	02	-	03	01	20
21	31	35	01	-	-	03	09	-	-	-	02	09	21
22	-	19	-	-	-	-	12	-	19	-	03	42	22
23	-	-	-	-	-	08	-	06	04	03	02	01	23
24	-	-	-	16	-	02	08	03	-	22	09	05	24
25	05	01	-	03	01	02	-	52	-	-	-	05	25
26	11	24	16	02	-	-	-	12	11	-	-	32	26
27	83	03	66	1.09	-	-	01	43	-	-	-	04	27
28	-	-	08	05	-	-	-	87	-	01	15	36	28
29	03	-	-	09	-	-	-	22	-	11	18	05	29
30	-	X	01	20	-	14	-	13	-	02	29	39	30
31	-	X	04	X	-	X	-	-	X	-	X	03	31
TOTAL	4.11	2.79	3.99	2.82	.37	1.47	2.36	2.76	1.29	.69	1.83	4.83	YEAR'S TOTAL
Days with ".01 in. or more	24	13	22	19	5	9	14	12	10	10	24	27	29-31 187

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1920.

Kept at Fray Lodge Uxbridge
in the County of Middlesex
by John Cabot Hibbert

Lat. 51° 45' N Long. 0° 45' W
Time of Observation 9 A.M.
Nearest Railway Station Metropolitan
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " " Sea Level ✓ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			01	44	11		30		02	33		25	1
2			01				37	65	07			08	2
3		06		53			09		09	03		03	3
4		07		09			03	09		26		03	4
5			07	01	05		74	04	02			02	5
6			21		17		45					04	6
7	03	01		34	04		14				01		7
8	01	05		24	05		26	07					8
9	38		09	11			-	03					9
10	45	08	09	01		14	12					01	10
11	37			14	05	06	26					08	11
12	10			14	03	1.47	01						12
13	15		12	30						01	03		13
14	02	01	31	24		31	04		08	06	20	02	14
15	03	02	24	27		01			32	23	08	01	15
16	01			30		04			18	16	03		16
17	01				19	15	02		59	04		02	17
18	03			01	01			57	16			01	18
19	16			15		11						03	19
20		06		17		70						02	20
21				01		01	56	02	32			06	21
22	01			22			01	01	18	01		37	22
23							81	04				41	23
24	02		08	01							02	04	24
25		04	09				23		01				25
26	07		13	01	30		08			01		04	26
27	20	09	01	32		11	05				45	15	27
28	45		18	08	10	04	21				07	02	28
29	24		04								15	25	29
30	05	X			09	02	53		26		22	18	30
31	02	X	03	X	02	X			X	35	X	11	31
TOTAL	2.81	49	1.71	4.24	1.21	3.17	5.31	1.52	2.30	1.49	1.26	2.28	YEAR'S TOTAL 27.79
Days with "01 in. or more	21	10	16	23	13	13	21	9	13	11	10	24	184
Days with "04 in. or more	11	7	12	17	10	10	17	6	10	7	6	13	126

RO

1090^s

ons asunder:—

during Jan

1911.

VARIOUS STATIONS

STOW--ON--WOLD, BRIXTON HILL,
TUNBRIDGEWELLS, QUAR WOOD,
MAUGERS BURY, PLUMSTEAD,
MARGATE.

pham Park re-
s now ceased,
ce being taken
TON HILL.

MAUGERS BURY, PLUMSTEAD, MARGATE.						now ceased, ce being taken ION HILL.
2						
3						
4						
5		.02	.01	.03	.03	.04
6		.13	.33	.38	.41	.41
7		.08	.02	.01	.02	.02
8		.12	.10	.21	.21	.20
9		.16	.21	.05	.07	.06
10		.02	-	.04	.02	.02
11		-	.38	.31	.31	.30
12		.03	.02	.02	-	-
13		-	-	-	-	-
14		-	-	.01	-	-
15		-	-	-	-	-
16		.01	-	.01	-	-
17		-	-	-	-	-
18		-	-	-	-	-
19		-	.02	.02	.01	-
20		.01	.03	.02	.02	.03
21		-	.03	-	.01	-
22		.06	.01	-	-	-
23		-	-	.01	-	-
24		-	-	-	-	-
25		-	-	-	-	.01
26		-	-	-	-	-
27		-	-	-	-	-
28		-	-	-	-	-
29		-	-	-	-	-
30		-	-	-	-	-
31		-	-	-	-	-
Sums		.86	1.64	1.25	1.25	1.28
Means	No. of Days	13,	14,	17	13	12
Corrections for Index Errors.	Grtst. fall in 24 hrs.	.16, 9th	.38, 11th	.38, 6th	.41, 6th	.41, 6th
Means Corrected.	Ht. above Sea-level	100ft	435ft	748ft	709ft	590ft
		Stow-on-Wold--Town:-				
		Max. Highest Temperature (corrected) 47° on 9th				
		Min. Lowest Temperature (corrected) 24° on 31st				
		Mean Temperature				
		Mean Range of Temperature				
		Relative Humidity				
		No. of Rain Days				

(Signed)

(It is requested that this Form be returned *unsealed* not later than the 10th of the month following that to which it belongs.)

40/3

Rainfall

ROYAL METEOROLOGICAL SOCIETY.

CLIMATOLOGICAL OBSERVATIONS at 9 a.m. (Local Time) made at various Stations asunder:-

during January 19 11. Height above Sea Level 100-748 feet.

Thermometers.

Date

Dry.

Wet.

Max.

Min.

Brixton
Hill
London.Tunbridge
Wells
KentStow-on-Wold
Town
Glos.

Quarwood.

Remarks

					0.04	.07	.03	.05	.03
2					.15	.06	.05	.05	.05
3						.05	.01	-	-
4					.03	.32	.04	.04	.04
5					.02	.01	.03	.03	.04
6					.13	.33	.38	.41	.41
7					.08	.02	.01	.02	.02
8					.12	.10	.21	.21	.20
9					.16	.21	.05	.07	.06
10					.02	-	.04	.02	.02
11					-	.38	.31	.31	.30
12					.03	.02	.02	-	-
13					-	-	-	-	-
14					-	-	.01	-	-
15					-	-	-	-	-
16					.01	-	.01	-	-
17					-	-	-	-	-
18					-	-	-	-	-
19					-	-	.02	.01	-
20					.01	.03	.02	.02	.03
21					-	.03	-	.01	-
22					.06	.01	-	-	-
23					-	-	.01	-	-
24					-	-	-	-	-
25					-	-	-	-	.01
26					-	-	-	-	-
27					-	-	-	-	-
28					-	-	-	-	-
29					-	-	-	-	-
30					-	-	-	-	-
31					-	-	-	-	-

The Clapham Park record has now ceased, its place being taken by BRJXTON HILL.

2.48 see foot of column

Stow-on-Wold--Town:-

Max.

Highest Temperature (corrected) 47° on 9th

Lowest Temperature (corrected) 24° on 31st

Mean Temperature

Mean Range of Temperature

Relative Humidity

No. of Rain Days

100ft 435ft 748ft 709ft 590ft

(Signed)

(It is requested that this Form be returned *unsealed* not later than the 10th of the month following that to which it belongs.)

ROYAL METEOROLOGICAL SOCIETY.

RAINFALL

CLIMATOLOGICAL OBSERVATIONS at 9 a.m. (Im. Time) made at various stations as under.

during February 19 11.

Height above Sea Level _____ feet.

Thermometers.

Date.

Dry. Wet. Max. Min.

TUNBRIDGE
WELLS.
STOW-ON-
THE-WOLD.
(TOWN.)
QUARR
WOOD.
MAUGERS
BURY.

Remarks

	In.	In.	In.	In.
1	-	-	-	-
2	-	-	-	-
3	.02	-	-	-
4	.01	-	-	-
5	.01	-	-	-
6	-	-	-	-
7	-	-	-	-
8	-	-	-	-
9	-	-	-	-
10	.10	.12	.15	.12
11	-	-	-	-
12	-	.01	-	-
13	-	-	-	-
14	.05	-	-	-
15	.04	.03	.03	.01
16	.01	-	-	-
17	-	-	-	-
18	.12	.22	.35	.31
19	.01	.02	.04	.02
20	-	.04	.04	.04
21	.11	.15	.19	.17
22	-	.02	.01	.03
23	.22	.12	.15	.12
24	.11	.09	.09	.08
25	.04	.07	.12	.09
26	-	.08	.09	.09
27	.25	.34	.35	.32
28	.25	.24	.24	.21
29	✓	✓	✓	✓
30				
31				

Sums

1.35 1.55 1.85 1.61

No of

RAINY DAYS

15 14 13 13

Greatest

Fall in

One Day.

.25 .34 .35 .32

Height

above

Sea level.

435ft 748ft 709ft 590ft

Stow-on-the-Wold

Highest Temperature (corrected) 51° on 25th

Lowest Temperature (corrected) 21° on 1st

Mean Temperature 32° under on 17 days

Mean Range of Temperature

Relative Humidity

No. of Rain Days see cols.

(Signed)

R.W.H.

(It is requested that this Form be returned *unsealed* not later than the 10th of the month following that to which it belongs.)

ROYAL METEOROLOGICAL SOCIETY.

RAINFALL

OBSERVATIONS at 9 a.m. (Local Time) made at *various stations as under.*

during *March* 1911.

Height above Sea Level *435-748* feet.

Date.	Thermometers.				Tunbridge Wells (Hammer-bury)	Stow-on-the-Wold (Town)	S-on-W. (Quar Wood.)	S-on-W. (Maugers-bury.)	Remarks
	Dry.	Wet.	Max.	Min.	In.	In.	In.	In.	
1					—	.04	.05	.05	
2					—	.04	.04	.04	
3					—	—	—	—	
4					.08	.11	.12	.11	
5					—	.02	—	—	
6					.05	.02	.02	.02	
7					.03	—	—	—	
8					.10	.10	.09	.08	
9					.02	.10	.09	.09	
10					.05	.31	.30	.30	
11					.05	—	—	—	
12					.79	.53	.52	.53	
13					.02	.01	—	—	
14					—	.03	.04	.03	
15					.28	.04	.04	.04	
16					—	—	—	—	
17					.02	—	—	—	
18					.05	.02	.02	.03	
19					.01	—	—	—	
20					—	.08	.10	.07	
21					—	.04	.04	.03	
22					.26	.01	.01	—	
23					—	.39	.42	.37	
24					—	.04	.04	.02	
25					.30	.03	.02	.02	
26					.30	—	—	—	
27					.16	.18	.17	.17	
28					—	—	—	—	
29					.01	.01	—	—	
30					—	.03	.04	.03	
31					—	—	—	—	
Sums					2.58	2.18	2.17	2.03	
No. of Days with rain.					18	22	19	18	
Greatest fall in 24 hrs.					.79	.53	.52	.53	
Height above sea-level.					435ft	748ft	709ft	590ft	

Stow-on-the-Wold (Town)

Highest Temperature (corrected) *56°* on *2nd*

Lowest Temperature (corrected) *26°* on *17th*

Mean Temperature

Mean Range of Temperature

Relative Humidity

No. of Rain Days

(Signed)

D.W.H.

(It is requested that this Form be returned *unsealed* not later than the 10th of the month following that to which it belongs.)

ROYAL METEOROLOGICAL SOCIETY.

CLIMATOLOGICAL OBSERVATIONS at 9 a.m. (Local Time) made at

during 19 Height above Sea Level feet.

Date.	Thermometers.				Amount of Cloud.	Rain.	Sunshine.	Remarks
	Dry.	Wet.	Max.	Min.				

RAINFALL IN APRIL, 1911.

DATE	MARGATE [CLIFTON- -VILLE]	TUNBRIDGE WELLS [HAWKEN- -BURY.]	STOW-ON-WOLD			REMARKS
			TOWN	QUAR WOOD	MAUGER -SBURY.	
1	(a) .18	(b) .80	(c) .05	(d) .05	(e) .05	TEMP.
2	—	.03	.10	.10	.09	STOW (TOWN)
3	.08	.01	—	—	—	LOWEST READING
4	.11	.10	.03	—	.01	22° on the 6 th .
5	.01	.20	.02	.01	.01	
6	—	.02	.02	.01	—	
7	—	.04	—	—	—	
8	—	—	—	—	—	TOTALS No. of Days.
9	.03	.05	.02	.01	—	(a) 1.03 13 ✓
10	.02	.08	—	—	—	(b) 2.18 15 ✓
11	—	—	—	—	—	(c) 0.75 15 ✓
12	—	—	—	—	—	(d) 0.82 13 ✓
13	—	—	—	—	—	(e) 0.66 11 ✓
14	—	—	—	—	—	
15	—	—	—	—	—	
16	—	—	—	—	—	
17	—	—	—	—	—	
18	—	—	.01	.08	.07	
19	—	—	.02	—	—	
20	—	—	.03	.03	.02	
21	.01	—	—	—	—	
22	—	—	—	—	—	
23	—	—	—	—	—	
24	—	—	—	—	—	
25	.10	.03	.03	.03	.02	
26	.30	.23	.21 ✓	.20 ✓	.18 ✓	
27	.04	.29	.02	.03	.03	
28	.08	.15	.14	.16	.14	
29	.05	.13	.02	.02	—	
30	.02	.02	.03	.09 ✓	.04	

1.03 2.18 75 82 66
 * * * Margate (Cliftonville) has taken the place of my old London station at Clapham Park. S.W.H.

Sums						Highest Temperature (corrected) on
Means						Lowest Temperature (corrected) on
Corrections for Index Errors.						Mean Temperature
Means Corrected.						Mean Range of Temperature
						Relative Humidity
						No. of Rain Days

(Signed)

(It is requested that this Form be returned *unsealed* not later than the 10th of the month following (that to which it belongs.)

ROYAL METEOROLOGICAL SOCIETY.

RAIN FALL

~~CONVOLUTION~~ OBSERVATIONS at 9 a.m. (Local Time) made at various places as below

during May 1911 . Height above Sea Level _____ feet.

Date.	Thermometers.					Rain. In.	Sunshine.	Remarks
	Tunbridge Dry. Wells	MARTE Wet.	STOW Max. (TOWN)	Quar Min. Wood	Margesbury Amount of Cloud.			
1	-	-	-	-	0-10			
2	.25	.20	.32	.33	.30			
3	.19	.04	.38	.39	.34			
4	-	-	-	-	-			
5	-	-	-	-	-			
6	-	-	-	-	-			
7	-	-	-	-	-			
8	-	-	-	-	-			
9	-	-	-	-	-			
10	-	-	-	-	-			
11	-	-	-	-	-			
12	-	-	-	-	-			
13	.21	.47	.47	.38	.71			
14	.40	.25	-	-	-			
15	-	-	-	-	-			
16	-	-	-	-	-			
17	-	.01	-	-	-			
18	-	-	-	-	-			
19	-	.07	.01	-	-			
20	-	.01	-	-	-			
21	-	-	-	-	-			
22	-	-	-	-	-			
23	-	-	-	-	-			
24	-	-	-	-	-			
25	-	-	.14	.15	.14			
26	.01	-	-	-	-			
27	-	-	-	-	-			
28	-	-	-	-	-			
29	-	-	-	-	-			
30	-	.16	.20	.19	.17			
31	.03	-	.01	.01	.02			
Sums	1.09	1.21	1.53	1.45	1.68			
Days Means	6	8	7	6	6			
Corrections for Index Errors.								
Means Corrected.								

Highest Temperature (corrected) _____ on _____
Lowest Temperature (corrected) _____ on _____
Mean Temperature
Mean Range of Temperature
Relative Humidity
No. of Rain Days

(Signed) _____

ROYAL METEOROLOGICAL SOCIETY.

RAINFALL

CLIMATOLOGICAL OBSERVATIONS at 9 a.m. (E.M. Time) made at various stations as under.

during June 1911. Height above Sea Level — feet. see cols.

Date	Thermometers.			RAINFALL					Remarks
	Dry.	Wet.	Max.	Tunbridge Wells (Hawkenbury)	MARGATE (Cliftonville)	Rab Town	Quartermaster Wood	Margersbury	
	°	°	°	In.	0.7 In.	In.	In.	In.	
1				—	—	—	—	—	Absolute drought at all stations (except Margate) during the first half of the month.
2				—	—	—	—	—	
3				—	—	—	—	—	
4				—	—	—	—	—	
5				—	—	—	—	—	
6				—	—	—	—	—	
7				—	—	—	—	—	
8				—	—	—	—	—	
9				—	—	—	—	—	
10				—	—	—	—	—	
11				—	—	—	—	—	
12				—	.08	—	—	—	
13				—	—	—	—	—	
14				—	—	—	—	—	
15				—	—	—	—	—	
16				.27	.37	.13	.15	.15	
17				.04	—	.03	.03	.02	
18				.01	—	.05	.04	.06	
19				.05	.01	.60	.62	.55	
20				—	—	—	—	—	
21				—	—	—	—	—	
22				.11	—	.26	.27	.23	
23				1.04	.70	.17	.20	.20	
24				.48	.03	.34	.36	.35	
25				.18	.10	.04	.06	.05	
26				.10	—	.03	.04	.04	
27				—	—	—	—	—	
28				—	—	—	—	—	
29				.11	.14	.21	.24	.21	
30				.02	—	.02	.02	.03	
31				—	—	—	—	—	
Sums				2.41	1.43	1.88	2.03	1.89	
No. of days				11.	7.	11.	11.	11.	
Greatest fall in 24 hrs.				23 rd	23 rd	19 th	19 th	19 th	
Height above sea level.				1.04	0.70	0.60	0.62	0.55	

slow 77° on 5th
 Highest Temperature (corrected) 80° on 8th
 Lowest Temperature 39° on 14th
 Mean Temperature 40° on 9th
 Mean Range of Temperature
 Relative Humidity
 No. of Rain Days

(Signed)

D.W.H.

ROYAL METEOROLOGICAL SOCIETY.

RAINFALL

G.M.

CLIMATOLOGICAL

OBSERVATIONS at 9 a.m. (Local Time) made at

Various stations as under.

during

July

1911.

Height above Sea Level

feet.

RAINFALL

Date	Thermometers		RAINBRIDGE			STOW ON THE WOLD Glos.				Remarks
	Dry.	Wet.	PLUMSTEAD Here.	TUNBRIDGE WELLS Here.	MARGATE (Height of 100 ft. Kent.)	S. on W. Town.	Maun. Gend. Gury.	Quar. Wood.		
	°	°	In.	In.	In.	In.	In.	In.		
1			-	-	-	.06	.03	.07	The 3 Kentish Stations show an absolute drought extending over 23 days; the dry period in Gloucestershire was curtailed by one day owing to slight falls on the 1 st .	
2			-	-	-	-	-	-		
3			-	-	-	-	-	-		
4			-	-	-	-	-	-		
5			-	-	-	-	-	-		
6			-	-	-	-	-	-		
7			-	-	-	-	-	-		
8			-	-	-	-	-	-		
9			-	-	-	-	-	-		
10			-	-	-	-	-	-		
11			-	-	-	-	-	-		
12			-	-	-	-	-	-		
13			-	-	-	-	-	-		
14			-	-	-	-	-	-		
15			-	-	-	-	-	-		
16			-	-	-	-	-	-		
17			-	-	-	-	-	-		
18			-	-	-	-	-	-		
19			-	-	-	-	-	-		
20			-	-	-	-	-	-		
21			-	-	-	-	-	-		
22			-	-	-	-	-	-		
23			-	-	-	.13	.06	.09		
24			.04	.08	.14	.01	-	-		
25			.21	-	.01	-	-	-		
26			-	-	-	-	-	-		
27			-	-	-	-	-	-		
28			-	-	.21	.09	.08	.12		
29			.21	.30	.06	.03	.02	.02		
30			-	-	-	-	-	-		
31			-	-	-	-	-	-		
Sums			.46	.38	.42	.32	.19	.30		
No. of days.			3	2	4	5	4	4		
Means for Index in day.			.21	.30	.21	.13	.08	.12		
Means Corrected.			.25 ⁺ .29 ⁺	.29 ⁺	.28 ⁺	.23 ⁺	.28 ⁺	.28 ⁺		

* Highest Temperature (shade) 91° on *

Highest Temperature (sun) 128.3° F

Mean Temperature Stow. (Town) 64.9°

Mean Range of Temperature

Relative Humidity


No. of Rain Days

* Mean 5.71st Plumets 1.77

* Highest Temperature (Shade) 91° on *
 Highest Temperature (Sun) 128.3° F
 Mean Temperature... Stow (Town) 64.9°
 Mean Range of Temperature
 Relative Humidity
 No. of Rain Days
 * Margate 21st Plumstead 22nd
 " " 22nd

(Signed)

AW.H.



ROYAL METEOROLOGICAL SOCIETY.

G.M.

CLIMATOLOGICAL OBSERVATIONS at 9 a.m. (Local Time) made at various Stations as under.

during AUGUST 1911. Height above Sea Level _____ feet.

Date.	RAIN → Thermometers		MAR GATE (Glyster Village)	Tur bridge Wells (Hawkenbury)	LONDON (Pleasant stead.)	Stow-on- the-Wold (Town)	S-on-W. (Quar Wood)	S-on-W. (Mangers- bury)	Remarks
	Dry.	Wet.	in.	in.	in.	In.	in.	in.	
1			.01	.08	.04	.02	.01	-	
2			-	-	-	.20	.19	.16	
3			-	-	-	.04	.05	.08	
4			-	-	-	-	-	-	
5			-	-	-	.25	.25	.24	
6			-	-	-	-	-	-	
7			-	-	-	-	-	-	
8			-	-	-	-	-	-	
9			-	-	-	-	-	-	
10			-	-	-	.02	.02	.02	
11			-	-	-	-	-	-	
12			-	-	-	-	-	-	
13			-	-	-	-	-	-	
14			-	-	-	-	-	-	
15			-	-	-	-	-	-	
16			-	-	-	-	-	-	
17			-	-	-	-	-	-	
18			-	-	-	-	-	-	
19			-	-	.46	.02	.02	-	
20			.48	.27	.20	.20	.20	.20	
21			.01	.04	.52	.18	.15	.14	
22			-	.20	-	.03	.03	.03	
23			-	-	-	-	-	-	
24			.06	.01	-	.10	.10	.08	
25			.28	.35	.02	-	-	-	
26			-	.01	-	-	-	-	
27			-	-	-	.35	.34	.32	
28			-	.01	.06	.09	.09	.07	
29			-	-	-	-	-	-	
30			-	-	.28	.48	.30	.31	
31			-	-	-	-	-	-	
Sums			.84	.97	1.58	1.98	1.75	1.65	
No of RAIN DAYS.			5	8	7	13	13	11	
GREATEST FALL IN 24 HRS.			.48	.35	.52	.48	.34	.32	
Means Corrected.			20 th	25 th	21 st	30 th	27 th	27 th	

T. Wells } 90.1
Plumstead } 94.7
Stow.Tn. } 87.9
Mgbr } 89.0
9th

Highest Temperature (corrected) _____ on _____
Lowest Temperature (corrected) _____ on _____
Mean Temperature
Mean Range of Temperature
Relative Humidity
No. of Rain Days

(Signed) SWA

ROYAL METEOROLOGICAL SOCIETY.

RAINFALL

G.M.

OBSERVATIONS at 9 a.m. (Time) made at various stations as under.

during September 1911.

Height above Sea Level _____ feet.

Date.	Thermometers		MARGATE (Lifton- ville.)	TUNBRIDGE WELLS (Hawken- bury.)	LONDON (Plumstead.)	STON- ON-THE- WOLD (Town)	S. on W. (Quar- Wood.)	S. on W. (Maugers- bury.)	Remarks
	Dry.	Wet.	In.	In.	In.	In.	In.	In.	
1			-	-	-	-	-	-	
2			-	-	-	-	-	-	
3			-	-	-	-	-	-	
4			-	.01	-	.03	.03	.02	
5			-	-	-	-	-	-	
6			-	-	-	-	-	-	
7			-	-	-	-	-	-	
8			-	-	-	-	-	-	
9			-	-	-	-	-	-	
10			-	-	-	-	-	-	
11			-	-	-	-	-	-	
12			-	-	.01	.08	.06	.05	A squall on the eve of the 12 th was followed by heavy R. at T.W. & L. on Western Stations on 13 th , but R. did not reach M. till 14 th . The shower there on 15 th unmeas rd . at T.W.
13			-	.51	.27	.39	.37	.36	
14			.60	-	-	-	-	-	
15			.07	-	-	-	-	-	
16			-	-	-	-	-	-	
17			-	-	-	-	-	-	
18			-	-	-	-	-	-	
19			.05	.16	.18	.27	.26	.21	
20			.01	.27	-	.09	.11	.09	
21			.28	.01	.16	-	-	-	
22			-	-	-	-	-	-	
23			.13	.25	.21	.24	.22	.19	
24			-	-	-	-	-	-	
25			.03	.08	-	.05	.05	.04	
26			-	-	-	-	-	-	
27			.13	.05	.15	.29	.26	.26	
28			-	-	-	-	-	-	
29			.23	.16	.10	.19	.20	.17	
30			.07	.02	-	.03	.04	.03	
31			✓	✓	✓	✓	✓	✓	
Sums			1.60	1.52	1.08	1.66	1.60	1.42	
No of Days With Rain			10	10	7	10	10	10	
Greatest fall in 24h.			.60	.51	.27	.39	.37	.36	
Means Corrected.			14 th	13 th	13 th	13 th	13 th	13 th	

Tun Wells 85° on 8th.
 Plumstead 91° " 8th.
 S. on W. T. 84° " 8th.
 Maugers 85° on 8th.
 Tun Wells 40° " 29th.
 Plum. 41° on 29th.
 S. on W. T. 48° " 29th.
 Maugers 36° " 30th.

Highest Temperature
 Lowest Temperature
 Mean Temperature
 Mean Range of Temperature
 Relative Humidity
 No. of Rain Days

(Signed) S.W.H.

ROYAL METEOROLOGICAL SOCIETY.

RAINFALL

CLIMATOLOGICAL OBSERVATIONS at 9 a.m. (G.M. Local Time) made at various stations as under

during October 1911. Height above Sea Level feet.

Date.	Thermometers		Margate Clifton Wells.	Tun- bridge Wells.	London Plumstead - Leam.	Stow-on-Wold		Remarks
	Dry.	Wet.				Rain. Town.	Quar- Wood Mau- gers- bury.	
	°	°	In.	In.	In.	In.	In.	
1			-	-	-	-	-	The Rainfall (6.24) at Tunbridge Wells during October nearly equalled the total fall of the previous 5 months (May to Sept inclusive) which only amounted to 6.37 inches.
2			-	-	-	.28	.35	
3			.09	-	-	.02	.02	
4			.66	1.00	.04	.13	.12	
5			.05	.56	.16	.01	-	
6			-	.02	-	-	-	
7			1.04	.35	.16	.15	.13	
8			-	-	-	-	-	
9			.01	-	-	-	-	
10			-	-	-	-	-	
11			-	-	-	-	-	D.W.H.
12			-	-	-	-	-	
13			.50	.31	.16	.04	.07	
14			.02	.01	-	-	-	
15			-	.02	.02	.02	.02	
16			-	-	-	.01	-	
17			-	-	-	-	-	
18			.01	.01	-	.05	.05	
19			-	.27	.10	.22	.28	
20			.06	.23	.10	.03	.03	
21			.94	1.00	.48	.44	.44	
22			.14	.24	.01	.08	.10	
23			-	.23	-	.08	.07	
24			.32	.43	1.35	.60	.63	
25			-	-	.01	.02	.02	
26			.14	.42	.07	.40	.39	
27			.40	.54	.01	.02	.01	
28			-	-	-	-	-	
29			.16	.29	.18	.41	.40	
30			.22	.30	.16	.15	.15	
31			-	.01	-	-	-	

Sums

4.76 6.24 3.01 3.16 3.28 3.03

No of
Days
for
which
the
rain
fell

16, 19, 15, 20, 18, 18

1.04 1.00 1.35 .60 .63 .60
7th 4th 21st 24th 24th 24th

Highest Temperature (corrected) _____ on _____

Lowest Temperature (corrected) _____ on _____

Mean Temperature _____

Mean Range of Temperature _____

Relative Humidity _____

No. of Rain Days _____

(Signed)

D.W.H.

(It is requested that this Form be returned *unsealed* not later than the 10th of the month following that to which it belongs.)

RAINFALL

ROYAL METEOROLOGICAL SOCIETY.

OBSERVATIONS at 9 a.m. (G.M. Time) made at various stations as under.

during November 1911. Height above Sea Level feet.

Date.	Thermometers		Margate (Clifton- ville).	Tonbridge Wells (Haw- kenbury).	London (Palmer's -lead).	Stow-on-the-Wold.				Remarks
	Dry.	Wet.				Rain. In.	Quar- In.	Wood- In.	Mau- gers- bury. In.	
1			—	.05	—	.03	.03	.03		The Tonbridge Wells rainfall (as in October) was again far heavier than at any of the other stations reporting to me, being the only place with a fall of over one inch in the 24 hours.
2			.14	.16	.16	.18	.19	.17		
3			.06	.12	.06	.07	.08	.06		
4			.15	.26	.10	.31	.32	.27		
5			—	.03	—	.06	.09	.07		
6			—	.01	—	.03	.04	.03		
7			.17	.44	.26	.27	.31	.30		
8			.36	.72	.30	.03	.04	.04		
9			.40	.10	—	.06	.06	.05		At Plumstead the R. was 0.81 in. above the av. S. Sunsh. at this London station amounted during the month to 47.1 hours, the most sunny day being 7.7 hrs. on the 1 st and next being the 6 th with 6.9 hrs.
10			.15	.02	.03	.03	.03	.03		
11			.54	1.10	.62	.63	.61	.62		
12			.13	.09	.11	.35	.41	.35		
13			.08	.02	.05	.02	.02	.02		
14			—	—	—	—	—	.01		
15			.03	.10	.02	.21	.22	.22		
16			.15	.71	.46	.41	.40	.36		
17			.17	.80	.27	.04	.06	.05		
18			.57	.84	.55	—	—	—		
19			.24	.20	.11	.24	.20	.21		
20			—	.01	—	—	—	—		
21			—	—	—	—	—	—		
22			—	—	—	.01	.01	.01		
23			.05	.09	.01	—	—	—		
24			—	—	—	—	—	—		
25			.12	.03	—	—	—	—		
26			.26	.11	.02	.21	.19	.06		
27			—	—	.03	.10	.10	.12		
28			—	—	.02	.07	.06	.05		
29			—	—	.01	.02	—	—		
30			—	.04	—	.01	—	—		
31			✓	✓	✓	✓	✓	✓		
Sums			3.77	6.05	3.19	3.39	3.47	3.13		
No of Days			18	23	19	23	21	22		
Greatest fall in 24 hrs.			.57	1.10	.62	.63	.61	.62		
Means Corrected.			18 th	11 th	11 th	11 th	11 th	11 th		

a. Stow Town 53° on the 4th
b. Maufensbury 53° — 4th
c. Tun. Wells 58° — 5th
d. Plumstead 57° — 16th
Highest Temperature (corrected) on
a. Lowest Temperature (corrected) 26° on 22nd
b. — 27° — 21st
c. Mean Temperature — 27° — 22nd
d. — 28° — 22nd
Mean Range of Temperature
Relative Humidity
No. of Rain Days

(Signed)

A.W.H.


ROYAL METEOROLOGICAL SOCIETY.

RAINFALL

OBSERVATIONS at 9 a.m. (~~Local~~ ^{G.M.} Time) made at various stations as under,

during December 1911.

Height above Sea Level feet.



			Thermometers.			STOW-ON-THE-WOLD			Remarks
			MARGATE	Tunbridge Wells	London	Rain.	Quar.	Wood	
			(Hill-top - N.E. of town.)	(Hill-top - N.E. of town.)	(Hill-top - N.E. of town.)	Town	Quar.	Wood	
			In.	In.	In.	In.	In.	In.	
1			.03	.02	-	.06	.06	.04	
2			.08	.16	.06	.16	.17	.16	
3			.08	.19	.10	.03	.04	.04	
4			.26	.19	.15	.43	.37	.36	
5			.12	.14	.15	-	-	.01	
6			.20	.64	.19	.86	.82	1.05	
7			.42	.36	.13	.04	.03	.03	
8			.12	.20	.24	.27	.27	.22	
9			.10	.08	.01	.22	.22	.16	
10			.35	.84	.41	.37	.33	.36	
11			-	.01	-	.01	.01	.01	
12			.01	-	-	.05	.01	.05	
13			.17	.27	-	.36	.40	.38	
14			.20	.25	.41	.62	.65	.61	
15			.04	.03	.02	.05	.06	.05	
16			-	.14	.01	.24	.22	.25	
17			.06	.21	.07	.50	.47	.50	
18			.06	.43	.11	.29	.25	.30	
19			.10	.11	.05	.10	.09	.08	
20			.50	.61	.46	.57	.57	.56	
21			.08	.14	.04	.13	.12	.11	
22			.40	.56	.34	.57	.65	.66	
23			.04	.22	.15	.34	.30	.28	
24			.25	.37	.36	.12	.12	.12	
25			-	.01	-	.07	.07	.07	
26			.14	.21	.15	.21	.22	.20	
27			.03	.06	.05	.23	.25	.23	
28			.05	.01	-	.01	-	-	
29			-	-	-	-	-	-	
30			-	.01	-	.02	.02	.02	
31			-	-	.01	-	-	-	
Sums			3.89	6.47	3.67	6.93	6.79	6.91	
No. of Days			25	28	23	28	27	28	
Greatest Rainfall			.50	.84	.46	.86	.82	1.05	
Means Corrected.			20 th	10 th	20 th	6 th	6 th	6 th	

Highest Temperature (corrected) _____ on _____
 Lowest Temperature (corrected) _____ on _____
 Mean Temperature
 Mean Range of Temperature
 Relative Humidity
 No. of Rain Days

(Signed)

S.W.K.

(It is requested that this Form be returned *unsealed* not later than the 10th of the month following that to which it belongs.)

✓

53

at 11.16

232

FORM A.
BRITISH RAINFALL

Kept at Victoria
in the County of Victoria
by G. J. D.

VICTORIA PARK.

1915 - 1920.

ng.

ion

uge

in.

ge above Ground

ft.

in.

"

Sea Level

ft.

h. and the result entered to the
st universal rule, he is earnestly
y of the following year in the space provided

IMPORTANT

previous day.

requested to add

for it at the end of this paragraph

the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	32		06						06		86	51	1
2	42	10	20	10				07		02	20		2
3	38	12	06	14				46				21	3
4								50				51	4
5	02	20										09	5
6	28			16			48					57	6
7	50	18			50		05	04				05	7
8	04	44					04						8
9				06				10				60	9
10	26							40			30	14	10
11													11
12	08			20	42			16			56		12
13		29			1.10			06			40		13
14							50					40	14
15	06							38			20	06	15
16		18					52					10	16
17		22			80		03	50					17
18		20			14								18
19		10					04						19
20	28											22	20
21													21
22	62		08				60					10	22
23		06	04			12	20		14	33		24	23
24		18					30		18	08		20	24
25			12	12			12					08	25
26		04				13	36					40	26
27						19				26		04	27
28									1.02	14			28
29							30	10			04		29
30		X				06							30
31		X		X					04				31
Total	3.26	2.31	5.6	7.8	2.96	5.0	3.54	2.77	1.44	1.16	2.56	4.52	26.36
Rain Days.	12	13	6	6	5	4	13	11	5	6	7	18	106

15-
ng.

Form A.
BRITISH RAINFALL.

Kept at Victoria Park
in the County of London
by G. J. Dobson

Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	32		06						06		86	51	1
2	42	10	20	10				07		02	20		2
3	38	12	06	14				46				21	3
4								50				51	4
5	02	20										09	5
6	28			16			48					57	6
7	50	18			50		05	04				05	7
8	04	44					04						8
9				06				10				60	9
10	26							40			30	14	10
11													11
12	08			20	42			16			56		12
13		29			1.10			06			40		13
14							50					40	14
15	06							38			20	06	15
16		18					52					10	16
17		22			80		03	50					17
18		20			14								18
19		10					04						19
20	28											22	20
21													21
22	62		08				60					10	22
23		06	04			12	20		14	33		24	23
24		18					30		18	08		20	24
25			12	12			12					08	25
26		04				13	36					40	26
27						19				26		04	27
28									1.02	14			28
29							30	10			04		29
30		X				06							30
31		X		X		X			04	33	X		31
Total	3.26	2.31	5.6	7.8	2.96	5.0	3.54	2.77	1.44	1.16	2.56	4.52	26.36
Rain Days.	12	13	6	6	5	4	13	11	5	6	7	18	106

REGISTER OF RAINFALL IN 1916

Kept at Victoria Park
 in the County of London
 by E. Y. Jackson

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Cambridge Heath G. & R.
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level 42 1/2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04				.18		.01		.14		.32		1
2					.18				.32	.31	.02		2
3		.28	*		.18				.03	.22	.58		3
4	.12	.10				.33			.02		.28		4
5					.06	.18	.08			.04	.29		5
6		.04		.26		.12	.32				.24		6
7	.04				*.12	.14	.56				.58	.04	7
8			*		.20							.29	8
9					.22					.04		.08	9
10		.12	x			.50						.10	10
11		.12	x	.14		.12							11
12	.02			x	.28	.13	.06			.04			12
13		.26		.12	.04	.06	.26	.12					13
14		.26	x	x	.04			.04					14
15		.20	.01					.51		.02			15
16			.13	.14			.13	.44					16
17	.04		.16	x				.40		.48			17
18		.16		.06				.77	.22	.04	.60		18
19	.04		.01	.10				.19	.02		.60		19
20	.10		.01						.07		.02		20
21			.28									.20	21
22			.44								.04	.48	22
23						x					.02	.30	23
24								.02		.10			24
25			.07		.08			.36		.06	.11		25
26								.44		.04			26
27	.06		.68					.56	.02	.50			27
28			.22			.05			.03			.22	28
29		x			.26			1.14	.04	.18		.16	29
30		X			.14			.09		.27			30
31		X		X		X		.04	X	.16	X	.04	31
Total	.46	1.54	2.01	.82	1.72	1.89	1.42	5.12	.91	2.50	3.70	1.91	YEAR'S TOTAL 24.00
Rain Days.	8	9	10	6	12	10	7	14	10	15	13	10	124

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Victoria Park
in the County of Middlesex London
by G. Y. Hodson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				06				-			06		1
2				14		04				10	20		2
3				04						10	43		3
4							10			12			4
5	25								48	06	07		5
6	11		08			04			09	02	10		6
7	06									14			7
8	09			06			94		04	14	16	38	8
9	04			06			04				05	09	9
10			15	02								04	10
11	30		35	08					12	12			11
12	09		06							20	02		12
13			12							04			13
14				02			04						14
15	05						06						15
16	07	03		06	13		14			24		11	16
17				04	52		28		26	16			17
18	03			06	25	30	14		12	08			18
19	02	05			20	22			12				19
20		20	06		73						05		20
21			01		05						05		21
22		10								06			22
23													23
24					17					12			24
25			06			10							25
26			04			02			06		07		26
27			02								49		27
28			01			146						05	28
29			08		57		16			08		04	29
30		X	20				136			07			30
31		X	10	X		X	60		X		X		31
Total	1.11	38?	1.34	64	2.62	2.18	3.86	3.98	1.29	1.85	1.75	71	21.71?
Rain Days.	17	4	14	11	8	8	11		8	17	12	6	

REGISTER OF RAINFALL IN 1918

Kept at Victoria Park
in the County of London, Thames L.B.
by G. Y. Dodson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
27.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				12					06		06	12	1
2				11				30			03	18	2
3		09		02	41			32			14	04	3
4		06	14	04				06	12		16	02	4
5		03	03	22	14			12	14		05	02	5
6	26	12		05	17			12		05		06	6
7		12		02	14			02	06	10	03		7
8		05						03	08		10	04	8
9		14		04			30		13	11		10	9
10		03		09			50		08	04	02	30	10
11				03	08		75			10	10	09	11
12		03			14		09		04			06	12
13				02	14		13		08				13
14	16					34			20	15		16	14
15	90			74		44	(-25)		04	05		10	15
16	34			32			05		10				16
17	40			30	90	26	1.25		04			10	17
18	56		05	02		20	04		16	10		06	18
19	04			07		14	30		08	04		07	19
20				44		05	13		10	10		10	20
21	07	18		20			03		08	05			21
22	06			05	72		13		14	06		13	22
23	03			06	27		50	08	04			06	23
24		22			02	10	62		08		05		24
25				05		04	32	18	04		11		25
26							32	10		04	15	06	26
27		05	20	10			03	12	06	05	08	05	27
28		05		02		02		02			24	10	28
29									22			02	29
30		X	40						06			06	30
31		X		X		X			X		X	08	31
Total	2.82	1.17	.82	3.13	3.13	1.59	(5.74)	1.47	2.23	1.04	1.32	2.18	YEAR'S TOTAL
Rain Days.	10	13	5	23	12	9	19	12	24	14	14	25	26.64
													179

82 REGISTER OF RAINFALL IN 1919

Kept at Victoria Park
in the County of London L. Bank
by G. T. Dodson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	20			03	05		03			08	06	72	1
2	18				18		25			08	03	10	2
3	15		32				11		07		04	33	3
4	08		40			09	18	03	07		10	12	4
5	04		56				10	03	03		03	24	5
6	02		08						06		02	04	6
7	03		26						02		04		7
8	08		04								06		8
9	08		04	10	08						04		9
10	25		04	03							03		10
11	04		08	29	02		12				02		11
12	04			02		04	22						12
13	02			20			03			04			13
14	15			20			08		24	03			14
15	18		04	30					03	08		13	15
16	06	48		04						03	10	06	16
17		36	07								17		17
18		17							04		07	08	18
19		15	66			08	12	09	06	04	10		19
20	18	05	07			38	28	10			02	02	20
21	19	18					10					12	21
22		08					14		09			25	22
23						06	04		10		05	03	23
24				16		04	05	04	01		04		24
25				10	06	03	03	16		12			25
26	06	12	14	54			06	04	08			24	26
27	22	06	06					40		06			27
28	06			02			03	60			14	26	28
29	02			04				28		10		05	29
30		X		12		14	02	12	X	13	27	23	30
31		X		X		X		03	X		X	02	31
Total	2.33	1.65	2.86	2.19	39	86	1.99	1.92	90	79	1.43	3.04	20.35
Rain Days.	22	9	15	15	5	8	19	12	13	11	20	18	167

22B

66

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL

Kept at Victoria Park
in the County of London L. B. Thames
by L. L. L. G. T. Dodson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	.02			(-30)			.13			.49		.17	1	
2	.04		.04		.02		.13	.75	.06			.06	2	
3		.06							.06			.02	3	
4		.04		(.05)				.04		.08		.01	4	
5			.11		.04		.14	.12	.06				5	
6			.21		.12		.13	.03					6	
7			.04				.12					.04	7	
8	.06	.02		.08	.08		.08	.02					8	
9	.31			.04		.09	.08						9	
10	.44		.08				.02						10	
11	.20		.08	.35			.07	.02					11	
12	.07		.02	.06		.55	.07						12	
13	.16			.09		.15	.04						13	
14			.22	.14			.04			.09	.15		14	
15			.06	.14		.11			.14	.10	.10		15	
16				.20	.03	.02			.66	.32			16	
17					.12				.28	.02			17	
18				.06	.02			.79	.56			.05	18	
19	.13			.10		.43		.04	.18			.06	19	
20	.05	.32		.18									20	
21							.46	.02	.12			.02	21	
22				.25				.02	.49			.32	22	
23							.31		.07			.34	23	
24			.05									.08	24	
25		.03				.05	.12		.03				25	
26		.08	.12	.05		.06	.03						26	
27	.08			.29	.03	.02	.02				.40	.08	27	
28	.43		.82	.07			.05				.02	.03	28	
29	.18		.05		.09							.22	29	
30	.03	X			.04		.42		.40		.11	.15	30	
31		X		X		X			X	.12	X	.08	31	
Total	2.20	.55	1.90	2.45	.59	1.48	2.46	1.85	3.11	1.22	.78	1.73	YEAR'S TOTAL 20.32	
Rain Days	14	6	13	(17)	10	9	19	10	13	7	5	16	139	
	104	12	4	12	(17)	6	7	16	5	12	6	4	12	113

REGI

WALTHAM CROSS S.W. " W.

FORM A.
BRITISH RAINFALL.
8 JUL 1917

Kept *sewage Dispo*
Waltham
in the County of *Midd*
by *Cheshunt. M. W*

LONDON / MIDDX

1916-20

m.
Waltham Cross.
gauge 5" in.
ground 1 ft. in.
Sea Level 61.06 ft.

IMPORTANT NOT

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	—	—	.06	.02	—	—	.14	—	.27	—	1
2	.36	.01	.11	—	.21	—	—	—	.13	39	~~39~~	—	2
3	—	.26	.23	—	—	—	.19	—	.59	.21	.64	—	3
4	.24	.11	—	—	—	.31	—	—	—	.10	.29	—	4
5	.03	—	.02	—	.04	.22	—	—	—	.13	.53	—	5
6	—	.07	.20	.30	.03	.06	.04	—	—	.01	.38	—	6
7	.06	—	.24	—	.12	.35	.45	—	—	—	.75	—	7
8	—	.04	.10	—	.40	—	—	—	—	—	.03	.37	8
9	—	—	—	—	.29	.23	—	—	—	.11	—	.10	9
10	.07	—	.08	—	—	.22	.03	—	—	.01	—	.10	10
11	—	.21	—	.19	.02	.03	—	—	—	—	—	—	11
12	.04	.01	—	.12	.44	.19	.04	.14	—	—	—	—	12
13	—	.42	.17	.07	.08	.11	.13	.10	—	.11	—	—	13
14	—	.34	—	—	.07	—	—	.26	—	—	—	.10	14
15	—	.15	.32	—	—	—	—	.25	—	—	—	—	15
16	—	.09	.08	—	.06	—	.14	.28	—	.02	—	—	16
17	.07	—	—	.20	—	—	.20	.24	.26	.42	—	—	17
18	—	.12	.04	.10	—	—	—	.10	.06	.04	.52	—	18
19	.14	.01	.11	.16	—	—	—	—	.17	—	.67	.08	19
20	.16	—	.22	.04	—	—	—	.04	—	—	.05	.34	20
21	.01	—	.61	.07	—	—	1.05	—	—	—	—	.47	21
22	—	—	.05	—	.01	—	—	—	—	—	—	.45	22
23	.01	.26	—	—	.01	.09	—	.03	—	—	.06	.12	23
24	—	.05	—	—	.03	.19	—	.03	—	.07	.03	.31	24
25	—	.31	.14	—	.02	—	—	.29	—	.05	.07	—	25
26	—	.15	—	—	—	—	—	.02	—	.04	—	—	26
27	.10	.06	.75	—	—	—	—	.32	—	.55	—	—	27
28	—	.31	.34	—	—	.06	—	—	.10	—	—	.25	28
29	—	.11	—	—	—	.19	—	1.81	.17	.35	—	.10	29
30	—	X	—	—	—	.04	—	.10	—	.62	—	—	30
31	—	X	—	X	—	X	—	—	X	.14	X	.03	31
Total	143	3.09	3.81	1.19	1.89	2.31	2.27	5.01	1.62	3.37	4.29	2.82	33.08
Rain Days.	13	20	18	9	16	15	9	15	8	17	14	13	167

REGISTER OF RAINFALL IN 1916

Kept Sewage Disposal Works
Waltham Cross.
 in the County of Middlesex
 by Cheshunt. W. W. G. E. Sharpe
Inspector & Surveyor.

Lat. 51° 41' N Long. 0° 11' W.

Time of Observation 9 A.M.

Nearest Railway Station Waltham Cross.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 61.06 ft.

FORM A.
 BRITISH RAINFALL.
 8 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	—	—	.06	.02	—	—	.14	—	.27	—	1
2	.36	.01	.11	—	.21	—	—	—	.13	~~39~~	~~39~~	—	2
3	—	.26	.23	—	—	—	.19	—	.59	.21	.64	—	3
4	.24	.11	—	—	—	.31	—	—	—	.10	.29	—	4
5	.03	—	.02	—	.04	.22	—	—	—	.13	.53	—	5
6	—	.07	.20	.30	.03	.06	.04	—	—	.01	.38	—	6
7	.06	—	.24	—	.12	.35	.45	—	—	—	.75	—	7
8	—	.04	.10	—	.40	—	—	—	—	—	.03	.37	8
9	—	—	—	—	.29	.23	—	—	—	.11	—	.10	9
10	.07	—	.08	—	—	.22	.03	—	—	.01	—	.10	10
11	—	.21	—	.19	.02	.03	—	—	—	—	—	—	11
12	.04	.01	—	.12	.44	.19	.04	.14	—	—	—	—	12
13	—	.42	.17	.07	.08	.11	.13	.10	—	.11	—	—	13
14	—	.34	—	—	.07	—	—	.26	—	—	—	.10	14
15	—	.15	.32	—	—	—	—	.25	—	—	—	—	15
16	—	.09	.08	—	.06	—	.14	.28	—	.02	—	—	16
17	.07	—	—	.20	—	—	.20	.24	.26	.42	—	—	17
18	—	.12	.04	.10	—	—	—	.10	.06	.04	.52	—	18
19	.14	.01	.11	.16	—	—	—	—	.17	—	.67	.08	19
20	.16	—	.22	.04	—	—	—	.04	—	—	.05	.34	20
21	.01	—	.61	.07	—	—	1.05	—	—	—	—	.47	21
22	—	—	.05	—	.01	—	—	—	—	—	—	.45	22
23	.01	.26	—	—	.01	.09	—	.03	—	—	.06	.12	23
24	—	.05	—	—	.03	.19	—	.03	—	.07	.03	.31	24
25	—	.31	.14	—	.02	—	—	.29	—	.05	.07	—	25
26	—	.15	—	—	—	—	—	.02	—	.04	—	—	26
27	.10	.06	.75	—	—	—	—	.32	—	.55	—	—	27
28	—	.31	.34	—	—	.06	—	—	.10	—	—	.25	28
29	—	.11	—	—	—	.19	—	1.81	.17	.35	—	.10	29
30	—	X	—	—	—	.04	—	.10	—	.62	—	—	30
31	—	X	—	X	—	X	—	—	X	.14	X	.03	31
Total	143	3.09	3.81	1.19	1.89	2.31	2.27	5.01	1.62	3.37	4.29	2.82	33.08
Rain Days.	13	20	18	9	16	15	9	15	8	17	14	13	167

Cheshunt Urban District Council.



J. E. SHARPE,
ENGINEER AND SURVEYOR.

Manor House.

Cheshunt, Herts.

23rd. February, 1917.

Dear Sir,

Rainfall. Sewage Disposal Works,
Waltham Cross.

I am in receipt of your letter of yesterday's date for which I thank you. I much regret that on going into the matter that two errors have been discovered. On the 27th, March the rainfall recorded was .75, owing to badly formed 7 it had been taken as ,15. On the 29th. June the rainfall recorded was .19 and not .17 making the total for the month of June 3.21. — (2.31)

With these corrections the total fall for the year will be found to total 33.08: — (32.10)

Apologising for the trouble caused you.

Yours faithfully,

Engineer & Surveyor

The British Rainfall Organisation,

62, Camden Square,

London. N.W.

REGISTER OF RAINFALL IN 1914

Kept at Sewage Disposal Works Waltham
in the County of Middlesex
by W. R. Baines 8 Clapham
Engineer

Lat. 51° 41' Long. 0° 1' W.
Time of Observation 9 a.m.
Nearest Railway Station Waltham Cross
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 61.06 ft.

FORM A.
BRITISH RAINFALL
12 APR 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	'13	-	-	'06	'60	'04	'59	'13	-	1
2	-	-	-	'45	-	-	-	'10	-	'12	-	-	2
3	'04	-	-	'15	-	-	'74	-	-	'30	'19	-	3
4	-	-	-	-	-	-	'01	-	-	'22	-	-	4
5	'18	-	'10	'26	-	-	-	-	'74	'38	'09	-	5
6	-	-	'04	'04	-	-	-	-	-	'60	'09	-	6
7	'19	-	-	-	-	-	-	-	-	-	'04	-	7
8	'08	-	-	'10	-	-	-	'12	-	-	'14	-	8
9	'02	-	'02	'11	-	-	-	'10	-	-	-	'35	9
10	'23	-	'08	'12	-	-	-	'04	-	-	-	-	10
11	'11	-	'40	'11	-	-	-	-	-	-	-	-	11
12	'04	-	'05	-	-	-	-	'01	-	-	-	-	12
13	-	'14	-	-	-	-	-	'15	-	-	-	-	13
14	'02	-	'04	'16	-	-	-	'01	-	-	-	-	14
15	-	-	-	-	'78	-	'24	-	-	-	-	-	15
16	-	(.04)	-	-	'61	-	'26	'01	-	'63	-	'29	16
17	-	-	-	'04	-	-	-	-	'41	'30	-	-	17
18	-	-	-	'09	-	'13	-	'04	'14	-	-	-	18
19	-	-	'06	-	'48	-	'30	-	'25	-	-	-	19
20	'06	-	'09	-	'92	'15	'03	-	-	-	'13	-	20
21	-	'16	-	-	-	-	-	-	-	-	'04	-	21
22	-	-	'02	-	'19	-	-	'12	-	'09	-	-	22
23	-	-	-	-	-	-	-	'13	-	'01	-	-	23
24	-	-	-	-	-	-	-	'04	-	'20	'05	-	24
25	-	'08	'04	-	-	'11	-	-	-	-	'04	-	25
26	-	'04	'04	-	-	-	-	'32	-	-	'54	-	26
27	-	-	-	-	-	'05	-	'71	-	-	-	-	27
28	-	-	-	-	-	'64	-	'08	-	-	-	-	28
29	-	-	'01	-	-	'19	'29	'15	-	'19	-	-	29
30	-	X	-	-	-	-	'41	'04	-	-	-	-	30
31	-	X	'30	X	-	X	'41	'05	X	-	X	'21	31
Total	'97	'49	1.32	1.82	2.38	1.30	4.75	2.85	1.58	3.63	1.51	'85	23.45
Rain Days.	10	5	14	12	5	6	10	19	5	12	11	3	112

Cheshunt Urban District Council.



J. E. SHARPE,
ENGINEER AND SURVEYOR.

Manor House.

Cheshunt, Herts.

11th. April, 1918.

Dear Sir,

In reply to your letter of the 9th. inst. I beg to inform you that the reason the rainfall recorded ~~at~~ at Waltham Cross Sewage Works was not sent you was because I felt that they were not reliable. Evidently the man whose duty it was to record the rainfall has neglected his work. However I send you herewith particulars as ^{they} have been sent to me.

Yours faithfully,

Engineer & Surveyor.

Dr. Mill,
British Rainfall Organization,
62, Camden Square,
LONDON. N.W.1

REGISTER OF RAINFALL IN 1918

Kept at Sewage Disposal Works Waltham
in the County of Middlesex
by Waltham Urban District Council
J. Charles Engineer

Lat. 51° 41' Long. 0° 1' W.
Time of Observation 9 a.m.
Nearest Railway Station Waltham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 61.06 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.05	-	-	-	-	-	-	.15	-	1
2	-	-	-	.20	-	-	-	.29	-	-	-	.21	2
3	-	.09	-	.02	.51	-	-	.31	.30	-	.54	-	3
4	-	.07	.17	-	-	-	-	-	.50	-	-	.04	4
5	-	-	-	-	.14	-	-	.03	-	-	-	-	5
6	.14	.18	-	-	.11	-	-	-	.10	-	-	.08	6
7	-	-	.01	-	.08	-	-	-	.19	.06	-	.02	7
8	-	-	-	-	-	-	-	-	-	-	.11	.05	8
9	-	.03	-	-	-	.12	.29	-	.39	.14	-	.15	9
10	-	-	-	-	-	-	.37	-	.03	-	-	.27	10
11	-	-	-	.09	-	-	.25	-	.08	-	-	.07	11
12	.05	-	-	-	.20	-	.10	-	-	-	-	-	12
13	.18	-	-	-	.13	-	.09	-	.04	-	-	.02	13
14	-	-	-	-	-	.26	.06	-	.38	.23	-	.17	14
15	.50	-	-	.61	-	-	-	-	-	-	-	.05	15
16	.50	.05	-	.49	-	-	-	-	.19	-	-	-	16
17	.38	-	-	.26	-	.05	.79	-	-	-	-	.12	17
18	.45	-	-	-	-	.15	-	-	1.18	.10	-	.09	18
19	.51	-	-	.15	-	.19	.35	-	.03	-	-	.13	19
20	.12	.15	-	.45	-	.06	-	-	-	.30	-	.04	20
21	.09	-	-	.33	-	-	.15	-	.31	-	-	-	21
22	.07	-	-	.03	.42	-	.11	-	.08	-	-	.20	22
23	-	-	-	-	.35	-	.49	-	-	-	-	-	23
24	-	.14	-	-	-	.04	.06	.08	-	-	-	-	24
25	-	-	-	-	-	.02	.29	.15	-	-	-	-	25
26	-	-	-	-	-	-	.31	.26	-	-	.28	.15	26
27	-	.06	-	-	-	-	.04	-	.03	-	.33	-	27
28	-	-	.23	.16	-	-	-	.33	-	-	.03	.09	28
29	-	-	.43	-	-	-	-	-	1.34	-	.12	-	29
30	-	X	-	-	-	-	-	-	-	-	-	.09	30
31	-	X	-	X	-	X	-	-	X	-	X	-	31
Total	2.99	.77	.84	2.84	1.97	.89	3.75	1.45	5.17	.83	1.56	2.04	25.10
Rain Days.	11	8	4	12	8	8	15	7	16	5	7	19	120

YEARS TOTAL

Cheshunt Urban District Council.



J. E. SHARPE,
ENGINEER AND SURVEYOR.

Manor House.

Cheshunt, Herts.

7th. January, 1919.

Dear Sirs,

I enclose herewith rainfall returns
for 1918.

I am afraid that the observer of the
Sewage Disposal Works, Waltham Cross has not been sufficiently
attentive in taking the rainfall daily and I therefore doubt
the accuracy given on the returns from this gauge.

Yours faithfully,

Engineer & Surveyor.

The Director,
British Rainfall Organisation,
62, Camden Square,
LONDON. N.W.1

REGISTER OF RAINFALL IN 1919.

Kept at Sewage Disposal Works
Waltham Cross
in the County of Middlesex
by Chesnut Urban District Council

Lat. 51° 41' Long. 0° 1' W
Time of Observation 9 a.m.
Nearest Railway Station Waltham Cross
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 61.06 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	-	-	-	.09	-	.39	-	.10	.02	.01	.85	1
2	.27	-	.03	-	-	-	.20	-	.14	.03	.12	.14	2
3	.23	-	.19	-	-	-	.14	-	.15	-	.06	.27	3
4	.09	-	.27	-	-	.07	.37	.04	-	-	.01	.28	4
5	.03	.30	.46	-	.11	-	.46	-	.07	-	.02	.13	5
6	-	-	.07	-	-	-	-	-	-	-	.01	.09	6
7	.09	-	.28	-	-	-	-	-	-	-	.16	-	7
8	.15	-	.08	-	-	-	-	-	-	-	.05	-	8
9	.24	-	.03	.20	.03	-	-	-	-	-	.37	-	9
10	-	-	.08	.60	-	-	-	-	-	-	.01	-	10
11	-	-	.10	.25	-	-	.14	-	-	-	-	.03	11
12	-	-	.12	-	-	-	.20	-	-	.03	.03	-	12
13	.10	-	-	.10	-	-	-	-	-	.02	-	-	13
14	.31	-	-	.35	-	-	.04	-	.21	.01	-	.02	14
15	.25	-	.04	.05	-	-	-	-	-	.02	.03	.10	15
16	.05	.27	-	.09	-	-	-	-	-	-	.08	.05	16
17	-	.61	.03	.08	-	-	-	-	-	-	.21	-	17
18	-	.40	.05	-	-	-	-	-	-	-	.05	.07	18
19	-	.14	.67	-	-	.14	.12	.17	.14	-	.13	-	19
20	.45	.70	.03	-	-	.99	.18	.19	.02	-	.02	-	20
21	.19	.34	.02	-	-	.08	.17	-	-	-	-	.05	21
22	-	.14	-	-	-	.03	.10	-	.12	-	.05	.34	22
23	-	-	-	-	-	-	.02	-	.09	-	.03	.01	23
24	-	-	-	.23	-	-	.04	.04	-	.08	.04	-	24
25	.04	-	-	-	-	-	-	.31	-	-	-	.04	25
26	.09	.11	.09	.08	-	-	-	.26	.12	-	-	.32	26
27	.25	.06	-	1.05	-	-	-	.44	-	-	-	.01	27
28	.42	-	-	.06	-	-	-	.11	-	.03	.11	.24	28
29	.04	-	-	-	-	-	-	.21	-	.10	.11	.06	29
30	-	~~X~~	-	.24	-	.10	-	.07	-	.06	.21	.22	30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.02	~~X~~	-	31
TOTAL	3.62	3.07	2.64	3.38	.23	1.41	2.57	1.84	1.16	.42	1.92	3.32	YEAR'S TOTAL
Days with .01 in. or more	19	10	18	13	3	6	14	10	10	17	23	78	25.58

REGISTER OF RAINFALL IN 1920.

Kept at Sewage Disposal Works
Waltham Cross
in the County of Middlesex.

Lat. 51°41' Long. 0°1'W.
Time of Observation 9 am
Nearest Railway Station Waltham Cross
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 61.06 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.02		0.05		1.10	0.04			0.10			1
2		0.20		0.03	0.32								2
3		0.40		0.21	0.02	0.11		0.03				0.43	3
4		0.22	0.08	0.04		0.18		0.03					4
5		0.02				0.10		0.45				0.05	5
6		0.01			0.10					0.28	0.22	0.16	6
7	0.01			0.71			0.34			0.34		0.23	7
8	0.12							0.57		0.09		0.10	8
9	0.32	0.03		0.03					0.07			0.05	9
10	0.31	0.02		0.05	0.02		0.09	0.06	0.06	0.10		0.05	10
11	0.25		0.09		0.10		0.11	0.04	0.08	0.01		0.05	11
12	0.07		0.20				0.61					0.03	12
13			0.11	0.16	0.04		0.30					0.02	13
14	0.08			0.12			0.13						14
15				0.06			0.12						15
16		0.05		0.03	0.02	0.01						0.10	16
17			0.12	0.45			0.20					0.29	17
18	0.02			0.08		0.47							18
19	0.14		0.07	0.13							0.07	0.03	19
20	0.05	0.02	0.36	0.25		0.07			0.23	0.15	0.18		20
21				0.21					0.50	0.12	0.05		21
22			0.10	0.08	0.13				0.15	0.08		0.06	22
23				0.07		0.28			0.45			0.05	23
24								0.66	0.14			0.01	24
25				0.21									25
26	0.02	0.20		0.23		0.60			0.09			0.06	26
27	0.20						0.84	0.02	0.65			0.08	27
28	0.40			0.31								0.30	28
29	0.22						1.23						29
30	0.02	~~X~~	0.04										30
31	0.01	~~X~~	0.04	~~X~~		~~X~~	0.21		~~X~~		~~X~~		31
TOTAL	2.24	1.19	1.21	3.51	0.75	2.92	4.22	1.86	2.42	1.27	0.52	2.12	YEAR'S TOTAL 24.237
Days with 0.1 in. or more	16	11	10	21	8	9	12	8	10	9	4	19	137
Days with 0.4 in. or more	11	5	10	18	5	8	12	5	10	8	4	15	111

TELEPHONE NO
64 WALTHAM X.



J. E. SHARPE,
ENGINEER AND SURVEYOR.

Cheshunt Urban District Council.

Manor House.

Cheshunt, Herts.

6th January, 1921.

Dear Sir,

I enclose herewith Registers of Rainfall for the Year 1920, taken at the Manor House Cheshunt, the Waterworks Pumping Station, Darnicle Hill, Cheshunt, and the Sewage Pumping Works, Waltham Cross.

I cannot vouch for the accuracy of the figures in respect of the Sewage Pumping Works.

Yours faithfully,

J. E. Sharpe

Engineer & Surveyor.

The Superintendent,
British Rainfall Organisation,
62, Camden Square,
LONDON N.W. 1.

REG

WALWORTH

Kent

Brettle S.

in the County of

Surrey

by

M. K. Moor

1912 + 1915

N 2

FORM A2.
BRITISH RAINFALL.in.
ound 1 ft. 5 in.
a Level ft.
ame

istance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. The result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.07	—	—	0.15	0.29	—	0.08	0.33	—	0.21	1
2	—	—	0.23	—	—	0.02	0.27	0.11	0.01	0.02	—	0.01	2
3	0.06	0.01	0.07	—	—	0.13	—	0.40	—	—	—	0.06	3
4	0.32	0.02	0.03	—	0.20	0.16	—	0.06	—	—	0.13	—	4
5	0.15	0.05	0.45	—	—	—	0.08	0.19	—	—	0.06	—	5
6	0.44	0.02	—	—	0.01	0.23	0.02	0.15	—	—	—	0.06	6
7	0.01	—	0.04	—	0.06	0.80	0.01	0.18	—	—	—	0.01	7
8	0.26	0.22	0.10	—	—	0.06	—	—	—	—	—	—	8
9	0.01	0.06	—	0.01	—	0.19	—	0.08	—	—	—	0.11	9
10	—	0.03	—	—	—	0.05	—	0.20	0.01	—	0.05	0.24	10
11	0.02	0.36	—	—	—	0.03	—	0.02	—	—	0.01	0.14	11
12	0.03	0.06	0.07	—	0.19	0.14	—	—	—	—	0.02	0.03	12
13	0.01	0.02	—	—	—	—	—	0.02	—	0.01	0.03	0.01	13
14	—	—	—	—	—	—	—	0.09	—	0.05	0.02	0.04	14
15	—	0.01	0.05	—	0.38	0.55	—	0.01	—	0.04	0.03	0.40	15
16	0.24	—	0.02	—	0.03	0.02	—	0.05	—	—	0.05	—	16
17	0.68	—	0.17	—	—	0.04	—	0.04	—	—	—	0.01	17
18	0.03	—	0.11	—	—	0.04	—	0.08	—	—	0.02	0.09	18
19	0.12	0.06	0.11	—	—	—	0.01	0.43	—	0.03	0.02	—	19
20	0.02	0.01	0.11	—	0.03	—	—	0.07	—	0.45	—	—	20
21	—	0.03	0.09	—	0.02	—	—	0.10	—	0.05	0.03	—	21
22	0.30	0.15	0.03	—	0.04	—	0.17	0.13	—	0.03	—	0.06	22
23	0.35	0.37	0.30	—	—	—	0.01	0.38	—	0.04	0.15	0.17	23
24	0.22	0.01	0.01	—	—	0.45	0.01	0.17	—	—	0.01	0.11	24
25	0.23	—	—	—	—	0.15	—	0.76	—	—	0.20	0.47	25
26	—	0.02	—	—	—	—	—	0.02	—	0.31	0.30	0.32	26
27	—	—	—	—	—	0.05	—	0.13	—	0.16	0.38	0.17	27
28	—	0.09	—	—	—	—	0.13	—	0.06	0.24	—	0.10	28
29	—	0.01	0.02	—	—	0.01	0.16	0.18	0.83	0.12	0.07	—	29
30	—	—	—	—	0.29	0.18	0.01	0.08	1.11	0.15	—	0.01	30
31	0.01	—	0.18	—	—	—	0.06	0.12	—	0.01	—	0.00	31
Total	3.51	1.61	2.26	0.01	1.25	3.45	1.23	4.25	2.10	2.04	1.58	2.83	TOTAL for year
No. of Rain Days.	20	20	20	1	10	20	13	27	6	16	18	22	26.12 1913

REGISTER OF RAINFALL

N 2
FORM A2.
BRITISH RAINFALL.


Kept *Brettell S. Walworth*
in the County of *Surrey, Box of Southwark*
by *M. K. Moor.*

RAIN GAUGE
Pattern *Nepean Standard*
Diameter of top *5* in.
Height of top above Ground *1* ft. *5* in.
" " " Sea Level ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.



Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.07	—	—	0.15	0.29	—	0.08	0.33	—	0.21	1
2	—	—	0.23	—	—	0.02	0.27	0.11	0.01	0.02	—	0.01	2
3	0.06	0.01	0.07	—	—	0.13	—	0.40	—	—	—	0.06	3
4	0.32	0.02	0.03	—	0.20	0.16	—	0.06	—	—	0.13	—	4
5	0.15	0.05	0.45	—	—	—	0.08	0.19	—	—	0.06	—	5
6	0.44	0.02	—	—	0.01	0.23	0.02	0.15	—	—	—	0.06	6
7	0.01	—	0.04	—	0.06	0.80	0.01	0.18	—	—	—	0.01	7
8	0.26	0.22	0.10	—	—	0.06	—	—	—	—	—	—	8
9	0.01	0.06	—	0.01	—	0.19	—	0.08	—	—	—	0.11	9
10	—	0.03	—	—	—	0.05	—	0.20	0.01	—	0.05	0.24	10
11	0.02	0.36	—	—	—	0.03	—	0.02	—	—	0.01	0.14	11
12	0.03	0.06	0.07	—	0.19	0.14	—	—	—	—	0.02	0.03	12
13	0.01	0.02	—	—	—	—	—	0.02	—	0.01	0.03	0.01	13
14	—	—	—	—	—	—	—	0.09	—	0.05	0.02	0.04	14
15	—	0.01	0.05	—	0.38	0.55	—	0.01	—	0.04	0.03	0.40	15
16	0.24	—	0.02	—	0.03	0.02	—	0.05	—	—	0.05	—	16
17	0.68	—	0.17	—	—	0.04	—	0.04	—	—	—	0.01	17
18	0.03	—	0.11	—	—	0.04	—	0.08	—	—	0.02	0.09	18
19	0.12	0.06	0.11	—	—	—	0.01	0.43	—	0.03	0.02	—	19
20	0.02	0.01	0.11	—	0.03	—	—	0.07	—	0.45	—	—	20
21	—	0.03	0.09	—	0.02	—	—	0.10	—	0.05	0.03	—	21
22	0.30	0.15	0.03	—	0.04	—	0.17	0.13	—	0.03	—	0.06	22
23	0.35	0.37	0.30	—	—	—	0.01	0.38	—	0.04	0.15	0.17	23
24	0.22	0.01	0.01	—	—	0.45	0.01	0.17	—	—	0.01	0.11	24
25	0.23	—	—	—	—	0.15	—	0.76	—	—	0.20	0.47	25
26	—	0.02	—	—	—	—	—	0.02	—	0.31	0.30	0.32	26
27	—	—	—	—	—	0.05	—	0.13	—	0.16	0.38	0.17	27
28	—	0.09	—	—	—	—	0.13	—	0.06	0.24	—	0.10	28
29	—	0.01	0.02	—	—	0.01	0.16	0.18	0.83	0.12	0.07	—	29
30	—	—	—	—	0.29	0.18	0.01	0.08	1.11	0.15	—	0.01	30
31	0.01	—	0.18	—	—	—	0.06	0.12	—	0.01	—	0.00	31
Total	3.51	1.61	2.26	0.01	1.25	3.45	1.23	4.25	2.10	2.04	1.58	2.83	TOTAL for year
No. of Rain Days.	20	20	20	1	10	20	13	27	6	16	18	22	26.12 19.3



25 stone houses
 Applebury R. 2.

25 stone houses
 Menor S.

gardens
 25 stone houses.
 Brettle S.



REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2-JAN 1914

Kept at 5 Birtall St. Walworth, Southwark
London S.E.
in the County of Surrey
by M.K. Morr.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.28	0.04	0.12	0.00	0.00	0.00	0.00	0.26	0.00	0.05	0.09	1
2	0.01	0.02	0.00	0.01	0.00	0.00	0.09	0.00	0.02	0.00	0.06	0.00	2
3	0.00	0.01	0.06	0.15	0.34	0.00	0.19	0.00	0.00	0.00	0.01	0.02	3
4	0.16	0.00	0.01	0.02	0.22	0.00	0.00	0.00	0.24	0.12	0.00	0.05	4
5	0.29	0.00	0.00	0.00	0.00	0.06	0.19	0.00	0.02	0.03	0.02	0.00	5
6	0.01	0.00	0.11	0.00	0.03	0.05	0.25	0.00	0.00	0.13	0.10	0.12	6
7	0.00	0.08	0.00	0.00	0.12	0.00	0.16	0.10	0.00	0.51	0.06	0.00	7
8	0.00	0.03	0.04	0.00	0.09	0.10	0.01	0.00	0.00	0.08	0.01	0.01	8
9	0.00	0.13	0.00	0.00	0.05	0.01	0.00	0.00	0.06	0.00	0.04	0.03	9
10	0.00	0.00	0.13	0.09	0.00	0.00	0.02	0.03	0.00	0.00	0.35	0.00	10
11	0.31	0.00	0.00	0.41	0.00	0.00	0.00	0.00	0.00	0.60	0.12	0.00	11
12	0.00	0.00	0.00	0.00	0.04	0.09	0.00	0.00	0.00	0.00	0.34	0.00	12
13	0.06	0.00	0.04	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.31	0.00	13
14	0.04	0.00	0.07	0.07	0.00	0.00	0.71	0.09	0.05	0.13	0.00	0.00	14
15	0.41	0.04	0.30	0.21	0.00	0.00	0.15	0.00	0.01	0.00	0.00	0.00	15
16	0.12	0.00	0.33	0.19	0.00	0.00	0.02	0.00	0.54	0.01	0.00	0.00	16
17	0.03	0.03	0.08	0.08	0.00	0.00	0.09	0.00	0.00	0.00	0.01	0.00	17
18	0.00	0.00	0.27	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	18
19	0.14	0.00	0.05	0.00	0.00	0.00	0.08	0.00	0.28	0.00	0.03	0.00	19
20	0.11	0.00	0.32	0.02	0.00	0.04	0.00	0.00	0.00	0.31	0.61	0.00	20
21	0.01	0.02	0.15	0.04	0.01	0.07	0.06	0.00	0.00	0.21	0.00	0.00	21
22	0.34	0.00	0.14	0.00	0.00	0.00	0.00	0.30	0.16	0.01	0.00	0.00	22
23	0.00	0.00	0.00	0.00	0.00	0.03	0.10	0.04	0.02	0.00	0.01	0.34	23
24	0.00	0.00	0.01	0.03	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	24
25	0.00	0.02	0.01	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	25
26	0.00	0.03	0.19	0.20	0.00	0.02	0.00	0.17	0.00	0.80	0.00	0.19	26
27	0.00	0.00	0.03	0.50	0.06	0.00	0.00	0.00	0.00	0.02	0.00	0.00	27
28	0.21	0.00	0.18	0.10	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	28
29	0.05		0.04	0.42	0.60	0.00	0.00	0.04	0.00	0.02	0.00	0.00	29
30	0.23		0.00	0.07	0.00	0.00	0.00	0.17	0.00	0.07	0.00	0.00	30
31	0.00		0.02		0.00			0.62		0.10		0.00	31
Total	2.55	0.79	2.62	3.03	1.56	0.48	2.12	1.57	1.66	3.29	2.17	0.86	22.70
Rain Days.	18	11	23	20	10	10	14	10	11	18	18	9	172

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
6 JAN 1915

Kept at Kilworth - BREWELL ST
in the County of Surrey
by Mrs M. R. H. H. H.
11 Bute St, Kilworth

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.31	0.00	0.00	0.00	0.01	1
2	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.10	0.00	0.00	0.17	0.27	2
3	0.01	0.00	0.10	0.02	0.12	0.00	0.02	0.00	0.00	0.00	0.02	0.00	3
4	0.06	0.00	0.03	0.11	0.00	0.00	0.00	0.05	0.00	0.00	0.24	0.31	4
5	0.04	0.00	0.05	0.17	0.16	0.01	0.38	0.52	0.00	0.00	0.07	0.00	5
6	0.00	0.10	0.01	0.11	0.05	0.20	0.01	0.03	0.00	0.00	0.06	0.08	6
7	0.00	0.17	0.24	0.25	0.77	0.05	0.06	0.00	0.00	0.00	0.00	0.07	7
8	0.07	0.30	0.75	0.05	0.04	0.07	0.00	0.07	0.05	0.00	0.00	0.00	8
9	0.18	0.01	0.61	0.10	0.00	0.05	0.00	0.00	0.09	0.00	0.00	1.35	9
10	0.00	0.04	0.02	0.05	0.05	0.00	0.00	0.00	0.05	0.00	0.02	0.00	10
11	0.00	0.37	0.30	0.00	0.00	0.09	0.00	0.00	0.13	0.00	0.31	0.22	11
12	0.00	0.05	0.10	0.00	0.09	0.00	0.21	0.00	0.12	0.04	0.01	0.38	12
13	0.00	0.15	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.07	0.35	13
14	0.00	0.05	0.21	0.00	0.00	0.39	0.04	0.00	0.00	0.11	0.05	0.40	14
15	0.02	0.03	0.16	0.00	0.00	0.00	0.10	0.02	0.00	0.00	0.41	0.05	15
16	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.01	16
17	0.00	0.30	0.05	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.15	17
18	0.00	0.06	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.27	18
19	0.01	0.02	0.21	0.00	0.00	0.02	0.05	0.00	0.00	0.00	0.00	0.29	19
20	0.00	0.10	0.50	0.00	0.00	0.03	0.00	0.00	0.16	0.00	0.00	0.05	20
21	0.00	0.51	0.10	0.00	0.00	0.04	0.00	0.00	0.00	0.04	0.01	0.04	21
22	0.00	0.05	0.02	0.00	0.18	0.29	0.13	0.02	0.00	0.07	0.00	0.00	22
23	0.00	0.00	0.09	0.00	0.13	0.03	0.10	0.00	0.00	0.08	0.00	0.04	23
24	0.00	0.00	0.02	0.05	0.03	0.00	0.00	0.00	0.00	0.01	0.11	0.00	24
25	0.02	0.00	0.16	0.00	0.00	0.00	0.03	0.08	0.00	0.28	0.01	0.09	25
26	0.00	0.00	0.03	0.00	0.00	0.00	0.03	0.16	0.00	0.06	0.15	0.44	26
27	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.10	27
28	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.42	0.97	28
29	0.02		0.05	0.00	0.00	0.00	0.00	0.02	0.00	0.30	0.10	0.06	29
30	0.00		0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.27	0.14	30
31	0.00		0.00		0.16		0.00	0.00		0.00		0.04	31
Total	0.46	2.33	4.26	0.91	1.69	1.27	1.45	1.34	0.63	1.35	3.00	6.28	24.97
Rain Days.	10	17	27	9	10	12	13	11	8	11	20	25	173

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Walsworth BREITELL STREET
in the County of Surber London
by Mrs M. K. Moon

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

3 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.43	0.13	0.00	0.00	0.03	0.00	0.00	0.00	0.08	0.04	0.70	0.36	1
2	0.31	0.19	0.19	0.02	0.00	0.00	0.00	0.45	0.00	0.05	0.00	0.09	2
3	0.35	0.01	0.08	0.08	0.00	0.00	0.00	0.54	0.05	0.00	0.00	0.48	3
4	0.05	0.00	0.00	0.00	0.02	0.00	0.00	0.16	0.00	0.00	0.00	0.25	4
5	0.06	0.43	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.03	0.00	0.27	5
6	0.32	0.04	0.00	0.24	0.04	0.00	0.65	0.02	0.00	0.00	0.00	0.22	6
7	0.29	0.20	0.02	0.00	0.00	0.00	0.05	0.05	0.00	0.00	0.00	0.15	7
8	0.00	0.59	0.00	0.04	0.00	0.00	0.09	0.08	0.00	0.00	0.00	0.00	8
9	0.14	0.04	0.00	0.10	0.00	0.10	0.00	0.11	0.00	0.02	0.35	0.64	9
10	0.23	0.00	0.01	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.00	0.17	10
11	0.02	0.00	0.02	0.00	0.00	0.00	0.01	0.01	0.00	1.00	0.61	0.07	11
12	0.06	0.02	0.00	0.28	0.47	0.00	0.00	0.29	0.00	0.01	0.38	0.00	12
13	0.02	0.32	0.00	0.00	1.37	0.00	0.00	0.13	0.00	0.00	0.00	0.00	13
14	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.03	0.02	0.00	0.00	0.43	14
15	0.10	0.00	0.00	0.00	0.06	0.00	0.32	0.25	0.00	0.00	0.28	0.27	15
16	0.00	0.15	0.00	0.00	0.00	0.00	0.55	0.01	0.00	0.01	0.00	0.01	16
17	0.00	0.28	0.00	0.00	0.89	0.00	0.04	0.09	0.00	0.00	0.00	0.00	17
18	0.00	0.24	0.05	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.04	0.25	18
19	0.00	0.15	0.00	0.00	0.01	0.00	0.08	0.00	0.00	0.00	0.00	0.00	19
20	0.31	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	20
21	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.05	21
22	0.00	0.16	0.04	0.03	0.00	0.00	0.60	0.00	0.00	0.00	0.00	0.14	22
23	1.15	0.36	0.25	0.00	0.00	0.05	0.15	0.00	0.11	0.39	0.00	0.27	23
24	0.00	0.00	0.07	0.01	0.00	0.01	0.06	0.00	0.18	0.14	0.00	0.42	24
25	0.00	0.00	0.05	0.17	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.45	25
26	0.02	0.07	0.01	0.23	0.00	0.05	0.06	0.00	0.00	0.00	0.00	0.44	26
27	0.00	0.01	0.00	0.00	0.00	0.15	0.42	0.00	1.59	0.25	0.00	0.01	27
28	0.00	0.05	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.16	0.00	0.00	28
29	0.00		0.00	0.00	0.00	0.01	0.22	0.18	0.00	0.00	0.15	0.05	29
30	0.02	X	0.00		0.00	0.00	0.00	0.00	0.00	0.01	0.31	0.00	30
31	0.02	X	0.00	X	0.00	X	0.00	0.01	X	0.78	X	0.12	31
Total	3.92	3.53	0.79	1.24	3.21	0.44	3.45	2.81	2.03	2.92	2.84	5.61	32.59
Rain Days.	19	20	11	11	9	7	15	18	6	14	9	23	162
					3.11								YEAR'S TOTAL

Wansworth

FORM A2
BRITISH RAINFALL
23 JAN 1912

WANSWORTH

Kept at Putney
in the County of Putney
by Met. Water

PUTNEY HEATH RES

1911 - 1920

in.
nd. 1 ft.
Level 180 ft.
ce. Direction
result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to
Jan. 1, following.

IMPORTANT
previous day. If an
requested to add the
for it at the end of
the selection and p
Organization are give
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03		01	72				04					1
2	21			25	17						13	07	2
3	02	02			12			02			05	06	3
4	02		05	06					01	03	17	20	4
5	02	02								15	02	12	5
6	23		14	01								21	6
7	05			02						06	28	09	7
8	12		15								21	29	8
9	14		01	02								02	9
10	04	12	05	02							08	44	10
11	27				07						59		11
12	02		43		12				03		32		12
13			09		12				41	11	01	23	13
14		08	02		28							40	14
15		05	12							02	02	02	15
16						60					32	02	16
17			01			03					24	13	17
18		15	03								47	18	18
19					01	26		02	19	12	16	10	19
20	01	03	01					15	08	05		48	20
21		11						25	02	55		06	21
22	08		12			01				16		41	22
23		10	06			76			27		03	10	23
24		13	02			02	02			1.06		29	24
25		02		09		14	12	03	02	01		02	25
26		02	05	20		04	05			08	01	27	26
27		36	07	05					15	01	07	12	27
28		11		21			01	08			02	01	28
29		X		09		18	07		13	23			29
30		X				02		62	02	16			30
31		X		X	28	X			X	01	X		31
Total	1.26	1.32	1.44	1.74	1.17	2.06	27	1.21	1.33	2.81	3.20	4.34	TOTAL for year 22.15
No. of Rain Days	14	14	18	12	8	10	5	8	11	16	19	25	160

Also

FORM A2
BRITISH RAINFALL
23 JAN 1912

Kept at Putney Heath
in the County of Sel. of Thames
by Met. Water Board

Pattern
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 1 ft.
" " " Sea Level 180 ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03		01	72				04					1
2	21			25	17						13	07	2
3	02	02			12			02			05	06	3
4	02		05	06					01	03	17	20	4
5	02	02								15	02	12	5
6	23		14	01								21	6
7	05			02						06	28	09	7
8	12		15								21	29	8
9	14		01	02								02	9
10	04	12	05	02							08	44	10
11	27				07						59		11
12	02		43		12				03		32		12
13			09		12				41	11	01	23	13
14		08	02		28							40	14
15		05	12							02	02	02	15
16						60					32	02	16
17			01			03					24	13	17
18		15	03								47	18	18
19					01	26		02	19	12	16	10	19
20	01	03	01					15	08	05		48	20
21		11						25	02	55		06	21
22	08		12			01				16		41	22
23		10	06			76			27		03	10	23
24		13	02			02	02			1.06		29	24
25		02		09		14	12	03	02	01		02	25
26		02	05	20		04	05			08	01	27	26
27		36	07	05					15	01	07	12	27
28		11		21			01	08			02	01	28
29		X		09		18	07		13	23			29
30		X				02		62	02	16			30
31		X		X	28	X			X	01	X		31
Total	1.26	1.32	1.44	1.74	1.17	2.06	27	1.21	1.33	2.81	3.20	4.34	TOTAL for year 22.15
No. of Rain Days	14	14	18	12	8	10	5	8	11	16	19	25	160

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A23

Kept at Putney Heath
in the County of Thames, Right-Bank
by H. F. Rutter

RAIN GAUGE Pattern
Diameter of top in.
Height of top above Ground ft. in.
Sea Level ft.
Time of Observation
Nearest Railway Station Name Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			07	03		07	35		06	34		18	1
2	05		30			03	31	08				01	2
3		02	11			10	01	27				12	3
4	23	01	41		10	20		08			16		4
5	16	01	05					30	02		03	01	5
6	44	04				08		17				02	6
7					06	80	15	58				02	7
8	26	27	14			11	02	23					8
9	01	08	01	09		12	01	05				14	9
10		04				03		40			15	24	10
11		24				02		04	02		02	13	11
12	06	06	06		23	16		02		01	03	01	12
13	01	01	01					03		06	04	01	13
14			01		03			08				02	14
15		02	12		37	62		01			03	33	15
16	36		03		04	04		05		04	06		16
17	37		20			03		04				01	17
18	06		12					10		03		09	18
19	14	05	06				06	54			03		19
20	02		12					11		40	02		20
21	01	03	21		05			11		08	05		21
22	20	15	06		05		12	14		03	01	04	22
23	32	44	34				02	39		06	16	16	23
24	49	03				29	01	23				13	24
25	19					15		71			26	53	25
26		03						39		37	32	30	26
27						09				16		17	27
28		07				13	18	04	08	24	32	10	28
29		02				06	31	22	91	18	04		29
30		X			43			05	1.17	14			30
31		X	24	X		X	11	11	X	03	X		31

Total 3.38 1.62 2.67 12 1.36 3.13 1.66 5.57 2.26 2.17 1.73 2.77 2844
No. of Rain Days. 18 19 20 2 9 19 13 29 6 15 17 22 189
W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM 18

Kept at Putney Heath Reservoir
in the County of London
by M. W. B. H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.25	.03	.11					.46	.02	.05	.10	1
2	.03	.16	.01				.05		.02	.13	.09	.01	2
3			.02	.31	.27					.01		.02	3
4	.20			.02	.32		.07			.20	.03	.08	4
5	.30					.12	.08		.37	.01	.02	.03	5
6	.01	.03	.11		.04	.06	.12			.22	.08	.11	6
7		.09			.04		.01	.19		.41	.07	.01	7
8		.03			.06	.20				.07	.02		8
9		.14			.03		.02		.06			.03	9
10			.14	.16			.29				.31		10
11	.20			.40	.11					.55	.11		11
12					.04					.01	.29		12
13	.08		.04					.01	.12		.21		13
14	.12	.02	.09	.07	.01		.70	.10		.10	.04	.01	14
15	.13	.09	.31	.20			.19		.04		.01		15
16	.13		.33	.10					.45				16
17	.04	.03	.07	.06			.14						17
18			.20	.09							.03		18
19	.14		.09	.02	.01	.02	.15		.20				19
20	.19		.30	.03		.40				.55	.02		20
21	.01		.12	.09			.05			.21	.69		21
22	.37		.15	.06				.19	.16				22
23						.04		.20	.01			.32	23
24	.01		.04	.05				.08					24
25		.02	.01	.15									25
26			.17	.07				.09		.72		.20	26
27			.02	.05	.03					.01			27
28	.26		.23	.10						.11		.01	28
29	.05	X	.05	.46	.69			.05		.02			29
30	.23	X		.05				.12		.08			30
31		X	.05	X		X		.53	X	.04	X		31
Total	2.52	.86	2.58	2.65	1.65	.84	1.87	1.56	1.89	3.47	2.07	.93	22.89
Rain Days.	19	10	22	21	12	6	12	10	10	19	16	12	169

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Putney Heath Reservoir
in the County of London R. Bank
by Met. Water Board H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02					12			01	01	1
2							12	14			13	15	2
3	02		04		13		10	02			03	01	3
4	04		01	14				02			25	26	4
5	04		05	16	11	05	26	87					5
6		14	03	10		17	05	02			05	08	6
7		23	17	20	53	07	13	01				07	7
8	12	32	73	02	08	17	06	09				02	8
9	17		57	12	04	06			15			149	9
10	01	09	06	03		05			13			03	10
11		32	36						15		31	24	11
12		08	11				12		16		01	45	12
13		17	12						17	04	06	35	13
14		07	20			243	10		01	16	05	50	14
15	04	01	13				09			01	46	02	15
16			02				02		02				16
17		29	05									10	17
18		04	14									21	18
19		03	22			01	05				19	35	19
20		18	33			02			10			04	20
21		49	07					04		01		02	21
22		01	02		49	05	16	01		11			22
23			09		17	11	04			10			23
24			03		01						10		24
25	04		17				01	14		26	01	09	25
26			05				07	06		05	16	55	26
27	05										03	11	27
28	01	02			01					04	50	83	28
29	04	X	09							22	11		29
30		X	04							05	45	17	30
31		X		X	23	X	01		X		X	04	31
Total	58	249	392	77	180	319	139	154	89	105	291	619	2672
Rain Days.	11	16	27	7	10	11	16	12	8	11	18	25	172

REGISTER OF RAINFALL IN 1915

Kept at Putney Heath
in the County of London Thames R. Bank
by Met. Water Board H. F. Putter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	42	12	04		05				02	04	27	45	1
2	44	16	24	14				50		05		14	2
3	36		09	15	02			22				45	3
4	02		01					03				24	4
5	03	36		01						03		25	5
6	35	04	01	25	01		72					22	6
7	24	24	02	01			10	04				19	7
8	12	52		04			05	05					8
9		02		09		08		05			35	67	9
10	18	02	01					41				18	10
11	02		02					01			73	03	11
12	06	03		29	46			03			31	01	12
13	01	37			1.21			29					13
14		04					34		03			39	14
15	07				04			22			21	12	15
16		22					53	05				11	16
17		31			93		02	69					17
18		29	04		17						02		18
19		15			01		07			01			19
20	32			04								19	20
21	21	01					01					05	21
22	87	04	16	04			73						22
23	01	25	03			01	41		10	57		29	23
24			04				50		23	27		45	24
25			02	19			32					16	25
26		05				14	24					45	26
27						18	13			24		07	27
28		05				03			1.39	26		01	28
29								16			13		29
30	03					30				05	21	01	30
31										85		18	31
Total	3.76	3.29	73	1.25	2.90	74	4.17	2.75	1.77	2.37	2.23	5.31	31.27
Rain Days.	18	20	13	11	9	6	14	14	5	10	8	24	152

REGISTER OF RAINFALL IN 1916

BRITISH RAINFALL FORM A.

Kept at Putney
in the County of London D. Banks
by M. W. B. H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03	01			41		01		25	11	34		1
2	39	02	10		27		02		28	36	03		2
3	01	48	11				03		13	25	66		3
4	20	12		02		26			12	01	44		4
5	01		01		14	08	01			06	54		5
6		06	20	20	02	22	33			03	30		6
7	06		47	01	15	08	26			01	54	07	7
8			02		20						01	16	8
9	01		01		23					03		05	9
10		19	09	06	01	64	05		02			16	10
11	01	13	02	14	01	55						05	11
12	03	02	01	04	30	15		05	02	11	01		12
13		19	28	02	02	10	13	18	01				13
14		40	01		09			41				04	14
15		24	23	01			10	11		01		01	15
16	01		21	16			17	25					16
17	08	02		03			02	06	29	58			17
18	01	10	02	30				25	17	20	71		18
19	02	04	16	10					14	01	60	01	19
20	15		21					01	01		02	34	20
21	01		37	02			21						21
22		01	05		02							38	22
23	03	20	01			04		01		05		14	23
24		09			08			04		13	02	26	24
25		53	15					27		04	10	02	25
26		19	05			08		35		10		01	26
27	04	01	80			03		35	09	50			27
28		31	24			26		05	03			13	28
29		05	01					106	02	20		14	29
30		X			14			12		29			30
31		X		X		X		10	X	21	X	02	31
Total	1.10	3.41	3.84	1.11	2.09	2.49	1.34	3.67	1.58	3.29	4.32	1.99	30.23
Rain Days.	17	22	25	13	15	12	12	17	14	21	14	17	199

REGISTER OF RAINFALL IN 1917

Kept at Putney Heath
in the County of London R. B. Thames
by Met. Water Board, H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

BRITISH RAINFALL
FORM A. 8
1917-1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02	19				1.21	01		06		1
2				40		05		07			17		2
3	01			09				37		22	01		3
4		15	12				04	30		36			4
5	30		06	28			50	04	49	15	09	03	5
6	01		08	02		05			16	02	03		6
7	19			09						30		11	7
8	11		01	04			13	10	05	22	18	46	8
9	01		01	14			79	12	03		08	28	9
10	23		10	26			03	01			02	19	10
11	10		42	06					23	20		03	11
12	06		06	01				06		37			12
13	01		27	13				03	04	02			13
14			03	01				07					14
15	05			20			06	05		01		01	15
16	05	17		09	15	32	23			48		36	16
17	01	01		06	59		28	12	40	26		06	17
18		06			07	63	14	04	19	07			18
19	01	13	09		13	01			16				19
20		16	04		69		08		01	20	05		20
21	04		01								01		21
22	01		03			01		09		07			22
23		12	02		10			08		15		02	23
24		02				14				16		06	24
25		01	06							02	11		25
26			03					20	03		46	01	26
27			02			03		91				01	27
28			01			1.31		08				05	28
29		X	01		49	10	43	01		20		15	29
30		X	40				1.76	05		01		03	30
31	02	X	02	X		X	39	01	X		X	02	31
Total	1.22	83	1.92	2.07	2.22	2.65	4.86	4.02	1.80	3.49	1.27	1.88	28.23
Rain Days.	17	9	23	16	7	10	13	22	12	20	12	17	178

REGISTER OF RAINFALL IN 1918

Kept at Putney
in the County of London, Thames R.B.
by M. R. B. H. F. Putter

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL.
FORM A.
168

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				06								09	1
2		07		05				31		02	16	15	2
3		01	04	01	43			12		01	64	04	3
4		05	16	01				07			46	01	4
5		03	01		10			08	31	07	01	03	5
6	24	10		34	20			09	53	01		08	6
7	03	11		13	33	02		01	06	12	08		7
8		06		01					11	03	09	04	8
9		02		06		04	27		31	11		19	9
10	01			15			67		05	01	04	39	10
11	02			04	05		166		04	19	16	14	11
12		04		01	25		09		03			02	12
13	03			01	12		30		17			01	13
14			02			25	02		26	13		23	14
15	124			69			54		01			07	15
16	33		01	23		17	01		31	01			16
17	25			16			56	06	01			15	17
18	54			01		17	17		118	13		05	18
19	03		04	07		01	30		02	09		05	19
20	04	12		50		02	10		15	20	02	01	20
21	07	01		43			01		61	09			21
22	06			01	22		25		15		02	17	22
23	03			02	21		38	05	03			05	23
24		23				05	69		12		07		24
25				02			42	15			02	01	25
26		01					57	07	01	04	14	13	26
27		01		10			02	16	09		11	03	27
28		01	14	01		05		01			20	14	28
29		X	04						104		01	01	29
30		X	40						01	01	02	14	30
31		X		X		X		06	X	04	X	01	31
Total	2.92	.88	.86	3.13	1.91	.78	7.03	1.24	5.61	1.31	2.25	2.44	30.36
Rain Days.	14	15	9	24	9	9	19	13	24	18	17	27	198

REGISTER OF RAINFALL IN 1919

Kept at Putney Heath
in the County of London R. Bank
by M. N. B. H. F. Rutter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

FORM A. 8
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	26	03	01	04	02		33			03	13	85	1
2	34		01		05		16	03		07	02	10	2
3	26		30		01		20		25		01	36	3
4	08		45			08			06		03	15	4
5		62	57									23	5
6	04	01	05								02	07	6
7	02		31										7
8	09		06	08							03		8
9	04		01	02	01						02		9
10	47		04	01						02		01	10
11	02		06	25			37				01	02	11
12	01		05	05		02	04			10			12
13	01			23						03		01	13
14	21			30			09		47			01	14
15	23	03	12	13								26	15
16	04	49									10	03	16
17	01	33	02								15	01	17
18		21	06								11	07	18
19	08	09	35			28	45	16	05		06	01	19
20	09	06	06			77	24	10					20
21	14	19	02			03	10				02	01	21
22		07				01	15		14		01	30	22
23						04		02	06		02	01	23
24				18		03	11	01		15	04		24
25	04					02		12			01		25
26	07	19	13	14			01	15	11			26	26
27	39	03	06	98				40			03	05	27
28			20	02			02	56			29	29	28
29	04	X	01	03				32		22	01	04	29
30		X		26		16		14		03	24	27	30
31	04	X	02	X		X	02		X	02	X	04	31
Total	3.02	2.35	2.97	2.72	09	1.44	2.29	2.01	1.14	67	1.36	3.46	23.52
Rain Days.	24	13	23	15	4	10	14	11	7	9	21	24	175

REGISTER OF RAINFALL IN 1920.

Kept at Putney Heath.

in the County of London

by H. L. S.

Lat. Long. Time of Observation Nearest Railway Station Diameter of Funnel of Rain Gauge in. Height of top of Gauge above Ground ft. in. Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.3			2.5	0.2		2.5	0.1		2.2		1.2	1
2			0.5					2.2	0.5	0.2		0.6	2
3		0.2		0.3					0.6	0.1		0.3	3
4		0.6	0.1	0.5			2.4	0.2		0.9		0.2	4
5			1.4		0.2		5.8	1.6	0.1			0.4	5
6			1.5		1.1		3.6					0.2	6
7	0.2	0.1		1.1	0.6		2.3						7
8		0.2		1.6	1.3		0.5	0.2					8
9	3.0	0.2		0.2									9
10	4.4	0.3	0.5	0.3		0.8	0.8				0.2		10
11	1.4		0.2	1.5	0.1	0.1	4.6					1.5	11
12	0.9	0.1		0.2		1.2							12
13	2.1		1.0	1.2		0.1							13
14		0.2	2.0	1.8		1.0			1.9	0.2	2.0	0.1	14
15	0.2	0.2	0.5	1.7					6.2	0.9	0.9		15
16			0.1	0.9		0.8			0.9				16
17	0.1				1.3	2.8	0.1		6.8	0.2		0.3	17
18	0.4			0.6	0.2			7.4	1.0			0.2	18
19	1.1			2.0		0.5						0.4	19
20	0.5	2.2		1.3		5.5			1.4			0.1	20
21	0.1						6.9	0.2	6.2			0.3	21
22				2.7					0.4			3.9	22
23							5.3					3.1	23
24		0.4	0.5								0.1	0.1	24
25		0.1		0.1			1.0		0.1				25
26	0.2		1.0			0.1	1.7					0.2	26
27	1.5	0.5	0.4	2.1		8.1	4.0				6.8	0.4	27
28	5.8		0.5	1.3	0.2		1.0				0.2	0.2	28
29	2.5		0.7	0.1			0.1				0.2	1.5	29
30	0.2				0.2		1.7		4.0		2.0	1.0	30
31					0.1					2.5		0.2	31
TOTAL	2.27	5.8	1.14	2.43	6.0	2.55	3.83	1.89	3.06	8.4	1.24	1.74	22.45
Days with "0.1 in. or more	18	13	15	20	11	11	16	7	13	8	8	22	177

REGIS

WANDSWORTH

N

FORM A.
BRITISH RAINFALL
19 APR 1913

Kept at 12, Balham

in the County of Su

by Mrs. G.B. Allen

1912 - 1917

5 in.

Ground ft. in.

Sea Level ft.

the result entered to the
sal rule, he is earnestly

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Obser

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.11	.29	-	.06	.37	-	.16	1
2						.04	.01	.07	.	.03	-	F.D.	2
3						.07	.32	.31	.	.	-	.10	3
4						.20	-	.02	.	.	-	-	4
5						-	-	.22	.	.	.16	.005	5
6						-	-	.09	.	.	.04	.05	6
7						.87	.11	.50	.02	.	.	-	7
8						.07	.04	.17	.	.	.	-	8
9						.17	.02	.09	.	.	.	.14	9
10						F.D.	-	.35	.	.	.15	.24	10
11						.04	-	.04	.005	.	.01	.15	11
12						.10	-	-	.	.	.02	.005	12
13						-	-	.26	.	.03	.03	.005	13
14						-	-	.03	.	.	.	.03	14
15						.62	-	.05	.	.05	.03	.37	15
16						.03	-	.06	.	.05	.04	-	16
17						.03	-	.04	.	-	-	.03	17
18						-	-	.07	.	.03	.02	.12	18
19						.	.02	.50	.	-	.005	-	19
20						.	-	.06	.	.42	.01	-	20
21						.	-	.12	.	.07	.05	-	21
22						.	.08	.25	.	.02	-	.06	22
23						-	-	.36	.	.06	.18	.16	23
24						.17	.02	.22	.	.	-	.13	24
25						.16	-	.80	.	.	.28	.49	25
26						-	-	.36	.	.33	.33	.32	26
27						.09	.005	-	.	.16	.36	.15	27
28						.02	.15	.07	.06	.35	.03	.09	28
29						.29	.20	.08	.92	.13	-	-	29
30						-	.12	.04	1.11	.18	-	-	30
31						.	.06	.11	.	.005	-	-	31
Total						3.08	1.445	5.34	2.175	2.285	1.745	2.805	18.875
Rain Days.						17	13	28	5	15	16	17	111

YEAR'S TOTAL

REGIS

BRITISH RAINFALL FORM A.

19 APR 1913

Kept at 12, Balham Park Road,

in the County of Surrey

by Mrs G.B. Latham

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.11	.29	-	.06	.37	-	.16	1
2						.04	.01	.07	.	.03	-	F.D.	2
3						.07	.32	.31	.	.	-	.10	3
4						.20	-	.02	.	.	-	-	4
5						-	-	.22	.	.	.16	.005	5
6						-	-	.09	.	.	.04	.05	6
7						.87	.11	.50	.02	.	.	-	7
8						.07	.04	.17	.	.	.	-	8
9						.17	.02	.09	.	.	.	.14	9
10						F.D.	-	.35	.	.	.15	.24	10
11						.04	-	.04	.005	.	.01	.15	11
12						.10	-	-	.	.	.02	.005	12
13						-	-	.26	.	.03	.03	.005	13
14						-	-	.03	.	.	.	.03	14
15						.62	-	.05	.	.05	.03	.37	15
16						.03	-	.06	.	.05	.04	-	16
17						.03	-	.04	.	-	-	.03	17
18						-	-	.07	.	.03	.02	.12	18
19						.	.02	.50	.	-	.005	-	19
20						.	-	.06	.	.42	.01	-	20
21						.	-	.12	.	.07	.05	-	21
22						.	.08	.25	.	.02	-	.06	22
23						-	-	.36	.	.06	.18	.16	23
24						.17	.02	.22	.	.	-	.13	24
25						.16	-	.80	.	.	.28	.49	25
26						-	-	.36	.	.33	.33	.32	26
27						.09	.005	-	.	.16	.36	.15	27
28						.02	.15	.07	.06	.35	.03	.09	28
29						.29	.20	.08	.92	.13	-	-	29
30						-	.12	.04	1.11	.18	-	-	30
31						.	.06	.11	.	.005	-	-	31
Total						3.08	1.445	5.34	2.175	2.285	1.745	2.805	YEAR'S TOTAL 18.875
Rain Days.						17	13	28	5	15	16	17	111

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-2 MAR 1914

Kept at Balham Balham Park Road
in the County of London Right Bank
by F. C. Bayard M. M. M. Latham

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.27	.02	.17					.31		.04	.08	1
2	.04	.16					.13		.20	.01	.18	.09	2
3			.02	.34	.36					.16			3
4	.15				.25					.13		.03	4
5	.32				.06	.12	.08		.37		.03	.08	5
6		.02	.15		.11	.06	.39		.05	.16	.12	.10	6
7		.07			.08		.06	.25		.45	.08		7
8		.02	.02		.04	.16				.11			8
9		.14							.06		.03	.03	9
10			.14	.09	.02		.06				.31		10
11	.23			.39	.05			.01		.61	.17		11
12					.06						.27		12
13	.07		.05						.08		.25		13
14	.07	.01	.07	.08			.57		.05	.10			14
15	.25	.08	.31	.20			.30		.04		.04		15
16	.14		.32	.09				.02	.36		.01		16
17	.03	.06	.08	.06			.15						17
18			.11	.10							.03		18
19	.16		.10			.01	.14		.23				19
20	.22		.31	.03	.03	.02				.35			20
21	.01		.16	.07	.01					.22	.62		21
22	.37		.18	.13				.06	.15				22
23			.02			.04		.36	.01			.36	23
24			.01	.04		.01		.08					24
25				.19							.01		25
26		.03	.17	.05				.12		.74		.17	26
27		.01	.01	.08						.02			27
28	.27		.22	.10						.08		.07	28
29	.05		.05	.39	.43			.07		.03			29
30	.22			.05				.18		.09			30
31			.05					.49		.05			31
Total	2.61	.87	2.57	2.65	1.50	.42	1.88	1.64	1.91	3.31	2.19	1.01	YEAR'S TOTAL 22.56
Rain Days.	17	11	22	19	12	7	9	10	12	16	15	9	159

REGISTER OF RAINFALL IN 1914

Kept at 12, Balham Park Road,
in the County of Surrey Balham
by G. B. Latham

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 79.50 ft.

BRITISH RAINFALL
FORM A.
MAR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.01	-	-	-	-	.36	-	-	.01	-	1
2	-	-	-	-	-	-	.16	.005	-	-	.33	.30	2
3	-	-	.05	-	-	-	-	.005	-	-	.02	-	3
4	.05	-	-	.11	.12	-	.25	.05	-	-	.25	.25	4
5	.05	-	.05	.16	.20 ^{FMH}	.02	.24	.03	-	-	.01	-	5
6	-	.11	.01	.11	-	.15	.01	.03	-	-	.04	.08	6
7	-	.25	.19	.45	.41	.06	.09	-	-	-	-	.06	7
8	-	.33	.64	.04	-	.09	.11	.10	FD	-	-	.03	8
9	.16	-	.59	.14	.04	.12	-	-	.03	-	-	1.40	9
10	F.D.	-	.08	.04	.05	.05	-	.08	.18	-	-	.02	10
11	-	.30	.33	-	-	-	-	-	.08	-	.32	.34	11
12	-	.04	.11	-	-	-	.14	-	.15	-	.01	.43	12
13	.005 ^S	.14	.12	-	-	-	-	-	.15	.12	.04	.24	13
14	-	-	.13	-	-	2.20	.01	-	-	.14	.04	.33	14
15	.03	.05	.13	-	-	-	.10	.01	-	.005	.52	.05	15
16	-	-	F.D.	-	-	-	-	-	.03	-	-	-	16
17	-	.29	.04	-	-	-	-	-	F.D.	-	-	.13	17
18	-	.05	.14	-	-	-	.02	.05	-	-	-	.24	18
19	-	.03	.24	-	-	.23	-	-	.01	-	.14	.36	19
20	.005 ^S	.16	.54	-	-	.05	-	-	.18	F.D.	-	.05	20
21	-	.56	.04	-	-	.23	-	-	-	-	-	.04	21
22	-	-	.01	F.D.	.21	.05	.08	.02	-	.11	-	-	22
23	-	-	.08	-	.08	.12	.12	F.D.	-	-	-	-	23
24	-	-	.03	-	.02	-	-	-	-	-	.10	-	24
25	-	-	.21	-	-	-	-	.12	-	.23	.005	-	25
26	-	-	.09	-	-	-	.06	.08	-	.04	.44	.54	26
27	.03	-	-	-	-	-	-	F.D.	-	-	.03	.11	27
28	-	.01	-	-	-	-	-	-	-	.04	.35	.86	28
29	.04	-	.06	-	.01	-	-	-	-	.24	.10	-	29
30	F.D.	X	.04	-	-	-	-	-	-	.05	.35	.10	30
31	-	X	-	X	.18	X	.005	-	X	F.D.	X	.05	31
Total	.34	2.38	4.02	1.05	1.35	3.44	1.455	1.54	.81	1.095	2.895	6.10	YEAR'S TOTAL 26.535
Rain Days.	6	13	25	4	10	12	14	12	8	8	18	22	153

WANDSWORTH
REGISTER OF RAINFALL IN 1915

Kept at 12, Balham Park Road,

in the County of London.

by Mrs. G. B. Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 79.50 ft.

FORM A.
BRITISH RAINFALL
1-FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.12	.06	-	.04	-	-	-	.02	.03	.33	.35	1
2	.36	.12	.22	.16	-	-	-	.35	-	.06	-	.13	2
3	.34	-	.08	-	.04	.02	-	.30	.07	-	-	.45	3
4	.07	-	-	-	-	-	-	FD	-	-	-	.22	4
5	.05	.45	-	-	-	-	-	-	-	.03	.005	.28	5
6	.37	.02	-	.13	-	-	.63	-	-	-	-	.17	6
7	.12	.18	.05	-	-	-	.09	.05	-	-	-	.17	7
8	.12	.40	-	.20	-	-	.15	.20	-	-	-	-	8
9	.06	.02	-	.03	-	.09	-	.13	-	-	.33	.62	9
10	.17	-	.005	.02	-	-	-	.95	-	-	-	.19	10
11	.06	-	-	-	-	-	-	-	-	-	.63	.03	11
12	.07	-	.03	.22	.41	-	-	.06	-	.03	-	-	12
13	FD	.06	-	-	1.03	-	-	.20	FD	-	.33	-	13
14	.05	.48	-	-	-	-	.25	.05	.03	-	-	.37	14
15	-	.04	-	-	.03	-	.05	.20	-	-	.18 ^{SR}	.08	15
16	-	.20	-	.10	.005	-	.55	.06	-	-	-	.13	16
17	-	.28	-	-	.85	-	.01	.24	-	-	-	-	17
18	-	.23	.05	-	.18	-	-	-	-	-	.04	-	18
19	-	-	-	-	.02	-	.10	.20	-	-	-	-	19
20	.26	.10	-	.04	-	-	-	-	-	-	-	.21	20
21	.24 ^{SR}	FD	-	-	-	-	FD	-	-	.02	-	.05	21
22	.95 ^{SR}	.09	.10	-	-	-	.62	-	-	-	-	.10	22
23	-	.30	.10	-	-	.03	.05	-	.04	.49	-	.31	23
24	-	-	.05	.02	-	-	.21	-	.16	.29	-	.50	24
25	-	-	.07	.20	-	-	.15	-	-	-	-	.11	25
26	-	.05	-	-	-	.14	.12	-	.04	-	-	.43	26
27	-	-	-	-	-	.17	.30	-	-	.23	-	.06	27
28	-	-	-	-	-	-	-	-	1.47	.18	-	-	28
29	-	X	-	-	-	-	-	.14	-	.005	.18	-	29
30	-	X	-	-	-	-	-	-	-	.03	.26	.005	30
31	.03	X	-	X	-	X	-	.04	X	.90	X	.21	31
Total	3.75	3.14	.815	1.12	2.605	.45	3.28	3.17	1.83	2.295	2.285	5.175	YEAR'S TOTAL 29.915
Rain Days.	17	17	10	10	8	5	14	15	7	11	8	22	144

13
FORM A.
BRITISH RAINFALL.
13
end C7
cust for auth
REGISTER OF RAINFALL IN 1916

Kept at 12. Balham Park Road, Balham

in the County of London

by Mrs G B Latham per G B Latham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 79.50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	04	02	01	—	47	—	—	—	22	13	30	—	1
2	36	03	10	—	29	—	03	—	30	35	05	—	2
3	—	52	15	—	—	—	—	—	32	25	59	—	3
4	18	08	01	01	—	20	01	—	12	005	38	—	4
5	—	—	01	—	14	07	02	—	—	08	53	—	5
6	—	04	27	23	04	20	20	—	—	005	35	—	6
7	08	—	37	—	17	29	26	—	—	01	68	04	7
8	—	—	02	—	25	—	—	—	—	—	—	17	8
9	—	01	—	—	26	03	—	—	—	04	—	05	9
10	—	19	10	07	—	45	07	—	03	—	—	09	10
11	02	17	02	13	—	46	—	—	—	—	—	—	11
12	02	02	01	05	26	17	07	06	01	10	—	—	12
13	—	19	29	07	02	01	—	11	—	03	—	—	13
14	—	35	01	—	10	—	10	18	—	02	—	05	14
15	—	24	20	—	—	—	—	15	—	005	—	02	15
16	005	01	—	17	—	—	16	15	—	—	—	—	16
17	07	01	20	03	—	—	02	33	29	55	—	—	17
18	—	09	02	44	—	—	—	28	14	—	83	—	18
19	07	03	13	10	—	—	—	—	12	—	58	01	19
20	12	—	26	—	—	—	—	02	—	17	01	36	20
21	—	—	40	005	—	—	06	02	—	—	005	29	21
22	—	—	07	—	—	—	—	—	—	—	—	48	22
23	02	31	01	—	—	03	—	03	—	06	02	16	23
24	—	07	—	—	—	—	—	03	—	12	01	30	24
25	—	62	43	—	—	—	—	47	—	04	04	—	25
26	—	20	10	—	07	08	—	28	—	09	—	—	26
27	04	02 (37)	86	—	—	25	—	57	06	63	—	—	27
28	—	05 (05)	20	—	—	01	—	04	03	—	—	11	28
29	—	—	—	—	—	24	—	95	02	23	—	13	29
30	—	X	—	—	04	—	—	12	—	26	—	—	30
31	—	X	—	X	—	X	—	09	X	16	X	02	31
Total	1025	364	395	1305	211	249	100	388	166	3335	4375	225	YEAR'S TOTAL 33260
Rain Days.	11	23	25	10	12	14	11	18	12	20	14	15	31-02 186

REGISTER OF RAINFALL IN 1917

Kept at Balham, Balham Park Road
in the County of Surrey
by H. C. Bayard, Wm. M. Latham

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 80 ft.

FORM A.
BRITISH RAINFALL.
28 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		05											1
2													2
3	03												3
4		15											4
5	28												5
6													6
7	14												7
8													8
9													9
10	22												10
11	10	03											11
12	13												12
13	02												13
14	05												14
15	05												15
16		13											16
17		01											17
18	04	06											18
19	05	16											19
20	02	23											20
21	03												21
22													22
23		10											23
24	05	01											24
25													25
26													26
27													27
28		01											28
29													29
30		X											30
31	06	X		X		X			X		X		31
Total	1.27	94											
Rain Days.	15	11											

YEAR'S TOTAL

REC

WANDSWORTH
COMMONKept at Handsworthin the County of Londonby F. C. Bayard

1911 - 1920

FORM A2
BRITISH RAINFALL
20 FEB 1912in.
Ground 1 ft. 0 in.
Sea Level 100 ft.ame
Distance Direction

IMPORTANT NOTE. — should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 04	in.	in.	in. 65	in.	in.	in.	in. 02	in.	in.	in.	in.	1
2	16			31							14	06	2
3	03	01										02	3
4	03		06	04						01	16	15	4
5	02	01		05						14	01	17	5
6	18		22									21	6
7	05			03						12	32	04	7
8	09		15	01							25	26	8
9	16		03	01								07	9
10		10	05								06	32	10
11	32										56		11
12	03		39						02		07		12
13			07						44	17	12	17	13
14		08										34	14
15		02	15							02	03	01	15
16						60					27	01	16
17						02					29	14	17
18		16	02								43	15	18
19						20		03	27	05	17	07	19
20	01	14	01					19	05	11		40	20
21								85	02	48		10	21
22	08		14							09		41	22
23		13	07			83			25		02	10	23
24		15	01			06	02			85		20	24
25		04		08		18	09	02		01			25
26			03	19		12	07			07		28	26
27		36	11	06			08		14		06	08	27
28		12		18			09	07			02		28
29				11		18	09		14	22			29
30			01			04		50		13			30
31												02	31
Total	1.20	1.32	1.52	1.72	1.16	2.23	4.4	1.68	1.33	2.47	2.98	3.78	TOTAL for year 21.83
No. of Rain Days	13	12	16	12		9	6	7	8	14	17	24	

REC

FORM A2.
BRITISH RAINFALL
20 FEB 1912Kept at *Handsworth Corn: Tatten Rod*in the County of *London*by *F. C. Bayard, F. J. Brodie*Pattern
RAIN Diameter of top *5* in.
GAUGE Height of top above Ground *1* ft. *0* in.
" " " Sea Level *100* ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. <i>04</i>	in.	in.	in. <i>65</i>	in.	in.	in.	in. <i>02</i>	in.	in.	in.	in.	1
2	<i>16</i>			<i>31</i>							<i>14</i>	<i>06</i>	2
3	<i>03</i>	<i>01</i>										<i>02</i>	3
4	<i>03</i>		<i>06</i>	<i>04</i>						<i>01</i>	<i>16</i>	<i>15</i>	4
5	<i>02</i>	<i>01</i>		<i>05</i>						<i>14</i>	<i>01</i>	<i>17</i>	5
6	<i>18</i>		<i>22</i>									<i>21</i>	6
7	<i>05</i>			<i>03</i>						<i>12</i>	<i>32</i>	<i>04</i>	7
8	<i>09</i>		<i>15</i>	<i>01</i>							<i>25</i>	<i>26</i>	8
9	<i>16</i>		<i>03</i>	<i>01</i>								<i>07</i>	9
10		<i>10</i>	<i>05</i>								<i>06</i>	<i>32</i>	10
11	<i>32</i>										<i>56</i>		11
12	<i>03</i>		<i>39</i>						<i>02</i>		<i>07</i>		12
13			<i>07</i>						<i>44</i>	<i>17</i>	<i>12</i>	<i>17</i>	13
14		<i>08</i>										<i>34</i>	14
15		<i>02</i>	<i>15</i>							<i>02</i>	<i>03</i>	<i>01</i>	15
16						<i>60</i>					<i>27</i>	<i>01</i>	16
17						<i>02</i>					<i>29</i>	<i>14</i>	17
18		<i>16</i>	<i>02</i>								<i>43</i>	<i>15</i>	18
19						<i>20</i>		<i>03</i>	<i>27</i>	<i>05</i>	<i>17</i>	<i>07</i>	19
20	<i>01</i>	<i>14</i>	<i>01</i>					<i>19</i>	<i>05</i>	<i>11</i>		<i>40</i>	20
21								<i>85</i>	<i>02</i>	<i>48</i>		<i>10</i>	21
22	<i>08</i>		<i>14</i>							<i>09</i>		<i>41</i>	22
23		<i>13</i>	<i>07</i>			<i>83</i>			<i>25</i>		<i>02</i>	<i>10</i>	23
24		<i>15</i>	<i>01</i>			<i>06</i>	<i>02</i>			<i>85</i>		<i>20</i>	24
25		<i>04</i>		<i>08</i>		<i>18</i>	<i>09</i>	<i>02</i>		<i>01</i>			25
26			<i>03</i>	<i>19</i>		<i>12</i>	<i>07</i>			<i>07</i>		<i>28</i>	26
27		<i>36</i>	<i>11</i>	<i>06</i>			<i>08</i>		<i>14</i>		<i>06</i>	<i>08</i>	27
28		<i>12</i>		<i>18</i>			<i>09</i>	<i>07</i>			<i>02</i>		28
29				<i>11</i>		<i>18</i>	<i>09</i>		<i>14</i>	<i>22</i>			29
30			<i>01</i>			<i>04</i>		<i>50</i>		<i>13</i>			30
31												<i>02</i>	31
Total	<i>1.20</i>	<i>1.32</i>	<i>1.52</i>	<i>1.72</i>	<i>1.16</i>	<i>2.23</i>	<i>4.4</i>	<i>1.68</i>	<i>1.33</i>	<i>2.47</i>	<i>2.98</i>	<i>3.78</i>	TOTAL for year <i>21.83</i>
No. of Rain Days	<i>13</i>	<i>12</i>	<i>16</i>	<i>12</i>		<i>9</i>	<i>6</i>	<i>7</i>	<i>8</i>	<i>14</i>	<i>17</i>	<i>24</i>	

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL
FORM A.
12 FEB 1913

Kept at *Handsworth Common, Patten Road*
in the County of *Surrey London*
by *J. C. Bayard, F. J. Brodie*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *100* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			06			09	31		04	35		18	1
2		02	26			02	29	05	02	02			2
3	04	04	12			07	01	29	01		01	09	3
4	20	02	38		11	17		02			02		4
5	06	08	08					21			15		5
6	46	03	01			24		07	01			03	6
7			01		06	65	13	49			01	03	7
8	22	23	13			09	02	17					8
9		04		03		17	01	01				15	9
10		02				07		42			12	20	10
11	02	25				05		03				14	11
12	05	07	05		19	10					01		12
13		01	03					19				02	13
14			01		03			02		03	01	02	14
15		02	12		34	59		01			02	28	15
16	33		05		03	03		05		05	05		16
17	40		12			03		04					17
18	04		13					03		05	01	08	18
19	07	05	11				01	44					19
20	02		13					07		40	02		20
21	01	03	12		01			12		06	05		21
22	22	15	05		04		09	10		01	01	05	22
23	36	41	33				02	33		04	16	14	23
24	23	02	02			10		30				12	24
25	16	01				14		69		01	25	42	25
26		02					08	47		33	26	35	26
27						09				12		15	27
28		07				02	11	03	02	22	30	07	28
29		01	02			13	15	13	73	02	03		29
30					38				1.11	26			30
31	01		18		01		07	10					31
Total	2.90	1.60	2.52	03	1.20	2.85	1.30	4.88	1.94	1.97	1.49	2.52	25.20
Rain Days.	15	21	23	1	10	19	13	27	7	15	18	18	190

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
- 2 MAR 1914

Kept at Wandsworth Common Palace Rd
in the County of London Right Bank
by F. C. Bayard F. J. Brodie

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.25	.02	.16					.37		.03	.07	1
2	.03	.17					.05		.01	.13	.11	.01	2
3	.02		.02	.25	.30				.01	.01			3
4	.18		.01	.01	.32		.04			.12	.03	.07	4
5	.15					.05	.06		.34		.02	.06	5
6	.01	.02	.12		.02	.05	.36		.06	.12	.11	.09	6
7		.08			.14		.02	.23		.44	.06		7
8		.03			.06	.20				.16	.02	.01	8
9		.13			.04				.07		.05	.02	9
10	.02		.13	.06	.04		.10	.02			.18		10
11	.36			.35						.60	.21		11
12					.04					.02	.27		12
13	.05		.03					.01	.04		.12		13
14	.04		.05	.06			.30	.08	.05	.09	.26		14
15	.28	.07	.26	.13			.49		.02	.01	.01		15
16	.20		.31	.15			.01		.35	.01			16
17	.06	.05	.05	.06			.13				.01		17
18	.02		.02	.06			.01				.03		18
19	.15		.14	.01		.05	.14		.23				19
20	.08		.22	.02		.06				.34			20
21	.02	.01	.15	.06			.03			.23	.64		21
22	.37		.17	.14				.06	.14				22
23			.02			.02		.29	.03			.29	23
24				.03				.06					24
25		.02		.16						.01			25
26		.02	.15	.04				.07	.01	.72		.18	26
27			.01	.06						.02			27
28	.23		.15	.12					.01	.08			28
29	.07		.05	.40	.40			.07		.03	.01		29
30	.21			.04				.15		.07			30
31			.01					.43		.05			31
Total	2.57	.85	2.09	2.37	1.36	.43	1.74	1.47	1.69	3.26	2.17	.80	YEAR'S TOTAL 20.80
Rain Days.	21	11	21	21	9	6	13	11	15	20	18	9	175

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
3 - MAR 1915

Kept at Wandsworth Common Putney Rd
in the County of London / Thames R Bank
by F. Bayard F. Brodie

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02					.20			.04		1
2							.15	.03			.35	.22	2
3			.05		.12		.28				.05		3
4	.07		.01	.11				.03			.25	.22	4
5	.05		.05	.15	.20		.25	.82					5
6		.15		.11		.13	.02	.03			.07	.06	6
7		.17	.19	.42	.45	.03	.08					.06	7
8	.07	.28	.59	.02	.07	.07	.06	.09				.02	8
9	.17		.62	.10		.06		.01	.05			1.30	9
10	.01	.05	.05	.04	.04						.06	.06	10
11		.30	.30			.04			.23		.37	.29	11
12	.01	.08	.08				.13		.14			.42	12
13		.16	.14					.13	.10	.07	.27		13
14		.06	.16			1.89	.01			.15	.02	.38	14
15	.03	.02	.12				.08			.03	.47	.03	15
16									.02				16
17		.22	.02						.01			.10	17
18		.06	.13									.22	18
19		.02	.17			.30	.01				.15	.28	19
20		.14	.46			.03			.07	.01		.04	20
21		.48	.07			.02				.03		.03	21
22			.01		.18	.04	.15			.12			22
23			.07		.08	.13	.08			.07			23
24	.01		.02			.01				.02	.09		24
25	.01		.18					.07		.20			25
26	.01		.04				.03	.12		.05	.14	.42	26
27	.02		.02								.02	.19	27
28	.01									.04	.39	.66	28
29	.04		.07							.25	.04		29
30		X	.03							.04	.42	.13	30
31	.01	X		X	.16	X			X		X	.02	31
Total	.52	2.19	3.67	.95	1.30	2.75	1.33	1.40	.65	1.11	3.00	5.42	YEAR'S TOTAL 24.29
Rain Days.	14	14	25	7	8	12	13	9	7	13	17	22	161

REGISTER OF RAINFALL IN 1915

Kept at Wandsworth Common (Patten P)
in the County of Surrey London
by Geo J. Bowdrie

Lat. 51° 28' Long. 0° 14'
Time of Observation 9am
Nearest Railway Station Wandsworth Common
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 101 ft.

FORM A.
BRITISH RAINFALL
1 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.40	0.11	0.01	—	0.03	—	—	—	0.02	—	0.30	0.39	1
2	.42	.12	.19	0.06	—	0.01	—	0.47	—	0.08	—	.07	2
3	.29	.01	.09	.21	*—	—	—	.35	.02	—	—	.51	3
4	.08	—	—	—	—	—	—	.01	—	—	—	.28	4
5	.04	.37	—	—	—	—	—	*—	—	.05	.02	.25	5
6	.33	.02	*—	.22	—	—	0.59	—	—	—	—	.21	6
7	.22	.17	*—	—	—	—	.13	.04	—	—	—	.17	7
8	.11	.38	—	.03	—	—	.18	.13	—	—	—	—	8
9	.01	.04	—	.09	—	.03	—	.07	—	.02	.28	.86	9
10	.15	*—	—	—	—	—	—	.96	—	—	—	.20	10
11	.01	—	.02	—	—	—	—	.01	—	—	.65	—	11
12	.06	.02	*—	.22	0.27	—	—	.06	—	.03	.35	*—	12
13	.03	.40	—	—	1.12	—	—	.37	*—	—	*—	—	13
14	*—	.04	—	—	—	—	.26	.02	.01	—	—	.37	14
15	.05	—	—	—	0.03	—	—	.26	—	—	.20	.10	15
16	—	.13	—	—	—	—	.83	.07	—	—	—	.22	16
17	—	.28	—	—	.65	—	.01	.16	—	—	—	*—	17
18	—	.25	.04	—	.22	—	—	—	—	—	.03	—	18
19	—	.10	—	—	.01	—	.07	—	—	—	—	—	19
20	.29	—	—	*—	*—	—	—	—	—	—	—	.20	20
21	0.05	—	—	—	—	—	—	—	—	.02	—	.06	21
22	1.29	.08	.16	.02	—	—	.50	—	—	—	—	.06	22
23	—	.19	—	—	—	—	.54	—	.02	.48	—	.31	23
24	—	.01	.01	—	—	—	.38	—	0.13	.22	—	.47	24
25	—	—	.04	.19	—	—	.14	—	—	—	—	.13	25
26	0.01	.07	*—	—	—	.26	—	—	—	—	—	.43	26
27	—	.02	—	—	—	.17	.49	—	—	.19	—	.05	27
28	—	.03	—	—	—	.02	—	—	1.38	.23	.02	*—	28
29	—	~~X~~	—	—	—	—	—	.09	—	*—	.11	*—	29
30	.01	~~X~~	—	—	—	.03	—	*—	—	.03	.24	.01	30
31	.01	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.64	~~X~~	.20	31
Total	3.86	2.84	0.56	1.04	2.33	0.52	3.82	3.07	1.58	1.99	2.20	5.25	29.06
Rain Days.	20	21	8	8	7	6	12	15	6	11	10	22	146

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Wandsworth Common

in the County of London

by Mrs J. Brodie

Lat. 51° 27' N Long. 0° 14' W

Time of Observation 8.30 am

Nearest Railway Station Wandsworth Common 2.61

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 1.05 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	—	—	—	0.38	—	0.01	—	0.23	0.12	0.40	—	1
2	.37	0.02	0.08	—	.29	—	.03	—	.20	.35	.06	—	2
3	—	.28	.12	—	—	—	.04	—	.36	.26	.68	—	3
4	.19	.10	.01	—	—	0.19	—	—	.14	.03	.36	—	4
5	—	—	—	—	.13	.06	.02	—	.01	.08	.67	0.02	5
6	—	.05	.13	0.22	.05	.23	.14	—	—	.03	.35	—	6
7	.04	—	.38	—	.17	.14	.24	—	—	.03	.67	.07	7
8	—	—	.08	—	.23	—	—	—	—	.01	—	.17	8
9	—	—	—	—	.31	—	—	—	—	.04	—	.05	9
10	—	.18	.09	.05	—	.13	.06	—	.04	.02	.01	.11	10
11	—	.19	.04	.08	—	.75	—	—	—	—	.01	.02	11
12	.03	.05	—	.06	.25	.17	—	0.03	.02	.09	.01	—	12
13	—	.20	.32	.05	—	.07	.09	—	.01	.06	.01	—	13
14	—	.34	.01	—	.10	—	—	.27	—	.03	—	.07	14
15	—	.24	.18	—	—	—	—	.14	—	—	—	.02	15
16	—	.03	.20	.15	—	—	.24	.05	—	—	—	—	16
17	.05	.08	—	.03	—	—	.02	.13	.30	.59	—	.02	17
18	—	.11	.03	.12	—	—	—	.33	.15	.18	.77	.01	18
19	.06	.03	.14	.06	—	—	—	—	.14	—	.69	.02	19
20	.13	—	.26	—	—	—	—	.03	—	—	.03	.30	20
21	.01	—	.38	—	—	—	.16	—	—	.01	—	.45	21
22	—	—	.07	—	—	—	—	—	—	—	—	.45	22
23	.02	.26	.01	—	—	—	—	.02	—	.04	.04	.14	23
24	—	.22	.02	—	.02	—	—	—	—	.13	.03	.29	24
25	—	.17	.14	—	.05	—	—	.48	—	.07	.10	.02	25
26	—	.28	.06	—	—	.10	—	.23	—	.10	—	—	26
27	.05	.02	.84	—	—	.07	—	.46	.06	.70	—	—	27
28	—	.33	.29	—	—	.01	—	0.02	.03	.03	—	.14	28
29	—	.16	—	—	—	.26	—	1.02	.03	.21	—	.14	29
30	—	X	—	—	.07	—	—	0.11	—	.32	—	.01	30
31	—	X	—	X	—	X	—	.06	X	.16	X	.02	31
Total	0.98	3.74	3.88	1.12	2.05	2.48	1.15	3.68	1.72	3.69	4.89	2.54	31.92
Rain Days.	11	21	23	9	12	12	11	15	14	25	17	21	191

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Wandsworth Common
(Toxley Road)
in the County of London
by Fredk J. Brodie

Lat. 51° 27' N Long. 0° 14' W
Time of Observation 8.30 am
Nearest Railway Station Wandsworth Common
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.02	0.01	0.17	—	—	—	1.4	0.06	—	0.06	0.02	1
2	—	—	—	.52	—	0.05	—	0.12	—	—	—	—	2
3	.04	—	—	.09	—	—	0.03	.32	—	0.23	.25	—	3
4	—	.18	.12	—	—	—	.47	.38	—	.37	—	—	4
5	.32	—	.09	.20	—	—	—	.05	.54	.16	.10	—	5
6	—	—	.09	.11	—	.07	—	—	.14	.04	.07	.01	6
7	.18	—	—	—	—	—	.11	—	—	.33	—	.02	7
8	.12	—	—	.11	—	—	.85	.10	.07	.24	.21	.32	8
9	.01	—	.02	.07	.01	—	.05	.13	.05	—	.09	.16	9
10	.21	—	.09	.12	—	—	—	.02	.01	.01	.01	.05	10
11	.13	.03	.46	.24	—	—	—	.03	.23	.19	—	—	11
12	.09	—	.06	.08	—	—	—	.09	—	.35	.01	.02	12
13	.03	—	.24	.06	—	—	—	.04	.04	.06	.01	.01	13
14	—	—	.03	.18	—	—	—	.04	—	.02	—	—	14
15	.04	—	—	.01	—	—	.13	.04	—	.01	—	.01	15
16	.06	.18	—	.20	.13	.09	.11	—	—	.43	.01	.42	16
17	—	.01	—	.08	.63	—	.16	—	.42	.27	—	—	17
18	.04	.06	—	.14	.07	.13	.34	.27	.19	.09	—	—	18
19	.03	.14	.15	.02	.10	.13	—	—	.18	.01	—	—	19
20	.04	.19	.06	—	.67	—	.05	.01	.03	—	.06	—	20
21	.02	—	.04	.01	.04	.03	—	—	—	.01	.02	.01	21
22	.03	—	.03	—	—	—	—	.09	—	.09	.01	—	22
23	—	.13	.04	—	.13	.01	—	.09	—	.16	—	.02	23
24	—	.02	—	—	—	.19	—	.02	—	.16	.05	.02	24
25	—	.01	.05	—	—	—	—	—	—	.03	.06	—	25
26	—	—	.05	—	—	—	—	.23	.03	.01	.56	—	26
27	—	—	.03	—	—	0.01	—	.93	—	.01	.01	.01	27
28	—	.01	.01	—	—	1.48	—	.11	—	.01	—	.07	28
29	—	X	—	—	.38	0.13	0.23	.03	—	.21	—	.18	29
30	.01	X	.28	—	—	—	1.74	.09	—	.04	—	.04	30
31	.04	X	.12	X	—	X	0.39	.02	X	.01	X	.02	31
Total	1.45	0.98	2.07	2.41	2.16	2.32	4.76	4.66	1.99	3.55	1.59	1.41	YEAR'S TOTAL 29.35
Rain Days.	19	12	21	18	9	11	13	24	13	27	17	18	202

REGISTER OF RAINFALL IN 19/8

Kept at Wandsworth Common
(Toxley Road)
in the County of London
by Mr. J. Brodie

Lat. 51° 27' N Long. 0° 14' W
Time of Observation 8.30 am
Nearest Railway Station Wandsworth Common
Diameter of Funnel of Rain Gauge 2.125 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 105 ft.

FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	—	—	0.09	—	—	—	0.03	—	—	0.20	0.12	1
2	.01	0.11	—	.06	—	—	—	.30	—	0.03	.25	.17	2
3	—	.01	0.06	.01	0.35	—	—	.33	0.01	—	.45	—	3
4	—	.05	.16	.02	—	—	—	.03	.36	.01	.47	.01	4
5	—	.03	.02	—	.14	—	—	.16	.33	.09	—	.02	5
6	.24	.13	—	.34	.15	—	—	.24	.08	—	—	.07	6
7	.03	.14	—	.11	.32	0.01	—	.01	.10	.15	.08	—	7
8	—	.06	—	.01	—	—	—	—	.10	.02	.10	.05	8
9	.02	.03	—	.05	—	.04	0.33	—	.27	.13	—	.20	9
10	—	—	—	.16	—	—	0.59	—	.04	.01	.06	.40	10
11	.02	—	—	.04	.04	—	1.90	—	.06	.20	.16	.11	11
12	.01	.04	—	—	.28	—	0.20	—	.03	—	—	.05	12
13	.03	—	—	.01	.21	—	.39	—	.11	—	—	—	13
14	0.15	—	.03	.01	.01	.28	.06	—	.27	.13	—	.23	14
15	1.16	—	—	.64	—	—	.29	—	.01	—	—	.13	15
16	0.21	—	—	.28	—	.21	.01	—	.23	.01	—	—	16
17	.25	—	—	.20	.01	.03	.57	.06	.01	.02	—	.17	17
18	.55	—	—	—	—	.14	.14	—	.67	.18	—	.07	18
19	.03	—	.07	.11	—	.10	.25	—	—	.10	—	.08	19
20	.04	.13	.01	.52	—	.03	.16	—	.13	.25	.01	.02	20
21	.08	.02	—	.48	—	—	.01	—	.54	.10	—	.01	21
22	.07	—	—	.02	.16	—	.13	—	.19	—	.03	.18	22
23	.04	.01	—	.03	.42	—	.57	.04	.02	—	.01	.04	23
24	—	.25	—	—	—	.05	.82	—	.13	—	.05	.02	24
25	—	—	—	.07	—	—	.24	.30	—	.02	.03	—	25
26	—	—	—	—	—	—	.13	.05	—	.05	.15	.12	26
27	—	.02	—	.13	—	—	.07	.18	.13	.01	.12	.06	27
28	—	.02	.16	.01	—	.04	—	.02	—	—	.23	.14	28
29	—	X	.03	—	—	—	—	—	.98	—	.01	—	29
30	—	X	.40	—	—	—	—	.01	.03	.03	.02	.12	30
31	.01	X	—	X	—	X	—	.08	X	.04	X	.02	31
Total	2.96	1.05	0.94	3.40	2.10	0.93	7.16	1.84	4.83	1.58	2.42	2.61	YEAR'S TOTAL 21.83
Rain Days	19	15	9	23	11	10	19	15	24	20	18	25	208

Years Total 7.87 in, at 33% in excess of average

REGISTER OF RAINFALL IN 1919.

Kept at Wandsworth Common
in the County of London (Trixley Road)
by Frank J. Moore

Lat. 51° 27' N Long. 0° 14' W
Time of Observation 8.30 am
Nearest Railway Station Wandsworth Common 204
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.29	0.02	0.01	0.02	0.02	—	0.32	—	—	0.05	0.02	0.78	1
2	.33	—	—	—	.07	—	.60	0.01	0.14	.04	.11	.13	2
3	.27	—	.36	—	.02	—	.16	—	.03	—	.04	.35	3
4	.09	.09	.49	—	.02	0.10	.31	.02	—	—	.03	.16	4
5	.01	.28	.62	—	—	—	—	—	.04	—	.03	.26	5
6	.04	—	.06	—	—	—	—	—	—	—	—	.08	6
7	.04	—	.30	—	—	—	—	—	—	—	.03	.01	7
8	.14	—	.06	.08	—	—	—	—	—	—	.02	—	8
9	.09	—	.01	.01	.04	—	—	—	—	—	.09	—	9
10	.41	—	.04	.03	—	—	—	—	—	.03	.04	.02	10
11	.04	—	.09	.26	.01	—	.27	—	—	—	—	.01	11
12	.01	.01	.05	.07	—	.04	.12	—	—	.11	—	.12	12
13	.02	.02	—	.29	—	—	—	—	.02	.05	—	.02	13
14	.24	.01	—	.36	—	—	.07	—	.59	—	—	.01	14
15	.23	.04	.17	.19	—	—	—	—	—	.02	.01	.18	15
16	.05	.47	—	—	—	—	—	—	—	—	.12	.06	16
17	—	.36	.05	.02	—	—	—	—	—	—	.16	.01	17
18	—	.25	.08	—	—	—	—	—	.04	—	.13	.07	18
19	.09	.08	.37	—	—	.20	.32	.22	.04	—	.10	.02	19
20	.08	.06	.05	—	—	.85	.31	.12	.01	—	.02	.01	20
21	.18	.23	.03	—	—	.01	.07	—	—	—	.03	.02	21
22	—	.09	.01	—	—	—	.18	—	.18	.01	.03	.28	22
23	—	—	—	—	—	.05	—	.02	.05	—	.03	.03	23
24	—	—	—	.23	—	.03	.11	.01	—	.16	.05	.01	24
25	.03	.01	—	—	—	.01	—	.15	.11	—	—	.01	25
26	.08	.19	.13	.10	—	—	—	.14	—	—	—	.26	26
27	.27	.04	.05	.98	—	—	.01	.24	—	.01	.03	.04	27
28	.02	—	.27	.04	—	—	.04	.66	—	—	.21	.31	28
29	.05	X	—	.08	—	—	—	.29	—	.29	.07	.06	29
30	—	X	—	.02	—	.18	—	.19	—	.04	.21	.37	30
31	.01	X	.01	X	—	X	.03	—	X	.02	X	.05	31
TOTAL	3.11	2.25	3.34	3.01	0.18	1.47	2.92	2.07	1.25	0.83	1.58	3.74	YEAR'S TOTAL 25.75
Days with ".01 in. or more	25	17	23	16	6	9	15	12	11	12	23	29	198

REGISTER OF RAINFALL IN 1920

Wandsworth Common
Kept at Coxley Road
in the County of London
by Mrs J. Marie

Lat. 51° 27' N Long. 0° 11' W
Time of Observation 9 am
Nearest Railway Station Wandsworth Common
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1.05 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	—	0.01	0.27	0.04	—	0.29	—	0.01	0.17	—	0.19	1
2	.02	—	.06	—	.02	—	.01	0.70	.07	.06	—	.06	2
3	.02	0.04	—	.01	—	0.02	—	—	.06	.02	—	.04	3
4	—	.08	.03	.08	—	—	.14	.03	.01	.10	—	.02	4
5	—	.01	.13	.02	.03	—	.36	.21	.03	—	—	.05	5
6	—	—	.23	—	.16	—	.33	—	—	—	—	.04	6
7	.02	.01	—	.14	.07	—	.25	—	—	—	—	.01	7
8	—	.03	—	.18	.18	—	.21	—	—	—	—	—	8
9	.32	.04	—	.04	—	—	.01	.01	—	—	—	—	9
10	.38	.04	.09	.04	—	.09	.08	—	—	—	0.03	—	10
11	.26	—	.08	.11	.02	.02	.25	—	—	—	—	.17	11
12	.09	.02	.01	.12	—	.84	—	—	—	.02	—	—	12
13	.22	—	.10	.13	—	—	—	—	—	—	.02	—	13
14	—	.01	.16	.18	—	.17	—	—	.12	.09	.21	.03	14
15	.02	.03	.11	.12	—	—	—	—	.61	.07	.10	—	15
16	.01	—	.02	.14	—	.13	—	—	.34	.06	—	—	16
17	.03	—	—	—	.13	.50	.01	—	.60	.01	—	.02	17
18	.04	—	—	.07	.02	—	—	.85	.24	—	—	.05	18
19	.13	—	—	.18	—	.06	—	.01	—	—	—	.05	19
20	.07	.25	—	.12	—	.53	—	—	.03	—	—	—	20
21	—	—	—	.02	—	—	.61	.03	.69	—	—	.04	21
22	.01	—	—	.28	—	—	—	.03	.11	—	—	.40	22
23	—	—	—	—	—	—	.32	.03	—	—	—	.33	23
24	.02	.05	.06	—	—	—	—	—	—	—	—	—	24
25	.01	.01	—	.03	—	—	.10	—	.08	—	.01	—	25
26	.02	—	.19	.02	—	.02	.13	—	.04	—	—	.01	26
27	.17	.06	.03	.22	—	.17	.10	—	—	—	.65	.04	27
28	.40	—	.10	.16	.03	.02	.13	—	—	—	.02	.01	28
29	.23	—	.08	.02	.01	—	.03	—	—	—	.05	.19	29
30	.03	~~X~~	—	—	.09	—	.29	—	.67	—	.10	.11	30
31	—	~~X~~	—	~~X~~	.05	~~X~~	.01	—	~~X~~	.24	~~X~~	.08	31
TOTAL	2.56	0.68	1.49	2.70	0.85	2.57	3.86	1.90	3.71	0.84	1.19	1.94	YEAR'S TOTAL 24.29
Days with ".01 in. or more	23	14	17	24	13	12	20	9	16	10	9	24	188
Days with ".04 in. or more	12	7	12	18	7	8	15	3	12	7	5	15	121

RE

WEMBLY

2 N

FORM A2.
BRITISH RAINFALL.

Kept at 13 Scarle Rd
in the County of Middlesex
by J. Bruce J.

1912

in.
Ground 1 ft.
Sea Level 130 ft.
Name Wembley (London)
Distance 5 miles Direction N.E.

IMPORTANT NOTE: Rainfall should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08			.06	.05		.07	.30	.01	.02	1
2	~~.05~~		.13	.02		.03	.28			.03			2
3	.05		.18		.07	.06		.27				.07	3
4	.24		.53		.16	.15					.16		4
5	.17		.04					.31	.03		.02		5
6	.58	.04				.08		.12					6
7			.02		.06	.48	.03	.13				.03	7
8	.40	.28	.20			.24		.17					8
9	.02	.10		.04				.02					9
10		.4						.40			.07		10
11	.04	.27				.02			.01				11
12	.07	.08	.10		.32	.13	.08				.05		12
13										.03	.08		13
14			.01					.09		.07			14
15		.03			.30	.48						.32	15
16	.34		.04		.02			.09		.05			16
17	.58		.37			.06		.05				.02	17
18	.06	~~.05~~	.08					.22				.14	18
19		.05	.04				.17	.42					19
20			.08				.01	.43		.15			20
21		.06	.27		.03			.12		.03	.01	~~.06~~	21
22	.18	.15	.06		.09		.12	.14				~~.06~~	22
23	.37	.41	.31				.02	.43		.03	.04	~~.17~~	23
24	.34					.04		.16					24
25	.05					.17					.25	.6	25
26							.02	.63		.41	.03		26
27			.01			.01		.09		.15	.10	.31	27
28		.04				.05	.09					.26	28
29		.02				.08	.37	.26	1.20	.39		.14	29
30					.39				.70	.13			30
31			.43		.01		.28	.14					31
Total	3.46	1.57	2.98	.06	1.45	2.14	1.52	4.69	2.01	1.77	1.82	1.60	TOTAL 24.07
No. of Rain Days.	15	13	19	2	10	16	12	21	5	12	11	12	24.07

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.
8-JAN-1915

Kept at 13 Scarle Road, Wembley
in the County of Middlesex
by C. Bruce Jackson

RAIN GAUGE { Pattern _____
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 130 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Wembley T. & W.
Distance 5 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08			.06	.05		.07	.30	.01	.02	1
2	~~.05~~		.13	.02		.03	.28			.03			2
3	.05		.18		.07	.06		.27				.07	3
4	.24		.53		.16	.15					.16		4
5	.17		.04					.31	.03		.02		5
6	.58	.04				.08		.12					6
7			.02		.06	.48	.03	.13				.03	7
8	.40	.28	.20			.24		.17					8
9	.02	.10		.04				.02					9
10		.4						.40			.07		10
11	.04	.27				.02			.01				11
12	.07	.08	.10		.32	.13	.08				.05		12
13										.03	.08		13
14			.01					.09		.07			14
15		.03			.30	.48						.32	15
16	.34		.04		.02			.09		.05			16
17	.55		.37			.06		.05				.02	17
18	.06	~~.05~~	.08					.22				.14	18
19		.05	.04				.17	.42					19
20			.08				.01	.43		.15			20
21		.06	.27		.03			.12		.03	.01	~~.06~~	21
22	.18	.15	.06		.09		.12	.14				~~.06~~	22
23	.37	.41	.31				.02	.43		.03	.04	~~.17~~	23
24	.34					.04		.16					24
25	.05					.17					.25	.6	25
26							.02	.63		.41	.03		26
27			.01			.01		.09		.15	.10	.31	27
28		.04				.05	.09					.26	28
29		.02				.08	.37	.26	1.20	.39		.14	29
30					.39				.70	.13			30
31			.43		.01		.28	.14					31
Total	3.46	1.57	2.98	.06	1.45	2.14	1.52	4.69	2.01	1.77	.82	1.60	TOTAL 24.07
No. of Rain Days.	15	13	19	2	10	16	12	21	5	12	11	12	24.07

RI

WESTCOMBE PARK

Kept at 84 Weston

in the County of

by

IMPORTANT

previous day. If an
requested to add the
for it at the end of
the selection and pla
Organization are give

THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

1918 - 1919

FORM A.
BRITISH RAINFALL

nd 1 ft. 6 in.

Level 154 ft.

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
cation to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.15		.04									1
2				.02						.01	.11	.06	2
3		.03	.05	.02	.50			.12			.12	.13	3
4		.02	.12	.04				.25	(.04)		.40	.03	4
5		.12	.01					.04	.28		.41	.02	5
6	.20	.12			.26	.23		.09	.18	.06			6
7	.05	.03		.07	.16				.20			.06	7
8		.01							.09	.11	.07	.01	8
9	.01			.02		.04	.37		.04	.03	.06	.02	9
10	.02			.11			.45		.24	.08		.16	10
11				.03	.02		1.75		.01	.08	.03	(.21)	11
12		.04			.18		.10		.03	.21	.13	.10	12
13	.02	.01		.01	.08		.28		.02	.01		.01	13
14	.12		.01			.20	.05		.12	.16			14
15	1.04			.64			.29		.18			.10	15
16	.48			.31		.04			.01			.16	16
17	.14			.21	.71	.12	1.44		.05			.01	17
18	.51					.15	.11		.53	.20		.05	18
19	.03		.06	.09		.06	.16		.01	.10		.10	19
20	.02	.10		.56		.01	.25		.15	.13		.02	20
21	.06	.01		.17			.02		.54	.12	.01		21
22	.03			.09	.15		.20		.14		.01	.18	22
23	.03			.01	.21		.42	.06	.05			.03	23
24		.25		.01	.01	.05	.82		.11		.02		24
25				.07		.02	.40	.24			.15		25
26					.02		.54	.15		.03	.10	.08	26
27		.01		.10			.03	.14	.14		.12	.02	27
28		.04	.27	.01				.01			.20	.13	28
29			.01						1.14		.01		29
30		X	.46					.06	.01	.04	.02	.08	30
31		X	.02	X		X			X	.04	X		31
Total	2.78	.94	1.01	2.89	2.27	.09	7.68	1.11	4.32	1.41	1.97	2.03	29.10
Rain Days	15	14	9	22	11	9	18	10	23	16	17	24	188

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at 84 Westcombe Park Road
 in the County of Kent & London S.E.3
 by T R Price

Lat. _____ Long. 51° 12' N 0° 5' E
 Time of Observation _____
 Nearest Railway Station Westcombe Park
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 " " " " Sea Level 154 ft.

FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.15		.04 .02						.01	.11	.06	1
2				.02				.12			.12	.13	2
3		.03	.05	.04	.50			.25	.04		.40	.03	3
4		.02	.12					.04	.28		.41	.02	4
5		.12	.01					.01	.18	.06			5
6	.20	.12		.26	.23				.20			.06	6
7	.05	.03		.07	.16				.09	.11	.07	.01	7
8		.01							.04	.03	.06	.02	8
9	.01			.02		.04	.37		.24	.08		.16	9
10	.03			.11			.45		.01	.08	.03	.21	10
11				.03	.02		1.75		.03	.21	.13	.10	11
12		.04			.18		.10		.02	.01		.01	12
13	.03	.01		.01	.08		.28		.12				13
14	.12		.01			.20	.05		.18	.16		.10	14
15	1.04			.64			.29		.01			.16	15
16	.48			.31		.04			.05			.01	16
17	.14			.21	.71	.12	1.44					.16	17
18	.51					.15	.11		.53	.20		.05	18
19	.03		.06	.09		.06	.16		.01	.10		.10	19
20	.02	.10		.56		.01	.25		.15	.13		.02	20
21	.06	.01		.17			.02		.54	.12	.01		21
22	.03			.09	.15		.20		.14		.01	.18	22
23	.03			.01	.21		.42	.06	.05			.03	23
24		.25		.01	.01	.05	.82		.11		.02		24
25				.07		.02	.40	.24			.15		25
26					.02		.54	.15		.03	.10	.08	26
27		.01		.10			.03	.14	.14		.12	.02	27
28		.04	.27	.01				.01			.20	.13	28
29			.01						1.14		.01		29
30		X	.46			X		.06	.01	.04	.02	.08	30
31		X	.02	X		X			X	.04	X		31
Total	2.78	.94	1.01	2.89	2.27	.69	7.68	1.11	4.32	1.41	1.97	2.03	29.10
Rain Days	15	14	9	22	11	9	18	10	23	16	17	24	188

REGISTER OF RAINFALL IN 1919.

Kept at 84 Westcombe Park Road
in the County of London
by T R Price

Lat. Long. 3 1/4 m E of Observatory
Time of Observation
Nearest Railway Station Westcombe Park
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft.
" " " above Sea Level 15 1/4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.08			.01		.30			.12	.09	.81	1
2	.23		.01		.10		.17	.02	.01	.05	.06	.06	2
3	.18		.42		.01		.22		.03		.04	.33	3
4	.11		.50			.05	.28	.03			.03	.09	4
5	.04	.31	.70				.02				.01	.23	5
6	.03		.05									.04	6
7	.02		.24								.07		7
8	.10		.04	.01							.05		8
9	.13		.01	.02	.18						.05		9
10	.15		.02										10
11	.02		.06	.28			.15					.01	11
12	.03		.02				.19			.05			12
13	.01	.02		.19					.02	.03		.02	13
14	.21			.24			.05		.40				14
15	.17	.02		.20						.13		.13	15
16	.05	.48		.01							.10	.03	16
17	.01	.03		.03							.15		17
18	.01	.71	.12						.03		.09		18
19	.04	.06	.34			.20	.17	.21	.08		.03		19
20	.13	.04	.04			.96	.49	.16	.02		.01	.04	20
21	.22	.20	.02			.10	.09				.02		21
22		.11					.11		.18		.02	.25	22
23						.04	.01	.02	.14	.01	.01		23
24				.21		.03	.03			.13	.03	.02	24
25	.02			.03	.13								25
26	.01	.24	.12	.14			.09	.03	.09				26
27	.34	.06		1.22				.81				.30	27
28			.22	.04			.02	.33			.17	.28	28
29	.04			.02				.17		.36		.12	29
30	.01	~~X~~	.01	.22		.13				.03	.24	.25	30
31	.04	~~X~~	.03	~~X~~		~~X~~	.01	~~X~~		~~X~~	~~X~~	.02	31
TOTAL	2.60	2.36	2.97	2.86	.43	1.51	2.40	1.78	1.00	.91	1.27	3.03	YEAR'S TOTAL
Days with ".01 in. or more	27	13	19	15	5	7	17	9	10	9	19	18	23.01 23.12 168

made

REC

WESTMINSTER

Kept at St James

ST JAMES PARK

in the County of London

LONDON

by meteorologist

1916, 19, 20.

47
FORM A.
BRITISH RAINFALL.

in.
und / ft. in.
Level 27 feet ft.

result entered to the

Jan. 1, following.

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.7✓		.3✓		9.4✓		.2✓		5.9	1.7✓	7.1✓		1
2	10.9✓	.5✓	2.5✓		7.2✓		.6		5.1	9.0✓	.7✓		2
3		7.9✓	4.4✓			.4✓	7		8.5	6.5✓	16.1✓		3
4	5.1✓	2.5✓			.2✓	8.2✓			1.1		8.1✓		4
5	.2✓		.4		2.2✓	3.5✓	1.8✓			1.5✓	9.7✓		5
6		1.9✓	(6.0)	6.5✓	.6✓	.4✓	9.0✓			.2✓	6.5✓		6
7	1.4✓		(8.0)		3.9✓	2.8✓	5.5✓				12.5✓	1.5✓	7
8			1.8✓		6.5✓	.5✓						5.1✓	8
9					5.1✓					1.2✓		1.3✓	9
10		4.5✓	2.4✓	1.8✓		7.4✓	.8✓	2.1				2.3✓	10
11	1.1✓	2.8✓	.6✓	4.7✓		3.7✓						.3	11
12	1.2✓	.5✓	.6✓	1.2✓	7.0✓	2.9✓	.3✓		0.2✓	1.2✓			12
13		7.2✓	8.8✓	2.1✓	.6✓	1.9✓	6.9✓	1.0		.3✓			13
14		8.0✓	.7✓	1.6✓	1.6✓			4.0		.5✓		2.6	14
15		5.0✓	7.0✓	.4✓			(1.0)✓	17.0		.4✓			15
16			3.2✓	3.2✓			(3.0)✓	2.8					16
17	1.3✓	2.5✓		.5✓			.9✓	3.5✓	7.0✓	13.5✓			17
18	.2✓	2.0✓	.3	5.8✓				18.3	1.5✓	2.6✓	18.8✓		18
19	2.2✓	1.0✓	4.1✓	4.0✓				22.0	3.8✓		14.7✓		19
20	3.3✓		6.5✓	1.0✓							.4✓	8.6✓	20
21	.5✓		13.6✓	2.0✓								6.5✓	21
22			1.8✓									11.5✓	22
23	.9✓	6.0✓	.3✓			.5✓		0.1		.7✓	.9✓	2.2✓	23
24		4.5✓	.2✓		1.8✓	.3✓		0.5		2.2✓	.6✓	8.8✓	24
25		12.0✓	4.0✓					10.6		.6✓	2.3✓		25
26		6.4✓	1.2✓			1.6✓		23.5✓		1.0✓			26
27	1.3✓		2.5✓			.5✓		14.1	1.2✓	14.8✓			27
28		9.7✓	6.2✓			2.0		0.6	1.1✓			4.8✓	28
29		1.4✓				6.9✓		33.3	1.1✓	4.8✓		3.8✓	29
30		X			1.2✓			1.9		6.2✓			30
31		X				X		1.5	X	2.4✓	X	1.0✓	31
Total	30.3	86.8	110.2	34.8	47.3	42.5	30.7	15.68	36.5	73.3	98.4	60.3	YEAR'S TOTAL 807.9
Rain Days.	119	342	434	137	186	167	121	617	144	289	387	237	3180

REC

47

FORM A.
BRITISH RAINFALL.

Kept at *St James Park*

in the County of *London*

by *Metereological Office*

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground / ft. in.

" " " " Sea Level *27 feet* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.7✓		.3✓		9.4✓		.2✓		5.9	1.7✓	7.1✓		1
2	10.9✓	.5✓	2.5✓		7.2✓		.6		5.1	9.0✓	.7✓		2
3		7.9✓	4.4✓			.4✓	7		8.5	6.5✓	16.1✓		3
4	5.1✓	2.5✓			.2✓	8.2✓			1.1		8.1✓		4
5	.2✓		.4		2.2✓	3.5✓	1.8✓			1.5✓	9.7✓		5
6		1.9✓	(6.0)✓	6.5✓	.6✓	.4✓	9.0✓			.2✓	6.5✓		6
7	1.4✓		(8.0)✓		3.9✓	2.8✓	5.5✓				12.5✓	1.5✓	7
8			1.8✓		6.5✓	.5✓						5.1✓	8
9					5.1✓					1.2✓		1.3✓	9
10		4.5✓	2.4✓	1.8✓		7.4✓	.8✓	2.1				2.3✓	10
11	1.1✓	2.8✓	.6✓	4.7✓		3.7✓						.3	11
12	1.2✓	.5✓	.6✓	1.2✓	7.0✓	2.9✓	.3✓		0.2✓	1.2✓			12
13		7.2✓	8.8✓	2.1✓	.6✓	1.9✓	6.9✓	1.0		.3✓			13
14		8.0✓	.7✓	1.6✓	1.6✓			4.0		.5✓		2.6	14
15		5.0✓	7.0✓	.4✓			(1.0)✓	17.0		.4✓			15
16			3.2✓	3.2✓			(3.0)✓	2.8					16
17	1.3✓	2.5✓		.5✓			.9✓	3.5	7.0✓	13.5✓			17
18	.2✓	2.0✓	.3	5.8✓				18.3	1.5✓	2.6✓	18.8✓		18
19	2.2✓	1.5✓	4.1✓	4.0✓				22.0	3.8✓		14.7✓		19
20	3.3✓		6.5✓	1.0✓							.4✓	8.6✓	20
21	.5✓		13.6✓	2.0✓								6.5✓	21
22			1.8✓									11.5✓	22
23	.9✓	6.0✓	.3✓			.5✓		.01		.7✓	.9✓	2.2✓	23
24		4.5✓	.2✓		1.8✓	.3✓		.05		2.2✓	.6✓	8.8✓	24
25		12.0✓	4.0✓					10.6		.6✓	2.3✓		25
26		6.4✓	1.2✓			.6✓		23.5		1.0✓			26
27	1.3✓		25.3✓			.5✓		14.1	1.2✓	14.8✓			27
28		9.7✓	6.2✓			2.0		.06	1.1✓			4.8✓	28
29		1.4✓				6.9✓		33.3	1.1✓	4.8✓		3.8✓	29
30		X			1.2✓			1.9		6.2✓			30
31		X		X		X		1.5	X	2.4✓	X	1.0✓	31
Total	30.3	86.8	110.2	34.8	47.3	42.5	30.7	15.68	36.5	73.3	98.4	60.3	807.9
Rain Days.	1.19	3.42	4.34	1.37	1.86	1.67	1.21	6.17	1.44	2.89	3.87	2.37	31.80

YEAR'S TOTAL

Gr. Cal. 5/2/20

41

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION,

REGISTER OF RAINFALL IN 1919.

Kept at St. James Park, Westminster [MO]

in the County of London

by F. C. Birch

Lat. 51° 30' N Long. 0° 8' W.

Time of Observation 9.2 P.M.T.

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

„ „ „ „ Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6.9	1.1	-	0.7	0.9	-	3.8	-	-	0.2	0.3	10.5	1
2	~~8.8~~	-	-	-	~~3.9~~	-	4.2	-	2.1	1.1	2.5	2.0	2
3	5.3	-	8.2	-	0.4	-	7.2	-	0.4	-	2.5	8.7	3
4	2.0	1.8	11.9	-	-	1.3	6.1	0.9	-	-	0.4	3.2	4
5	-	6.9	14.4	-	-	-	-	-	0.9	-	0.2	6.0	5
6	0.3	-	1.6	-	-	-	-	-	-	-	-	0.5	6
7	0.6	-	7.2	-	-	-	-	-	-	-	0.4	-	7
8	1.3	-	1.1	0.9	-	-	-	-	-	-	-	-	8
9	0.9	-	-	0.9	2.8	-	-	-	-	-	0.3	-	9
10	~~8.8~~	-	1.1	0.2	-	-	-	-	-	-	0.5	0.4	10
11	0.3	-	1.7	7.2	-	-	~~8.5~~	-	-	-	-	-	11
12	0.4	-	0.3	-	-	0.8	1.5	-	-	1.8	-	-	12
13	-	-	-	4.6	-	-	-	-	-	1.0	-	0.3	13
14	4.8	-	-	6.0	-	-	2.3	-	~~10.0~~	-	-	0.2	14
15	5.5	0.3	5.0	8.3	-	-	-	-	-	-	-	4.1	15
16	1.2	~~12.8~~	-	0.4	-	-	-	-	-	-	3.0	1.1	16
17	-	12.1	1.3	0.3	-	-	-	-	-	-	3.6	-	17
18	-	6.7	1.9	-	-	-	-	-	0.9	-	1.8	0.8	18
19	0.8	3.1	~~15.6~~	-	-	6.4	5.8	3.8	2.6	-	1.5	0.4	19
20	4.2	1.1	0.8	-	-	~~20.9~~	4.7	2.7	0.2	-	-	0.1	20
21	4.5	5.1	0.3	-	-	3.4	2.8	-	-	-	0.3	0.8	21
22	-	3.0	-	-	-	-	2.7	-	3.3	-	0.6	6.6	22
23	-	-	-	-	-	-	-	-	0.7	-	0.4	0.2	23
24	-	-	-	5.2	-	0.4	0.9	0.4	-	4.6	0.6	0.3	24
25	0.5	-	-	0.9	0.4	-	-	3.8	-	-	-	0.6	25
26	1.5	3.8	4.5	1.5	-	-	-	0.3	2.8	-	-	7.5	26
27	7.8	0.8	1.5	~~33.6~~	-	-	-	11.9	-	-	-	0.4	27
28	-	-	5.6	1.0	-	-	0.1	~~12.9~~	-	-	~~5.5~~	7.4	28
29	1.3	X	-	0.8	-	-	-	8.4	-	~~6.8~~	0.6	1.1	29
30	-	X	0.6	6.8	-	4.8	-	3.6	-	0.6	4.8	6.5	30
31	0.5	X	4.2	X	-	X	0.2	-	X	-	X	0.3	31
TOTAL	68.2	58.6	88.8	79.3	8.4	38.0	50.8	48.7	23.9	16.1	29.8	79.0	YEAR'S TOTAL
Days with 0.2 mm. or more	22	13	20	17	5	7	13	10	10	7	19	24	589.6

FORM A-2 METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1920.

Kept at St. James's Park
in the County of London
by H. H. Office of Works

Lat. 51°30' N Long. 0°8' W
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.3	-	-	6.6	0.6	-	6.2	-	-	2.8	-	4.3	1
2	-	-	2.0	-	0.2	-	-	20.4	1.4	1.1	-	1.3	2
3	-	1.5	-	0.3	-	-	-	-	2.5	0.1	-	0.7	3
4	-	0.6	0.3	2.0	-	-	2.2	0.6	0.1	2.5	-	0.8	4
5	-	-	2.8	-	0.8	-	9.5	3.0	0.6	-	-	1.1	5
6	-	-	3.9	-	3.1	-	9.6	-	-	-	-	0.6	6
7	0.4	-	0.4	4.6	2.5	-	2.9	-	-	-	-	0.9	7
8	-	0.5	-	2.2	2.7	-	2.6	0.3	-	-	-	-	8
9	7.2	0.4	-	0.6	-	-	-	0.3	-	-	-	-	9
10	14.2	1.9	1.6	0.6	-	2.9	2.0	-	-	-	0.2	0.3	10
11	4.3	-	1.4	5.7	0.4	0.3	7.9	-	-	-	-	2.5	11
12	2.1	0.2	-	1.8	-	9.9	-	-	-	-	-	-	12
13	5.0	-	2.4	3.7	-	-	-	-	-	-	0.8	-	13
14	-	0.3	5.1	4.9	-	5.0	-	-	4.7	0.9	3.3	0.7	14
15	0.2	0.2	1.9	4.3	-	-	0.6	-	19.2	6.2	2.8	0.1	15
16	-	-	0.3	7.2	-	0.2	-	-	2.2	6.7	-	0.2	16
17	-	-	-	-	3.1	-	-	-	18.0	1.3	-	0.7	17
18	1.0	-	-	-	0.2	-	-	19.7	2.2	-	-	0.9	18
19	3.8	-	-	3.8	-	1.1	-	-	-	-	-	1.8	19
20	1.5	6.6	-	2.8	-	12.7	-	-	3.6	-	-	0.2	20
21	-	-	-	-	-	-	18.4	0.3	13.7	-	-	0.7	21
22	-	-	-	7.1	-	-	-	-	1.1	-	-	8.6	22
23	-	-	-	-	-	-	7.4	-	-	-	-	9.2	23
24	-	-	1.2	-	-	-	-	-	-	-	-	0.5	24
25	-	0.4	-	0.4	-	-	2.2	-	0.8	-	-	-	25
26	0.2	-	2.7	0.3	-	-	2.5	-	-	-	-	0.3	26
27	2.9	2.2	0.9	6.6	-	2.2	9.0	-	-	-	10.9	1.8	27
28	9.9	-	3.6	3.9	0.4	0.2	2.1	-	-	-	-	0.6	28
29	6.0	-	1.4	0.5	0.2	-	0.2	-	-	-	0.8	4.9	29
30	0.4	~~X~~	~~X~~	~~X~~	1.3	~~X~~	8.3	-	15.1	-	3.6	3.2	30
31	-	~~X~~	~~X~~	~~X~~	0.9	~~X~~	-	-	~~X~~	3.8	~~X~~	1.4	31
TOTAL	59.4	14.8	31.9	69.9	16.4	34.5	93.6	44.6	85.2	25.4	22.4	48.6	YEAR'S TOTAL 546.7
Days with 0.2 mm. or more	16	11	16	21	13	9	17	4	13	8	7	25	163

WESTMINSTER

GROSVENOR RD

1911

Kept at Grosvenor
in the County of M
by William

FORM A2
BRITISH RAINFALL
26 JAN 1912

11
54 in.
Above Ground 28 ft. in.
Sea Level 48 ft.
Name
Distance Direction

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. .03	in. -	in. -	in. .54	in. -	in. -	in. -	in. .03	in. -	in. -	in. -	in. -	1
2	.16	-	-	.18	.17	-	-	-	-	-	.15	.10	2
3	-	.01	-	.01	.10	-	-	-	-	-	.05	.08	3
4	.03	.01	.04	.08	-	-	-	-	-	.02	.16	.20	4
5	.01	-	-	.04	-	-	-	-	-	.29	-	.14	5
6	.23	-	.17	-	-	-	-	-	-	-	-	.14	6
7	.04	-	-	.01	-	-	-	-	-	.12	.21	.13	7
8	.12	-	.14	-	-	-	-	-	-	-	.19	.26	8
9	.14	-	.01	.01	-	-	-	-	-	-	-	.02	9
10	.03	.10	.05	-	-	-	-	-	-	-	.08	.30	10
11	.25	-	-	-	.30	-	-	-	-	-	.55	-	11
12	.04	-	.43	-	.06	.01	-	-	.02	-	.20	-	12
13	-	-	.09	-	.13	-	-	-	.38	.17	.01	.18	13
14	-	.07	.02	-	.17	-	-	-	-	-	-	.36	14
15	-	.06	.11	-	-	-	-	-	-	.01	.02	-	15
16	-	-	-	-	-	.57	-	-	-	-	.27	.01	16
17	-	-	-	-	-	.01	-	-	-	-	.22	.09	17
18	-	-	-	-	-	-	-	-	-	-	.42	.15	18
19	-	.11	-	-	.03	.18	-	.55	.17	.08	.18	.04	19
20	-	.03	.01	-	-	-	-	.17	.05	.07	-	.45	20
21	-	.11	-	-	-	-	-	.10	.03	.45	-	.06	21
22	.04	-	.08	-	-	.01	-	-	-	.13	-	.35	22
23	-	.06	.05	-	-	.79	-	-	.22	-	.01	.10	23
24	-	.14	.02	-	-	.01	.02	.01	-	.92	-	.27	24
25	-	.02	-	.26	-	.20	.38	-	.01	-	-	.01	25
26	-	.02	.04	.16	.01	.26	-	-	-	.11	.01	.25	26
27	-	.34	.04	.02	-	-	-	-	.17	-	.04	.08	27
28	-	.10	-	.18	-	.17	.60	.05	-	-	-	-	28
29	-	-	-	.04	-	-	.04	-	.13	.18	-	-	29
30	-	-	-	-	.03	-	-	.17	-	.17	-	-	30
31	-	-	-	-	.35	-	-	-	-	-	-	-	31
Total	1.12	1.18	1.30	1.33	1.35	2.21	1.04	1.08	1.18	2.72	2.77	3.57	TOTAL for year
No. of Rain Days	12	14	15	12	10	10	4	7	9	13	17	23	146

Kept at Grosvenor Wharf
Grosvenor Road, Westminster
in the County of Middlesex 2
by William A. Cairns

RAIN GAUGE Diameter of top 4 in.
Height of top above Ground 28 ft. in.
" " " Sea Level 48 ft.
Time of Observation 9 am
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	—	.54	—	—	—	.03	—	—	—	—	1
2	.16	—	—	.18	.17	—	—	—	—	—	.15	.10	2
3	—	.01	—	.01	.10	—	—	—	—	—	.05	.08	3
4	.03	.01	.04	.08	—	—	—	—	—	.02	.16	.20	4
5	.01	—	—	.04	—	—	—	—	—	.29	—	.14	5
6	.23	—	.17	—	—	—	—	—	—	—	—	.14	6
7	.04	—	—	.01	—	—	—	—	—	.12	.21	.13	7
8	.12	—	.14	—	—	—	—	—	—	—	.19	.26	8
9	.14	—	.01	.01	—	—	—	—	—	—	—	.02	9
10	.03	.10	.05	—	—	—	—	—	—	—	.08	.30	10
11	.25	—	—	—	.30	—	—	—	—	—	.55	—	11
12	.04	—	.43	—	.06	.01	—	—	.02	—	.20	—	12
13	—	—	.09	—	.13	—	—	—	.38	.17	.01	.18	13
14	—	.07	.02	—	.17	—	—	—	—	—	—	.36	14
15	—	.06	.11	—	—	—	—	—	—	.01	.02	—	15
16	—	—	—	—	—	.57	—	—	—	—	.27	.01	16
17	—	—	—	—	—	.01	—	—	—	—	.22	.09	17
18	—	—	—	—	—	—	—	—	—	—	.42	.15	18
19	—	.11	—	—	.03	.18	—	.55	.17	.08	.18	.04	19
20	—	.03	.01	—	—	—	—	.17	.05	.07	—	.45	20
21	—	.11	—	—	—	—	—	.10	.03	.45	—	.06	21
22	.04	—	.08	—	—	.01	—	—	—	.13	—	.35	22
23	—	.06	.05	—	—	.79	—	—	.22	—	.01	.10	23
24	—	.14	.02	—	—	.01	.02	.01	—	.92	—	.27	24
25	—	.02	—	.06	—	.20	.38	—	.01	—	—	.01	25
26	—	.02	.04	.16	.01	.26	—	—	—	.11	.01	.25	26
27	—	.34	.04	.02	—	—	—	—	.17	—	.04	.08	27
28	—	.10	—	.18	—	.17	.60	.05	—	—	—	—	28
29	—	—	—	.04	—	—	.04	—	.13	.18	—	—	29
30	—	—	—	—	.03	—	—	.17	—	.17	—	—	30
31	—	—	—	—	.35	—	—	—	—	—	—	—	31
Total	1.12	1.18	1.30	1.33	1.35	2.21	1.04	1.08	1.18	2.72	2.77	3.57	TOTAL for year 14.65
No. of Rain Days	12	14	15	12	10	10	4	7	9	13	17	23	146

WESTMINSTER
Kept at 69. Wm
in the County of M
by S. T.

WESTMINSTER
WINCHESTER ST
1911-12

311
5 in.
above Ground 8 ft. in.
Sea Level 21 ft.
9 am
Name
Distance Direction

FORM A2.
BRITISH RAINFALL
26 JAN 1912

IMPORTANT NOTE: Rainfall should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	-	-	.54	-	-	-	.04	-	-	-	-	1
2	.18	-	-	.19	.15	-	-	-	-	-	.16	.07	2
3	-	.01	-	.01	.10	-	-	-	-	-	.05	.05	3
4	.02	.01	.06	.08	-	-	-	-	-	.02	.13	.16	4
5	.01	-	-	.04	-	-	-	-	-	.28	-	.19	5
6	.21	-	.18	-	-	-	-	-	-	-	-	.15	6
7	.03	-	-	.01	-	-	-	-	-	.14	.17	.13	7
8	.14	-	.12	-	-	-	-	-	-	-	.22	.25	8
9	.12	-	.01	.02	-	-	-	-	-	-	-	.02	9
10	.02	.12	.06	-	-	-	-	-	-	-	.09	.30	10
11	.26	-	-	-	.32	-	-	-	-	-	.58	-	11
12	.03	-	.41	-	.05	.02	-	-	.03	-	.18	-	12
13	-	-	.05	-	.14	-	-	-	.37	.13	.01	.18	13
14	-	.06	.01	-	.17	-	-	-	-	-	-	.40	14
15	-	.05	.14	-	-	-	-	-	-	.01	.02	-	15
16	-	-	-	-	-	.58	-	-	-	-	.29	.02	16
17	-	-	-	-	-	.02	-	-	-	-	.21	.11	17
18	-	.11	.01	-	-	-	-	-	-	-	.42	.15	18
19	-	-	-	-	.01	.19	-	.72	.16	.08	.18	.05	19
20	-	.02	.01	-	-	-	-	.25	.04	.06	-	.46	20
21	-	.09	-	-	-	-	-	.07	.03	.48	-	.08	21
22	.06	-	.08	-	-	.01	-	-	-	.15	-	.36	22
23	-	.06	.05	-	-	.85	-	-	.23	-	.02	.10	23
24	-	.12	.01	-	-	.02	.04	-	-	.80	-	.28	24
25	-	.02	-	.05	-	.18	.40	-	.01	.01	-	.01	25
26	-	.01	.06	.14	.01	.23	.01	-	-	.10	.01	.25	26
27	-	.36	.06	.02	-	-	-	-	.15	-	.08	.08	27
28	-	.12	-	.16	-	-	.93	.04	-	-	-	-	28
29	-	-	-	.06	-	.15	.08	-	.10	.19	-	-	29
30	-	-	-	-	.04	-	-	.14	-	.11	-	-	30
31	-	-	-	-	.31	-	-	-	-	-	-	-	31
Total	1.12	1.16	1.32	1.32	1.30	2.25	1.46	1.26	1.12	2.56	2.82	3.85	TOTAL for year: 21.54
No. of Rain Days.	12	14	16	12	10	10	5	6	9	14	17	23	146

50

WESTMINSTER
Kept at 69. Winchester St. SW.
in the County of Middlesex 2
by S. T. Osborn.

111

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

PATTERN
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 8 ft. - in.
" " " Sea Level 21 ft.
Time of Observation 9 am
Nearest Railway Station Name -
Distance - Direction -

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	-	-	.54	-	-	-	.04	-	-	-	-	1
2	.18	-	-	.19	.15	-	-	-	-	-	.16	.07	2
3	-	.01	-	.01	.10	-	-	-	-	-	.05	.05	3
4	.02	.01	.06	.08	-	-	-	-	-	.02	.13	.16	4
5	.01	-	-	.04	-	-	-	-	-	.28	-	.19	5
6	.21	-	.18	-	-	-	-	-	-	-	-	.15	6
7	.03	-	-	.01	-	-	-	-	-	.14	.17	.13	7
8	.14	-	.12	-	-	-	-	-	-	-	.22	.25	8
9	.12	-	.01	.02	-	-	-	-	-	-	-	.02	9
10	.02	.12	.06	-	-	-	-	-	-	-	.09	.30	10
11	.26	-	-	-	.32	-	-	-	-	-	.58	-	11
12	.03	-	.41	-	.05	.02	-	-	.03	-	.18	-	12
13	-	-	.05	-	.14	-	-	-	.37	.13	.01	.18	13
14	-	.06	.01	-	.17	-	-	-	-	-	-	.40	14
15	-	.05	.14	-	-	-	-	-	-	.01	.02	-	15
16	-	-	-	-	-	.58	-	-	-	-	.29	.02	16
17	-	-	-	-	-	.02	-	-	-	-	.21	.11	17
18	-	.11	.01	-	-	-	-	-	-	-	.42	.15	18
19	-	-	-	-	.01	.19	-	.72	.16	.08	.18	.05	19
20	-	.02	.01	-	-	-	-	.25	.04	.06	-	.46	20
21	-	.09	-	-	-	-	-	.07	.03	.48	-	.08	21
22	.06	-	.08	-	-	.01	-	-	-	.15	-	.36	22
23	-	.06	.05	-	-	.85	-	-	.23	-	.02	.10	23
24	-	.12	.01	-	-	.02	.04	-	-	.80	-	.28	24
25	-	.02	-	.05	-	.18	.40	-	.01	.01	-	.01	25
26	-	.01	.06	.14	.01	.23	.01	-	-	.10	.01	.25	26
27	-	.36	.06	.02	-	-	-	-	.15	-	.08	.08	27
28	-	.12	-	.16	-	-	.93	.04	-	-	-	-	28
29	-	-	-	.06	-	.15	.08	-	.10	.19	-	-	29
30	-	-	-	-	.04	-	-	.14	-	.11	-	-	30
31	-	-	-	-	.31	-	-	-	-	-	-	-	31
Total	1.12	1.16	1.32	1.32	1.30	2.25	1.46	1.26	1.12	2.56	2.82	3.85	TOTAL for year 21.54
No. of Rain Days.	12	14	16	12	10	10	5	6	9	14	17	23	148

REGISTER OF RAINFALL IN 19 12

Kept at Westminster (69 Winchester St)
in the County of London
by S. I. Osborn

Lat. _____ Long. _____
Nearest Railway Station _____
Time of Observation _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 6 in.
" " " Sea Level 21 ft.

FORM A.
BRITISH RAINFALL
-8 MAY 1913

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	05	02	—	08	15	—	—	—	—	—	1
2	—	—	22	—	—	04	20	09	—	—	—	—	2
3	05	04	05	—	—	08	—	38	—	—	—	—	3
4	26	01	28	—	18	13	—	04	—	—	—	—	4
5	15	04	02	—	—	—	—	44	—	—	—	—	5
6	44	02	—	—	—	20	—	08	—	—	—	—	6
7	—	—	04	—	06	68	05	15	—	—	—	—	7
8	27	24	08	—	—	07	02	13	—	—	—	—	8
9	—	05	—	02	—	22	01	04	—	—	—	—	9
10	—	03	—	—	—	02	—	20	—	—	—	—	10
11	02	31	—	—	—	02	—	01	—	—	—	—	11
12	03	06	07	—	14	10	—	—	—	—	—	—	12
13	01	02	—	—	—	—	—	01	—	—	—	—	13
14	—	—	02	—	02	—	—	14	—	—	—	—	14
15	—	02	09	—	28	50	—	01	—	—	—	—	15
16	33	—	03	—	02	—	—	04	—	—	—	—	16
17	52	—	14	—	—	04	—	03	—	—	—	—	17
18	04	—	11	—	—	—	—	03	—	—	—	—	18
19	10	05	09	—	—	—	01	48	—	—	—	—	19
20	01	01	10	—	—	—	—	07	—	—	—	—	20
21	—	02	10	—	02	—	—	10	—	—	—	—	21
22	22	14	05	—	01	—	06	13	—	—	—	—	22
23	32	36	31	—	—	—	05	35	—	—	—	—	23
24	33	03	01	—	—	34	03	17	—	—	—	—	24
25	29	—	—	—	—	13	—	75	—	—	—	—	25
26	—	02	—	—	—	—	—	27	—	—	—	—	26
27	—	—	—	—	—	08	—	—	—	—	—	—	27
28	—	05	—	—	—	04	11	02	—	—	—	—	28
29	—	01	—	—	—	05	17	16	—	—	—	—	29
30	—	—	—	—	34	—	—	03	—	—	—	—	30
31	01	—	22	—	—	—	07	10	—	—	—	—	31
Total	3.40	1.53	2.06	04	1.07	2.82	3 98	4.15	6.90	1.80	1.30	2.60	TOTAL for year 23.60
No. of Rain Days	18	20	20	2	9	18	12	28	—	—	—	—	

WESTMINSTER REGI
Kept at St. George's
in the County of Middlesex
by Mr J. Taylor

WESTMINSTER
ST. GEORGES SQ.
1915 - 18, 20

FORM A.
BRITISH RAINFALL
JAN 1916
Gauge 5 in.
e Ground 6 1/2 ft.
Sea Level ft.

IMPORTANT NOTI
previous day. If an Obs at 8 a.m. and the result entered to the
requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.5	—	—	.1	—	—	—	.5	.1	.40	.44	1
2	.36	.17	.21	.15	—	—	—	.51	—	.4	—	.11	2
3	.38	—	.7	.17	.2	.1	—	.45	.5	—	—	.41	3
4	.5	—	—	—	—	—	—	.26	—	—	—	.28	4
5	.3	.45	—	—	.1	—	—	.1	—	.2	—	.25	5
6	.31	.1	—	.26	.4	—	.70	—	—	—	—	.35	6
7	.28	.19	.2	—	—	—	.9	.2	—	—	—	.18	7
8	.13	.48	—	.8	—	—	.10	.4	—	—	—	—	8
9	—	.1	—	.9	—	.11	—	.7	—	.2	.30	.60	9
10	.22	—	—	—	—	—	—	.33	—	—	—	.19	10
11	.1	—	.2	—	—	—	—	—	—	—	.58	.3	11
12	.6	.1	—	.28	.43	—	—	.13	—	.1	.37	—	12
13	—	.37	—	.1	.19	—	—	.7	—	—	—	—	13
14	—	.3	—	—	.2	—	.39	.2	.3	—	—	.40	14
15	.10	—	—	—	.4	—	—	.49	—	—	.24	.5	15
16	.1	.18	—	—	—	—	.55	—	—	—	—	.13	16
17	—	.29	—	—	.83	—	.3	.4	—	—	—	—	17
18	—	.30	.4	—	.19	—	—	—	—	—	.3	—	18
19	—	.15	—	—	.1	—	.6	—	—	—	—	—	19
20	.32	—	—	.3	—	—	—	—	—	—	—	.22	20
21	.1	—	—	—	—	—	—	—	—	.3	—	.5	21
22	.71	.7	.12	.3	—	—	.70	—	—	—	—	.8	22
23	.1	.31	.6	—	—	.6	.30	—	.3	.43	—	.27	23
24	—	—	.4	.3	—	—	.5	—	.22	.16	—	.40	24
25	—	—	.3	—	—	.1	.22	—	—	—	—	.4	25
26	.1	.6	—	.15	—	.11	.5	—	—	—	—	.46	26
27	—	—	—	—	—	.27	.35	—	—	.25	—	—	27
28	—	.2	—	—	—	.6	—	—	1.58	.28	—	—	28
29	—	—	—	—	—	—	.19	.20	—	—	.10	—	29
30	.2	X	—	—	—	—	—	—	—	.2	.18	—	30
31	—	X	—	X	—	X	—	.1	X	.76	X	.20	31
Total	3.42	3.15	.61	1.29	2.79	.63	3.78	2.65	1.96	2.03	2.20	5.14	29.65
Rain Days.	19	18	9	11	11	7	14	15	6	12	8	21	151

WESTMINSTER

REGI

1875

Kept at

St. George's Square Garden

in the County of

Middlesex London

by

Mr J. Taylor (Gardener)

Lat.

Long.

Time of Observation

9 am

Nearest Railway Station

Victoria Park

Diameter of Funnel of Rain Gauge

5 in.

Height of top of Gauge above Ground

6 1/2 ft.

Sea Level

ft.

BRITISH RAINFALL

FORM A.

JAN 1875

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.5	—	—	.1	—	—	—	.5	.1	.40	.44	1
2	.36	.17	.21	.15	—	—	—	.51	—	.4	—	.11	2
3	.38	—	.7	.17	.2	.1	—	.45	.5	—	—	.41	3
4	.5	—	—	—	—	—	—	.26	—	—	—	.28	4
5	.3	.45	—	—	.1	—	—	.1	—	.2	—	.25	5
6	.31	.1	—	.26	.4	—	.70	—	—	—	—	.35	6
7	.28	.19	.2	—	—	—	.9	.2	—	—	—	.18	7
8	.13	.48	—	.8	—	—	.10	.4	—	—	—	—	8
9	—	.1	—	.9	—	.11	—	.7	—	.2	.30	.60	9
10	.22	—	—	—	—	—	—	.33	—	—	—	.19	10
11	.1	—	.2	—	—	—	—	—	—	—	.58	.3	11
12	.6	.1	—	.28	.43	—	—	.13	—	.1	.37	—	12
13	—	.37	—	.1	1.19	—	—	.7	—	—	—	—	13
14	—	.3	—	—	.2	—	.39	.2	.3	—	—	.40	14
15	.10	—	—	—	.4	—	—	.49	—	—	.24	.5	15
16	.1	.18	—	—	—	—	.55	—	—	—	—	.13	16
17	—	.29	—	—	.83	—	.3	.4	—	—	—	—	17
18	—	.30	.4	—	.19	—	—	—	—	—	.3	—	18
19	—	.15	—	—	.1	—	.6	—	—	—	—	—	19
20	.32	—	—	.3	—	—	—	—	—	—	—	.22	20
21	.1	—	—	—	—	—	—	—	—	.3	—	.5	21
22	.71	.7	.12	.3	—	—	.70	—	—	—	—	.8	22
23	.1	.31	.6	—	—	.6	.30	—	.3	.43	—	.27	23
24	—	—	.4	.3	—	—	.5	—	.22	.16	—	.40	24
25	—	—	.3	—	—	.1	.22	—	—	—	—	.4	25
26	.1	.6	—	.16	—	.11	.5	—	—	—	—	.46	26
27	—	—	—	—	—	.27	.35	—	—	.25	—	—	27
28	—	.2	—	—	—	.6	—	—	1.58	.28	—	—	28
29	—	—	—	—	—	—	.19	.20	—	—	.10	—	29
30	.2	X	—	—	—	—	—	—	—	.2	.18	—	30
31	—	X	—	X	—	X	—	.1	X	.76	X	.20	31
Total	3.42	3.15	.61	1.29	2.79	.63	3.78	2.65	1.96	2.03	2.20	5.14	29.65
Rain Days.	19	18	9	11	11	7	14	15	6	12	8	21	151

REGISTER OF RAINFALL IN 1916

Kept at St George's Square
in the County of Middlesex
by The Committee of Management.

Lat. _____ Long. _____
Time of Observation 9. am.
Nearest Railway Station Victoria
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.3	—	—	—	.25	—	.2	—	.22	.8	.31	—	1
2	.42	.2	.10	—	.33	—	.2	—	.36	.36	.2	—	2
3	—	.34	.14	—	—	—	.2	—	.11	.25	.66	—	3
4	.19	.11	—	—	—	.28	—	—	.5	—	.34	—	4
5	—	—	.1	.1	.9	.8	—	—	—	.5	.62	—	5
6	—	.4	.30	.25	.5	.6	.50	—	—	—	.26	—	6
7	.5	—	.28	—	.15	.8	.21	—	—	—	.53	.8	7
8	—	—	.2	—	.22	—	.18	—	—	—	—	.19	8
9	—	—	—	—	.21	.30	.3	—	—	.5	—	.5	9
10	—	.17	.8	.5	—	—	.5	.11	—	—	—	.10	10
11	.2	.12	.1	.15	—	.19	—	—	—	—	—	—	11
12	.3	.2	—	.6	.26	.14	.2	.3	—	.5	—	—	12
13	—	.25	.21	.8	—	.7	.21	.14	—	—	—	—	13
14	—	.37	.1	.3	.8	—	—	.75	—	.5	—	.8	14
15	—	.20	.24	—	—	—	.6	.10	—	.2	—	—	15
16	—	—	.14	.16	—	—	.13	.6	—	—	—	—	16
17	.5	.11	—	—	—	—	.5	.71	—	.50	—	—	17
18	—	.7	.1	.17	—	—	—	.56	.30	.14	.70	—	18
19	.7	.6	.15	.14	—	—	—	—	.6	—	.64	—	19
20	.13	—	.25	—	—	—	—	—	.16	—	—	.46	20
21	—	—	.54	—	—	—	—	—	—	—	—	.15	21
22	.2	—	.7	—	—	—	—	—	—	—	—	.44	22
23	—	.22	.1	—	—	—	—	—	—	.3	.3	—	23
24	—	.10	—	—	—	.7	—	.2	—	.11	.1	.40	24
25	—	.44	.15	—	.5	—	—	.42	—	—	.10	—	25
26	—	.21	.5	—	—	.4	—	1.34	—	.16	—	—	26
27	.4	—	.83	—	—	—	—	.19	.8	.45	—	—	27
28	—	.33	.22	—	—	.8	—	.3	.4	—	—	.15	28
29	—	.4	—	—	—	.28	—	.99	.2	.22	—	.12	29
30	—	~~X~~	—	—	.17	.26	—	.8	—	.26	—	—	30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	.7	~~X~~	.20	~~X~~	.3	31
Total	1.05	3.22	3.82	1.10	1.86	1.93	1.50	5.60	1.40	2.98	4.02	2.25	30.73
Rain Days.	11	19	22	10	11	13	13	16	10	17	12	12	166

REGISTER OF RAINFALL IN 1917

Kept at *St George's Square Gardens*
in the County of *Middlesex*
by *J. Taylor (Gardener)*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Victoria*
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. *7* in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
5 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.10	—	—	—	1.13	—	—	.5	—	1
2	—	—	—	.38	—	.3	—	.11	—	—	.24	—	2
3	—	—	—	.3	—	—	—	.38	—	.25	.9	—	3
4	—	.12	.13	—	—	—	.15	.17	—	.33	—	—	4
5	.24	—	.5	.28	—	—	—	.3	1.14	.15	.10	—	5
6	—	—	.3	—	—	.4	—	—	.15	.6	.5	—	6
7	.21	—	—	—	—	—	.12	—	—	.13	—	.2	7
8	.8	—	—	.6	—	—	.81	.10	.6	.23	.14	.25	8
9	—	—	—	.9	—	—	.2	.7	.1	—	.5	.18	9
10	.20	—	.3	.14	—	—	—	—	—	—	—	.3	10
11	.10	—	.46	.14	—	—	—	—	.35	.21	—	—	11
12	.11	—	.2	.3	—	—	—	.4	—	.36	—	—	12
13	.1	—	.16	.3	—	—	—	.2	.4	.3	—	—	13
14	—	—	—	.12	—	—	—	.16	—	—	—	—	14
15	.3	—	—	—	—	—	.11	—	—	.3	—	.1	15
16	.5	.15	—	.10	.13	.18	.20	—	—	.45	—	.28	16
17	—	.1	—	.8	.61	—	.42	.15	.36	.26	—	—	17
18	.3	.4	—	.7	.5	.15	.10	.3	.20	.8	—	—	18
19	—	.13	.10	—	.29	.11	—	—	.14	—	—	—	19
20	.2	.18	.4	—	.72	—	.2	—	—	—	.6	—	20
21	—	—	.3	—	.5	.1	—	—	—	—	—	—	21
22	—	—	—	—	—	—	—	.7	—	.6	—	—	22
23	—	.10	—	—	.11	—	—	.8	—	.1	—	.1	23
24	—	.1	—	—	—	.11	—	—	—	.13	.8	—	24
25	—	—	.4	—	—	—	—	—	—	—	.4	—	25
26	—	—	.4	—	—	—	—	.31	.3	—	.48	—	26
27	—	—	.2	—	—	—	—	.83	—	—	—	—	27
28	—	—	—	—	—	1.37	—	.13	—	—	—	.7	28
29	—	—	.5	—	.32	.5	.16	.1	—	.16	—	.16	29
30	—	X	.30	—	—	—	1.54	.5	—	.1	—	.1	30
31	.4	X	.5	X	—	X	.52	.2	X	—	X	—	31
Total	1.12	.74	1.55	1.65	2.28	2.05	4.17	3.89	2.48	2.94	1.38	1.02	25.27
Rain Days.	12	8	16	14	8	9	12	20	10	18	11	10	148

REGISTER OF RAINFALL IN 1918

Kept at St George's Square Garden
in the County of Middlesex
by T. Taylor

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Victoria
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level _____ ft.

39
102.10
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.1	—	—	.10	—	—	—	—	—	—	.11	.6	1
2	—	.9	—	.3	—	—	—	.30	—	—	.28	.15	2
3	—	—	.3	—	.37	—	—	.22	—	—	.38	.4	3
4	—	.6	.26	—	—	—	—	.14	.47	.1	.45	—	4
5	—	—	—	.2	.12	—	—	.28	.58	.6	—	—	5
6	.21	.11	—	.25	.16	—	—	.3	—	—	—	.2	6
7	—	—	—	.11	.17	—	—	—	.5	.20	.14	—	7
8	—	.12	—	—	—	—	—	—	.11	.6	.1	.5	8
9	.2	.2	—	.7	—	.2	.38	—	.32	.7	—	.21	9
10	.1	—	—	.13	—	—	.55	—	.4	—	.3	.26	10
11	—	—	—	.2	—	—	1.56	—	.4	.20	.11	.11	11
12	—	.3	—	—	.31	—	.10	—	.3	—	—	—	12
13	—	—	.3	—	.10	—	.20	—	.14	—	—	—	13
14	.15	—	—	—	—	.22	.4	—	.21	.12	—	.21	14
15	1.14	—	—	.80	—	—	.47	—	—	—	—	.6	15
16	.18	—	—	.27	—	.3	—	—	.25	.1	—	—	16
17	.22	—	—	.21	.18	.29	.84	.3	—	—	—	.13	17
18	.60	—	—	—	—	.28	.12	—	.67	.18	—	.3	18
19	.4	—	.6	.11	—	.3	.30	.1	.3	.6	—	.10	19
20	—	.13	—	.45	—	.26	.12	—	.12	.14	—	—	20
21	.8	.1	—	.25	—	—	—	—	.50	.6	—	—	21
22	.5	—	—	.2	.38	—	.41	—	.14	—	—	.17	22
23	.3	—	—	.2	.23	—	.22	.3	.8	—	—	.2	23
24	—	.23	—	—	—	.4	.37	—	.8	—	.5	—	24
25	—	—	—	.8	—	.2	.43	.14	—	.5	.3	—	25
26	—	—	—	—	—	—	.45	—	—	—	.12	.11	26
27	—	.1	—	.10	—	—	.5	.13	.8	—	.12	—	27
28	—	.4	.33	—	—	—	—	—	—	—	.20	.14	28
29	—	—	—	—	—	—	—	—	.99	—	.3	—	29
30	—	X	.37	—	—	—	—	—	—	.1	.4	.8	30
31	—	X	—	X	—	X	—	.10	X	.4	X	—	31
Total	2.74	.85	1.08	3.04	2.02	1.19	6.61	1.41	4.93	1.27	2.10	1.95	YEAR'S TOTAL 29.19
Rain Days.	13	11	6	18	9	9	17	11	20	15	15	18	162

REGISTER OF RAINFALL IN 1920.

Kept at St George's Spa Gardens
in the County of London
by J. Taylor (Gardener)

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Victoria
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. 6 in.
" " " " Sea Level _____ ft.

14 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.27	2	—	.28	2	—	.13	—	.17	1
2	—	—	—	—	—	—	—	.88	7	6	—	5	2
3	—	8	—	—	—	—	—	—	.12	2	—	4	3
4	—	1	6	8	—	—	—	1	—	—	—	—	4
5	2	—	.15	—	5	—	.51	.15	3	.10	—	7	5
6	—	—	.15	—	.14	—	.44	—	—	—	—	2	6
7	—	—	—	.11	4	—	.15	—	—	—	—	2	7
8	.31	—	—	.20	.14	—	.11	2	—	—	—	—	8
9	—	1	—	2	—	—	—	—	—	—	—	—	9
10	.58	7	.8	1	—	.10	.8	—	—	—	—	—	10
11	.10	—	.6	.22	—	1	.28	—	—	—	—	.14	11
12	.9	1	—	.8	—	.39	—	—	—	—	—	—	12
13	.16	—	.9	.15	—	—	—	—	—	—	4	2	13
14	—	—	.21	.12	—	.27	—	—	.21	7	.11	—	14
15	1	—	.7	.22	—	—	2	—	.49	.10	.10	1	15
16	—	—	—	.18	.14	—	—	—	.30	.30	—	—	16
17	1	—	—	—	—	—	—	—	.68	—	—	—	17
18	—	—	—	.8	—	—	1	.85	.20	—	—	.5	18
19	.15	—	—	.16	—	—	—	—	—	—	—	—	19
20	.6	28	—	.11	—	.59	—	—	—	—	—	.7	20
21	—	—	—	—	—	—	.72	—	.76	—	—	3	21
22	—	—	—	.29	—	—	—	—	.78	—	—	.35	22
23	—	—	—	—	—	—	.31	—	4	—	—	.35	23
24	—	—	.6	—	—	—	—	—	—	—	—	—	24
25	—	2	—	1	—	—	.9	—	4	—	—	—	25
26	2	—	.16	1	—	—	.15	—	—	—	—	3	26
27	.13	6	.4	.22	—	.12	.36	—	—	—	.45	7	27
28	.42	—	.12	.21	2	—	.12	—	—	—	—	2	28
29	.26	—	.11	—	—	—	1	—	—	—	4	.17	29
30	1	~~X~~	—	—	7	—	.27	—	.58	—	.14	.15	30
31	—	~~X~~	—	~~X~~	5	~~X~~	—	—	~~X~~	.15	~~X~~	4	31
TOTAL	2.33	.54	1.36	2.75	.67	1.48	3.91	1.93	4.30	.93	.88	1.87	YEAR'S TOTAL
Days with 0.1 in. or more	15	8	13	20	9	14	12	6	13	8	6	20	22 95
	10	4	13	16	9	15	12	3	12	7	6	13	141

REGIS

Kept at Willesden
in the County of Middx
by William

WILLESDEN

RICHMOND AVE.
MIDDX

1913, 15, 18

54
W. 2-JAN-1914
BRITISH RAINFALL FORM A.
in

ad 1 ft. 0 in.
level 170 ft.
result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

Date.	Jan.	Feb.	March.	A							Nov.	Dec.	Date.
1	0.02	0.22	0.02	0.02							0.02	0.08	1
2	0.03	0.02	0.02	0.02					0.14		0.04	0.05	2
3			0.03	0.19	0.34		0.03					0.03	3
4	0.20				0.27		0.14			0.14		0.04	4
5	0.03			0.04	0.07	0.02	0.21		0.22		0.04	0.09	5
6		0.02	0.20		0.06	0.03	0.15		0.04	0.09	0.03	0.02	6
7		0.11	0.02		0.02	0.05	0.08	0.08		0.40			7
8			0.10		0.09	0.05				0.15	0.10		8
9		0.15			0.04				0.05		0.05	0.01	9
10			0.09	0.13			0.09	0.07			0.20		10
11	0.48			0.45	0.11					0.59	0.20		11
12	0.09				0.06						0.19		12
13	0.05							0.02			0.20		13
14	0.02		0.08	0.05			0.12	0.07	0.07	0.13	0.32		14
15	0.23	0.01	0.18	0.09			0.78		0.02				15
16	0.09		0.32	0.28					0.47				16
17	0.04	0.04	0.10	0.06			0.12				0.03	0.04	17
18	0.01			0.13			0.02				0.05		18
19	0.13		0.10	0.02	0.07	0.01	0.12		0.34				19
20	0.08		0.01	0.03		0.06			0.02	0.42	0.03		20
21	0.02		0.14	0.10						0.22	0.79	0.02	21
22	0.36		0.17				0.02		0.17				22
23				0.03				0.17	0.05			0.26	23
24	0.06							0.02					24
25		0.03		0.17		0.01				0.70			25
26		0.03	0.20	0.08				0.06				0.12	26
27		0.08	0.01	0.07	0.01								27
28	0.20		0.13	0.05						0.09			28
29	0.06		0.06		0.39			0.07		0.04		0.01	29
30	0.18			0.55				0.14		0.06	0.04		30
31								0.36		0.02			31
Total	2.38	0.77	1.94	2.79	1.53	0.23	1.88	1.06	1.90	3.05	2.53	0.77	20.63
Rain Days.	20	10	17	19	12	7	12	10	12	13	14	12	160
YEAR'S TOTAL													

YEAR'S TOTAL

REGIS

Kept at

in the County of

by

Lat. $57^{\circ} 33' N$. Long. $0^{\circ} 14' W$.

Time of Observation 9 a.m. (Corrected)

Nearest Railway Station Willesden Green

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 170 ft.

FORM A
BRITISH RAINFALL
2-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.02	0.22	0.02	0.27	0.02	0.02	0.02	0.02	0.31	0.02	0.02	0.08	1
2	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.14	0.02	0.04	0.05	2
3	0.02	0.02	0.03	0.19	0.34	0.03	0.03	0.02	0.02	0.02	0.02	0.03	3
4	0.20	0.02	0.02	0.02	0.27	0.02	0.14	0.02	0.02	0.14	0.02	0.04	4
5	0.03	0.02	0.02	0.04	0.07	0.02	0.21	0.02	0.22	0.02	0.04	0.09	5
6	0.02	0.02	0.20	0.02	0.06	0.03	0.15	0.02	0.04	0.09	0.03	0.02	6
7	0.02	0.11	0.02	0.02	0.02	0.05	0.08	0.08	0.02	0.40	0.02	0.02	7
8	0.02	0.02	0.10	0.02	0.09	0.05	0.02	0.02	0.02	0.15	0.10	0.02	8
9	0.02	0.15	0.02	0.02	0.04	0.02	0.02	0.02	0.05	0.02	0.05	0.01	9
10	0.02	0.02	0.09	0.13	0.02	0.02	0.09	0.07	0.02	0.02	0.20	0.02	10
11	0.48	0.02	0.02	0.45	0.11	0.02	0.02	0.02	0.02	0.59	0.20	0.02	11
12	0.09	0.02	0.02	0.02	0.06	0.02	0.02	0.02	0.02	0.02	0.19	0.02	12
13	0.05	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.20	0.02	13
14	0.02	0.02	0.08	0.05	0.02	0.02	0.12	0.07	0.07	0.13	0.32	0.02	14
15	0.23	0.27	0.18	0.09	0.02	0.02	0.78	0.02	0.02	0.02	0.02	0.02	15
16	0.09	0.02	0.32	0.28	0.02	0.02	0.02	0.02	0.47	0.02	0.02	0.02	16
17	0.04	0.04	0.10	0.06	0.02	0.02	0.12	0.02	0.02	0.02	0.03	0.04	17
18	0.01	0.02	0.02	0.13	0.02	0.02	0.02	0.02	0.02	0.02	0.05	0.02	18
19	0.13	0.02	0.10	0.02	0.07	0.01	0.12	0.02	0.34	0.02	0.02	0.02	19
20	0.08	0.02	0.01	0.03	0.02	0.06	0.02	0.02	0.02	0.42	0.03	0.02	20
21	0.02	0.02	0.14	0.10	0.02	0.02	0.02	0.02	0.02	0.22	0.79	0.02	21
22	0.36	0.02	0.17	0.02	0.02	0.02	0.02	0.02	0.17	0.02	0.02	0.02	22
23	0.02	0.02	0.02	0.03	0.02	0.02	0.02	0.17	0.05	0.02	0.02	0.26	23
24	0.06	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	24
25	0.02	0.03	0.02	0.17	0.01	0.02	0.02	0.02	0.02	0.70	0.02	0.02	25
26	0.02	0.03	0.20	0.08	0.02	0.02	0.02	0.06	0.02	0.02	0.02	0.12	26
27	0.02	0.08	0.01	0.07	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	27
28	0.20	0.02	0.13	0.05	0.02	0.02	0.02	0.02	0.02	0.09	0.02	0.02	28
29	0.06	0.02	0.06	0.02	0.39	0.02	0.02	0.07	0.02	0.04	0.02	0.01	29
30	0.18	0.02	0.02	0.55	0.02	0.02	0.02	0.14	0.02	0.06	0.04	0.02	30
31	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.36	0.02	0.02	0.02	0.02	31
Total	2.38	0.77	1.94	2.79	1.53	0.23	1.88	1.06	1.90	3.05	2.53	0.77	20.63
Rain Days.	20	10	17	19	12	7	12	10	12	13	16	12	160

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at 20, Richmond Ave. - Willesden
in the County of Middlesex
by William Gadden

Lat. 51°33' N. Long. 5°58' W. 9.1
Time of Observation 9 a.m. approx.
Nearest Railway Station Willesden Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 0 in.
" " " " Sea Level 176 ft.

BRITISH RAINFALL
FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.	0.07	.	.	.	0.42	.	.	0.09	0.13	1
2	.	0.07	.	0.01	.	.	.	0.47	.	.	0.16	0.17	2
3	.	.	0.04	0.02	0.47	.	.	.	.	.	0.67	.	3
4	.	0.05	.	.	.	.	.	0.06	0.15	.	0.37	0.01	4
5	.	0.03	0.17	.	0.16	.	.	0.08	0.40	0.09	.	.	5
6	.	0.15	0.02	0.32	.	.	.	0.01	0.07	.	.	.	6
7	0.21	0.07	.	0.10	0.28	.	.	.	.	0.13	.	0.08	7
8	0.12	0.04	.	.	.	.	.	.	0.23	0.05	0.17	0.03	8
9	0.02	0.05	.	.	.	0.03	0.03	.	0.40	0.07	.	0.22	9
10	0.02	.	.	0.05	.	.	1.13	.	0.01	.	.	0.30	10
11	.	.	.	0.06	.	.	0.86	.	0.06	0.19	0.07	0.09	11
12	.	0.04	.	0.03	0.21	.	0.12	.	0.02	.	.	.	12
13	.	.	.	.	0.32	.	0.39	.	.	.	.	.	13
14	0.15	.	0.03	.	.	0.16	0.01	.	0.37	0.15	.	0.25	14
15	1.25	.	.	0.93	.	0.06	0.07	.	0.20	.	.	0.06	15
16	0.16	.	.	0.27	0.20	.	0.06	.	0.10	.	.	0.02	16
17	0.26	.	0.02	0.28	.	0.06	0.31	0.04	0.20	.	.	0.08	17
18	0.45	.	.	.	.	0.17	0.02	.	1.57	.	.	0.04	18
19	0.04	.	0.01	0.04	.	0.05	0.33	.	.	0.20	.	0.11	19
20	0.03	0.13	.	0.78	.	0.02	0.09	.	0.14	0.22	.	0.02	20
21	0.08	0.01	.	0.25	.	.	0.02	.	.	0.02	.	.	21
22	0.05	.	.	.	.	.	0.07	.	0.58	.	.	0.16	22
23	0.03	.	.	0.01	0.16	.	0.48	0.05	0.05	.	0.06	0.01	23
24	.	0.24	.	.	0.23	0.01	0.25	.	.	.	.	.	24
25	.	.	.	.	.	0.01	0.18	0.12	0.03	0.02	0.01	.	25
26	.	0.01	.	.	.	.	0.44	0.07	.	.	0.26	0.11	26
27	.	0.02	.	.	.	.	0.07	0.15	0.07	0.04	.	0.02	27
28	.	0.03	0.08	0.07	.	0.09	.	.	.	.	0.32	0.15	28
29	.	~~X~~	0.16	.	.	.	.	.	1.03	.	.	0.01	29
30	.	~~X~~	0.44	.	.	.	.	.	0.02	.	.	0.04	30
31	.	~~X~~	0.01	~~X~~	.	~~X~~	.	0.04	~~X~~	0.05	~~X~~	0.01	31
Total	2.87	0.94	0.98	3.29	2.03	0.66	4.93	1.51	5.70	1.23	2.16	2.12	28.42
Rain Days.	14	14	10	16	8	10	19	11	20	12	10	23	167

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Willenden (20 Richmond Ave.)
in the County of Middlesex
by William Godden

Lat. 51° 33' 44" N Long. 0° 13' 30" W
Time of Observation 9 a.m.
Nearest Railway Station Willenden Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 3 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.44	0.15	0.03	0.03					0.05		0.62	0.49	1
2	0.37	0.14	0.21	0.12				0.59		0.07			2
3	0.23		0.08	0.16		0.03		0.32	0.04			0.52	3
4	0.16		0.01					0.21				0.26	4
5	0.03	0.33						0.01		0.04		0.25	5
6	0.21	0.03		0.16	0.41		1.02	0.04				0.56	6
7	0.84	0.19	0.03	0.01			0.41	0.04				0.18	7
8		0.22	0.02	0.02			0.03						8
9	0.05	0.33		0.07		0.07		0.09			0.30	0.63	9
10	0.30							0.18				0.09	10
11	0.02		0.03					0.05			0.65	0.01	11
12	0.06			0.24	0.42			1.15			0.39		12
13	0.04	0.36			1.31			0.02					13
14		0.04					0.97	0.01	0.06			0.49	14
15	0.04				0.05		0.03	0.61			0.23	0.16	15
16	0.01	0.07					0.67	0.01				0.03	16
17		0.50			0.59		0.04	0.27					17
18		0.27	0.05		0.32						0.03		18
19		0.08	0.02				0.12						19
20	0.31			0.04	0.04							0.14	20
21	0.07						0.02			0.03		0.05	21
22	1.00	0.08	0.23				0.72					0.10	22
23		0.34	0.05	0.01		0.03	0.38		0.17	0.41		0.25	23
24						0.01	0.05		0.23	0.20		0.25	24
25			0.05	0.09		0.01	0.36			0.02		0.13	25
26	0.01	0.05										0.39	26
27		0.04				0.19	0.28			0.18		0.07	27
28		0.03	0.01			0.03	0.19		1.61	0.28			28
29		~~X~~	0.01					0.18			0.09	0.02	29
30	0.03	~~X~~				0.07					0.09		30
31	0.01	~~X~~		~~X~~		~~X~~			~~X~~	0.89	~~X~~	0.12	31
Total	4.23	3.25	0.83	0.92	3.17	0.44	5.29	3.78	2.16	2.12	2.40	5.19	33.78
Rain Days.	20	18	14	10	8	8	15	17	6	9	8	22	155

82 ✓

RE

WILLESDEN
RESERVOIR

LONDON / MIDDY

1911-20

FORM A2.
BRITISH RAINFALL
23 JAN 1912

Kept at Willesden
in the County of Middlesex
by Met. Water Co.

in.
Round ft.
Sea Level ft.
Name
Distance Direction

IMPORTANT NOTE: Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				78				03					1
2	33			31	08						19	13	2
3					06					02	08	11	3
4										02	10	27	4
5	02			07								03	5
6	35		17									24	6
7										08	29	18	7
8	18		19								17	16	8
9	08			07								03	9
10		12	10									36	10
11	26				22						59		11
12			47		20						29		12
13			09						49	40	03	22	13
14		06			32							35	14
15		05	15							03	04		15
16						46					36	03	16
17											43	14	17
18		16									48	17	18
19						04		22	18	05	17	07	19
20						26		26	11	05		51	20
21		10						31	05	48		07	21
22	11					02		01		03		39	22
23		06	02			82			25			13	23
24		13								1.14		20	24
25				04		18	68			03			25
26				20		15	07			12	05	28	26
27		34	09						10			11	27
28		20		31	02		04	10					28
29						17	05		19	26			29
30					01	01		03		16			30
31					43								31
Total	1.33	1.22	1.28	1.78	1.34	2.11	.84	.96	1.37	2.87	3.27	4.18	TOTAL for Year 12.55
No. of Rain Days	7	9	8	7	8	9	4	7	7	14	14	22	116

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Willesden Reservoir
in the County of Middlesex
by Met. Water Board

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.33			.78 -31	.08			.03			.19	.13	2
3					.06					.02	.08	.11	3
4										.02	.10	.27	4
5	.02			.07								.03	5
6	.35		.17									.24	6
7										.08	.29	.18	7
8	.18		.19								.17	.16	8
9	.08			.07								.03	9
10		.12	.10									.36	10
11	.26				.22						.59		11
12			.47		.20						.29		12
13			.09						.49	.40	.03	.22	13
14		.06			.32							.35	14
15		.05	.15							.03	.04		15
16						.46					.36	.03	16
17											.43	.14	17
18		.16									.48	.17	18
19						.04		.22	.18	.05	.17	.07	19
20						.26		.26	.11	.05		.51	20
21		.10						.31	.05	.48		.07	21
22	.11					.02		.01		.03		.39	22
23		.06	.02			.82			.25			.13	23
24		.13								1.14		.20	24
25				.04		.18	.68			.03			25
26				.20		.15	.07			.12	.05	.28	26
27		.34	.09						.10			.11	27
28		.20		.31	.02		.04	.10					28
29						.17	.05		.19	.26			29
30					.01	.01		.03		.16			30
31					.43								31
Total	1.33	1.22	1.28	1.78	1.34	2.11	.84	.96	1.37	2.87	3.27	4.18	22.55
No. of Rain Days	7	9	8	7	8	9	4	7	7	14	14	22	116

82
checked re
mon. & July
20 11.12

only by this (telephone 2.11.15)

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

Kept at Willesden Reservoir
in the County of Middlesex
by H. F. Putter

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10	07		11	04		08	39		20	1
2			16			05	29						2
3	05		11	05	05	20	01					08	3
4	21	02	52	18	18	27		34			15		4
5	17	06	03			04		22			03		5
6	46	02				08		07	02			02	6
7				02	06	49		09					7
8	39	28	15			06		27					8
9	01	07				33		06				19	9
10		04				02		28	02		03	22	10
11		31			02	04						15	11
12	08	08	09	17	17	16					07		12
13		01									07	03	13
14			01		02			06		10		02	14
15		02	06		30	48					01	29	15
16	37		02		04	04		06		03	06		16
17	36		24			06						02	17
18	10		15					16				11	18
19	15	06	08				01	39					19
20	02	01	10					17		32			20
21		04	19				01	14		07	05		21
22	18	16	04				03	15				03	22
23	30	35	30				30	45		03	14	14	23
24	38	03				20		12				15	24
25	14				05	21		70			24	39	25
26		01				02	01	27		40	25	28	26
27						04				16		20	27
28		03					16	05	03	26	29	09	28
29						20	25	25	95	26			29
30					39			02	85	14			30
31			37				15	17		03			31
Total	3.37	1.60	2.72	07	1.28	3.10	1.26	4.49	1.95	2.19	1.39	2.61	TOTAL 26.03
No. of Rain Days.	16	18	18	1	10	20	12	22	6	12	12	18	163

REGISTER OF RAINFALL IN 1913

130
FORM A.
BRITISH RAINFALL
27 JAN 1914

Kept at Willesden Reservoir

in the County of Middlesex

by H. F. Putter M. H. B.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		21	04	24					24		13	12	1
2	07	11					05		11	02	02		2
3			01	18	35							08	3
4	18			02	31		13			15	03	05	4
5	12						19		22			05	5
6			15		06	12	15		02	23		10	6
7		10			02		07	11		31	07		7
8		03	03		06	12				07			8
9		16		01	03				05		05	04	9
10			07	15			06	07			30		10
11	49			45	11					51	20		11
12					04						31		12
13	08		02						10		27		13
14	04		07	06			72	07		17	07		14
15	20	07	20	22			18		02				15
16	10		36	14					40				16
17	03		06	03			13				03	02	17
18			11	15									18
19	14				04		13		34				19
20	08		04	03		11				54			20
21		02	19	07						18	81		21
22	36		22	02					20				22
23								16	02			28	23
24				05									24
25		01		17									25
26		01	19	07			01			74		15	26
27		03	03	06									27
28	21		16	07						08			28
29	06		05	55	57					02			29
30	21			03				24		10			30
31			04					39					31
Total	2.37	.75	2.04	2.77	1.59	.35	1.52	1.04	1.72	3.12	2.29	.89	20.75
Rain Days.	15	10	19	21	10	3	11	6	11	13	12	9	140

YEAR'S TOTAL

DL
15-11-15

Obs. conforms identity of old town records Sept-Dec 18.41.45

REGISTER OF RAINFALL IN 1914

119
28 JAN 1915
FORM A.
BRITISH RAINFALL

Kept at Hillesden Reservoir

in the County of Middlesex Old Gauge

by H. F. Rutter M. W. B.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12					13				01	1
2							10	18			09	12	2
3			04		13		09				02		3
4	07		02	21	08			03			29	20	4
5	04		07	22		04	40	78					5
6		11	01	03		18	14	03			09	10	6
7		17	32	07	77	07	07					06	7
8	15	34	69	07		10	05	12	01				8
9	17		47	14		42			07			1.55	9
10		12	01	03	07				17				10
11		25	37			14			10		36	25	11
12	02	06	12				15		16			50	12
13		21	08						11	11	04	42	13
14		05	40			12	09			11	08	30	14
15	05		12				07	02		02	34	05	15
16			01				08						16
17		35	05									15	17
18		03	15									21	18
19		04	22			02	02		03		18	22	19
20		19	25			02			15			11	20
21		49	07									04	21
22					40	17	10	03		26			22
23			16		18		02			10			23
24			06	03	01					03	12		24
25	04		10					15		29		09	25
26			07				03	08		04	16	52	26
27	05		05								02	15	27
28		05								05	37	98	28
29	02		09							26	10		29
30			04							03	70	17	30
31					15							03	31
Total	61	2.46	4.16	.80	1.79	1.28	1.41	1.55	.80	1.30	2.96	6.23	25.35
Rain Days.	9	14	27	8	8	10	14	10	8	11	15	22	156

REGISTER OF RAINFALL IN 1914

Kept at Willesden Reservoir

in the County of Middlesex New Gauge

by H. F. Rutter M. H. B.

Lat. Long. Time of Observation Nearest Railway Station Diameter of Rain Gauge in. Height of top of Gauge above Ground ft. in. Sea Level ft.

119 28 JAN 1915 BRITISH RAINFALL FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			11					14				01	1
2							10	18			09	12	2
3			03		14		09				02		3
4			01	22	09			03			29	20	4
5			08	22		05	40	80					5
6			02	04		19	14	04			09	10	6
7			33	07	78	08	07					06	7
8			70	08		11	06	13	01				8
9			48	16	01	43			07			1.55	9
10			02	04	08				17				10
11			38			16			11		36	25	11
12			13				16		16			50	12
13			08						11	11	04	42	13
14			40			12	10			11	08	30	14
15			13				08	02		02	34	05	15
16			01				08						16
17			06									15	17
18			16									21	18
19			23			02	03		03		18	22	19
20			26			03			15			11	20
21			07									04	21
22					40	17	11	04		26			22
23			17		18		03			10			23
24			07	04	01					03	12		24
25			11					16		29		09	25
26			08				04	08		04	16	52	26
27			05								02	15	27
28										05	37	98	28
29			10							26	10		29
30			05							03	70	17	30
31					17							03	31
Total			4.32	87	1.86	1.36	1.49	1.61	81	1.30	2.96	6.23	WIP
Rain Days.			27	8	9	10	14	10	8	11	15	22	

REGISTER OF RAINFALL IN 1915

928
114
FORM A.
BRITISH RAINFALL

Kept at Hillesden
in the County of Middlesex
by Met. Water Board H. F. Butler

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.42	.15			.02				.04	.03	.42	.49	1
2	.39	.12	.25	.11				.58		.03			2
3	.28		.04	.17				.30	.01			.52	3
4	.05			.17				.31				.25	4
5		.31								.03		.26	5
6	.31			.17	.50		1.02	.03				.53	6
7	.62	.21	.03				.35	.04				.19	7
8	.06	.43	.01	.01									8
9		.09		.08		.07		.08			.28	.60	9
10	.29		.02					.15				.11	10
11	.01							.05			.62		11
12	.03			.18	.40			.89			.32		12
13		.31			1.15			.02					13
14		.04					.90		.06			.55	14
15	.03				.06			.68			.15	.10	15
16		.26					.66					.03	16
17		.33			.72		.03	.23			.02		17
18		.26	.02		.09								18
19		.04			.01		.10				.01		19
20	.33			.05								.17	20
21	.13	.07					.02					.05	21
22	.77		.21				.75					.08	22
23		.28	.03	.01		.02	.29		.24	.40		.24	23
24			.01				.05		.21	.16		.23	24
25			.03	.09		.03	.31			.02		.17	25
26		.06				.10	.14					.42	26
27		.01				.09	.11			.31		.07	27
28		.03				.01			1.47	.16			28
29			.01			.01	.11	.12			.11	.07	29
30	.03	X				.05					.16	.01	30
31		X		X		X		.01	X	.90	X	.14	31
Total	3.75	3.00	.66	1.04	2.95	.38	4.84	3.49	2.03	2.04	2.09	5.28	31.55
Rain Days.	15	17	11	10	8	8	14	14	6	9	9	22	143

REGISTER OF RAINFALL IN 1916

Kept at Willesden Reservoir
in the County of Middlesex
by H. F. Putter Met. Water Board

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

903
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03				34				25		46		1
2	38	02	09		31				17	41			2
3		27	13				02		15	27	57		3
4	20	05				31	04		05	03	40		4
5	01				05	24	02			06	38		5
6		05	16	19	01	08	34			05	35		6
7	07		04		14	12	17				48	05	7
8			18		27	02						22	8
9					21	04				03		02	9
10		16	08	09		16						15	10
11		12	01	14		25							11
12	04	03	02	03	24	14	03	12		05			12
13		31	36	09		15	29	15		01			13
14		34			07			42		02		17	14
15		21	28				06	15					15
16			18	16			14	68					16
17	09	08					02	11	25	60			17
18		08	02	12				35	09	10	66	02	18
19	04	02	15	11					06		69		19
20	11		17									32	20
21	02		47				29					27	21
22			05							02		44	22
23		16			03	07		02			05		23
24		06				07				13	03	30	24
25		37	16		06			23		02	10		25
26		18				06		12		05			26
27	06		74			05		33	09	42			27
28		26	23			04			03			21	28
29		05				31		132	02	35		12	29
30		X		03				04		68			30
31		X		X		X		05	X	09	X	03	31
Total	1.05	2.82	3.52	.96	1.73	2.11	1.42	4.09	1.16	3.39	4.17	2.32	28.74
Rain Days.	11	19	19	9	11	16	11	14	10	19	11	13	163

870
104
FORM A.
BRITISH RAINFALL.
26 JAN 1918

870
104

REGISTER OF RAINFALL IN 1917

Kept at Willesden
in the County of Middlesex
by M. W. B. H. F. Rutter

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				26				81	06		06	01	1
2		01		34		02		08			23		2
3				08				25		30	14		3
4		10	05				11	20		35			4
5	25		03	40				10	52	12	10		5
6			04	03		04			12	02	11		6
7	17						11			24		04	7
8	13			07				12	01	25	17	30	8
9	03		05	06			74	13	06		06	14	9
10	07		06	15			04	02			01	03	10
11	30		40	24						22			11
12	07		02	04				06		36	01		12
13	02		13	03				07	03			01	13
14				25				08					14
15				01			25			03			15
16	07	18		11	18	2.34	05			40		22	16
17		01		07	57		29		40	23			17
18	03	04		07	09	36	13	07	14	08			18
19	01	16	05		15				25				19
20	01	22			64						05		20
21			04		02	07				01	02		21
22			05			01		09		07	01		22
23		12	03		10			10				02	23
24		05				04		18		19		01	24
25		01	04			01					06		25
26			01					16	04		43		26
27								71				02	27
28						1.58		10				05	28
29					20	05	56	01		25		15	29
30		X	32				1.71	07		01		02	30
31		X	08	X		X	37	03	X		X	01	31
Total	1.16	.90	1.40	2.21	1.95	4.52	4.36	3.44	1.63	3.13	1.46	1.03	27.19
Rain Days.	12	10	16	16	8	10	11	21	10	17	14	14	159
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1918

Kept at *Killesden Reservoir*

in the County of *Middlesex*

by *M. H. B. H. F. Putter*

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				09							12	11	1
2		07		02				69		01	11	19	2
3		01	04	02	53			22	01		56	02	3
4		06	17					08	58		43	01	4
5		04	01		06			08	10	10			5
6	19	17		32	15			03				09	6
7	02	07		10	14			02	23	10	08		7
8		05		01			01		08	03	06	03	8
9	02	05		06		05	26		41	11		24	9
10	01			11			102			02	02	29	10
11				02	07		65		05	18	08	11	11
12		05			21		05		03			02	12
13	01	01			22		45		30			02	13
14	15		02			18	03		27	15		24	14
15	116			84		02	06		01			08	15
16	19			26		02			23	02		01	16
17	18			21	18	15	28	02				10	17
18	48					19	02		160			04	18
19	04	01	05	05		07	34		01	19		10	19
20	03	11		63		02	08		14	06		03	20
21	07	02		35			01		48	18			21
22	05				20		17		12	03		15	22
23	03			02	26		37	04	04			02	23
24		22				05	30		05		04		24
25						01	29	10		01	02		25
26							45	09	01	03	18	14	26
27				08			06	15	04		10	02	27
28	01	02	24	03		17					20	18	28
29	01		01						105		02		29
30		X	45						01		02	04	30
31	01	X		X		X		07	X	05	X		31
Total	266	96	99	322	202	93	490	159	585	127	204	228	2871
Rain Days.	18	15	8	18	10	11	19	12	23	16	15	24	189

REGISTER OF RAINFALL IN 1919

Kept at Willesden Reservoir

in the County of Middlesex

by M. W. B. H. F. Rutter

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.04		.03	.10		.24			.01		.86	1
2	.33				.14		1.03	.01	.35	.06	.11	.14	2
3	.33		.25		.02		.09		.10		.03	.38	3
4	.09	.11	.35			.08	.12	.05			.01	.10	4
5		.22	.31				.07		.12			.25	5
6	.01		.07								.03	.02	6
7	.03		.31								.01		7
8	.06		.06	.01									8
9	.18		.01	.18	.17								9
10	.55		.05	.01							.02		10
11	.03		.07	.24	.01		.30					.05	11
12	.01		.02	.01		.05	.05			.07			12
13	.01			.28						.03			13
14	.22			.23			.06		.35				14
15	.24	.03	.19	.26							.02	.60	15
16	.04	.61									.10	.03	16
17		.40	.02								.16		17
18		.20	.07						.06		.09	.05	18
19	.05	.19	.90			.25		.30	.04		.09	.01	19
20	.26	.08	.07			.86	.50	(1.47)	.02			.01	20
21	.18	.27	.02			.02	.13					.07	21
22		.11				.03	.10		.15		.02	.28	22
23						.03		.02	.06		.01	.01	23
24				.18			.12	.04		.19	.02	.02	24
25	.04			.02				.20				.30	25
26	.09	.17	.15	.05				.05	.10			.03	26
27	.52	.02	.04	1.01				.45				.30	27
28			.19	.02				.70		.01	.21	.02	28
29	.03			.03				.25		.23	.05	.02	29
30		X	.01	.22		.18		.12	X	.02	.30	.26	30
31	.02	X	.08	X		X	.01		X	.01	X	.01	31
Total	3.67	2.45	3.24	2.78	.44	1.50	2.82	2.33	1.35	.63	1.28	3.82	26.31
Rain Days.	23	13	21	16	5	8	13	12	10	9	17	23	170
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920.

Met. Water Board
 Kept at WILLESDEN
 in the County of
 by

Lat. Long.
 Time of Observation
 Nearest Railway Station
 Diameter of Funnel of Rain Gauge in.
 Height of top of Gauge above Ground ft. in.
 " " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.21	.05		.27			.50		.19	1
2			.02				.01	.86	.07			.01	2
3		.05							.08	.08		.07	3
4		.04		.05			.20	.04		.13			4
5			.10		.03		.53	.07	.02				5
6			.16		.12		.35					.09	6
7	.01		.02	.25	.05		.20					.05	7
8		.03		.08	.06		.13						8
9	.31			.03									9
10	.55	.05	.07	.15		.06							10
11	.17		.08	.17		.01	.31					.25	11
12	.10			.18		.70							12
13	.15	.01	.09	.10									13
14			.27	.33		.47			.13	.11	.28	.30	14
15	.01	.02	.08	.16					.34	.17	.12	.14	15
16						.01			.47				16
17	.01				.15				.22			.07	17
18	.03							.69	.30	.43			18
19	.16			.30								.06	19
20	.06	.10		.14		.60							20
21							.97		.52			.06	21
22				.31				.01	.09			.35	22
23							.37					.37	23
24			.04										24
25		.02	.03										25
26	.03		.06		.20		.25						26
27	.15	.02	.01	.28		.11	.10					.18	27
28	.41		.03	.13	.03		.10				.66	.76	28
29	.22		.04								.04	.25	29
30	.03				.15		.58		.46		.20	.14	30
31			.01		.04					.15		.13	31
TOTAL	2.46	0.34	1.16	2.87	0.88	1.96	4.37	1.61	2.70	1.57	1.30	2.02	23 31 18
Days with .01 in. or more	16	9	16	16	10	7	14	5	11	7	5	14	100
Days with .04 in. or more	10	4	10	12	8	5	13	2	10	7	5	14	100

REG

WILLESDEN

Kept at Sewage Farmin the County of Middxby Willesden Dist.

SEWAGE WORKS

LONDON / MIDDX

1911, 12, 14-18, 20

FORM A2.
BRITISH RAINFALL.
JAN 1912in.
ound 5 ft. 9 in.
Level 100.38 ft.
M.me Willesden
Distance 1/2 m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05			.51	.02			.05					1
2	.14			.31	.17						.18	.12	2
3					.14						.09	.13	3
4	.04	.03	.06	.07						.05	.14	.29	4
5	.02			.03					.02	.17	.02	.07	5
6	.30		.10									.24	6
7	.02			.02						.05	.24	.22	7
8	.15		.18								.17	.14	8
9	.08		.02	.02								.02	9
10	.04	.11	.08	.04							.02	.31	10
11	.22				.06						.57		11
12	.02		.42		.23	.02			.02		.29		12
13			.07		.12				.49	.13		.22	13
14		.08										.32	14
15		.07	.14								.05	.02	15
16						.36					.31	.02	16
17			.06			.05					.50	.15	17
18		.08	.03			.06					.47	.17	18
19		.12				.21		.14	.20	.05	.15	.07	19
20		.02						.23	.11	.04	.01	.47	20
21		.07						.67	.04	.55		.07	21
22	.09		.05							.07		.41	22
23		.07	.06			.66			.23		.03	.11	23
24		.14	.04			.04		.05		1.29		.17	24
25		.04		.07		.13	1.30		.02	.02			25
26		.20	.02	.20	.02	.13	.07			.14		.28	26
27		.30	.08	.02					.10		.02	.11	27
28		.21		.29	.07		.02	.07			.01		28
29		X		.05		.16	.09		.19	.24			29
30		X			.05			.03	.03	.15			30
31		X		X	.90	X			X		X		31
Total	1.17	1.54	1.41	1.63	1.78	1.82	1.48	1.24	1.45	2.95	3.27	4.13	1.49
No. of Rain Days.	12	14	15	12	10	10	4	7	11	13	18	23	149

REGISTER OF RAINFALL IN 19//

FORM A2.
BRITISH RAINFALL
JAN 1912

Kept at Swage Farm Willesden
in the County of Middlesex
by Willesden District Council

RAIN GAUGE
Pattern
Diameter of top 10 in.
Height of top above Ground 5 ft. 9 in.
" " " Sea Level 100.38 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Willesden
Distance 1/2 m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05			.51	.02			.05					1
2	.14			.31	.17						.18	.12	2
3					.14						.09	.13	3
4	.04	.03	.06	.07						.05	.14	.29	4
5	.02			.03					.02	.17	.02	.07	5
6	.30		.10									.24	6
7	.02			.02						.05	.24	.22	7
8	.15		.18								.17	.14	8
9	.08		.02	.02								.02	9
10	.04	.11	.08	.04							.02	.31	10
11	.22				.06						.57		11
12	.02		.42		.23	.02			.02		.29		12
13			.07		.12				.49	.13		.22	13
14		.08										.32	14
15		.07	.14								.05	.02	15
16						.36					.31	.02	16
17			.06			.05					.50	.15	17
18		.08	.03			.06					.47	.17	18
19		.12				.21		.14	.20	.05	.15	.07	19
20		.02						.23	.11	.04	.01	.47	20
21		.07						.67	.04	.55		.07	21
22	.09		.05							.07		.41	22
23		.07	.06			.66			.23		.03	.11	23
24		.14	.04			.04		.05		1.29		.17	24
25		.04		.07		.13	1.30		.02	.02			25
26		.20	.02	.20	.02	.13	.07			.14		.28	26
27		.30	.08	.02					.10		.02	.11	27
28		.21		.29	.07		.02	.07			.01		28
29		X		.05		.16	.09		.19	.24			29
30		X			.05			.03	.03	.15			30
31		X		X	.90	X			X		X		31
Total	1.17	1.54	1.41	1.63	1.78	1.82	1.48	1.24	1.45	2.95	3.27	4.13	23.87
No. of Rain Days.	12	14	15	15	10	10	4	7	11	13	18	23	149

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19612

Kept at WILLESDEN SEWAGE FARMin the County of MIDDLESEX

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft..... in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			09	03		09	04		08	28		17		1
2			13			05	26	03		03		02		2
3	02		15		11	20		27				08		3
4	21		55		16	17					14			4
5	18	02	05					24			03			5
6	53	02				08		10	03			04		6
7		~~02~~	02		05	51	01	10				02		7
8	38	26	16			04		20				01		8
9		07	01	02		19	04	03				18		9
10		03				05		28	01		05	22		10
11	04	26				03			03		02	15		11
12	08	09	08		20	10	02				06			12
13	01	01				01			01		07	02		13
14			01		03			08		09		02		14
15		02	08		25	48		01				26		15
16	33		04		04			07		04	08			16
17	46		28			06		06						17
18	04		15					12		03		13		18
19	07	05	08				10	45		01				19
20	02	01	10				02	31		34				20
21		05	18		03			13		06	07			21
22	17	14	05		02		08	13		03				22
23	29	39	30				28	42		03	15	05		23
24	36	02				08	02	13				12		24
25	08					18		71			24	14		25
26		02	01				02	27		39	25	37		26
27						02				15		29		27
28		04				04	11	05	04	33	30	22		28
29		02				12	30	24	104	28	04	08		29
30		X			39			04	85	13				30
31		X	40	X		X	13	17	X	05	X	01		31
TOTAL	3.27	1.52	2.92	.05	1.28	2.50	1.43	4.64	2.09	2.27	1.50	2.60	Year's Total	
*Days with .01 in. or more.													26.01	
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

by Willenden District Council

Lat. _____ Long. _____
Time of Observation 9. 2. 16.
Nearest Railway Station Healden (Hert. Ry.)
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 5 ft. 9 in.
" " " " Sea Level 100.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

 .01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	.02	.40	-	-	-	.13	.17	.85	.05	-	1
2	-	-	.09	.03	-	.09	.04	-	.08	.28	-	.17	2
3	-	-	.13	-	-	.05	.26	.03	-	.03	-	.02	3
4	.02	-	.15	-	.11	.20	-	.27	-	-	-	.08	4
5	.21	-	.55	-	.16	.17	-	-	-	-	.14	-	5
6	.18	.02	.05	-	-	-	-	.24	-	-	.03	-	6
7	.53	.02	-	-	-	.08	-	.10	.03	-	-	.04	7
8	-	-	.02	-	.05	.51	.01	.10	-	-	-	.02	8
9	.38	.26	.16	-	-	.04	-	.20	-	-	-	.01	9
10	-	.07	.01	.02	-	.19	.04	.03	-	-	-	.18	10
11	-	.03	-	-	-	.05	-	.28	.01	-	.05	.22	11
12	.04	.26	-	-	-	.03	-	-	.03	-	.02	.15	12
13	.08	.09	.08	-	.20	.10	.02	-	-	-	.06	-	13
14	.01	.01	-	-	-	.01	-	-	.01	-	.07	.02	14
15	-	-	.01	-	.03	-	-	.08	-	.09	-	.02	15
16	-	.02	.08	-	.25	.48	-	.01	-	-	-	.26	16
17	.33	-	.04	-	.04	-	-	.07	-	.04	.08	-	17
18	.46	-	.28	-	-	.06	-	.06	-	-	-	-	18
19	.04	-	.15	-	-	-	-	.12	-	.03	-	.13	19
20	.07	.05	.08	-	-	-	.10	.45	-	.01	-	-	20
21	.07	.01	.10	-	-	-	.02	.31	-	.34	-	-	21
22	-	.05	.18	-	.03	-	-	.13	-	.06	.07	-	22
23	.17	.14	.05	-	.02	-	.08	.13	-	.03	-	.05	23
24	.29	.39	.30	-	-	-	.28	.42	-	.03	.15	.12	24
25	.36	.02	-	-	-	.08	.02	.13	-	-	-	.14	25
26	.08	-	-	-	-	.18	-	.71	-	-	.24	.37	26
27	-	.02	.01	-	-	-	.02	.27	-	.39	.25	.29	27
28	-	-	-	-	-	.02	-	-	-	.15	-	.22	28
29	-	.04	-	-	-	.04	.11	.05	.04	.33	.30	.08	29
30	-	X	-	-	-	.12	.30	.24	1.04	.28	.04	-	30
31	-	X	-	X	.39	X	-	.04	X	.13	X	-	31
Total	3.27	1.50	2.54	.48	1.28	2.50	1.30	4.60	1.41	3.07	1.55	2.59	26.06
Rain Days.	17	17 ¹⁸	21	3 ²	10	19	13 ¹⁴	25	8	16	14 ¹³	20 ²¹	18 ¹⁴
	3.27	1.52	2.92	.05	1.28	2.50	1.43	4.64	2.09	2.27	1.50	2.60	26.07

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1964

Kept at WILLESDEN SEWAGE FARM

COPY

in the County of MIDDLESEX

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft..... in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.		in.	in.	in.	†	
1			12					33			05	02		1
2							10	21			04	08		2
3			04		14		06	05			04			3
4	08		02	20			01	02			29	21		4
5	04		08	25	10	06	37	59						5
6		13		04		18	12	02	07		07	13		6
7		16	38	08	86	04	15	01				07		7
8	13	30	65	05	02	08	09	10						8
9	16		49	10		16			13			1.43		9
10		10	02	04	06				15			02		10
11		25	37		01	11			12		31	21		11
12		04	13				17		16		02	50		12
13		21	10						12	08	05	44		13
14		05	38			02	08			12	07	36		14
15	07		12				05	01		02	13	05		15
16			03				03		06		02			16
17		31	05						06			13		17
18		03	14									23		18
19		04	22			51	03		02		17	22		19
20		19	27			04			12			12		20
21		48	07							02		05		21
22				02	41	17	11	04		20				22
23		04	12		23		03			11				23
24			11	02	02					05	13			24
25	03		08					14		29		07		25
26			11				06	05		05	16	55		26
27	04		03								03	14		27
28		05								06	40	96		28
29	03	X	10							23	09			29
30		X	04							04	60	22		30
31		X		X	12	X	03		X		X	04		31
TOTAL	.58	2.38	4.27	.80	1.97	1.37	1.49	1.57	.94	1.27	2.67	6.24	Year's Total 25.55	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

REGISTER OF RAINFALL IN 1914

Kept at Sewage Farm, Willesden

in the County of Middlesex

by The Willesden Urban District Council

Lat. 51° 32' 53" Long. 0° 15' 45"

Time of Observation 9 a.m.

Nearest Railway Station Neasden (Met. Rly)

Diameter of Rain Gauge 10 in.

Height of top of Gauge above Ground 5 ft. 9 in.

Sea Level 100.38 ft.

Jan. 1, following.

04

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	.05	nil	nil	.12	nil	.03	nil	nil	nil	.60	1
2	"	"	.12	"	"	nil	"	.33	"	"	.05	.02	2
3	"	"	nil	"	"	"	.10	.21	"	"	.04	.08	3
4	"	"	.04	"	.14	"	.06	.05	"	"	.04	nil	4
5	.08	"	.02	.20	nil	"	.01	.02	"	"	.29	.21	5
6	.04	"	.08	.25	.10	.06	.37	.59	"	"	nil	nil	6
7	nil	.13	nil	.04	nil	.18	.12	.02	"	"	.07	.13	7
8	"	.16	.38	.08	.86	.04	.15	.01	"	"	nil	.07	8
9	.13	.30	.65	.05	.02	.08	.09	.10	"	"	"	nil	9
10	.16	nil	.49	.10	nil	.16	nil	nil	.13	"	"	1.43	10
11	nil	.10	.02	.04	.06	nil	"	"	.15	"	"	.02	11
12	"	.25	.37	nil	.01	.11	"	"	.12	"	.31	.21	12
13	"	.04	.13	"	nil	nil	.17	"	.16	"	.02	.50	13
14	"	.21	.10	"	"	"	nil	"	.12	.08	.05	.44	14
15	"	.05	.38	"	"	.02	.08	"	nil	.12	.07	.36	15
16	.07	nil	.12	"	"	nil	.05	.01	"	.02	.13	.05	16
17	nil	"	.03	"	"	"	.03	nil	.06	nil	.02	nil	17
18	"	.31	.05	"	"	"	nil	"	.06	"	nil	.13	18
19	"	.03	.14	"	"	"	"	"	nil	"	"	.23	19
20	"	.04	.22	"	"	.51	.03	"	.02	"	.17	.22	20
21	"	.19	.27	"	"	.04	nil	"	.12	"	nil	.12	21
22	"	.48	.07	"	"	nil	"	"	nil	.02	"	.05	22
23	"	nil	nil	.02	.41	.17	.11	.04	"	.20	"	nil	23
24	"	.04	.12	nil	.23	nil	.03	nil	"	.11	"	"	24
25	"	nil	.11	.02	.02	"	nil	"	"	.05	.13	"	25
26	.03	"	.08	nil	nil	"	"	.14	"	.29	nil	.07	26
27	nil	"	.11	"	"	"	.06	.05	"	.05	.16	.54	27
28	.04		.03	"	"	"	nil	nil	"	nil	.03	.14	28
29	nil	X	nil	"	"	"	"	"	"	.06	.40	.96	29
30	.03	X	.10	"	"	"	"	"	"	.23	.09	nil	30
31	nil	X	.04	X	"	X	"	"	X	.04	X	.22	31
Total	.058	2.33	4.32	0.80	1.85	1.49	1.46	1.60	0.94	1.27	2.07	6.80	25.51
Rain Days.	8	14	27	9	9	11	15	13	9	12	19	23	168

REGISTER OF RAINFALL IN 1915

Kept at Sewage Farm Willesden

in the County of Middlesex

by C. Claude Robson Esq. M.I.C.E.

Lat. 51° 32' 53" Long. 0° 15' 45"

Time of Observation 9 a.m.

Nearest Railway Station Heasden (Met. Ry.)

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground 5 ft. 9 in.

" " " " Sea Level 100.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A.
BRITISH RAINFALL
22 JAN 1916
Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.13	nil	nil	.04	nil	nil	nil	.06	.03	.47	.44	1
2	.43	.11	.26	.13	nil	"	"	.60	nil	.03	nil	.10	2
3	.30	nil	.05	.16	"	"	"	.34	.01	nil	"	.44	3
4	.04	"	nil	nil	"	"	"	.23	nil	"	"	.20	4
5	.03	.29	"	"	"	"	"	nil	"	.03	"	.28	5
6	.27	.02	"	.18	.42	"	1.05	"	"	nil	"	.47	6
7	.51	.21	.03	nil	nil	"	.31	.05	"	"	"	.17	7
8	.07	.45	nil	.01	"	"	nil	.04	"	"	"	nil	8
9	nil	.10	"	.09	"	.03	"	.05	"	"	.29	.63	9
10	.31	nil	.03	nil	"	nil	"	.16	"	"	nil	.11	10
11	.02	"	.02	"	"	"	"	.05	"	"	.64	.02	11
12	.08	.02	nil	.24	.45	"	"	.72	"	"	.34	nil	12
13	nil	.29	"	nil	1.16	"	"	.01	"	"	nil	"	13
14	"	.04	"	"	.01	"	.88	.03	.05	"	"	.56	14
15	.07	nil	"	"	.06	"	.02	.44	nil	"	.08	.12	15
16	nil	.27	"	"	nil	"	.64	.02	"	"	nil	.02	16
17	"	.30	"	"	.67	"	.03	.11	"	"	"	nil	17
18	"	.22	.03	"	.09	"	nil	nil	"	"	.04	"	18
19	"	.04	nil	"	.02	"	.13	"	"	"	nil	"	19
20	.32	nil	"	.09	nil	"	nil	"	"	"	"	.17	20
21	.05	"	"	nil	"	"	.01	"	"	"	"	.05	21
22	.80	.05	.21	"	"	"	.67	"	"	"	"	.09	22
23	nil	.11	.06	.02	"	.02	.13	"	.24	.40	"	.24	23
24	"	nil	.01	nil	"	.01	.15	"	.25	.15	"	.24	24
25	"	"	.03	.09	"	.03	.28	"	nil	nil	"	.16	25
26	"	.07	nil	nil	"	.12	.09	"	"	"	"	.41	26
27	"	.03	"	"	"	.14	.09	"	"	.32	"	.10	27
28	"	.05	"	"	"	.04	nil	"	1.29	.13	"	nil	28
29	"	X	"	"	"	nil	.05	.14	nil	nil	.12	"	29
30	.03	X	"	"	"	.17	nil	nil	"	.03	.16	"	30
31	.01	X	"	X	"	X	"	.02	X	.85	X	.16	31
Total	3.77	2.80	0.73	1.01	2.92	0.56	4.53	3.01	1.90	1.97	2.14	5.18	30.52
Rain Days.	17	19	10	9	9	8	15	16	6	9	8	22	148



Willesden District Council.

ENGINEER & SURVEYORS DEPARTMENT.

O. CLAUDE ROBSON, M. INST. C. E.
ENGINEER TO THE COUNCIL.

MUNICIPAL OFFICES, DYNE ROAD,

KILBURN, N. W.

February 25th, 1915.

Dear Sir,

I have to acknowledge receipt of yours of the 24th inst.,
and in reply beg to inform you that the amount of rain registered on the
morning of January 1st this year was .04 inches.

Faithfully yours,

Engineer to the Council.

Dr. H. R. Mill.

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1966

Kept at WILLESDEN SEWAGE WORKS

in the County of MIDDLESEX

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04		.02		.35	.01	.01		.19		.47			1
2	.37	.01	.05		.32				.30	.40				2
3		.26	.15				.03		.13	.07	.63			3
4	.29	.07	.01		.01	.33	.04		.13	.25	.41			4
5	.01				.05	.25	.02		.11	.05	.49			5
6		.06	.11	.17	.01	.07	.03			.04	.33			6
7	.07		.43		.14	.13	.50				.63	.08		7
8			.09		.23	.01					.03	.07		8
9					.31	.03				.05		.13		9
10		.04	.10			.21	.02							10
11	.02	.27	.03	.09		.19						.14		11
12	.03	.03	.01	.15	.21	.17	.03	.13						12
13		.31	.39	.12	.03	.17	.30	.01		.03				13
14		.40		.01	.05			.67				.16		14
15		.15	.30	.01	.01			.17		.01		.05		15
16		.07	.17	.15	.01		.20	.47		.07				16
17	.08			.03			.03	.35	.17	.60		.01		17
18		.17	.03	.14				.45	.10	.07	.67			18
19	.03	.03	.16	.17				.01	.13		.67	.04		19
20	.11		.12	.01							.02	.14		20
21			.54				.05					.50		21
22		.01	.13		.01							.37		22
23		.07	.01		.03	.12		.03		.09	.65	.15		23
24	.03	.21				.07						.30		24
25		.58	.16		.07			.25		.07	.01			25
26		.22	.03			.06		.11		.05				26
27	.05	.01	.93			.03		.39	.05	.40				27
28		.41	.33			.05			.02			.18		28
29		.05				.31		1.52	.02	.28		.09		29
30		X		.03		.01		.07		.97				30
31		X		X		X			X	.12	X	.03		31
TOTAL	1.13	3.43	4.30	1.08	1.84	2.22	1.26	4.63	1.35	3.62	4.41	2.44	31.71	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

REGISTER OF RAINFALL IN 1916

only run data

FORM A.
BRITISH RAINFALL

Kept at Willesden
in the County of Middlesex
by W. Godden

Lat. 51°33'N. Long. 13°45'W.
Time of Observation Corr. to 9 a.m.
Nearest Railway Station Willesden Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 5 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.040	—	0.020	—	0.350	0.015	0.010	—	0.190	—	0.470	—	1
2	0.375	0.015	0.055	—	0.320	—	—	—	0.300	0.400	—	—	2
3	—	0.262	0.155	—	—	—	0.030	—	0.135	0.070	0.630	—	3
4	0.289	0.065	0.010	—	0.010	0.329	0.040	—	1.105	0.250	0.410	—	4
5	0.010	—	—	—	0.050	0.255	0.020	—	—	0.050	0.490	—	5
6	—	0.060	0.115	0.175	0.015	0.070	0.030	—	—	0.040	0.330	—	6
7	0.065	—	0.430	—	0.142	0.125	0.500	—	—	—	0.630	0.080	7
8	—	—	0.095	—	0.226	0.015	—	—	—	—	0.030	0.070	8
9	—	—	—	—	0.310	0.035	—	—	—	0.050	—	0.130	9
10	—	0.040	0.100	—	—	0.210	0.020	—	—	—	—	—	10
11	0.020	0.270	0.030	0.085	—	0.185	—	—	—	—	—	0.140	11
12	0.035	0.025	0.010	0.155	0.212	0.165	0.035	0.125	—	—	—	—	12
13	—	0.314	0.390	0.120	0.030	0.168	0.250	0.010	—	0.030	—	—	13
14	—	0.397	—	0.010	0.045	—	—	0.665	—	—	—	0.160	14
15	—	0.145	0.300	0.010	0.015	—	—	0.165	—	0.010	—	0.045	15
16	—	0.075	0.175	0.155	0.010	—	0.200	0.465	—	0.070	—	—	16
17	0.080	—	—	0.025	—	—	0.025	0.345	0.170	0.600	—	0.010	17
18	—	0.170	0.030	0.144	—	—	—	0.445	0.100	0.070	0.670	—	18
19	0.035	0.035	0.156	0.165	—	—	—	0.010	0.125	—	0.675	0.040	19
20	0.105	—	0.120	0.010	—	—	—	—	—	—	0.020	0.140	20
21	—	—	0.538	—	—	—	0.050	—	—	—	—	0.500	21
22	—	0.010	0.126	—	0.010	—	—	—	—	—	—	0.370	22
23	—	0.070	0.010	—	0.025	0.120	—	0.025	—	0.090	0.050	0.150	23
24	0.030	0.215	—	—	—	0.070	—	—	—	—	—	0.300	24
25	—	0.580	0.160	—	0.070	—	—	0.245	—	0.070	0.015	—	25
26	—	0.220	0.030	—	—	0.060	—	0.111	—	0.050	—	—	26
27	0.055	0.010	0.925	—	—	0.025	—	0.388	0.055	0.400	—	—	27
28	—	0.407	0.325	—	—	0.050	—	—	0.020	—	—	0.180	28
29	—	0.055	—	—	—	0.315	—	1.520	0.020	0.280	—	0.090	29
30	—	X	—	0.025	—	0.010	—	0.070	X	0.970	X	—	30
31	—	X	—	X	—	X	—	—	X	0.120	X	0.030	31
Total	1.139	3.440	4.305	1.079	1.840	2.232	1.210	4.589	1.220	3.620	4.420	2.435	31.529
Rain Days.	12	21	23	12	16	18	12	14	10	18	12	16	184

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Wellesden District Council
in the County of Middlesex
by C. Claude Robson Esq M.I.C.E.
Engineer to the Council

Lat. 51° 32' 53" Long. 0° 15' 45" E
Time of Observation 9 am (Greenwich Mean Time)
Nearest Railway Station Neasden (Met. Reg.)
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 5 ft. 9 in.
Sea Level 100.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
See note

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	measured daily and result entered to previous day												
1	-	-	-	.17	-	-	-	.77	.06	-	.06	.02	1
2	-	-	-	.41	-	.02	-	.06	-	-	.21	-	2
3	-	-	-	.08	-	-	-	.23	-	.26	.14	-	3
4	-	-	-	-	-	-	.09	.18	-	.34	-	-	4
5	.26	-	.11	.34	-	-	-	.05	.34	.13	.12	-	5
6	-	-	.09	.09	-	.02	-	-	.15	.02	.15	-	6
7	.18	-	-	-	-	-	.07	-	-	.26	-	.03	7
8	.13	-	-	.10	-	-	.76	.22	-	.25	.14	.30	8
9	.04	-	.03	.10	-	-	.03	.18	.03	-	.08	.13	9
10	.11	-	.10	.15	-	-	-	.07	-	-	-	.03	10
11	.22	-	.41	.17	-	-	-	-	.01	.21	-	-	11
12	.10	-	.02	.04	-	-	-	.07	-	.39	-	-	12
13	.02	-	.15	.04	-	-	-	.11	.03	.01	-	-	13
14	-	-	-	.22	-	-	-	.21	-	-	-	-	14
15	-	-	-	-	-	-	.17	.06	-	.05	-	-	15
16	.05	.13	-	.14	.14	1.17	.12	-	-	.39	-	.25	16
17	-	-	-	.10	.61	-	.27	.07	.42	.31	-	-	17
18	.04	.05	-	.07	.10	.14	.10	.03	.16	.08	-	-	18
19	-	.14	.04	-	.16	-	-	-	.22	-	-	-	19
20	-	.20	.06	-	.61	-	.02	-	-	-	.05	-	20
21	-	-	-	-	.02	.02	-	-	-	-	.01	-	21
22	-	-	.03	-	-	-	-	.08	-	.07	-	-	22
23	-	.11	.02	-	.10	-	-	.11	-	-	-	.02	23
24	-	.06	-	-	-	.06	-	.08	-	.21	-	.01	24
25	-	-	.05	-	-	-	-	-	-	-	.06	-	25
26	-	-	.03	-	-	-	-	.17	.04	-	.41	-	26
27	-	-	-	-	-	-	-	.73	-	-	-	.02	27
28	-	-	-	-	-	1.81	-	.08	-	-	-	.05	28
29	-	X	.02	-	.20	.02	.75	.02	-	.25	-	.18	29
30	-	X	.28	-	-	-	1.66	.04	-	-	-	.02	30
31	-	X	.17	X	-	X	.38	.03	X	-	X	-	31
Total	1.15	0.69	1.61	2.22	1.94	3.26	4.42	3.65	1.45	3.23	1.44	1.06	26.12
Rain Days.	10	6	16	15	8	8	12	23	10	16	11	12	146

REGISTER OF RAINFALL IN 1918

WILLESDEN DISTRICT COUNCIL.
OUTFALL WORKS.

Kept at

in the County of MIDDLESEX.

by O. CLAUDE ROBSON. M. INST. C.E.

ENGINEER TO THE COUNCIL.

Lat. $51^{\circ} 32' 53''$ Long. $0^{\circ} 15' 45''$

Time of Observation

Nearest Railway Station *Radnor (Met. Ry.)*

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground 5 ft. 9 in.

Sea Level 100.38 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.06	-	-	-	-	-	-	.12	.09	1
2	-	.04	-	.10	-	-	-	.53	-	.02	.09	.14	2
3	-	.02	.02	.02	.54	-	-	.26	-	-	.55	.01	3
4	-	.04	.13	-	-	-	-	.04	.40	-	.62	-	4
5	-	.06	-	-	.05	-	-	.10	.10	.08	-	-	5
6	.19	.16	-	.24	.14	-	-	.06	-	-	-	.04	6
7	-	.04	-	.11	.14	-	-	.03	.20	.11	.08	-	7
8	-	.04	-	-	-	-	-	-	.13	.04	.05	.02	8
9	.01	.04	-	.05	-	.04	.24	-	.46	.11	-	.21	9
10	.01	-	-	.09	-	-	.43	-	-	.05	.02	.26	10
11	.01	-	-	.02	.05	-	.46	-	.09	.19	.08	.11	11
12	-	.05	-	-	.14	-	.04	-	.02	-	-	.02	12
13	-	-	-	-	.21	-	.30	-	.29	-	-	-	13
14	.15	-	.01	-	-	.15	.03	-	.28	.14	-	.24	14
15	.85	-	-	.82	-	.03	.09	-	.03	-	-	.10	15
16	.10	-	-	.24	-	.03	-	-	.18	.02	-	.02	16
17	.24	-	-	.19	-	.24	.14	.02	-	-	-	.12	17
18	.52	-	-	-	-	.19	.12	-	1.32	.21	-	.04	18
19	.04	-	.05	.05	-	.04	.30	-	.02	.04	-	.10	19
20	.02	.12	-	.41	-	.02	.08	-	.12	.18	-	.03	20
21	.08	.02	-	.14	-	-	.02	-	.44	.03	-	-	21
22	.06	-	-	-	.14	-	.20	-	.10	-	-	.14	22
23	.04	-	-	-	.23	-	.42	.03	.04	-	-	.02	23
24	-	.24	-	-	-	.04	.14	-	.04	-	.03	-	24
25	-	-	-	-	-	-	.39	.08	-	.02	.02	-	25
26	-	-	-	-	-	-	.43	.08	-	.06	.20	.12	26
27	-	-	-	.04	-	-	.04	.14	.05	-	.10	.02	27
28	-	.01	.25	.03	-	.14	-	.02	-	-	.18	.19	28
29	-	~~X~~	-	-	-	-	-	-	1.11	-	.02	-	29
30	-	~~X~~	.43	-	-	-	-	-	.02	-	.03	.04	30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	.08	~~X~~	.04	~~X~~	.01	31
Total	2.35	1.00	.89	3.03	1.43	.98	4.56	1.44	5.44	1.49	2.19	2.15	YEAR'S TOTAL 24.22
Rain Days.	14	13	6	16	9	10	18	13	21	16	15	23	144

REGISTER OF RAINFALL IN 1920.

Kept at Willesden District Council
outfall works
 in the County of Middlesex
 by F. Wilkinson A.M.I.C.E.
Engineer to the Council

Lat. 51° 32' 53" Long. 0° 15' 45"
 Time of Observation 9 am (Greenwich time)
 Nearest Railway Station Headdon (Met. Ry)
 Diameter of Funnel of Rain Gauge 10 in.
 Height of top of Gauge above Ground 5 ft. 9 in.
 " " " " Sea Level 100.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	.28	.04	-	.31	-	.01	.67	.01	.21	1
2	-	-	.01	-	-	-	.04	.88	.07	.04	-	.07	2
3	-	.05	-	.01	-	-	-	-	.08	-	-	.07	3
4	-	.03	-	.05	-	-	.14	.03	-	.15	-	.12	4
5	-	-	.08	-	.05	-	.58	-	.02	-	-	.04	5
6	-	-	.16	-	.11	-	.31	-	-	-	-	.05	6
7	.02	-	-	.06	.04	-	.19	-	-	-	-	-	7
8	-	.03	-	.09	.05	-	.04	.02	-	-	-	-	8
9	.34	.01	-	.04	-	-	-	-	-	-	-	-	9
10	.47	.05	.07	-	-	.05	.08	-	-	-	-	-	10
11	.19	.01	.08	.20	.02	-	.23	.01	-	-	-	-	11
12	.09	-	.01	.09	-	.90	-	-	-	.04	-	-	12
13	.14	.01	.09	.18	-	-	-	-	-	-	.07	-	13
14	-	-	.21	.26	-	.35	-	-	.21	.22	.16	.19	14
15	.01	.03	.07	.20	-	-	-	-	.57	.16	.11	-	15
16	-	-	-	.10	-	.04	-	-	.11	.36	.03	-	16
17	-	-	-	-	.15	-	-	-	.36	.04	-	.04	17
18	.01	-	-	-	-	-	-	.65	.11	-	-	.03	18
19	.13	-	-	.23	-	.05	-	-	-	-	-	.08	19
20	.07	.08	-	.13	-	.50	-	-	.11	-	-	-	20
21	-	-	-	.01	-	-	1.10	.02	.46	-	-	.06	21
22	-	-	-	.33	-	-	-	.02	.08	-	-	.32	22
23	-	-	-	-	-	-	.48	-	-	-	-	.40	23
24	.01	-	.06	-	-	-	-	-	-	-	-	.06	24
25	-	.03	.02	-	-	-	.14	-	-	-	-	-	25
26	.03	-	.07	-	.34	.02	.16	-	-	-	-	.03	26
27	.16	.05	-	.28	-	.15	.07	-	-	-	.58	.09	27
28	.40	-	.06	.16	.05	-	.10	-	-	-	-	-	28
29	.22	-	.06	-	-	-	-	-	-	-	.04	.21	29
30	.04	~~X~~	-	-	.09	-	.60	-	.43	-	.20	.16	30
31	.02	~~X~~	.04	~~X~~	.04	~~X~~	.09	-	~~X~~	.15	~~X~~	.09	31
TOTAL	2.35	0.38	1.09	2.70 ~~2.90~~	0.98	2.06	4.66	1.63	2.62	1.83	1.20	2.27	YEAR'S TOTAL 23.77
Days with ".01 in. or more	17	11	15	18	11	8	17	7	13	9	8	22	152
Days with ".04 in. or more	11	4	12	16	10	7	17	2	11	9	6	16	121

REC

WILLESDEN

BRITISH RAINFALL FORM A.
19 JAN 1914

Kept at Stonebridge
in the County of Middlesex
by O. Claude Ro

STONBRIDGE FARM

1913, 16, 19,

a.m.
10 in.
above Ground 5 ft. 9 in.
Sea Level 100.38 ft.

IMPORTANT NOTE: The result entered to the previous day. If an Observer is required to add the result at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.03	.03				.35		.04		1
2	.01	.21	.05	.17					.17		.09	.11	2
3	.08	.12					.04		.06	.03	.03		3
4			.02	.20	.45							.06	4
5	.21			.02	.26		.12			.15	.02	.05	5
6	.10				.07	.02	.18		.28	.02		.06	6
7		.02	.17		.03	.10	.18			.18	.03	.10	7
8		.09			.05	.04	.09	.08		.42	.08		8
9		.05	.03		.02	.05				.04	.02		9
10		.16			.02		.01		.04		.04	.02	10
11			.08	.14	.09		.08	.07			.37		11
12	.51			.48	.03					.50	.11		12
13											.26		13
14	.08		.03						.05		.23		14
15	.05	.01	.09	.07			.53	.07		.17	.09		15
16	.19	.05	.24	.22			.18		.03				16
17	.11		.29	.20					.29				17
18	.02		.06	.03			.12				.02	.03	18
19	.01		.08	.11	.04						.07		19
20	.16		.09	.02		.04	.13		.25			.02	20
21	.09		.04	.03						.40	.02		21
22	.01	.02	.15	.04			.02			.17	.74		22
23	.41		.16	.03				.03	.18				23
24			.01			.02		.10	.03			.28	24
25				.03				.01					25
26		.02		.19									26
27		.02	.18	.07				.05		.69		.11	27
28		.01		.04						.01			28
29	.20		.17	.06						.12			29
30	.07		.05	.48	.56			.05		.03			30
31	.24							.13		.07			31
Total	2.53	0.78	1.99	2.66	1.64	0.27	1.68	0.59	1.73	3.00	2.26	0.84	19.97
Rain Days.	2.52	.78	2.02	2.66	1.61	.27	1.68	.94	1.38	3.04	2.22	.84	19.96
	18	12	19	21	11	6	12	9	10	15	17	10	167

REC 24-11-14

BRITISH RAINFALL FORM A
19 JAN 1915

Kept at Stonebridge Farm, Wellesden
in the County of Middlesex
by O. Claude Robson, M. Inst. C.E.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Wellesden, Metropolitan
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 5 ft. 9 in.
" " " " Sea Level 100.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.03	.03				.35		.04		1
2	.01	.21	.05	.17					.17		.09	.11	2
3	.08	.12					.07		.06	.03	.03		3
4			.02	.20	.45							.06	4
5	.21			.02	.26		.12			.15	.02	.05	5
6	.10				.07	.02	.18		.28	.02		.06	6
7		.02	.17		.03	.10	.18			.18	.03	.10	7
8		.07			.05	.04	.07	.08		.42	.08		8
9		.05	.03		.02	.05				.07	.02		9
10		.16			.02		.01		.04		.04	.02	10
11			.08	.14	.08		.08	.07			.37		11
12	.51			.48	.03					.50	.11		12
13											.26		13
14	.08		.03						.05		.23		14
15	.05	.01	.09	.07			.53	.07		.17	.07		15
16	.19	.05	.24	.22			.18		.03				16
17	.11		.29	.20					.29				17
18	.02		.06	.03			.12				.02	.03	18
19	.01		.08	.11	.04						.07		19
20	.16		.07	.02		.04	.13		.25			.02	20
21	.09		.04	.03						.40	.02		21
22	.01	.02	.15	.04			.02			.17	.74		22
23	.41		.16	.03				.03	.18				23
24			.01			.02		.10	.03			.28	24
25				.03				.01					25
26		.02		.19									26
27		.02	.18	.07				.05		.69		.11	27
28		.01		.04						.01			28
29	.20		.17	.06						.12			29
30	.07		.05	.48	.56			.05		.03			30
31	.21		.03	.03				.13		.07			31
Total	2.53	0.78	1.99	2.66	1.64	0.27	1.68	0.59	1.73	3.03	2.26	0.84	19.97
Rain Days.	2.52	.78	2.02	2.66	1.61	.27	1.68	.94	1.58	3.04	2.22	.84	19.96
	18	12	19	21	11	6	12	10	11	15	17	10	167

REGISTER OF RAINFALL IN 1916

Kept at Stonebridge Farm, Wellesden

in the County of Middlesex

by Willesden District Council
(O. Claude Robson Esq M. Inst C.E.
Engineer to the Council)

Lat. 51° 32' 53" Long. 0° 15' 45"

Time of Observation 9am winter time
10am summer do.

Nearest Railway Station Heasden (Metropolitan Rly)

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground 5 ft. 9 in.

" " " " Sea Level 100.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	nil	nil	nil	.32	nil	nil	nil	.22	.13	.39	nil	1
2	.35	"	.10	"	.34	"	"	"	.15	.39	nil	"	2
3	nil	.31	.44	"	nil	"	.02	"	.17	.28	.48	"	3
4	.21	.06	nil	"	"	.32	.15	"	.07	.03	.42	"	4
5	.02	nil	"	"	.07	.26	nil	"	nil	.05	.51	"	5
6	nil	.04	.02	.20	.01	.11	.32	"	"	.06	.36	"	6
7	.05	nil	.21	nil	.10	.22	.13	"	"	nil	.58	.07	7
8	nil	"	.09	"	.28	nil	nil	"	"	"	nil	.22	8
9	"	"	nil	"	.27	.03	"	"	"	.04	"	.04	9
10	"	.15	.09	.06	nil	.17	.02	"	"	nil	"	.13	10
11	.01	.13	.01	.15	"	.33	nil	"	"	"	"	.04	11
12	.03	.03	.03	.03	.31	.14	.03	.25	"	.04	"	nil	12
13	nil	.32	.32	.09	.01	.09	.37	.15	"	.01	"	"	13
14	"	.37	nil	nil	nil	nil	nil	.33	"	.02	"	"	14
15	"	.21	.26	.01	"	"	.08	.20	"	.02	"	.19	15
16	.01	nil	.18	.16	"	"	.13	.64	"	nil	"	nil	16
17	.08	.09	nil	.02	"	"	.02	.14	.25	.58	"	"	17
18	nil	.09	.03	.17	"	"	nil	.32	.12	.11	.64	"	18
19	.07	.05	.18	.17	"	"	"	nil	.09	nil	.72	.03	19
20	.13	nil	.17	nil	"	"	"	"	nil	"	.02	.34	20
21	.01	"	.49	"	"	"	.26	"	"	"	nil	.32	21
22	nil	"	.05	"	"	"	nil	.01	"	.04	"	.42	22
23	.03	.05	nil	"	.05	.02	"	.01	"	.17	.03	.07	23
24	nil	.04	"	"	.09	.13	"	.03	"	.10	nil	.33	24
25	"	.18	.09	"	"	nil	"	.19	"	.04	.09	nil	25
26	"	.21	.03	"	"	.08	"	.14	"	.05	nil	"	26
27	.07	.01	.95	"	"	.09	"	.30	.08	.51	"	"	27
28	nil	.23	.23	"	"	.02	"	.02	.03	nil	"	.22	28
29	"	.05	nil	"	"	.28	"	<u>1.67</u>	.02	.30	"	.12	29
30	"	X	"	.04	"	nil	"	.04	nil	.57	"	nil	30
31	"	X	"	X	"	X	"	.05	X	.11	X	.02	31
Total	1.13	2.62	3.67	1.10	1.85	2.29	1.53	4.49	1.20	3.65	4.24	2.53	YEAR'S TOTAL 30.32
Rain Days.	14	19	20	11	11	15	11	17	10	22	11	15	176

REGISTER OF RAINFALL IN 19/9.

Kept at Stonebridge Farm Wellesden

in the County of Middlesex

by T. Wilkin A.M. Inst. C.E.
Engineer to the Wellesden District Council

Lat 51° 32' 53" Long 0° 13' 45"
Time of Observation 9 am Greenwich time.
Nearest Railway Station Heathen (Met. Ry)
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 5 ft. 9 in.
Sea Level 100.38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.



Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	-	-	.03	.08	-	.35	-	-	.07	.03	1.00	1
2	.32	-	-	-	.19	-	.28	.03	.23	.06	.12	.14	2
3	.30	-	.28	-	.07	.07	.11	-	.07	-	.03	.34	3
4	.08	.10	.39	-	-	.06	.10	.04	.07	-	.02	.11	4
5	-	.23	.33	-	-	-	.11	-	.19	-	.02	.28	5
6	.02	.05	.08	-	-	-	-	-	-	-	-	.02	6
7	.02	-	.31	-	-	-	-	-	-	-	-	-	7
8	.05	-	.03	.02	-	-	-	-	-	-	-	-	8
9	.12	-	.07	.12	.14	-	-	-	-	-	-	-	9
10	.58	-	.04	.07	-	-	-	-	-	-	.03	.04	10
11	.03	-	.07	.23	-	-	.28	-	-	-	-	.07	11
12	-	-	.04	.02	-	.05	.05	-	-	.07	-	-	12
13	-	-	-	.25	-	-	-	-	-	.03	-	-	13
14	.23	-	-	.22	-	-	.05	-	.46	-	-	-	14
15	.21	-	.12	.25	-	-	-	-	-	-	.07	.58	15
16	.05	.67	-	-	-	-	-	-	-	-	.09	.04	16
17	-	.47	.02	-	-	-	-	-	-	-	.16	-	17
18	-	.21	.07	-	-	-	-	-	.05	-	.09	.06	18
19	.05	.18	.90	-	-	.26	.37	.47	.03	-	.10	-	19
20	.24	.06	.08	-	-	.77	.18	.12	.07	-	-	-	20
21	.22	.29	.02	-	-	.07	.11	-	-	-	.02	.07	21
22	-	.10	-	-	-	-	.11	.07	.12	-	.02	.29	22
23	-	-	-	-	-	.03	-	.07	.05	-	.02	.02	23
24	-	-	-	.16	-	-	.11	.04	-	.18	.03	.02	24
25	.05	-	.02	.04	-	-	-	.21	-	-	-	.03	25
26	.09	.16	.14	.08	-	-	-	.04	.09	-	-	.30	26
27	.51	.03	.05	.95	-	-	-	.51	-	-	-	.02	27
28	-	-	.10	.03	-	-	-	.75	-	-	.25	.32	28
29	.03	X	-	.05	-	-	-	.18	-	.15	.09	.03	29
30	-	X	.01	.22	-	.17	-	.12	-	-	.19	.29	30
31	-	X	.06	X	-	X	.01	-	X	-	X	.02	31
TOTAL	3.55	2.55	3.17	2.68	0.42	1.42	2.22	2.83	1.31	0.50	1.32	4.00	YEAR'S TOTAL
Days with .01 in. or more	20	12	22	16	4	8	14	13	11	6	18	22	25.67

made

R]

~~STRODE ROAD~~

FORM A2.
BRITISH RAINFALL
8-JAN-1912

Kept at 23 Strode
in the County of
by M Lamy

WILLESDEN GREEN
STRODE ROAD
LONDON MIDDX
1911-20

5 in.
e Ground 1 ft. in.
Sea Level ft.
7 a.m.
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.4		0.2	5.7			0.1	0.4					1
2	1.5		0.1	3.2	1.8						1.9	1.3	2
3		0.2			1.5			0.2		0.1	0.9	1.3	3
4	0.4	0.2	0.8	0.9					0.2	0.5	1.6	2.6	4
5			1.2	0.5						1.7		1.0	5
6	3.2			0.2								2.1	6
7	0.4			0.2						0.8	3.0	2.0	7
8	1.7		1.8								2.6	1.6	8
9	1.1		0.1	0.3							0.1	0.6	9
10	0.5	0.9	1.1	0.3							0.2	2.9	10
11	2.5				2.3						6.1		11
12	0.5		4.6		2.4	0.2			0.5		3.2	0.1	12
13			1.0		1.3				4.7	2.7	0.2	2.2	13
14		1.0			2.0							3.9	14
15		0.8	2.3								0.5	0.2	15
16			0.1			4.8					3.7	0.3	16
17			0.2			0.3					4.7	1.5	17
18		1.8	0.3			0.6				0.1	4.7	1.9	18
19		0.3				1.9		3.3	1.9	0.7	2.0	0.8	19
20		0.8	0.1					2.5	1.3	0.7		5.3	20
21	0.1							3.3	0.7	5.5		0.7	21
22	0.9	0.8	0.2			0.1		0.2		0.2		4.0	22
23		1.6	0.7			8.0			2.8		0.3	3.5	23
24						1.0	0.1	0.4		1.18			24
25		0.4	0.8	0.9	0.1	1.7	8.7		0.1	0.3			25
26		0.3	0.3	2.4		2.0	9			1.4	0.3	2.8	26
27		3.4	0.8	0.2					1.2		0.1	1.2	27
28	0.1	2.2		2.5	0.9		1.2	0.8				0.2	28
29				0.5		1.8			2.0	2.7			29
30			0.1		0.5			0.3	0.2	1.8		0.2	30
31					3.8								31
Total	1.33	1.47	1.68	1.78	1.66	2.24	1.10	1.14	1.56	3.10	3.61	4.42	TOTAL for year
No. of Rain Days	13	14	20	13	10	11	6	9	11	15	18	26	25.09

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

made
Kept at *23 Stode Rd Willesden Green*
in the County of *Middlesex*
by *M Lampart*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. in.
" " " Sea Level _____ ft.
Time of Observation *9 am*
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.4		0.2	3.7			0.1	0.4					1
2	1.5		0.1	3.2	1.8						1.9	1.3	2
3		0.2			1.5			0.2		0.1	0.9	1.3	3
4	0.4	0.2	0.8	0.9					0.2	0.5	1.6	2.6	4
5			1.2	0.5						1.7		1.0	5
6	3.2			0.2								2.1	6
7	0.4			0.2						0.8	3.0	2.0	7
8	1.7		1.8								2.6	1.6	8
9	1.1		0.1	0.3							0.1	0.6	9
10	0.5	0.9	1.1	0.3							0.2	2.9	10
11	2.5				2.3						6.1		11
12	0.5		4.6		2.4	0.2			0.5		3.2	0.1	12
13			1.0		1.3				4.7	2.7	0.2	2.2	13
14		1.0			2.0							3.9	14
15		0.8	2.3								0.5	0.2	15
16			0.1			4.8					3.7	0.3	16
17			0.2			0.3					4.7	1.5	17
18		1.8	0.3			0.6				0.1	4.7	1.9	18
19		0.3				1.9		3.3	1.9	0.7	2.0	0.8	19
20		0.8	0.1					2.5	1.3	0.7		5.3	20
21	0.1							3.3	0.7	5.5		0.7	21
22	0.9	0.8	0.2			0.1		0.2		0.2		4.0	22
23		1.6	0.7			8.0			2.8		0.3	3.5	23
24						1.0	0.1	0.4		1.18			24
25		0.4	0.5	0.9	0.1	1.7	8.7		0.1	0.3			25
26		0.3	0.3	2.4		2.0	9			1.4	0.3	2.8	26
27		3.4	0.8	0.2					1.2		0.1	1.2	27
28	0.1	2.2		2.5	0.9		1.2	0.8				0.2	28
29				0.5		1.8			2.0	2.7			29
30			0.1		0.5			0.3	0.2	1.8		0.2	30
31					3.8								31
Total	1.33	1.47	1.68	1.78	1.66	2.24	1.10	1.14	1.56	3.10	3.61	4.42	TOTAL for year 25.09
No. of Rain Days	13	14	20	13	10	11	6	9	11	15	18	26	166

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at 23 Stode R. Williams Green
in the County of Middlesex
by M Lampart

PATTERN
RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
Sea Level ft.
Time of Observation 9 a m
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			09			14	06		09	29		18	1
2		02	17			04	30	04		02		01	2
3		01	13	07	05	24		34	01			10	3
4	30	05	57		19	38		05			16		4
5	16		05					25			03	01	5
6	60	02				17		08	03		01	02	6
7			01		07	49		10				03	7
8	40	30	16			06		31				01	8
9		08	01	02		34	05	07		01		20	9
10		05						25			05	23	10
11	04	33				05		01	03		04	15	11
12	08	09	10		17	16				02	05		12
13		02	01								08	03	13
14			03		03			09		07		02	14
15		03	08		29	50		02		01		31	15
16	38		05		04			07		06	06		16
17	57		26			06		09					17
18	04		16					11				14	18
19	09	09	11				08	41		03		01	19
20	02		12		01			25		36			20
21		07	22		06			14		08	06		21
22	19	18	07		01		08	13		03	02	04	22
23	32	38	33				27	47		03	14	16	23
24	41	03				17	03	15					24
25	15					20		69			30	84	25
26		02	01					31		42	28		26
27						07				16		23	27
28		05				05	12	07	06	27	28	11	28
29		04				22	21	22	96	18	04		29
30					42		02	03	54	18			30
31			39				15	16		02			31
Total	369	186	313	09	134	334	137	491	202	224	160	283	TOTAL for year 2842
No. of Rain Days.	15	20	22	2	11	17	11	27	7	18	15	21	186

REGISTER OF RAINFALL IN 19 13

Kept at 23 Nide Rd. W. Alden Green
in the County of Middlesex
by M. Lampert

Lat. 51° 36' Long. 0° 23' W.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level ft.

BRITISH RAINFALL FORM A.
5 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	23	05	26					21		11	12	1
2	06	12	01				07		10	03	03		2
3			02	18	40							08	3
4	21			03	33		13			12	02	05	4
5	12					03	25		22			07	5
6		03	19		07	11	16			14	05	10	6
7	01	11	01		02	04	09	11		37	09		7
8		04	03	01	08			01		09	02	01	8
9		15			03	10			05		04	05	9
10			11	17			08	08			33		10
11	53			50	16					48	19		11
12		02			05						33		12
13	06		03					02	08		27		13
14	05	03	11	08			70	08		18	09		14
15	19	05	23	23			19		04	01			15
16	13		34	17					42		01		16
17	03		08	05			16	02			03	02	17
18	01		05	16							07		18
19	14		08	05	07	03	14		33			02	19
20	10		06	03	01	10				58	04		20
21	01	02	18	08			02			17	76		21
22	40		23	02				05	19				22
23			01			01		13	03			38	23
24				05				02			02		24
25		02		19									25
26		02	20	08				09		72		14	26
27		01	02	06	02					02			27
28	21		16	09						09			28
29	07		06	60	60			06		03		02	29
30	23			04				15		09			30
31			04					39		06			31
Total	258	85	230	313	184	42	199	121	167	318	250	96	22.63
Rain Days.	19	13	23	22	12	7	11	13	10	16	18	12	176

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at 23 Shore Rd. H. Weston Green
in the County of Middlesex
by H. Campbell

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12					15			03	02	1
2	01		01				15	18			09	13	2
3			06		13		10				02	02	3
4	08		02	22				04			30	21	4
5	03		09	23	10	06	44	77			01		5
6		12		04	16	18	16	04			08	14	6
7		15	37	07	90	10	08	01			01	08	7
8	16	33	62	08	02	10	07	12	03			02	8
9	17		46	19		42			08			1.47	9
10		10	03	05	07	01			16				10
11		25	38			12			15		37	33	11
12	02	05	12			01	19		17		01		12
13		20	10						12	14	06	94	13
14	01	06	37			04	12		01	13	09	31	14
15	06		14				07	03		03	15	06	15
16			03				10			04	02		16
17		32	05						04			14	17
18			13									25	18
19		04	23			04	04		03		19		19
20		18	28			04	01		12			37	20
21		47	08							02		07	21
22			01		41	18	14	07		25		01	22
23			15		19		03			10			23
24		04	15	04	02					05	14		24
25	03		10					18		29		10	25
26			08				09	08		08	18	54	26
27	04		06							01	03	14	27
28	01	05			02					05	37	120	28
29	03		10							27	10		29
30			05							04	69	18	30
31	01		01		15		04					04	31
Total	66	236	444	92	217	130	1.83	1.67	95	1.46	294	677	2747
Rain Days.	13	14	29	8	11	12	16	11	12	13	20	24	183
YEAR'S TOTAL													

WLMC
REGISTER OF RAINFALL IN 1915

Kept at 23 *High Road, Willesden Green*
in the County of *Middlesex*
by *M. L. Lampion*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station _____
Diameter of Rain Gauge *6* in.
Height of top of Gauge above Ground *1* ft. _____ in.
" " " " Sea Level _____ ft.

929
FORM A.
BRITISH RAINFALL
31 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	44	15	03		03				06	03	45	46	1
2	43	13	25	15				59		07		18	2
3	36	01	07	15		02		33	03			37	3
4	01							25				26	4
5	03	32						01		04		28	5
6	27	02		20	48		108	03				52	6
7	79	20					44	06				19	7
8	06	45	04	03			01	05			01		8
9	01	11		10		11		06			34	66	9
10	34		03					19				12	10
11			02					07		01	68		11
12	10			27	42			103		01	38	02	12
13	01	35		01	113			02					13
14	08	04					91	03	07			69	14
15					09		01	66			20	12	15
16		28					65	02				03	16
17		40			73		06	20					17
18		19	06		10		01				03		18
19		09			03		13						19
20	36			06								19	20
21	15				01		02					65	21
22	80	08	24				77					10	22
23	01	33	06			03	22		26	43		26	23
24			02			01	12		22	18		43	24
25			04	11		04	38			03	01		25
26		07				11	07			33		53	26
27						10	23					63	27
28		07				05	01		143	16			28
29			02			07	18	14		01	12		29
30	04	X								03	17	01	30
31	02	X		X		X		02	X	89	X	17	31
Total	431	329	88	108	302	54	530	376	207	222	236	584	YEAR'S TOTAL 3437
Rain Days.	20	18	12	9	9	10	18	18	6	13	10	23	166

REGISTER OF RAINFALL IN 1916

Kept at 23 Blind Rd Willboston Green
in the County of Middlesex
by M Lampert

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			01		32	01			43	01	46		1
2	46	02	11		31					41	01		2
3		33	16		01		03		18	27	57		3
4	25					32	06		07	04	45		4
5	01	01			07	26	02			07		01	5
6		07	25	18		10	35			08	123		6
7	07		31		46	15	15			01		66	7
8			01			01					01	22	8
9		01			26	04				05		03	9
10	02	18	12	07		17	01					14	10
11	02	13	02	19		25			01		01	02	11
12	04	03		05	25	17	04	23		06	01		12
13		34	37	13	01	16	26	19		01			13
14		42		02	08	01	01	37				19	14
15		24	29				07	21					15
16	01	02	18	18	01		14	66				02	16
17	10	10		02			03	16	27	65		01	17
18	01	12	03	15				27	12	10	74	02	18
19	05		18	19					08		72		19
20	14		68	01							03	29	20
21	02			02			11				01	33	21
22		02	05							07		44	22
23	02	21	03		04	07		03		01	04	07	23
24		07	01		06	09		02		10	03	32	24
25		49	15		01			24		03	10		25
26		22				08		14		05			26
27	07		102			05		41	09	42			27
28		36	35			08		02	03	01		20	28
29		06				31		126	02	36		17	29
30		X		04				06		62		01	30
31		X		X		X		07	X	13	X	03	31
Total	129	345	430	124	189	230	128	444	130	356	442	258	3205
Rain Days.	15	23	22	13	14	15	13	16	11	22	14	19	203

REGISTER OF RAINFALL IN 1917

Kept at 23 Middle Rd W. Elmwood Green
in the County of Middlesex
by P. L. L. L.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				17				84	05		08		1
2		02		36		02		07			25		2
3				07				26		20	14		3
4		13	12				11	17		38			4
5	26			55				09	53	13	10		5
6			06	01		04			14	03	13		6
7	18					01	09			24		08	7
8	17			10			77	15	01	26	19	34	8
9	26		13	11			03	14	08		08	10	9
10				19				04			01	03	10
11	13		40	25					61	23			11
12	10		04	04	02			06		37			12
13	03		14	04				06	05				13
14				24				11					14
15	03	16					28	03		05		01	15
16	07			13	11	1.99	14			40			16
17	01	02		09	65		28	06	42	25			17
18	04	05		08	10	33	13	07	17	10			18
19	03	17	05	01	19	06			26				19
20		22	06		60		01	02	01		06		20
21	01		X 08		05	09				02		29	21
22	02		X			03		09		07			22
23		12	X 02		10			13				04	23
24		07				08		18		22			24
25		02	04								08		25
26						02		17	04		42		26
27								71			01	02	27
28			01			1.50		12				06	28
29			01		20	04	60	03		26		18	29
30	01	X	37			13	1.63	08				02	30
31	02	X	22	X		X	35	07	X		X		31
Total	1.37	98	1.75	2.46	2.02	4.34	4.42	3.74	1.74	3.31	1.53	1.14	2.83
Rain Days.	18	10	16	16	9	13	12	24	12	16	12	11	169

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at 23 Middlebrook Willenden Green
in the County of Middlesex
by M. Lampson

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				09							11	15	1
2	03	08		04				93		02	68	19	2
3		01	05	02	37								3
4		06	17	01				08	60		44		4
5		05	01		07			09	10	12		01	5
6	19	17		33	15			05				10	6
7	08	08		10	15			02	35	12	15	01	7
8		06		02						03		02	8
9	03	04		06		06	25		24	18		26	9
10				11			1.08		02	03		28	10
11	01			02	21		95		08	18	09	13	11
12		05					07		03				12
13					29		49		17			27	13
14	14		02			18	49			17			14
15	116			78		03	06					09	15
16	10			34		02			23	02		02	16
17	26			20	22	11	25		02				17
18	51					20	04		1.64	19		28	18
19	06		06	06		06	84		08				19
20	02	12		70		02	08		15	24			20
21	07	03		31			03		46	04			21
22	06			02	20		09		12			15	22
23	03				28		50	08	06			02	23
24		23					24		06		03		24
25						06	33	11			02		25
26							45	11	02	06	18	15	26
27		01		10			07	16	05		11		27
28		04	25			15					20	19	28
29			02						1.05			01	29
30			45						03			04	30
31								07		05			31
Total	279	103	103	330	214	89	534	1.67	571	1.40	1.99	2.35	YEAR'S TOTAL 2964
Rain Days.	15	14	8	18	10	10	18	11	22	14	13	21	194

REGISTER OF RAINFALL IN 1919

Kept at 23 Trade Rd Willesden Green
in the County of Middlesex
by M Lampart

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
Sea Level ft.

FORM A.
BRITISH RAINFALL
JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	35	04	01				28			02		94	1
2	34				25		1.06	04	.32	07	11	12	2
3	35		28		03		11		11		04	39	3
4	09	.11	40			08	13	05			02	12	4
5		.33	.33				07		15		03	25	5
6	03		09								01	01	6
7			33								01		7
8	06		06								.01		8
9	18			22	.18				01				9
10	55		12	02							04	05	10
11	03			24			.25						11
12	01		04	03		05	11			07	01	02	12
13				27					02	04			13
14	23	02		22			07		35				14
15	24	03	20	30							01	63	15
16	05	67	01	01							13	05	16
17		41									18	03	17
18		25	08						07		08		18
19		22	98			20	53	34	04		12	02	19
20	27	05	06			94		16	01			08	20
21	19	29	03			04	10				02		21
22		13				04	13		17		02	30	22
23						01		02	09		02	02	23
24				.18			12	04		19	02		24
25	04			03		02		21				02	25
26	09	18	16	06				05	12		01	30	26
27	61	02	07	1.27				39					27
28			19					81		01	22	30	28
29	03			05				25		21		25	29
30		X	03	23		.18		12		02	22	28	30
31	02	X	10	X		X	02		X	01	X	01	31
Total	378	275	357	313	46	1.56	2.98	2.48	1.46	.64	1.33	4.21	2835
Rain Days	22	14	21	14	3	9	14	12	12	9	21	24	175

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1920

Kept at 23 Shore Road Willersden Green

in the County of Middlesex

by R. Langford for M. Langford

Lat. Long. Time of Observation 9 am all through 1920 Nearest Railway Station Willersden Green Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground 1 ft. Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	.22	.05	-	.29	-	-	.56	-	.19	1
2	-	-	-	-	.01	-	.01	.94	.07	.06	-	.06	2
3	.01	.08	.01	.01	-	-	-	-	.06	.01	-	.01	3
4	-	-	.01	.05	-	-	.19	.04	-	.13	-	.05	4
5	-	-	.09	-	.04	-	.58	.01	.02	.01	-	.03	5
6	-	-	.15	-	.13	-	.34	-	-	-	-	.05	6
7	.02	-	.01	.22	.06	-	.19	-	-	-	-	.02	7
8	.01	.02	-	.07	.06	-	.03	.015	-	.01	-	-	8
9	.33	.01	-	.03	-	-	-	-	-	-	-	-	9
10	.57	.04	.07	.01	-	.05	.06	-	-	-	-	-	10
11	.19	.01	.07	.17	.01	.01	.25	-	-	-	-	.20	11
12	.02	-	-	.09	-	.72	-	-	-	.04	-	-	12
13	.21	.01	.09	.16	-	-	-	-	-	-	.10	-	13
14	-	-	.25	.22	-	.50	-	-	.12	.07	.14	.02	14
15	.01	.02	.08	.23	-	-	.01	-	.49	.13	.12	.005	15
16	-	-	-	.13	-	.02	-	-	.31	.33	.01	-	16
17	.02	-	-	-	.14	-	.01	-	.33	.03	-	.05	17
18	.02	-	-	-	.01	-	-	.68	.20	-	-	.02	18
19	.16	-	-	.30	-	.01	-	.01	-	-	-	.02	19
20	.06	.09	-	.13	-	.60	-	-	.04	-	-	-	20
21	-	-	-	-	-	-	1.00	.02	.48	-	-	.05	21
22	-	-	-	.30	-	-	-	-	.09	-	-	.32	22
23	-	-	-	-	-	-	.45	-	-	-	-	.39	23
24	-	-	.05	-	-	-	-	-	-	-	-	.06	24
25	.01	.01	.03	.01	-	-	.15	-	-	-	-	-	25
26	.03	-	.07	-	.24	.02	.11	-	-	-	-	.01	26
27	.15	.05	-	.31	-	.13	.10	-	-	-	.72	.11	27
28	.42	-	.05	.12	.03	.01	.10	-	-	-	-	.01	28
29	.21	-	.06	-	-	-	-	-	-	-	.04	.23	29
30	.02	X	-	-	.13	.01	.64	-	.46	-	.17	.15	30
31	.01	X	.02	X	.04	X	.04	-	X	.15	X	.08	31
Total	2.48	.34	1.11	2.78	.95	2.08	4.55	1.715	2.67	1.53	1.30	2.135	23.64
Rain Days	20	11	16	20	13	11	19	7	12	12	7	23	171

REGIS

WOOD GREEN

DOWN HALL

Kept at

Down Hall W

in the County of

Middle

by

Wood Green Urban Dist

1913 - 1920

IMPORTANT NOTE.

previous day. If an Observer

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

the result entered to the

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.16	.08	.35	-	-	-	-	.20	-	.09	.14	1
2	.02	.16	-	-	-	-	.07	-	.09	.03	.01	-	2
3	-	-	.01	.15	.32	-	-	-	-	-	-	.05	3
4	.21	-	.01	-	.27	-	.16	-	-	-	.03	.05	4
5	.11	-	-	-	-	.04	.08	-	.13	.12	-	.02	5
6	-	-	.07	-	.06	.17	.02	-	-	.08	.03	.05	6
7	-	.13	-	-	-	.03	.06	.03	-	.40	.13	-	7
8	-	.03	.03	-	.15	.13	-	-	-	.02	-	-	8
9	-	.16	-	.01	.03	-	-	-	.02	-	.04	.03	9
10	-	-	.09	.16	-	-	.63	.07	-	-	.31	-	10
11	.64	-	-	.39	.05	-	-	-	-	.38	.13	-	11
12	-	.01	-	-	-	-	-	.01	-	.01	.48	-	12
13	.05	-	.01	-	-	-	-	.02	.03	-	.40	-	13
14	.03	.01	.08	.04	-	-	.44	.06	.02	.13	.08	-	14
15	.19	.04	.23	.16	-	-	.17	-	.04	-	-	-	15
16	.10	-	.41	.18	-	-	-	-	.20	-	-	-	16
17	.01	-	.01	.04	-	-	.14	.01	.02	-	.01	-	17
18	.01	-	.05	.12	-	-	-	-	-	-	.03	-	18
19	.13	-	.12	.02	-	-	.07	-	-	-	-	-	19
20	.03	-	.05	.03	-	.53	-	-	-	.38	.02	-	20
21	.01	-	.22	.10	.01	-	.03	-	-	.18	.58	-	21
22	.33	-	.11	.02	-	-	-	.04	.17	.01	-	-	22
23	-	-	.01	-	-	.02	-	.15	-	-	-	.19	23
24	-	-	-	.05	-	-	-	.04	-	-	.01	-	24
25	-	.01	-	.17	-	.02	-	.14	-	-	-	-	25
26	-	.05	.20	.04	-	-	-	-	-	.73	-	.21	26
27	-	-	.03	.04	-	-	-	-	-	.02	-	-	27
28	.15	-	.17	.07	-	-	-	-	-	.08	-	-	28
29	.05	-	.03	.30	.47	-	-	.11	-	.05	-	-	29
30	.26	-	-	.11	-	-	-	.15	-	.09	-	-	30
31	-	-	.04	-	-	-	-	.36	-	.03	-	-	31
Total	2.34	0.74	2.06	2.57	1.36	0.94	1.92	1.19	0.92	2.74	2.38	0.74	19.90
Rain Days.	18	10	22	21	8	7	11	13	10	17	16	8	161

REGIS

Kept at Down Hall Wood Green, 10.
in the County of Middlesex.
by Wood Green Urban District Council.

Time of Observation 7.5 a.m.
Nearest Railway Station Bower Park G.N.R.
Diameter of Rain Gauge 8. in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 126. ft.

FORM A.
BRITISH RAINFALL.
24 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.15	.08	.35	-	-	-	-	.20	-	.09	.14	1
2	.02	.15	-	-	-	-	.07	-	.09	.03	.01	-	2
3	-	-	.01	.15	.32	-	-	-	-	-	-	.25	3
4	.21	-	.01	-	.27	-	.16	-	-	-	.03	.05	4
5	.11	-	-	-	-	.04	.08	-	.13	.12	-	.02	5
6	-	-	.07	-	.06	.17	.02	-	-	.08	.03	.05	6
7	-	.13	-	-	-	.03	.06	.03	-	.40	.13	-	7
8	-	.03	.03	-	.15	.13	-	-	-	.02	-	-	8
9	-	.16	-	.01	.03	-	-	-	.02	-	.04	.03	9
10	-	-	.09	.16	-	-	.63	.07	-	-	.31	-	10
11	.54	-	-	.39	.05	-	-	-	-	.38	.13	-	11
12	-	.21	-	-	-	-	-	.01	-	.01	.48	-	12
13	.05	-	.01	-	-	-	-	.02	.03	-	.40	-	13
14	.03	.01	.08	.04	-	-	.49	.06	.02	.13	.08	-	14
15	.19	.04	.23	.16	-	-	.17	-	.04	-	-	-	15
16	.10	-	.41	.18	-	-	-	-	.20	-	-	-	16
17	.01	-	.01	.04	-	-	.14	.01	.02	-	.01	-	17
18	.01	-	.05	.12	-	-	-	-	-	-	.03	-	18
19	.13	-	.12	.03	-	-	.07	-	-	-	-	-	19
20	.03	-	.05	.03	-	.53	-	-	-	.38	.02	-	20
21	.01	-	.22	.10	.01	-	.03	-	-	.18	.58	-	21
22	.23	-	.11	.02	-	-	-	.04	.17	.01	-	-	22
23	-	-	.01	-	-	.02	-	.15	-	-	-	.19	23
24	-	-	-	.05	-	-	-	.04	-	-	.01	-	24
25	-	.01	-	.17	-	.02	-	.14	-	-	-	-	25
26	-	.65	.20	.04	-	-	-	-	-	.73	-	.21	26
27	-	-	.03	.04	-	-	-	-	-	.02	-	-	27
28	.15	-	.17	.07	-	-	-	-	-	.08	-	-	28
29	.05	-	.03	.30	.47	-	-	.11	-	.05	-	-	29
30	.26	-	-	.11	-	-	-	.15	-	.09	-	-	30
31	-	-	.04	-	-	-	-	.36	-	.03	-	-	31
Total	2.34	0.74	2.06	2.57	1.36	0.94	1.92	1.19	0.92	2.74	2.38	0.74	YEAR'S TOTAL 19.90
Rain Days.	18	10	22	21	8	7	11	13	10	17	16	8	161

Exc 02
REGISTER OF RAINFALL IN 1914.

Kept at Town Hall Wood Green.

in the County of Middlesex.

by Wood Green Urban District Council

Lat. _____ Long. _____

Time of Observation 9¹⁵ A.M.

Nearest Railway Station Bowes Park.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 126' ft.

FORM A.
BRITISH RAINFALL
12 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.09	-	-	-	-	.16	-	-	-	.01	1
2	-	-	-	-	-	-	.09	.15	-	-	.31	.10	2
3	-	-	.11	.01	.13	-	.02	-	-	-	.07	-	3
4	.13	-	.01	.16	.01	-	-	.02	-	-	.29	.22	4
5	.02	-	.06	.21	.05	.03	.42	.45	-	-	-	-	5
6	-	.10	.01	.01	.01	.13	.04	.01	-	-	.09	.15	6
7	-	.16	.26	.11	.55	-	.04	-	-	-	-	.07	7
8	.02	.30	.50	.07	.02	.14	.05	-	-	-	-	.01	8
9	.13	-	.36	.19	-	-	-	.07	.10	-	-	<u>1.29</u>	9
10	-	.10	-	.05	.01	.16	-	.02	.15	-	-	-	10
11	-	.31	.43	-	-	.18	-	-	.03	-	.24	.18	11
12	-	.06	.09	-	-	-	.08	-	.20	.05	-	.41	12
13	-	.25	.12	-	-	-	-	-	.10	.10	.04	.36	13
14	-	.07	.46	-	-	-	.15	-	-	.04	.09	.60	14
15	.04	-	.17	-	-	-	-	-	-	-	.11	.04	15
16	-	-	.01	-	-	-	.02	-	.04	-	-	-	16
17	-	.41	.04	-	-	-	-	-	.08	-	-	.16	17
18	-	.02	.08	-	-	-	-	-	.04	-	-	.25	18
19	-	.01	.15	-	-	.10	.02	-	.11	-	.13	-	19
20	-	.13	.20	-	-	-	-	-	-	-	-	.11	20
21	-	.40	.04	-	-	.07	-	-	-	.01	-	.05	21
22	-	-	-	-	.24	.03	.11	-	-	.09	-	.01	22
23	-	-	.13	-	.10	.01	.01	.01	-	.07	-	.01	23
24	-	-	.03	.01	-	-	-	-	-	-	.13	-	24
25	.02	-	.17	-	-	-	.02	-	-	.34	-	.12	25
26	-	-	-	-	-	-	.02	.08	-	.03	.16	.18	26
27	.02	-	-	-	-	-	-	.08	-	-	.02	.55	27
28	.01	.03	.01	-	-	-	-	-	-	.06	.40	.92	28
29	.04	-	.08	-	-	-	-	-	-	.23	.04	-	29
30	-	X	.03	-	.13	-	-	-	-	.01	.97	.14	30
31	-	X	-	X	-	X	.02	-	X	-	X	.01	31
Total	.43	2.35	3.64	.82	1.25	.85	1.11	1.05	.85	1.03	3.09	5.95	22.42
Rain Days.	9	14	25	9	10	9	15	10	9	11	15	24	160

REGISTER OF RAINFALL IN 1915

Kept at WOOD GREEN TOWN HALL

in the County of MIDDLESEX

by WOOD GREEN U.D.C. (ENGINEER & SURVEYORS DEPT)

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station BOWES PARK G.M.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. 6 in.

Sea Level 126 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.20	.07	-	-	-	-	-	.09	.03	.15	.42	1
2	.37	.16	.30	.16	.02	-	-	.50	-	.03	-	.11	2
3	.32	-	.05	.15	-	-	.01	.48	-	-	-	.37	3
4	.05	-	-	-	-	-	-	.14	-	-	-	.23	4
5	.02	.37	-	-	-	-	-	-	-	.01	-	.25	5
6	.23	.01	-	.20	.12	-	.70	-	-	-	.01	.48	6
7	.27	.49	.02	-	-	-	.41	-	-	-	-	.16	7
8	.02	.47	-	.07	-	-	.03	.03	-	-	-	-	8
9	.01	.06	-	.05	-	.05	-	.04	-	-	.36	.51	9
10	.29	-	.02	-	-	-	-	.15	-	-	-	.08	10
11	.02	-	-	-	-	-	-	-	-	-	.58	-	11
12	.08	.02	-	.20	.45	-	-	.56	-	-	.30	-	12
13	-	.31	-	-	1.61	-	-	-	-	-	-	-	13
14	-	.04	-	-	-	-	1.19	.06	.04	-	-	.66	14
15	.16	-	-	-	.05	-	.07	.14	-	-	.23	.09	15
16	.01	.49	-	-	-	-	.74	-	-	-	-	.08	16
17	-	.53	-	-	.11	-	.09	-	-	-	-	-	17
18	-	.23	.02	-	.54	-	-	-	-	-	.03	-	18
19	-	.07	.01	-	.08	-	0.13	-	-	-	-	-	19
20	.45	-	-	.01	-	-	-	-	-	-	.01	0.22	20
21	.09	-	-	-	-	-	-	-	-	-	-	.03	21
22	.89	.13	.27	.01	-	-	.71	-	-	.01	-	.09	22
23	-	.08	.09	-	-	0.13	.46	-	.04	.28	-	.25	23
24	-	.04	.24	-	-	-	.20	-	.19	.04	-	.19	24
25	-	-	.08	.06	-	.01	.24	-	-	.02	-	.04	25
26	-	.11	-	-	-	.16	.27	-	-	-	-	.39	26
27	-	-	-	-	-	.10	.29	-	-	.38	-	-	27
28	-	.08	-	-	-	.18	-	-	1.30	.06	-	-	28
29	-	X	.01	-	-	-	0.11	.12	-	.01	.08	-	29
30	.05	X	-	-	-	.68	-	-	-	-	.13	-	30
31	.04	X	-	X	-	X	-	.01	X	.84	X	.14	31
Total	3.77	3.89	1.18	0.91	3.03	1.31	5.65	2.23	1.66	1.71	1.88	4.79	YEAR'S TOTAL 32.01
Rain Days.	19	19	12	9	8	7	16	11	5	11	10	20	147.1

REGISTER OF RAINFALL IN 1916

Kept at Town Hall, Wood Green

in the County of Middlesex

by Empire Surveyors Dept of W.D. Council

Lat. _____ Long. _____
 Time of Observation 9 am G.M.T.
 Nearest Railway Station Barnes Park G.N.R.
 Diameter of Funnel of Rain Gauge eight in.
 Height of top of Gauge above Ground five ft. six in.
 " " " " Sea Level One hundred & twenty-six ft.

934
 FORM A.
 BRITISH RAINFALL.
 4 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.04	—	0.01	—	0.16	0.01	—	—	0.14	0.14	0.20	—	1
2	0.41	0.01	0.09	—	0.23	—	0.01	—	0.16	0.24	—	—	2
3	—	0.26	0.15	—	—	—	0.04	—	0.23	0.21	0.66	—	3
4	0.15	0.12	—	—	0.01	0.33	—	—	0.01	0.10	0.34	—	4
5	0.01	—	0.01	0.01	0.05	0.23	—	—	—	0.04	0.39	—	5
6	—	0.02	0.01	0.26	0.01	0.06	0.32	—	—	0.02	0.41	—	6
7	0.04	—	0.26	—	0.14	0.25	0.05	—	—	0.01	0.75	0.02	7
8	—	—	0.01	—	0.31	—	—	—	—	—	—	0.34	8
9	—	—	—	—	0.25	0.02	—	—	—	0.05	—	0.06	9
10	—	0.10	0.06	0.07	—	0.29	0.16	—	—	—	—	0.09	10
11	0.03	0.10	0.01	0.12	—	0.15	—	—	—	—	—	—	11
12	0.03	0.01	—	0.03	0.22	0.09	0.01	0.07	—	0.05	—	—	12
13	—	0.39	0.16	0.08	0.06	0.11	0.31	0.10	—	—	—	—	13
14	—	0.19	—	0.01	0.07	—	—	0.29	—	0.02	—	0.06	14
15	—	0.25	0.33	—	—	—	0.02	0.16	—	—	—	0.08	15
16	—	—	0.12	0.12	—	—	0.15	0.36	—	—	—	0.01	16
17	0.05	0.07	—	0.02	—	—	0.02	0.85	0.23	0.48	—	—	17
18	0.01	0.04	0.01	0.07	—	—	—	0.15	0.08	0.02	0.55	—	18
19	0.06	—	0.09	—	—	—	—	—	0.02	—	0.78	0.04	19
20	0.12	—	0.18	0.23	—	—	—	—	—	—	0.01	0.40	20
21	0.02	—	0.58	0.01	—	—	0.03	—	—	—	—	0.23	21
22	0.01	—	0.04	—	—	—	—	—	—	0.01	—	0.36	22
23	0.03	0.02	—	0.01	0.05	0.12	—	0.01	—	—	0.06	0.05	23
24	—	0.01	—	—	0.11	0.16	—	0.02	—	0.05	0.03	0.27	24
25	—	0.53	0.09	—	—	—	—	0.21	—	0.03	0.09	0.01	25
26	—	0.57	0.03	—	—	—	—	0.06	—	0.01	—	—	26
27	0.06	0.29	0.69	—	—	0.01	—	0.27	0.02	0.50	—	—	27
28	—	0.24	0.15	—	—	0.12	—	0.01	0.03	—	—	0.22	28
29	—	0.04	—	—	—	0.25	—	1.32	0.01	0.36	—	0.10	29
30	0.01	X	—	0.04	—	0.01	—	0.03	—	0.47	—	—	30
31	—	X	—	X	—	X	—	0.03	X	0.08	X	0.04	31
Total	1.13	3.26	3.08	1.07	1.67	2.21	1.12	3.94	0.93	2.84	4.27	2.38	27.95
Rain Days.	16	19	21	13	13	16	11	16	10	20	12	17	184

REGISTER OF RAINFALL IN 1917

Kept at WOOD GREEN TOWN HALL
in the County of MIDDLESEX
by C. H. CROSFORD ENGINEER SURVEYOR
WOOD GREEN U.D.C.

Lat. 51° 36' 10" N. Long. 0° 6' 30" W.
Time of Observation 9 A.M.
Nearest Railway Station WOOD GREEN GNR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 10 in.
" " " " Sea Level 132 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01		12				58	05		08		1
2		01		34		03		05			38		2
3	02			05				43		30	03		3
4		01					04	09		28			4
5	04		01	29				02	66	01	04		5
6			04	06		04			10	02	11		6
7	17		01	01			12	14		14		01	7
8	10			11			40	04		14	20	21	8
9			01	04			01	01			05		9
10	02		08	16								01	10
11	24		37	13				01	14	31			11
12	04		02					5.01		54			12
13			11	01				01	02	01			13
14			01	24			01	10					14
15							27	01		04		02	15
16	04	15		11	(42)	57	01			47	01	15	16
17				01	52		23	08	42	27			17
18	03	01		01	08	21	11		16	03			18
19		10	02		12				16				19
20		18	01		82				01		08		20
21			01		03						01	01	21
22	02		01			04		08		06	01		22
23		01			13	02		13					23
24		04				05		03		34	04		24
25		01	04								03		25
26			03					21	04		47		26
27						01		40				01	27
28			01			18		08				03	28
29			01		03		17	13		14		13	29
30		X	13			01	1.26	04				01	30
31		X	13	X		X	26	03	X	X			31
Total	17	65	1.12	1.84	1.85	1.81	3.45	3.26	1.81	3.31	1.54	54	YEAR'S TOTAL 22.05
Rain Days.	10	10	14	15	8	10	12	23	10	16	14	10	158

REGISTER OF RAINFALL IN 1918

Kept at Town Hall, Wood Green
in the County of Middlesex
by Engineer & Surveyor's Department

Lat. 51° 36' 10" Long. 0° 7'
Time of Observation 9 a.m. (GMT.)
Nearest Railway Station Wood Green Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. 10 in.
" " " " Sea Level 126 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.01		0.03				0.01	0.01		0.10	0.01	1
2		0.06		0.01				0.35			0.10	0.20	2
3		0.01	0.03	0.01	0.47			0.14	0.01		0.35	0.02	3
4		0.06	0.16					0.05	0.61		0.51		4
5		0.01	0.01		0.11			0.11	0.05	0.06		0.01	5
6	0.12	0.22		0.27	0.13				0.01			0.06	6
7		0.10		0.03	0.13			0.02	0.06	0.06	0.15		7
8		0.05		0.02					0.12	0.02	0.01	0.01	8
9	0.01	0.04					0.23		0.42	0.11		0.13	9
10	0.02			0.04			0.52		0.01	0.02	0.01	0.34	10
11	0.01			0.02	0.07		0.48		0.41	0.16	0.06	0.10	11
12		0.06			0.13		0.26		0.05			0.01	12
13		0.01			0.23		0.07		0.23	0.01		0.01	13
14	0.17					0.02	0.02		0.26	0.08		0.21	14
15	0.74			0.68			0.07					0.05	15
16	0.33			0.27					0.20				16
17	0.33			0.26	0.27	0.01	0.46	0.01				0.14	17
18	0.65					0.21	0.11		1.31			0.05	18
19	0.05		0.02	0.01		0.11	0.30		0.01			0.18	19
20		0.12		0.57			0.08		0.07			0.04	20
21	0.08	0.02		0.16			0.01		0.35	0.02	0.01		21
22	0.06			0.01	0.49		0.15		0.12			0.13	22
23	0.01			0.01	0.33		0.35	0.06	0.08			0.05	23
24		0.02				0.04	0.09		0.05		0.02		24
25						0.02	0.35	0.12			0.03		25
26							0.26	0.08		0.04	0.17	0.11	26
27		0.01		0.09				0.19	0.03		0.10	0.01	27
28			0.15					0.01			0.22	0.09	28
29	0.01		0.01						1.16		0.03		29
30		X	0.41								0.06	0.05	30
31		X		X		X			X	0.04	X		31
Total	2.59	1.06	0.79	2.49	2.36	0.41	3.81	1.15	5.33	0.62	1.93	2.01	24.49
Rain Days	14	15	7	17	10	6	17	12	23	11	16	23	171

REGISTER OF RAINFALL IN 19/9.

Kept at TOWN HALL WOOD GREEN N 22

in the County of MIDDLESEX

by WOOD GREEN URBAN DISTRICT COUNCIL

Lat. 51° 36' N Long 0° 7' W

Time of Observation 9 A.M. G.M.T.

Nearest Railway Station BOWES PARK (G.N.R.)

Diameter of Funnel of Rain Gauge EIGHT in.

Height of top of Gauge above Ground 5 ft. 6 in.

Sea Level 126 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.46	—	—	—	0.31	—	0.12	0.01	—	0.02	0.02	0.82	1
2	0.28	0.01	—	—	0.03	—	0.01	—	0.14	0.10	0.11	0.14	2
3	0.26	—	0.26	—	—	—	0.04	—	—	—	0.03	0.28	3
4	0.11	0.03	0.31	—	—	—	0.10	0.05	0.01	—	0.02	0.14	4
5	0.01	0.08	0.40	—	—	—	0.01	—	0.04	—	0.01	0.29	5
6	—	0.09	0.07	—	—	—	—	—	—	—	0.01	0.03	6
7	0.02	0.01	0.28	—	—	—	—	—	—	—	0.05	—	7
8	0.06	—	0.06	—	—	—	—	—	—	—	—	—	8
9	0.16	—	—	0.02	0.02	—	—	—	—	—	0.14	—	9
10	0.33	—	0.05	—	—	—	—	—	—	—	—	0.02	10
11	0.01	—	0.09	0.27	—	—	0.25	—	—	—	—	—	11
12	—	0.01	0.06	—	—	0.03	0.02	—	—	0.05	—	—	12
13	0.01	0.01	—	0.22	—	—	—	—	—	0.03	—	—	13
14	0.33	—	—	0.22	—	—	—	—	0.57	—	—	0.02	14
15	0.21	0.03	0.07	0.04	—	—	—	—	—	0.06	—	0.25	15
16	0.02	0.67	—	—	—	—	—	—	—	—	0.10	0.04	16
17	—	0.49	—	—	—	—	—	—	—	—	0.20	—	17
18	—	0.08	0.06	—	—	—	—	—	0.01	—	0.10	0.11	18
19	0.08	0.22	0.63	—	—	0.22	0.08	0.35	0.06	—	0.05	—	19
20	0.30	0.04	0.04	—	—	0.64	0.08	0.12	—	—	—	0.01	20
21	0.13	0.33	0.01	—	—	—	0.12	—	—	—	—	0.09	21
22	0.02	0.12	—	—	—	0.01	0.03	—	0.16	0.01	0.02	0.31	22
23	0.01	—	—	—	—	0.02	—	0.02	0.04	—	—	0.01	23
24	—	—	—	—	—	—	0.01	0.06	—	0.14	0.03	—	24
25	—	—	—	—	—	—	—	0.17	—	—	—	0.03	25
26	0.11	0.01	0.10	—	—	—	—	—	0.08	—	—	0.35	26
27	0.26	0.01	0.01	0.43	—	—	—	0.39	—	—	0.02	0.02	27
28	0.07	—	0.01	—	—	—	—	0.60	—	—	0.20	0.31	28
29	—	X	—	0.02	—	—	—	0.26	—	0.16	—	0.03	29
30	—	X	—	0.21	—	0.14	—	0.35	—	0.01	0.28	0.26	30
31	—	X	—	X	—	X	0.01	0.35	X	—	X	0.01	31
TOTAL	3.25	2.24	2.51	1.43	0.36	1.06	0.88	2.73	1.11	0.58	1.39	3.57	YEAR'S TOTAL 21.11
Days with 0.1 in. or more	22	17	17	8	3	6	13	12	9	9	17	22	155

REGISTER OF RAINFALL IN 1920.

Kept at TOWN HALL WOOD GREEN N.22in the County of MIDDLESEXby WOOD GREEN URBAN DISTRICT COUNCILLat. 51°36'N Long. 0°7'WTime of Observation 9 A.M. (G.M.T.)Nearest Railway Station BOWES PARK (G.N.R.)Diameter of Funnel of Rain Gauge EIGHT in.Height of top of Gauge above Ground 5 ft. 6 in." " " " Sea Level 126 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.07	0.05	—	0.37	—	—	0.40	—	0.28	1
2	—	—	0.01	0.01	0.02	—	0.02	0.87	0.11	0.09	—	0.09	2
3	—	0.06	—	—	—	—	0.01	—	0.09	—	—	0.04	3
4	—	—	0.01	—	—	—	0.05	0.09	0.06	0.14	—	0.04	4
5	—	—	0.08	0.03	0.02	—	0.45	0.01	—	—	—	0.03	5
6	—	—	0.18	0.13	0.13	—	0.39	0.01	—	—	—	0.01	6
7	0.01	—	0.06	—	0.02	—	0.14	—	—	—	—	0.03	7
8	0.07	0.03	—	0.20	0.14	—	0.07	—	—	—	—	0.01	8
9	0.38	0.01	—	—	—	—	—	0.03	—	—	—	—	9
10	0.45	—	0.10	—	—	0.06	0.05	—	—	—	—	0.01	10
11	0.20	—	0.06	0.40	0.01	0.05	0.19	—	—	—	0.01	—	11
12	0.08	0.01	0.01	0.11	—	0.63	—	—	—	—	—	SNOW	12
13	0.11	—	0.12	0.22	—	—	—	—	—	0.01	0.09	—	13
14	—	0.01	0.38	0.27	—	0.44	—	—	0.24	0.10	0.20	0.04	14
15	—	0.01	0.08	0.24	—	—	—	—	0.80	0.22	0.08	—	15
16	—	—	0.01	0.42	—	0.04	—	—	0.09	0.25	—	—	16
17	—	—	—	0.02	0.17	—	—	—	0.43	—	—	0.03	17
18	0.05	—	—	0.02	—	—	—	—	0.13	—	—	0.02	18
19	0.08	—	—	0.18	—	0.04	—	0.82	—	—	—	—	19
20	0.04	0.19	—	0.18	—	0.55	—	—	0.20	—	0.01	—	20
21	—	—	—	0.01	—	—	0.96	—	0.62	0.01	—	0.06	21
22	—	—	—	0.35	—	—	—	0.02	0.17	—	—	0.29	22
23	—	—	—	—	—	—	0.49	—	—	—	—	0.46	23
24	0.02	—	0.07	—	—	—	—	—	—	—	—	0.06	24
25	—	0.03	0.03	0.03	—	—	0.17	—	0.04	—	—	—	25
26	0.01	—	0.08	—	0.26	—	—	—	—	0.01	—	0.02	26
27	0.18	0.06	0.01	0.33	—	0.08	0.07	—	—	—	0.69	0.13	27
28	0.44	—	0.23	0.04	0.01	0.01	0.05	—	—	0.01	—	—	28
29	0.27	—	0.07	—	0.11	—	—	—	—	—	0.03	0.36	29
30	0.04	~~X~~	—	—	0.11	—	0.44	—	0.60	—	0.19	0.27	30
31	—	~~X~~	—	~~X~~	0.03	~~X~~	0.01	—	~~X~~	0.18	~~X~~	0.12	31
TOTAL	2.43	0.41	1.59	2.95	1.08	1.90	3.93	1.85	3.58	1.42	1.30	2.40	YEAR'S TOTAL 24.84
Days with 01 in. or more	16	9	18	20	13	9	17	7	13	11	8	21	162
Days with 04 in. or more	12	3	12	14	7	8	14	3	13	7	5	13	112

RE

WOOD GREEN

MARYLAND ROAD

LONDON / MIDDX

1911-20

FORM A2.
BRITISH RAINFALL

3-1-1912

Kept at 67 Maryland

in the County of Midd

by Fredk E. A

in.

round 9 ft. 4 in.

sea Level 118 ft.

M.

ame Bowes Park.

istance 1/2 m. Direction W.

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'04	—	—	'54	—	—	—	'03	—	—	—	—	1
2	'04	—	—	'28	'17	—	'02	—	—	—	'18	'17	2
3	'01	'01	—	—	'18	—	—	—	—	—	—	'06	3
4	—	'01	'02	'06	—	—	—	—	—	'01	'17	'27	4
5	—	—	—	'02	—	—	—	—	—	'16	'01	'16	5
6	'37	—	'08	—	—	—	—	—	—	—	—	'26	6
7	'01	—	—	—	—	—	—	—	—	'08	'31	'33	7
8	'12	—	'09	—	—	—	—	—	—	—	'26	'14	8
9	'09	—	'02	—	—	—	—	—	—	—	—	—	9
10	—	'10	'07	—	—	—	—	—	—	—	'08	'44	10
11	'31	—	—	—	'10	—	—	—	—	—	'71	'01	11
12	'01	—	'36	—	'28	'05	—	—	'05	—	'38	—	12
13	—	—	'04	—	'12	—	—	—	'43	'36	'03	'22	13
14	—	'06	—	—	'44	—	—	—	—	—	—	'42	14
15	—	'02	'18	—	—	—	—	—	—	—	'01	'01	15
16	—	—	—	—	—	'52	—	—	—	—	'40	'03	16
17	—	—	'18	—	—	—	—	—	—	—	'39	'12	17
18	—	'14	—	—	—	'40	—	—	—	—	'45	'16	18
19	—	—	—	—	'01	'20	—	'04	'20	'12	'21	'03	19
20	—	—	'01	—	—	—	—	'38	(.11)	'11	—	'59	20
21	'01	'02	'02	—	—	—	—	'17	—	'50	—	'08	21
22	'06	—	'01	—	—	'02	—	—	—	'04	—	'41	22
23	—	'06	'24	—	—	'93	—	—	'29	—	'03	'15	23
24	—	'05	'02	—	—	'03	'04	—	—	'25	—	'23	24
25	—	'01	'02	'06	—	'20	'31	'02	—	'01	—	—	25
26	—	—	—	'19	—	'22	'02	—	—	'17	'05	'28	26
27	—	'18	'03	'03	—	—	—	—	'12	—	'07	'08	27
28	—	'22	—	'33	—	—	'62	'04	—	—	—	—	28
29	—	—	—	'06	—	'19	'11	—	'24	'27	'01	—	29
30	—	—	—	'02	'04	'02	—	—	'04	'19	—	'01	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1'07	0'88	1'39	1'59	1'34	2'78	1'12	0'68	1'48	3'27	3'75	4'66	TOTAL for year 24'01.
No. of Rain Days.	11	12	16	10	8	11	6	6	8	13	18	24	143

REGISTER OF RAINFALL IN 1911.

Kept at 67 Maryland, Wood Green, N.

in the County of Middlesex 2

by Fredk E. Hornsey

Pattern Regrett & Lambrai
 RAIN GAUGE Diameter of top 8 in.
 Height of top above Ground 9 ft. 4 in.
 " " " Sea Level 118 ft.
 Time of Observation 9 A.M.
 Nearest Railway Station { Name Bowes Park
 Distance 1/2 m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'04	—	—	'54	—	—	—	'03	—	—	—	—	1
2	'04	—	—	'28	'17	—	'02	—	—	—	'18	'17	2
3	'01	'01	—	—	'18	—	—	—	—	—	—	'06	3
4	—	'01	'02	'06	—	—	—	—	—	'01	'17	'27	4
5	—	—	—	'02	—	—	—	—	—	'16	'01	'16	5
6	'37	—	'08	—	—	—	—	—	—	—	—	'26	6
7	'01	—	—	—	—	—	—	—	—	'08	'31	'33	7
8	'12	—	'09	—	—	—	—	—	—	—	'26	'14	8
9	'09	—	'02	—	—	—	—	—	—	—	—	—	9
10	—	'10	'07	—	—	—	—	—	—	—	'08	'44	10
11	'31	—	—	—	'10	—	—	—	—	—	'71	'01	11
12	'01	—	'36	—	'28	'05	—	—	'05	—	'38	—	12
13	—	—	'04	—	'12	—	—	—	'43	'36	'03	'22	13
14	—	'06	—	—	'44	—	—	—	—	—	—	'42	14
15	—	'02	'18	—	—	—	—	—	—	—	'01	'01	15
16	—	—	—	—	—	'52	—	—	—	—	'40	'03	16
17	—	—	'18	—	—	—	—	—	—	—	'39	'12	17
18	—	'14	—	—	—	'40	—	—	—	—	'45	'16	18
19	—	—	—	—	'01	'20	—	'04	'20	'12	'21	'03	19
20	—	—	'01	—	—	—	—	'38	(.11)	'11	—	'59	20
21	'01	'02	'02	—	—	—	—	'17	—	'50	—	'08	21
22	'06	—	'01	—	—	'02	—	—	—	'04	—	'41	22
23	—	'06	'24	—	—	'93	—	—	'29	—	'03	'15	23
24	—	'05	'02	—	—	'03	'04	—	—	'125	—	'23	24
25	—	'01	'02	'06	—	'20	'31	'02	—	'01	—	—	25
26	—	—	—	'19	—	'22	'02	—	—	'17	'05	'28	26
27	—	'18	'03	'03	—	—	—	—	'12	—	'07	'08	27
28	—	'22	—	'33	—	—	'62	'04	—	—	—	—	28
29	—	—	—	'06	—	'19	'11	—	'24	'27	'01	—	29
30	—	—	—	'02	'04	'02	—	—	'04	'19	—	'01	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
Total	1'07	0'88	1'39	1'59	1'34	2'78	1'12	0'68	1'48	3'27	3'75	4'66	TOTAL for year 2406 143
No. of Rain Days.	11	12	16	10	8	11	6	6	8	13	18	24	

end for month
- by c

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL
FORM A.
28 JAN 1913

Kept at By Maryland Rd. Wood Green, N.
in the County of Middlesex
by Fredk E. Hornsey.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Bowes Park G.N.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 9 ft. 4 in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'10			'16	'22	—	'03	'26		'20	1
2	—	—	'24			'06	'02	'03					2
3	'05	'01	'23	~~'02~~	'03	'17	'27	'43					3
4	33	—	'61	~~'52~~	'24	'12		'06			'08	'05	4
5	18	—	'07					'14			'02		5
6	54	'08	—			'24		'15				'03	6
7	—	—	—	~~'01~~	'02	'65		'15				'02	7
8	41	'38	'16				'05	'28					8
9	01	'10	—	'03		'24	'03	'03				'14	9
10	—	'04	—					'15			'08	'21	10
11	02	'19	—			'04						'12	11
12	09	'20	'09		'20	'10					'03	—	12
13	—	—	'01								'06	03	13
14	—	—	—		'04			07	~~'02~~	'03	—	'02	14
15	—	'01	'06		'22	49		03	~~'02~~	02	'01	'33	15
16	18	—	04		09	'12		09			'05		16
17	25	—	26			'08		05			—		17
18	21	—	11					07			'03	14	18
19	18	—	11				'03	53					19
20	03	'08	12	'02				27	~~'02~~	'32			20
21	—	—	33		'03			07	~~'02~~	08	'05		21
22	30	06	07		'01		'20	12	~~'02~~	'05		03	22
23	37	'19	31				'03	27			'18	'18	23
24	44	'27	—			'12		04				'14	24
25	—	'02	—			'24		59			24	'26	25
26	—	—	—				'07	'10	~~'02~~	'43	36	'17	26
27	—	—	—			'08	~~'07~~	—	~~'02~~	'21		'21	27
28	—	'05	—			'02	'20	04	'06	30	35	'10	28
29	—	'01	—			'37	'32	17	'57	24	'10		29
30	01	—	—		'18		'01	01	'90	12			30
31	—	—	32		'02		'13	'15		—			31
Total	3'60	1'69	3'24	'05	1'06	3'30	1'58	4'09	1'56	2'06	1'64	2'38	YEAR'S TOTAL 26'25
Rain Days.	17	15	18	2	11	17	13	26	4	11	14	18	166

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

Kept at Maryland Rd. Wood Green.
in the County of Middlesex 2
by Mr F. C. Hornsey.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Bowes Park G. N.W.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 9 ft. 4 in.
" " " " Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	16	08	40			~~03~~		30		09	14	1
2	03	12					03		17	02	03		2
3			01	17	42							03	3
4	20			01	33		05			15	04	07	4
5	11					04	11		07	01		02	5
6			06		06	19	21		06	13	06	06	6
7		12			01	03	18	02		44	12		7
8		02			17	16				11	04		8
9		16			03				03		05	07	9
10	01		08	19			57	08			36		10
11	72			47	05			02		49	16		11
12					01					01	67		12
13	05		01					02	03		54		13
14	04		07	03			75	07	02	18	15		14
15	13	05	25	20			19		03				15
16	06		38	17					33				16
17			03	04			17		03		01		17
18	01		05	11							03		18
19	09		14				11		37				19
20	05		04	04		44				48	03		20
21			21	13			04			23	78		21
22	33		09	02			03	02	24				22
23			01			01		22	05			20	23
24				03				05			01		24
25				19		02							25
26		03	20	04				13		88		25	26
27			03	04						03			27
28	13		18	07						11	01		28
29	04		03	38	55			11		09			29
30	13			14				13		11			30
31			05					38		03			31
Total	2'14	'66	2'00	2'87	1'63	'89	2'44	1'25	1'73	3'50	3'18	0'84	YEAR'S TOTAL 23'13'
Rain Days.	17	7	20	20	9	7	12	12	13	17	18	8	160

Cor. for anth. - obs. spec. 8. II. 15.

REGISTER OF RAINFALL IN 1914

Kept at Maryland Rd Wood Green.
in the County of Middlesex
by Fredk C. Hornsey.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Bowes Park
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 9 ft. 4 in.
" " " " Sea Level 118 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			'12					'19			'05	01	1
2							'08	'19			'27	12	2
3			'13	'01	'15		'03				'19	—	3
4	'13		'01	'17				'03			'40	19	4
5	'03		'07	'21	'08	'04	'55	'56				—	5
6	'01	'11			'02	'13	'06	'02			'29	16	6
7		'15	'28	'15	'80	'03	'06					08	7
8	'02	'34	'58	'11	'04	'16	'11	'10				02	8
9	'15		'57	'20		'18			'13			1'62	9
10	'02	'11		'05	'04				'15			—	10
11		'35	'48			'24			'08		'30	23	11
12		'07	'10				'08		'31			39	12
13		'25	'13						'12	'08	'06	45	13
14	'01	'06	'64				'14			'10	'10	65	14
15	'04		'19							'06	'16	06	15
16			'03				'01		'03		'02	—	16
17		'43	'04						'13			16	17
18		'04	'07									25	18
19		'02	'18			'15	'01		'04		'15	25	19
20		'13	'29			'05			'15			08	20
21		'46	'06			'02				'01		08	21
22					'30	'05	'11	'01		'12		—	22
23			'14		'20	'01	'04			'07		01	23
24			'02	'01			'02			'01	'16	—	24
25	'03		'19					'10		36		'06	25
26			'02				'03	'15		'03	'20	'61	26
27	'03							'02			'03	'18	27
28		'04								'09	'54	1'06	28
29	'05		'09							'27	'10	—	29
30		X	'06							'01	'75	14	30
31		X		X	'17	X	'02		X		X	02	31
Total	0'52	2'56	4'49	0'91	1'89	1'06	1'35	1'37	1'14	1'21	3'77	6'88	YEAR'S TOTAL ~~26'98~~ 27'06
Rain Days.	11	14	24	8	9	11	15	10	9	12	17	24	164

REGISTER OF RAINFALL IN 1915

Kept at 67 Maryland Rd Wood Green N.
in the County of Middlesex
by Fredk E. Hornsey

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station Bowes Park GNR.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 9 ft. 4 in.
Sea Level 118 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	36	15	05	—	02	—	—	—	11	04	29	49	1
2	34	13	26	13	—	—	—	48	—	04	—	14	2
3	39	—	05	19	—	—	02	60	—	—	—	38	3
4	04	—	—	—	—	—	—	20	—	—	—	25	4
5	02	06	—	—	—	—	—	01	—	02	01	26	5
6	23	07	—	22	23	—	73	—	—	—	—	54	6
7	42	08	04	—	—	—	54	02	—	—	—	20	7
8	03	08	—	08	—	—	22	03	—	—	—	—	8
9	—	07	—	06	—	05	—	06	—	01	38	68	9
10	28	02	03	—	—	—	—	20	—	—	—	10	10
11	03	—	—	—	—	—	—	—	—	—	68	—	11
12	06	01	—	24	35	—	—	73	—	—	43	—	12
13	03	20	—	—	169	—	—	—	—	—	—	—	13
14	—	05	—	—	—	—	117	03	04	—	—	73	14
15	17	02	—	—	05	—	07	15	—	—	26	10	15
16	—	16	—	—	—	—	76	—	—	—	—	12	16
17	—	19	—	—	87	—	10	02	—	—	—	—	17
18	—	17	12	—	12	—	—	—	—	—	04	—	18
19	—	10	—	—	—	—	13	—	—	—	—	—	19
20	32	—	—	01	—	—	—	—	—	—	—	27	20
21	14	12	—	01	—	—	—	—	—	02	—	04	21
22	92	—	24	—	—	—	78	—	—	—	—	12	22
23	—	18	06	—	—	11	44	—	05	28	—	26	23
24	—	—	—	—	—	01	26	—	22	07	—	25	24
25	—	—	23	06	—	01	20	—	—	02	—	09	25
26	—	08	—	—	—	21	04	—	—	—	—	41	26
27	—	—	—	—	—	16	44	—	—	36	—	08	27
28	—	12	—	—	—	27	—	—	134	16	—	—	28
29	—	X	01	—	—	—	14	14	—	01	11	02	29
30	05	X	—	—	—	95	—	—	—	02	14	—	30
31	05	X	—	X	—	X	—	03	X	87	X	16	31
Total	388	206	109	100	333	177	604	290	176	192	234	569	3378
Rain Days.	18	20	10	9	7	8	16	14	5	13	9	22	151

82 ✓

933
46

REGISTER OF RAINFALL IN 1916

Kept by Maryland Rd, Wood Green
in the County of Middlesex
by F. C. Hornsey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	11 15				15				14	05	38		1	
2	57 13	03	12		25		02		25	36	01		2	
3		31	19				04		31	24	68		3	
4	22	12				36	01		02	13	42		4	
5	02 06		01		05	25				05	40		5	
6	07	03	30	27	02		40			04	42		6	
7	05 08		21		14	32	07			01	78	03	7	
8	08		01		36							37	8	
9	07				34	03				07		08	9	
10	02	14	08	10		42	10					11	10	
11	06	13	02	14		14			01				11	
12	03 01	20		04	29	12	02	09	01	06			12	
13	20	57	18	08	07	12	33	09		02			13	
14	05	36	01	02	10			34				22	14	
15	02	38	38	01			04	17				01	15	
16	16	01	15	12	02		16	38				01	16	
17	08 19	08	01	02		04	03	89	27	59			17	
18	17	07	02	12				16	09	02	52		18	
19	09 10		11	21					17		75		19	
20	18		22	09							03	40	20	
21	12		74	02								33	21	
22		02	05		03		04			01		43	22	
23	04 18	19			06	13		02		01	05	09	23	
24		04			14	16				07	04	34	24	
25		34	12		08			24		04	10		25	
26	08	15	03			01		08		03			26	
27	08	01	1 02			01		27	05	57			27	
28	12	31	32			17			02			22	28	
29		07	03			26		1 59	04	39		12	29	
30		X		03		01		08		78			30	
31		X		X		X		04	X	12	X	05	31	
Total	1 53	2 06	3 56	4 33	1 27	2 10	2 55	1 26	4 44	1 38	3 66	4 58	2 81	33 47
Rain Days.	12													
	20	21	23	14	15	16	12	14	12	21	13	15		188

81 ✓ REGISTER OF RAINFALL IN 1917

Kept at Wood Green, Maryland Rd
in the County of Middlesex
by F. C. Hornsey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
899
109
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				08				86	07	01	10		1
2	01	01		58		02		09			04		2
3				07				41		30	38		3
4		12	22				05	27		33			4
5	24			41				07	80	09	11		5
6	01		06	04		04			11		15		6
7	21						16		01	27		02	7
8	13			15			93	17		23	24	27	8
9	01		06	12			05	10			07	16	9
10			12	17				04			01	02	10
11	36		37	20				01	12	35			11
12	10		03	01				03		48			12
13	01		14	02				02	03	01			13
14			01	27				16					14
15	03						34	07		04		02	15
16	05	18		16	20	47	15			50		20	16
17				09	66		24	07	44	31			17
18	03			10	10	23	12	02	19	03			18
19	01	20	06		18			01	23				19
20	04	20	09		85		01	01	07		10		20
21			04		05						02		21
22			04			10		08		08			22
23		10			14	02		15					23
24		05				06		02		38	02	02	24
25		02	06								10		25
26			09					26	03		50		26
27			01			02		89					27
28			02			82		14				06	28
29			02		02	02	22	20		20		13	29
30	02	X	30				1.46	06		02			30
31	04	X	32	X		X	31	03	X		X		31
Total	1.30	88	2.06	2.47	2.20	1.80	4.04	4.24	2.10	3.63	1.84	.90	27.46
Rain Days.	17	8	19	15	8	10	12	26	11	18	13	9	166

REGISTER OF RAINFALL IN 1918

Kept at Wood Green
in the County of Middlesex
by F. C. Hornsey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

457
27.1.19
FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01		14							10	02	1
2	01	07		03				28		01	08	21	2
3		01	03	02	47			29	02		47	01	3
4		08	17	06				06	69		55	01	4
5		01	01		12			11	05	08			5
6	12	20		41	12			05				07	6
7	04	09		11	13			01	12	07	12		7
8		06		03				01	10	02	05	02	8
9	03	04		01		03	22		45	12		16	9
10	03			05			55		01	02	01	38	10
11				03	07		58		14	17	06	11	11
12	01	07			13		15		03			02	12
13		02			23		19		19			01	13
14	18		02			19	06		35	19		23	14
15				90			09		01			06	15
16	1.14			36		06	01		23	02		01	16
17	36		01	23	27	03	58	02				15	17
18	59					22	11		1.77	09		06	18
19	06		03	08		44	34		02			20	19
20	09	14		57		02	11		08	20		04	20
21	09	01		21					38	02		01	21
22	06			02	49		08		11		02	15	22
23	02			02	33		49	06	09		01	08	23
24		21				04	11		06		03		24
25					03	39	12			01	05		25
26						32	07	01	04	19	11		26
27		02	01	11			01	20	04		10	01	27
28		01	16	03				01			25	12	28
29			03						1.34		01		29
30	01	X	49						01		07	06	30
31	01	X	01	X		X		03	X	05	X	01	31
Total	2.85	1.05	97	3.42	2.36	1.06	4.39	1.32	6.30	1.11	2.17	2.32	29.32
Rain Days.	17	16	11	20	10	9	18	14	24	15	17	26	197

REGISTER OF RAINFALL IN 1919

Kept at Wood Green
in the County of Middlesex
by H. L. Hornsey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	47	03			11		23			03	02	84	1
2	34				15		14		16	13	10	10	2
3	29		27		01		08	01	02		05	34	3
4	11	05	33			08	16	08			02	17	4
5	01	31	43				02		06		01	29	5
6			08								01	06	6
7	04		38								05		7
8	08		03	01							01		8
9	20		04	03	08						15		9
10	33		08	03							01	03	10
11	02		09	29			20					01	11
12	01		09	02		03	11			05			12
13	02			26						04			13
14	34			30			05		59			03	14
15	23		12	19						07	02	26	15
16	06	70		02							10	04	16
17		43	05	02							23	01	17
18		24	06		01		01		01		07	10	18
19	03	18	87			19	12	35	07	01	09	01	19
20	40	09	04			85	12	16	01			03	20
21	17	35	02			03	13					10	21
22		16				03	10		17		05	29	22
23						10	01	03	05		01	05	23
24				15		02	01	07		16	04	01	24
25	03			06	04			20				04	25
26	08	13	13	04			02	16	10			36	26
27	60	01	01	1.32				50				03	27
28			13	04				80		01	19	31	28
29	03			02				25		19	04	04	29
30		X	03	24		20		11		02	24	26	30
31	03	X	01	X		X			X	01	X	02	31
Total	3.92	2.68	3.29	3.04	40	1.53	1.51	2.72	1.24	.72	1.51	3.83	26.39
Rain Days.	23	12	21	17	6	9	16	12	10	11	21	26	184

REGISTER OF RAINFALL IN 1920.

Kept at Wood Green
in the County of Middlesex
by H. C. Horsey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				48	07		41		01	39		25	1
2			01		01			78	08	07		09	2
3		08					01		08	01		03	3
4		03	01	07			01	08		13		05	4
5			08		03		49	01	07	01		03	5
6			18		13		30	01				01	6
7	02		06	23			14					03	7
8	09	02		18	20		07						8
9	38	02		03				02					9
10	49	04	10	01		08	05					01	10
11	27		06	40	01	06	18	02				25	11
12	08		01	11		44	01						12
13	13		12	22					01		08		13
14	01	04	38	24		33			16	09	15	02	14
15			08	24					52	19	09		15
16			01	14		04			28	21			16
17	02			04	16	01			32			04	17
18	02			03	01			70	19			02	18
19	11			21		05						01	19
20	05	19		20		56			16				20
21				01			93	02	56			07	21
22	01			37					13			28	22
23							50					39	23
24	02		07									05	24
25		03	03	03			17		05				25
26	03		08	01	21	01	01					03	26
27	18	06	01	38		09	10				59	12	27
28	47		23	02	02	02	06					01	28
29	26		07		13						05	37	29
30	04	~~X~~			10		44		55		16	25	30
31		~~X~~		~~X~~	03	~~X~~	01		~~X~~	17	~~X~~	11	31
TOTAL	2.68	.51	1.59	3.65	1.11	1.69	3.89	1.64	3.17	1.27	1.12	2.52	YEAR'S TOTAL 24.84
Days with 0.1 in. or more	19	9	18	22	13	11	16	8	15	9	6	23	171